Exploring the composition of lithic assemblages in Mesolithic south-eastern Norway

Isak Roalkvam[1,*]

26 July, 2021

Abstract

This paper leverages multivariate statistics to explore the composition of 54 Mesolithic assemblages located in south-eastern Norway. To provide analytical control pertaining to factors such as variable excavation practices, systems for artefact categorisation and raw-material availability, the sites chosen for analysis have all been excavated relatively recently and have a constrained geographical distribution. The assemblages were explored following two strains of analysis. The first of these entailed the use of artefact categories that are established within Norwegian Mesolithic archaeology, while the other involved drawing on measures that have been linked directly to land-use and mobility patterns associated with lithic assemblages more widely. The findings pertaining to the established artefact categories largely reflect the temporal development previously reported in Norwegian Mesolithic research, which has been based on more subjectively driven methods. Furthermore, the chronological trends associated with variables taken from the so-called Whole Assemblage Behavioural Index, originally developed for characterising Palaeolithic assemblages in terms of associated mobility patterns, also align with the development previously proposed in the literature. This provides an initial indication that these measures are applicable in a Norwegian Mesolithic setting as well, setting the stage for a more targeted and rigorous model evaluation outside this exploratory setting. This might ultimately yield a powerful comparative tool for more extensive analyses of Mesolithic assemblages.

[1] University of Oslo, Department of Archaeology, History and Conservation

[*] Correspondence: Isak Roalkvam <isak.roalkvam@iakh.uio.no>

Keywords: Mesolithic Norway; Lithic assemblages; Mobility; Multivariate statistics

1 Introduction

This study employs multivariate exploratory statistics to analyse lithic assemblages associated with a larger number of Mesolithic sites located in south-eastern Norway. This is done to identify latent patterns and structure in the relationship between the assemblages, with the ultimate aim of identifying behaviourally induced variation in their composition across time. However, the composition of the assemblages can be expected to be determined by a multitude of factors (e.g. Dibble et al., 2017; Rezek et al., 2020), ranging from the impact of natural formation processes, to various and intermixed behavioural aspects such as purpose, duration, frequency and group sizes at visits to the sites. The assemblages are also likely to be impacted by variation in lithic technology, artefact function, use-life and discard patterns, as well as procurement strategies and access to raw materials. Finally, analytic and methodological dimensions relating to survey, excavation and classification practices are also fundamental to how the assemblages are defined. Consequently, the analysis conducted here is done from an exploratory perspective, where all of these factors should be seen as potential contributors to any observed pattern. In an attempt to limit the influence of some potentially confounding effects, the material chosen for analysis has a constrained geographical distribution, and stems from recent investigations that have employed comparable methods for excavation and classification within larger unified projects.

Even though each individual assemblage can have been impacted by an virtual infinitude of effects that might skew an archaeological interpretation, this does not preclude the applicability of inductive analyses aimed at revealing overarching structure in the data without imposing overly complex analytical frameworks that attempt to account for these particularities (Bevan, 2015). Structure that can be revealed from considering all of the assemblages in aggregate can constitute a step in an iterative analytical chain that ultimately aims to tease apart the multitude of factors that have shaped the composition of the assemblages, and should be of value to subsequent in-depth studies of any individual site. The most immediate danger of the approach outlined here is rather to be overly naive in the causal significance and cultural importance that is ascribed to any identified pattern. As such, the main aim of this analysis is to compare the results with findings reported in previous literature concerned with the Mesolithic in southern Norway and have the generation of new hypotheses as a possible outcome. To this end, the analysis follows two analytical avenues. The first involves an analysis of the assemblages using the classification of the artefacts done for the original excavation reports. The second involves an analysis of the assemblages in light of the so-called Whole Assemblage Behavioural Index (e.g. Clark and Barton, 2017), which has been employed in other contexts to align properties of lithic assemblages with land-use and mobility patterns.

2 Archaeological context and material

The Early Mesolithic, or Flake Axe Phase, is defined as lasting from c. 9200–8200 BCE (Reitan, 2016). The phase is set to start with the first human occupation in Norway which is widely held as originating from southern Scandinavian and northern European regions. This is to be directly reflected by similarities in the artefact inventories (Bang-Andersen, 2012; Berg-Hansen, 2018; Bjerck, 2008; Fuglestvedt, 2012; Glørstad, 2016). Previous research has typically proposed that the Early Mesolithic is characterised by a relatively high degree of mobility, and low variation in site types and associated mobility patterns (e.g. Bjerck, 2008; Breivik and Callanan, 2016; Fuglestvedt, 2012; but see **viken2018?**). The transition to the subsequent Middle Mesolithic, or Microlith Phase, at around 8200 BCE has been linked to changes in blade (Damlien, 2016) and subsequently axe technology (Eymundsson et al., 2018; Solheim et al., 2020), which in turn has been associated with changes in population genomics and related migration events hailing from the Eurasian steppes (Günther et al., 2018; Manninen et al., 2021). The radiocarbon record points towards a coinciding population decline in southern Norway around this time (Nielsen, 2021). Although this does not appear to be evident in the regional data for south-eastern Norway, taphonomic loss associated with these early dates is an issue (Nielsen, 2021; Solheim, 2020; Solheim and Persson, 2018). In the chronological framework of Reitan (2016), the Microlith phase is defined as lasting until around 7000 BCE. The Microlith phase is followed by the Pecked Adze Phase, characterised by a more dominating presence of non-flint macro tools and associated production waste in the assemblages (Reitan, 2016). Following Reitan (2016), the next typological transition at c. 5600 BCE signifies the onset of the Nøstvet Adze Phase. While previously defined as having a slightly longer duration, the Nøstvet Phase has traditionally been seen as representing the onset of more varied settlement systems and stable mobility patterns in the Mesolithic of south-eastern Norway (e.g. Jaksland, 2001; Lindblom, 1984) In recent years it has been suggested that the transition to a decrease in mobility and more varied land-use patterns can be traced back to the Middle Mesolithic (Solheim and Persson, 2016). The subsequent Transverse Arrowhead Phase (c. 4500–3900 BCE) is characterised by a dramatic decrease in axe finds, and the introduction of tranverse-, tanged- and single-edged points (Reitan, 2016). It has recently been suggested that a dispersal of people from southern Scandinavia into southern Norway takes place in this period (Eigeland, 2015, p. 379; Nielsen, 2021), which could follow after a preceding population decline at c. 4300 BCE (Nielsen, 2021).

The 54 coastal sites chosen for analysis here have a relatively limited geographical distribution in south-eastern Norway (Figure 1A). The sites were excavated as part of four larger excavation projects that all took place within the last 15 years (Jaksland and Persson, 2014; Melvold and Persson, 2014; Reitan and Persson, 2014; Solheim, 2017a; Solheim and Damlien, 2013). The sites included in the analysis consist of all Mesolithic sites excavated in conjunction with the projects that have assemblages holding more than 100 artefacts. The institution responsible for these excavations was the Museum of Cultural History in Oslo. This has led to a considerable overlap in the archaeological personnel involved, and comparable excavation practices across the excavations. Furthermore, with these projects, major efforts were made to standardise how lithic artefacts were to be classified at the museum (Koxvold and Fossum, 2017; Melvold et al., 2014). As a result, this should reduce the amount of artificial patterning in the data incurred by discrepancies in the employed systems for categorisation (e.g. Clark and Riel-Salvatore, 2006; Dibble et al., 2017). In this setting, for example, bias could potentially follow from the fact that two of the projects have sites with relatively contemporaneous dates (Jaksland, 2014; Solheim and Damlien, 2013, see also Figure 1B). Any project-dependent classification practice could as a consequence lead to an exaggeration of chronological differences between the assemblages. While this is difficult to fully account for, I do believe that the relative contemporaneity of the excavation projects, as well as the overlap in excavation and classification practices should minimise the above-mentioned effects.

A defining characteristic of the Norwegian Mesolithic is that a clear majority of the known sites are located in coastal areas (e.g. Bjerck, 2008). Furthermore, these coastal sites appear to predominantly have been located on or close to the contemporary shoreline when they were in use (e.g. Åstveit, 2018; Breivik et al., 2018; Møller, 1987; Solheim et al., 2020). In south-eastern Norway, this pattern is combined with a continuous regression of the shoreline, following from isostatic rebound (e.g. Romundset et al., 2018; Sørensen, 1979). The fairly rapid shoreline displacement means that the sites tend not to have retained their strategic or ecologically beneficial shore-bound location for long periods of time (cf. Perreault, 2019, p. 47). Consequently, the shore-bound settlement, combined with the rapid shoreline displacement has resulted in a relatively high degree of spatial separation of cumulative palimpsests, to follow the terminology of Bailey (2007), while the reconstruction of the trajectory of relative sea-level change allows for a relatively good control of when these accumulation events occurred. In other parts of the world, a higher degree of spatial distribution means that while the physical separation of material can help delineate discrete events, this typically comes at the cost of losing temporal resolution as any stratigraphic relationship between the events is lost (Bailey, 2007). However, as the rate of isostatic rebound has varied throughout the Mesolithic in the region, and local topography and bathymetry will have impacted how rapidly a site lost its shore-bound location, this effect is not evenly distributed in time and space. In the earliest part of the Mesolithic, the displacement rate within the study area would have been around as much as 8.8 cm/year, falling to around 0.5 cm/year towards the end of the Mesolithic (Sørensen et al., 2014). Thus, while relative sea-level change appears to have reduced the degree of mixing that has occurred in the assemblages, it is worth bearing in mind that this could vary depending on when and where they were in use, potentially reducing the degree to which their composition can be directly compared.

The lithic data analysed here is based on the classification of the site assemblages done for the original excavation reports, and consists of 48 variables representing different debitage and tool types. While the classification practices for the excavation projects were standardised to an extent, there are some instances where time was allocated to identify additional artefact sub-categories aimed at answering specific research questions. Some categories in the original reports have therefore been combined in the dataset. For example, this pertains to the category narrow-blades (width > 8mm and < 12mm), which was only separated from (macro-)blades (width ≥ 12 mm) and micro-blades (width ≤ 8 mm) for some of the sites. Narrow-blades were combined with the blade category here. Furthermore, the artefact data have here been divided into flint and non-flint materials. Flint does not occur indigenously in Norway, and is only available locally as nodules that have been transported and deposited by retreating and drifting ice (e.g. Berg-Hansen, 1999). This means that the distribution and quality of flint has been impacted by a diverse set of factors relating to climatic and geographical factors such as, but not limited to, topographic variability, shoreline morphology and ocean currents (Eigeland, 2015, p. 46). Thus, while flint is treated as a unified category here, the variability in quality could have been substantial (Eigeland, 2015, pp. 45–53). Furthermore, the various non-flint raw materials that have been lumped together have quite disparate properties, where fine-grained cryptocrystalline materials are often used as a substitute or supplement to flint, while other, coarser materials are usually associated with the production of axes and other macro tools. Given this differentiated use, these raw-material properties are expected to be reflected in the retained debitage and tool categories. An important benefit of combining all of the non-flint materials is that this reduces the dependency on whether or not these have been correctly and consistently categorised for the reports (cf. Frivoll, 2017). While certainly a topic deserving of more attention, the general sentiment in the literature is that there would have been stable access to locally available non-flint raw-materials of good quality in south-eastern Norway (e.g. Eigeland, 2015, p.



Figure 1: A) Spatial and B) temporal distribution of the sites chosen for analysis. Radiocarbon age determinations are given as the sum of the posterior density esimates. Solid lines indicate that the site has been dated with reference to relative sea-level change and typological indicators. These follow the original reports.

370; Glørstad, 2011). Finally, while factors such as landscape changes through shoreline displacement can have led to variable raw-material availability at the analysed sites, their relatively constrained geographical distribution hopefully counteracts some non-behavioural sources of variation.

Table 1. Analysed sites.

no	Site name	Dating method	Reported start (BCE)	Reported end (BCE)
1	Pauler 1	Shoreline/typology	9200	9000
2	Pauler 2	Shoreline/typology	9150	8950
3	Pauler 3	Shoreline/typology	9000	8800
4	Pauler 5	Shoreline/typology	8975	8775
5	Pauler 4	Shoreline/typology	8950	8750
6	Pauler 6	Shoreline/typology	8850	8650
7	Bakke	Shoreline/typology	8850	8650
8	Pauler 7	Shoreline/typology	8800	8600
9	Nedre Hobekk 2	Shoreline/typology	8800	8500
10	Solum 1	Shoreline/typology	8800	8400
11	Tinderholt 3	Shoreline/typology	8700	8500
12	Tinderholt 2	Shoreline/typology	8700	8400
13	Dørdal	Shoreline/typology	8600	8400
14	Tinderholt 1	Shoreline/typology	8600	8300
15	Skeid	Shoreline/typology	8500	8300
16	Hydal 3	Shoreline/typology	8300	8100
17	Hydal 4	Shoreline/typology	8300	8100
18	Hydal 7	Shoreline/typology	8300	8100
19	Hovland 2	Shoreline/typology	8300	7900
20	Nedre Hobekk 3	Shoreline/typology	8200	8000
21	Hydal 8	Shoreline/typology	8200	8000
22	Hegna vest 1	Radiocarbon	8000	7800
23	Hovland 5	Radiocarbon	8000	7700
24	Sundsaasen 1	Shoreline/typology	7900	7700
25	Hegna øst 6	Shoreline/typology	7900	7700
26	Hegna vest 4	Shoreline/typology	7900	7600
27	Hegna vest 2	Radiocarbon	7900	7550
28	Nordby 2	Shoreline/typology	7900	7500
29	Hovland 4	Radiocarbon	7900	7500
30	Hegna vest 3	Radiocarbon	7800	7600
31	Prestemoen 1	Radiocarbon	7700	7600
32	Hovland 1	Radiocarbon	7700	7400
33	Hovland 3	Radiocarbon	7650	7450
34	Gunnarsrød 7	Shoreline/typology	7800	7300
35	Torstvet	Radiocarbon	7500	7100
36	Hegna øst 5	Shoreline/typology	7500	7000
37	Gunnarsrød 8	Shoreline/typology	7300	7000
38	Langangen Vestgård 1	Radiocarbon	6800	6600
39	Gunnarsrød 2	Shoreline/typology	7000	6000
40	Gunnarsrød 6b	Shoreline/typology	6500	6300
41	Hegna øst 7	Shoreline/typology	6500	6200
42	Gunnarsrød 6a	Shoreline/typology	6300	6100
43	Gunnarsrød 4	Radiocarbon	6000	5800
44	Stokke/Polland 3	Shoreline/typology	6100	5400
45	Gunnarsrød 10	Shoreline/typology	5800	5600
46	Langangen Vestgård 2	Shoreline/typology	5800	5400
47	Vallermyrene 4	Radiocarbon	5500	5200
48	Hegna øst 2	Radiocarbon	5350	5200

49	Stokke/Polland 8	Radiocarbon	5300	5200
50	Stokke/Polland 5	Radiocarbon	5300	5000
51	Prestemoen 2	Shoreline/typology	5000	4800
52	Vallermyrene 1	Radiocarbon	4700	4100
53	Langangen Vestgård 3	Radiocarbon	4350	4000
54	Stokke/Polland 9	Shoreline/typology	4200	4000

3 The analysis of lithic assemblages

Studies concerned with chronological changes in the composition of lithic assemblages in southern Norway have typically had a focus on morphological variation among artefacts (e.g. Ballin, 1999; Bjerck, 1986; Reitan, 2016) or been concerned with technological processes associated with certain sub-categories of the site inventories, such as the production of blades or axes (e.g. Berg-Hansen, 2017; Damlien, 2016; Eymundsson et al., 2018; Solheim et al., 2020). Studies that have involved entire assemblages have either been concerned with general compositional traits such as relative frequency of various tool types and raw-materials (Breivik, 2020; Breivik and Callanan, 2016; Reitan, 2016; Viken, 2018), or involved extremely in-depth studies of technological organisation associated with a handful of assemblages (Eigeland, 2015; Fuglestvedt, 2007; Mansrud and Eymundsson, 2016). These studies are, however, based on narratively driven methods, leaving the weighting of the different variables for the final interpretations unclear. To my knowledge, only a single study dealing with the composition of Mesolithic assemblages in southern Norway has involved the use of a multivariate quantitative framework, which was employed to structure the analysis of eight Middle Mesolithic assemblages (Solheim, 2013; see Glørstad, 2010, pp. 145–146 for a spatial application). In sum then, previous studies have typically either been limited to a small number of sites, to a subset of the inventories, to morphological characteristics, or to subjectively and narratively driven methods that are difficult to scale and consistently balance in the comparison of a larger number of artefact categories and assemblages.

The aim of the first of part of the analysis is to evaluate the degree to which the composition of the assemblages align with patterns that have been suggested by earlier studies of the Mesolithic in southern Norway that have employed more informally driven methods. This consequently assumes that the artefact categories employed in Norwegian Stone Age archaeology are, at least to a certain extent, behaviourally meaningful. However, the approach taken is also partially informed by the so-called Frison effect (Jelinek, 1976), which pertains to the fact that lithics studied by archaeologists can have had long and complex use-lives in which they took on a multitude of different shapes before they were ultimately discarded. Several scholars have built on this to argue that morphological variation in retouched lithics from the Palaeolithic cannot be assumed to predominantly be the result of the intention of the original knapper to reach some desired end-product, but rather that what is commonly categorised as discrete types of artefacts by archaeologists can instead in large part be related to variable degrees of modification through use and rejuvenation (e.g. Barton, 1991; Barton and Clark, 2021; Dibble, 1995).

However, for the most part we lack even a most basic understanding of what any individual lithic object in an assemblage has been used for (Dibble et al., 2017). For example, a vast amount of artefacts defined as debitage are likely to have fulfilled the function of tools, and both debitage and formal tool types could have had various different purposes and had a multitude of shapes throughout their use-life. While use-wear analysis could potentially offer a way to identify what artefacts were used for towards the end of their use-life, these kinds of analyses are extremely time-consuming and are therefore typically only conducted on a smaller number of artefacts that have already been selected for analysis based on their shape (e.g. Solheim et al., 2018). Thus, while these analyses can potentially get at in-group variation pertaining to the end-state of a group of artefacts, they do not tell us whether or not their classification as a unified group is meaningful in the first place (Dibble et al., 2017). As a consequence, the second part of the analysis employs a suite of measures developed for the classification of lithic assemblages with these inferential limitations in mind (see Barton et al., 2011; Clark and Barton, 2017, and below). The logic behind these measures are founded on an understanding of technology as being organised along a continuum ranging between curated and expedient (Binford, 1979, 1973; Binford, 1977). An expedient technological organisation pertains to the situational production of tools to meet immediate needs, with little investment of time and resources in modification and rejuvination, resulting in high rates of tool replacement. Curated technological organisation, on the other hand, has been defined as related to manufacture and maintenance of tools in anticipation of future use, the transport of these artefacts between places of use, and the modification and rejuvenation of artefacts for different and changing situations.

However, following not least from the ambiguous definition first put forward by Binford (1973), the theoretical definition of curation, its archaeological correlates, and behavioural implications have been widely discussed and disputed, and no single definition has ever been reached (e.g. Bamforth, 1986; Nash, 1996; Shott, 1996; Surovell, 2009, pp. 9–13). The continuum between curated and expedient technology has for example been related to dimensions such as land-use and mobility strategies and raw-material quality and availability (e.g. Andrefsky, 1994; Clark and Barton, 2017; Kuhn, 1992; Parry and Kelly, 1987; Smith, 2015). Still, that the distinction can offer a useful analytical point of departure if clearly and explicitly operationalised seems more or less agreed upon, and some dimensions of the concept are generally accepted. For example, although precisely how it is measured may vary, the empirical correspondent to a curated technological organisation is typically defined by high degrees of retouch, as this is commonly seen as a means of realising the potential utility of a tool — or extending its use-life — by the repeated rejuvenation and modification of edges (e.g. Bamforth, 1986; Dibble, 1995; Shott and Sillitoe, 2005).

Furthermore, one concrete operationalisation of the terms have been forwarded by Barton (1998) and collegues (e.g. Barton et al., 2013, 2011, 1999; Barton and Riel-Salvatore, 2014; Clark and Barton, 2017; Riel-Salvatore and Barton, 2007; Riel-Salvatore and Barton, 2004; Villaverde et al., 1998), who through a series of studies have shown that the relationship between volumetric density of lithics and relative frequency of retouched artefacts in lithic assemblages have a consistent negative relationship across a wide range of chronological and cultural context, ranging from Pleistocene and Holocene assemblages in Europe and Asia, to assemblages associated with both Neanderthals and modern humans (Barton et al., 2011; Riel-Salvatore et al., 2008). This relationship is taken to reflect degree of curation, and is in turn mainly to follow from the accumulated nature of land-use and mobility patterns associated with the assemblages (Barton and Riel-Salvatore, 2014). In this model, higher degree of mobility would mean a higher dependency on the artefacts and the material people could bring with them, and dimensions such as weight, reliability, repairability, and the degree to which artefacts could be manipulated to fulfil a wide range of tasks are therefore assumed to have been factors of concern. From this it follows that the empirical expectation for short-term camps is a curated technological organisation with higher relative frequency of retouched artefacts, and a lower overall density of lithics (Clark and Barton, 2017). More time spent in a single location, on the other hand, is assumed to lead to better control of raw-material availability and to allow for its accumulation. This should in turn lead to a more expedient technological organisation with reduced necessity for the conservation of lithics and extensive use of retouch. The empirical expectation for lower degree of mobility is therefore relatively high density of lithics, a low relative frequency of retouched artefacts, as well as a higher number of cores and unretouched flakes and blades. These variables and underlying logic constitute what has been termed the whole assemblage behavioural index (WABI, Clark and Barton, 2017), and is the main framework adopted here.

However, as these measures are argued to predominantly be determined by land-use and mobility patterns, relative frequency of chips and relative frequency of non-flint material are also included in the analysis, as these measures have also been linked to mobility patterns and is of central importance in Norwegian Stone Age archaeology (e.g. Bicho and Cascalheira, 2020; Breivik et al., 2016; Kitchel et al., 2021; Reitan, 2016) — the use of local non-flint material has been taken to indicate reduced mobility and increased familiarity with local surroundings (Glørstad, 2010, p. 181; Jaksland, 2001, p. 112).

4 Methodology

The relatively constrained geographical distribution of the analysed sites, the limited temporal range over which they where investigated, as well as the methodological equivalency across excavation projects hopefully leads to an exclusion of some biases that might otherwise skew an exploratory analysis, rendering it more likely that behaviourally meaningful patterns are identified. However, the exploratory perspective means that a wide range of combinations and transformations of variables has been explored to identify patterning in the data. While only parts of this process can sensibly be reported here, the data and employed R programming script is freely available as a research compendium on GitHub (https://github.com/isakro/exploring-assemblages-se-norway) and Zenodo ([placeholder]), following Marwick et al. (2018), allowing readers to explore and scrutinise the data and the final analytical choices made (Marwick, 2017). However, this inductive data-dredging or pattern-searching approach does constitute a limited inferential framework (Clark, 2009), as it involves a *post hoc* accommodation of explanations to meet the observed data—data that is both selectively and subjectively reported upon. The process can still provide the identification of empirical patterns with respects to the employed units of analysis, which in turn can form the basis for social and behavioural hypotheses. This can lay the foundation for a deductive research agenda with targeted model evaluation for which clear test implications can be derived (Clark, 2009, p. 29).

The 54 analysed sites have been dated by reference to relative sea-level change, typology and/or radiocarbon dates (Table 1). Date ranges for sites based on shoreline displacement and typology are taken from the original reports and follow the evaluation done by the original excavators. Where radiocarbon age determinations believed to be associated with the lithic material are available, these have been calibrated using the IntCal20 calibration curve (Reimer et al., 2020) and subjected to Bayesian modelling using OxCal v4.4.4 (Bronk Ramsey, 2009) through the oxcAAR package (Hinz et al., 2021) for R (R Core Team, 2020). The only constraint imposed for the modelling of the dates was that the dates from each site are assumed to represent a related group of events through the application of the Boundary function (Bronk Ramsey, 2021). The resulting posterior density estimates were then summed for each site. Radiocarbon data is provided in the supplementary data, and has also been collated and reported by Solheim (2020).

The first part of the analysis of the lithic data involves employing the method of correspondence analysis (CA), using the lithic count data as classified for the original excavation reports. As this part of the analysis partially draws on the above-mentioned Frison effect, several artefact categories have been collapsed for the CA. A full overview of the aggregated variables and their constituent parts is provided in the supplementary material. An underlying assumption is therefore effectively that the retained categories represent artefact categories that have fulfilled different purposes or are related to different technological processes. While aggregating artefact categories in this manner could potentially subsume important variation, it does also reduce the possibility that any conclusions are not simply the result of employing erroneous units of analysis.

In sum, the variables employed in the analysis are relative frequency of secondarily worked lithics (RFSL), defined as the number of retouched or ground lithics divided by the assemblage total; volumetric density of lithics (VDL), defined as number of artefacts per excavated m^3; relative frequency of chips, defined as the proportion of artefacts with size < 0.1 cm; relative frequency of cores, simply the proportion of all artefacts classified as cores in the original reports; relative frequency of blanks, here defined as the proportion of all artefacts classified as flakes, blades, micro-blades or fragments; and finally relative frequency of non-flint material. Following Bicho and Cascalheira (2020), the analysis is done using principal components analysis (PCA), leading to a shift in focus from the relative composition emphasised by the CA, to having more weight placed on patterning in the most abundant occurrences (Baxter, 1994, pp. 71–77, 103).

A note should also be made on the fact that a few variables that are sometimes invoked for the classification of sites in terms of associated mobility patterns are omitted here (e.g. Bicho and Cascalheira, 2020; Breivik et al., 2016). For the assemblage data itself this especially pertains to diversity in tool-types (see also Canessa, 2021), which has been omitted in light of the Frison effect. Some site specific aspects such as number of features has also been disregarded as taphonomic loss is likely to have led to a chronological bias in their preservation. Similarly, the number of activity areas, effectively number of artefact clusters, however defined, has also been disregarded. This follows most notably from the fact that the impact of post-depositional processes at Stone Age sites in Norway is arguably understudied (Jørgensen, 2017). This pertains for example to the impact of bio-turbation in the form of three-throws, which can have a detrimental effect on the original distribution of artefacts, and which can be expected to have been relatively frequent on several of the sites treated here (Darmark, 2018; Jørgensen, 2017).

5 Results

The general impression from the CA is that a chronological dimension is associated with the patterning in the data (Figure 2). This is indicated by the general transition across the colour scale in the row plot (Figure 2A), combined with the fact that the two first dimensions of the CA accounts for as much as 80.53 % of the inertia or variance in the data, as well as the horseshoe curve or Guttman effect evident in the column plot (see Baxter, 1994, pp. 119–120). The earliest sites tend to be located in the upper left corner of plot A, with increasingly younger sites towards the bottom along the second dimension. Although fewer in number, the sites from the later parts of the Mesolithic are drawn out along the first dimension of the plot, and are not as impacted by the second dimension as the more numerous older sites.

The column plot (Figure 2B) reveals that the earliest sites are characterised by the flint artefact categories microburins, projectiles, as well as flint macro tools and associated debitage. It is also interesting that these sites to a larger extent are characterised by core fragments, both in flint and non-flint materials, rather than the cores themselves. The non-flint material on the earliest, or among the earliest sites, appears to be centred around the production of projectiles, as both the projectiles themselves and non-flint blades are important constituents of the assemblages at these sites. Site number 9, Nedre Hobekk 2, located in the upper right quadrant of the row plot represents a somewhat curious case in that its assemblage is dominated by axe production in metarhyolite (Eigeland, 2014). However, as the site had been quite heavily impacted by modern disturbances, this led Eigeland (2014, p. 124) to suggest that the material might have been compromised. This could explain its position as an outlier in the plot.

The first dimension, which is pulling some of the later sites towards the right of the plot, is mainly defined by macro tools and associated debitage in non-flint materials that are negatively correlated with more flint dominated assemblages. Sites with high values on the first dimensions are later Mesolithic sites associated with axe production in non-flint materials, but the later sites occur along the entire dimension, indicating that while these axe production sites are a feature of the later Mesolithic, there is marked variation among the sites. Although the sample size is quite strained and the discussion of finer chronological points might not be warranted, the first dimension does appear to be of of less importance for the absolute latest sites, as indicated by their location to the left of the plot.

As most of the variation in the data is accounted for by the dominating non-flint material in later assemblages, this suppresses and makes it difficult to discern patterns in the flint data. A second CA was therefore run excluding the non-flint material (Figure 3). While not as substantial, there is clear temporal patterning in the flint data as well. This is most marked for the very earliest sites which are pulled away from the main cluster, as projectiles, microburins, macro tools, debitage from their production, and flakes characterises these sites. Slightly younger sites appear more impacted by core fragments and blades. The temporal transition in the main cluster is not as marked, but clearly present, and is driven by a larger proportion of blades, flakes and small tools in the earliest assemblages of the cluster, which is opposed to chips, fragments and partly micro-blades.

Moving on to the PCA of measures that have been linked to mobility, some of the variables with severely skewed distributions were initially transformed. These are displayed in the correlation matrix in Figure 4. Figure 5 displays the resulting PCA. There is a general temporal transition from older to younger sites from the upper left to the bottom right of the plot. The second dimension is mainly defined by a negative correlation between the VDL and RFSL (Figure 6). Almost orthogonal to this is the strong negative correlation between relative frequency of chips and blanks. While there is a slight tendency for blanks to be more associated with younger sites, frequency of chips appears to be largely independent of time. However, the almost suspiciously strong negative correlation between chips and blanks can perhaps have a practical explanation. Seeing as the frequency of non-flint material is positively correlated with blanks and negatively correlated with chips (Figure 4), one explanation to this pattern could be that smaller non-flint pieces are simply more difficult to identify and separate from naturally fragmented stone during excavation and classification. This could conceivably have led to an over-representation of blanks as compared to chips in assemblages with a high proportion of non-flint material. While this is not necessarily the entire explanation behind the relationship, this does make it difficult to place much analytical weight on this pattern. Relative frequency of cores is not especially impactful in the PCA, and appears to be independent the temporal dimension as well. That is not



Figure 2: Correspondence analysis using the artefact count data. A) Row plot, B) Column plot.



Figure 3: Correspondence analysis using the flint data. A) Row plot, B) Column plot.

to say that cores may not be indicative or related to mobility patterns, but to get at this may require further analysis beyond their simple classification as cores (Kitchel et al., 2021).

Thus, while some secondary expectations of the WABI does not seem to apply to the present material, it is difficult to say to what degree this is caused by idiosyncrasies in the Norwegian system for classification of lithics and properties of the lithic material itself. The relationship between VDL and RFSL does correspond to the model and follows a clear temporal trend that is also correlated with the increased use of local raw material. Thus, if the relationship between VDL and RFSL is accepted as a proxy for curation, and is related to land-use and mobility patterns, these findings would be in line with previous research into the Mesolithic of Norway, indicating that earlier sites are associated with higher degree of mobility than sites from later phases (e.g. Bergsvik, 2001; Bjerck, 2008; Glørstad, 2010; Jaksland, 2001). To explore this proposition further, these two variables are subjected to more detailed scrutiny below.

Figure 7A illustrates the negative correlation between the two variables (r = -0.5) while also displaying a general tendency for younger sites to be associated with a higher volumetric density of lithics and a lower relative frequency of secondarily worked lithics than older sites. The linear correlation is stronger between the mean site age and RFSL (r = -0.51), than between mean site age and VDL (r = 0.22). As variable non-flint availability and workability has also been suggested to potentially impact these dimensions (Manninen and Knutsson, 2014), Figure 7B displays the same relationship, but exclusively for the flint data. While the negative correlation is slightly less marked when only the flint data is considered (r = -0.4), the general pattern is the same. The relationship between mean site age and relative frequency of secondarily worked flint is even stronger (r = -0.57), but as indicated by the more spread out distribution along the x-axis, the volumetric density of flint is not temporally contingent (r = 0.1). As was also indicated by the CA, this follows from the fact that non-flint materials make up a higher share of the assemblages for some of the later Mesolithic sites, and is a point returned to below where the temporal dimension of the relationship between VDL and RFSL is explored further.

To get more directly at this temporal trend, a curation index based on VDL and RFSL was devised by first performing a min-max normalisation of the two variables, scaling them to take on values between 0 and 1. The values for artefact density was then made negative to reflect its relationship with degree of curation. The mean was then found for each site on these two normalised values. To account for the temporal uncertainty associated with the dating of the sites, a simulation-based approach was also adopted (e.g. Baxter and Cool, 2016; Crema, 2012; Orton et al., 2017). A LOESS curve was fit to the curation index and site age for each simulation run, where the age of each site was drawn as a single year from the date ranges associated with the sites as provided in Figure 1. For sites with radiocarbon age determinations the dates were drawn from the associated summed posterior density estimates, while ages for sites dated with reference to relative sea-level change and typology were drawn uniformly from the associated date range. This simulation was repeated 1000 times, the results of which is visualised in Figure 8A. Disregarding the edge-effects at either end of the plot, the general tendency is a relatively high degree of curation among the earlier sites, followed by a marked drop around 8000 BCE. This has stabilised by around 7000 BCE and remains stable without any major fluctuations for the rest of the Mesolithic. The variation in degree of curation is also markedly higher after 8000 BCE, potentially reflecting variation in associated mobility patterns. Figure 8B displays the result of running the same procedure on the flint data. The general pattern follows the same trajectory, but the result for some individual sites is markedly different.

6 Discussion

The results of the CA does appear to align well with previous research (e.g. Solheim, 2017b, with references). In the flint material the earliest sites are separated from the rest primarily based on the presence of macro tools, microburins, projectiles, and, for slightly younger sites, core fragments and blades (Bjerck, 2017; Breivik et al., 2018; Damlien and Solheim, 2018; Eymundsson et al., 2018; Fuglestvedt, 2007; Jaksland and Fossum, 2014). The importance of the latter two can be associated with the blade technology that is introduced with the Middle Mesolithic, characterised by blade production from conical and sub-conical cores with faceted platforms that involves the removal of core tablets and rejuvenation flakes (e.g. Damlien, 2016). When it



Figure 4: Correlation matrix showing transformation of skewed variables for the PCA. The mean age of the sites has also been included to visualise overall temporal trends. Cells below the diagonal display the bivariate distributions with a fitted OLS-regression. The cells above the diagonal display and are coloured by the corresponding Pearson's correlation coefficient.



Figure 5: PCA using variables that have been related to mobility patterns. Note that details on the transformation of the variables has been left out of the plot for clarity, but follow those given in Figure 4.



Figure 6: Contribution of variables to the components of the PCA. The dotted red line indicates the expected contribution from each variable given a uniform distribution of impact.



Figure 7: Relative frequency of secondarily worked lithics plotted against the volumetric density of artefacts (artefact count / excavated m^3) for A) All lithics, B) Flint. The logarithm is taken to base 10 on all axes.

comes to the non-flint material, projectiles are to a larger extent a property of the earlier sites than later ones. The use of metarhyolite for the production of axes is present at some earlier sites in addition to the previously mentioned Nedre Hobekk 2, and the production of hatches and core axes is introduced in the Microlith Phase (Eymundsson et al., 2018; Jaksland and Fossum, 2014; Reitan, 2016). However, in agreement with the literature, this is evidently not as prominent a part of these assemblages (Damlien and Solheim, 2018; Reitan, 2016).

The flint material of the later sites are to larger extent characterised by micro-blades, which corresponds to the transition to micro-blade production from handle cores (e.g. Glørstad, 2010, pp. 161–163; Solheim et al., 2020). A more fragmented flint material, as indicated by the relative importance of flint chips and fragments, is also a previously noted property of some later Mesolithic, as well as early Neolithic sites (e.g. Fossum, 2017; Stokke and Reitan, 2018). The most defining material for the later sites, however, is non-flint macro tools and associated debitage, which is dominating some of these assemblages. It was noted above that despite the low number of the absolute earliest sites, these appear to not be impacted by this material. This could indicate that specialised axe production sites disappear towards the end of the Mesolithic, a notion that would be in line with previous suggestions (e.g. Eigeland, 2015, p. 370; Glørstad, 2011; Reitan, 2016).

Overall, the comparatively limited impact of the flint material can possibly be the result of the aggregation of categories that leads to an suppression of otherwise temporally distinct patterns, and there are certainly technological nuances in the flint material that is temporally contingent but not recorded during a regular classification of the material (e.g. Damlien, 2016; Eigeland, 2015; Fuglestvedt, 2007; Solheim et al., 2020). However, while the former pertains to the analytical trade-off between robustness and sensitivity, the latter is likely to be true for the non-flint material as well (Eigeland, 2007). The overall pattern does nonetheless speak to the impact the properties of the raw-material has for the general composition of the assemblages (cf. Manninen and Knutsson, 2014).

One possible implication of the fact that the employed artefact categories are so clearly capturing a temporal component could consequently be that the aggregation of artefact categories might have been overly conservative. However, it is also evidently clear, in the words of Kruskal (1971, p. 22), that 'time is not the only dimension.' The results of the CA do most certainly correspond to more pervasive cultural change than a purely typo-chronological development of artefact morphology, which is also made evident by some of significant deviances from the overall pattern. Unpicking and aligning these patterns with any specific



Figure 8: Temporal variation in the curation index for A) All lithics, and B) Flint. The temporal uncertainty is handled by means of a simulation approach where the site ages are drawn from their respective age determination probability density functions given in Figure 1B. A LOESS curve has been fit to the distribution for each of the 1000 simulation runs. Each simulation run is plotted with some transparency. Sites mentioned in the text are given colour.

behavioural and technological dimensions using the coarse CA results is, however, another task entirely. This follows most clearly from the fact that for the most part we do not know what individual lithic objects in the assemblages has been used for, leaving the behavioural and social significance of the employed units of analysis unclear. The results of the CA can, however, be used in conjunction with the part of the analysis that has attempted to get at more specific behavioural dimensions to nuance or explain discrepancies in this data.

The curation index has relatively high values until some time before 8000 BCE, before it drops and stabilises around 7000 BCE for the rest of the Mesolithic. This pattern is evident in both the flint data and when all lithics are treated in aggregate. Furthermore, the variation in degree of curation in Figure 8A could indicate that the sites were associated with a more varied mobility pattern after around 8000 BCE. The five sites that have values on the curation index below c. -0.25 could in this perspective have predominantly functioned as base camps within a logistic settlement pattern (*sensu* Binford, 1980). That these assemblages reflect stays of a longer duration was suggested for all five sites in the original reports (Carrasco et al., 2014; Eigeland and Fossum, 2017; Persson, 2014; Solheim and Olsen, 2013), with the exception of for Vallermyrene 4, which was argued to be a specialised axe production site, not necessarily associated with lower degrees of mobility (Eigeland and Fossum, 2014). This highlights a possible issue pertaining to raw-material variability, as the coarse non-flint material used for the production of axes generally results in a relatively large amount of waste per produced tool, possibly skewing the curation index when compared to assemblages dominated by flint. Referring back to the CA, the difference is most marked for the sites in the later part of the Mesolithic where non-flint material become more dominating parts of the assemblages. As can be seen in Figure 8B, the degree of curation is markedly higher for both Gunnarsrød 6b and Vallermyrene 4 when the non-flint material is excluded, although they remain more expedient than that of contemporary assemblages. Thus, the degree of expediency for assemblages dominated by non-flint materials might be somewhat exaggerated when the non-flint material is included, while its exclusion would likely lead to its underestimation. One possible approach could be to weigh the curation index by proportion of non-flint material in the assemblages. This is not explored further here, however, as the overall tendencies are relatively robust to this effect. Another case also worth commenting on is Langangen Vestgård 1, which, on the grounds of an overall large number of artefacts and the possible presence of a dwelling structure was argued to reflect a more permanent site location in the original report (Melvold and Eigeland, 2014). However, the relatively high value on the curation index could mean that Langangen Vestgård 1 reflects the aggregation of stays which predominantly have been of a comparable duration to those on contemporary sites, while the possible dwelling structure, if taken as an indication of longer stays, could in this perspective represent a remnant from one or a few visits of longer duration that constitute a smaller fraction of the use-life of the site as a whole (cf. Barton and Riel-Salvatore, 2014).

While there are certainly nuances in the material that might lead one to question the applicability of the VDL and RFSL measures for any individual site, the overall pattern for curation does appear relatively robust. The curation index is relatively high and uniform until some time before 8000 BCE. This corresponds well with the view that the Early Mesolithic is characterised by a relatively high and uniform degree of mobility (e.g. Bjerck, 2008; Breivik and Callanan, 2016; Fuglestvedt, 2012). This is followed by a marked increase in expedience, which has stabilised by around 7000 BCE. Again, this corresponds well with the employed chronological framework. Referring back to the demographic changes that are to take place around this transition, the Microlith phase could thus represent a period where migrating people and new living practices were propagating through societies in south-eastern Norway—a process that in light of the curation data would have concluded around 7000 BCE.

The curation index then remains stable for the rest of the Mesolithic. This suggests that the transition to mobility patterns traditionally ascribed to the Nøstvet Phase can indeed be traced back to the Microlith Phase (cf. Solheim and Persson, 2016). The continued stability of the curation index could also indicate that the demographic changes suggested to take place in the Transverse Arrowhead Phase are not related to major shifts in land-use and mobility patterns in the material treated here. However, it is worth highlighting the strained sample size for the later parts of the Mesolithic, which could mean that the effect is simply missed, especially if the signal is weaker than that for the transition from the Early Mesolithic.

As it stands, the main hypotheses resulting from the present analysis would be that settlement patterns in the earliest parts of the Mesolithic were characterised by relatively high and uniform degrees of mobility, which then drop before levelling off at around 7000 BCE. These then remain relatively stable throughout the rest of the period, despite variation pertaining to other aspects of the lithic inventories, as evidenced by the CA. Although the precise nature of this transition would require further consideration, the quite dramatic fall in curation levels and parallel increase in variation would seem to correlate well with a transition from a predominantly residential to logistical settlement system (Barton et al., 2011; Binford, 1980).

7 Conclusion

The results of the CA align fairly well with results of previous research in south-eastern Norway. This would indicate that in general, meaningful chronological patterning is associated with the employed artefact categories. These tendencies are already well-established when it comes to the formal tool types and some debitage categories, but have been given less focus in light of entire assemblages. Precisely what behavioural implication the development in the occurrences of the tool and debitage categories have are less clear, but appears to follow a different and more complex development over time than that of curation, as operationalised here.

The temporal trends associated with the curation index corresponds surprisingly well with trajectories of cultural development previously suggested in the literature, and does therefore, in my view, suggest that shifts in land-use and mobility patterns are the main drivers behind this empirical pattern — in line with the framework of Barton et al. (2011). Another perspective would be that this is not surprising at all (cf. Kuhn and Clark, 2015, p. 14), and that the previously demonstrated relevance of these measures across a wide range of contexts points to their pervasive relevance for the organisation of lithic technology, and, therefore, that there should be little reason to think Mesolithic south-eastern Norway should be any different. However, the conclusion that these these measures apply to and appear to capture the dimensions of interest in a controlled empirical setting, reached by means of an exploratory analysis can only constitute a first analytical step. As Elster (2015, p. 12) has pointed out, the human mind seems to have a propensity to settle for an explanation that *can* be true, as soon as this has been reached. This, however, can only constitute the absolute minimum of what is required of a proposed explanation. Subsequent steps should be to probe and challenge this explanatory framework, also in light of alternative hypotheses. The empirical relationship does nonetheless hold great potential for large scale comparative studies in Mesolithic Scandinavia and beyond. Furthermore, the temporal trends associated with the curation index was here simply narratively associated with the most immediate chronological trends emphasised in the literature concerned with the Mesolithic of south-eastern Norway. The explicit quantification does, however, offer the possibility to conduct formal comparisons with a wide range of environmental, demographic and cultural dimensions across multiple scales of analysis.

8 References

Andrefsky, W., 1994. Raw-material availability and the organization of technology. American Antiquity 59, 21–34. https://doi.org/10.2307/3085499

Åstveit, L.I., 2018. The early mesolithic of western norway, in: Blankholm, H.P. (Ed.),. Equinox, Sheffield, pp. 231–274.

Bailey, G., 2007. Time perspectives, palimpsests and the archaeology of time. Journal of Anthropological Archaeology 26, 198–223. https://doi.org/10.1016/j.jaa.2006.08.002

Ballin, T.B., 1999. The middle mesolithic in southern norway, in: Boaz, J. (Ed.),. University of Oslo, Oslo, pp. 203–216.

Bamforth, D.B., 1986. Technological Efficiency and Tool Curation. American Antiquity 51, 38–50. https://doi.org/10.2307/280392

Bang-Andersen, S., 2012. Colonizing Contrasting Landscapes. The Pioneer Coast Settlement and Inland Utilization in Southern Norway 10,000-9500 Years Before Present. Oxford Journal of Archaeology 31, 103–120. https://doi.org/10.1111/j.1468-0092.2012.00381.x

Barton, C.M., 1998. Looking back from the world's end: Paleolithic settlement and mobility at gibraltar, in: Sanchidrián, J.L., Vallejo, M.D.S. (Eds.),. Patronato de la Cueva de Nerja, Nerja, Andalucía, pp. 13–22.

Barton, C.M., 1991. Retouched Tools, Fact or Fiction? Paradigms for Interpreting Paleolithic Chipped Stone, in: Clark, G.A. (Ed.),. University of Pennsylvania Press, pp. 143–163.

Barton, C.M., Bernabeu, J., Aura, J.E., García, O., 1999. Land-Use Dynamics and Socioeconomic Change: An Example from the Polop Alto Valley. American Antiquity 64, 609–634. https://doi.org/10.2307/2694208

Barton, C.M., Clark, G.A., 2021. From Artifacts to Cultures: Technology, Society, and Knowledge in the Upper Paleolithic. Journal of Paleolithic Archaeology 4, 16. https://doi.org/10.1007/s41982-021-00091-8

Barton, C.M., Riel-Salvatore, J., 2014. The formation of lithic assemblages. Journal of Archaeological Science 46, 334–352. https://doi.org/10.1016/j.jas.2014.03.031

Barton, C.M., Riel-Salvatore, J., Anderies, J.M., Popescu, G., 2011. Modeling Human Ecodynamics and Biocultural Interactions in the Late Pleistocene of Western Eurasia. Human Ecology 39, 705–725. https://doi.org/10.1007/s10745-011-9433-8

Barton, C.M., Villaverde, V., Zilhão, J., Aura, J.E., Garcia, O., Badal, E., 2013. In glacial environments beyond glacial terrains: Human eco-dynamics in late Pleistocene Mediterranean Iberia. Quaternary International 318, 53–68. https://doi.org/10.1016/j.quaint.2013.05.007

Baxter, M.J., 1994. Exploratory Multivariate Analysis in Archaeology. Percheron Press, New York.

Baxter, M.J., Cool, H.E.M., 2016. Reinventing the wheel? Modelling temporal uncertainty with applications to brooch distributions in Roman Britain. Journal of Archaeological Science 66, 120–127. https://doi.org/10.1016/j.jas.2015.12.007

Berg-Hansen, I.M., 2018. Continuity and change in late- and post-glacial social networks: Knowledge transmission and blade production methods in ahrensburgian and early mesolithic north west europe, in: Knutsson, K., Knutsson, H., Apel, J., Glørstad, H. (Eds.),. Equinox, Sheffield, pp. 63–98.

Berg-Hansen, I.M., 2017. Den sosiale teknologien. Teknologi og tradisjon i nord-europa ved slutten av istida, 10 900 - 8500 f.kr. (PhD thesis). Oslo.

Berg-Hansen, I.M., 1999. The availability of flint at lista and jæren, southwestern norway, in: Boaz, J. (Ed.),. University of Oslo, Oslo, pp. 255–266.

Bergsvik, K.A., 2001. Sedentary and mobile hunterfishers in stone age western norway. Arctic Anthropology 38, 2–26.

Bevan, A., 2015. The data deluge. Antiquity 89, 1473–1484. https://doi.org/10.15184/aqy.2015.102

Bicho, N., Cascalheira, J., 2020. Use of lithic assemblages for the definition of short-term occupations in hunter-gatherer prehistory, in: Cascalheira, J., Picin, A. (Eds.),. Springer, Cham, pp. 19–38. https://doi.org/10.1007/978-3-030-27403-0

Binford, L.R., 1980. Willow Smoke and Dogs' Tails: Hunter-Gatherer Settlement Systems and Archaeological Site Formation. American Antiquity 45, 4–20. https://doi.org/10.2307/279653

Binford, L.R., 1979. Organization and Formation Processes: Looking at Curated Technologies. Journal of Anthropological Research 35, 255–273.

Binford, L.R., 1977. Forty-seven trips: A case study in the character of archaeological fomation processes, in: Wright, R.V.S. (Ed.),. Australian Institute of Aboriginal Studies, Canberra, pp. 24–36.

Binford, L.R., 1973. Interassemblage variability - the Mousterian and the "functional" argument, in: Renfrew, C. (Ed.),. Duckworth, London, pp. 227–254.

Bjerck, H.B., 2017. Settlements and Seafaring: Reflections on the Integration of Boats and Settlements Among Marine Foragers in Early Mesolithic Norway and the Yámana of Tierra del Fuego. The Journal of Island and Coastal Archaeology 12, 276–299. https://doi.org/10.1080/15564894.2016.1190425

Bjerck, H.B., 2008. Norwegian mesolithic trends: A review, in: Bailey, G., Spikins, P. (Eds.),. Cambridge University Press, Cambridge, pp. 60–106.

Bjerck, H.B., 1986. The fosna-nøstvet problem. A consideration of archaeological units and chronozones in the south norwegian mesolithic period. Norwegian Archaeological Review 19, 103–121.

Breivik, H.M., 2020. Diachronic trends among early mesolithic sites types? A study from the coast of central norway, in: Schülke, A. (Ed.),. Routledge, London & New York, pp. 121–146.

Breivik, H.M., Bjerck, H.B., Zangrando, F.J., Piana, E.L., 2016. On the applicability of environmental and ethnographic reference frames: An example from the high-latitude seascapes of norway and tierra del fuego, in: Bjerck, H.B., Breivik, H.M., Fretheim, S.E., Piana, E.L., Skar, Birgitte, Tivoli, A.M., Zangrando, F.J. (Eds.),. Equinox, Sheffield, pp. 75–94.

Breivik, H.M., Callanan, M., 2016. Hunting high and low: Postglacial colonization strategies in central norway between 9500 and 8000 cal bc. European Journal of Archaeology 19, 571–595. https://doi.org/10.1080/14619571.2016.1147315

Breivik, H.M., Fossum, G., Solheim, S., 2018. Exploring human responses to climatic fluctuations and environmental diversity: Two stories from Mesolithic Norway. Quaternary International, Impacts of gradual and abrupt environmental changes on Late glacial to Middle Holocene cultural changes in Europe 465, 258–275. https://doi.org/10.1016/j.quaint.2016.12.019

Bronk Ramsey, C., 2021. OxCal 4.4 manual.

Bronk Ramsey, C., 2009. Bayesian Analysis of Radiocarbon Dates. Radiocarbon 51, 337–360. https://doi.org/10.1017/S0033822200033865

Canessa, T., 2021. Mobility and settlement strategies in southern Iberia during the Last Glacial Maximum: Evaluating the region's refugium status. Journal of Archaeological Science: Reports 37, 102966. https://doi.org/10.1016/j.jasrep.2021.102966

Carrasco, L., Eggen, I.M., Eigeland, L., Fossum, G., Melvold, S., Persson, P., Reitan, G., 2014. Gunnarsrød 6. Et boplassområde fra overgangen mellommesolitikum-seinmesolitikum, in: Melvold, S., Persson, P. (Eds.),. Portal forlag, Kristiansand, pp. 277–308.

Clark, G.A., 2009. Accidents of history: Conceptual frameworks in paleoarchaeology, in: Camps, M., Chauhan, P. (Eds.),. Springer, New York, pp. 19–41.

Clark, G.A., Barton, C.M., 2017. Lithics, landscapes & la Longue-durée – Curation & expediency as expressions of forager mobility. Quaternary International, Prehistoric hunter-gatherers and farmers in the Adriatic and neighboring regions 450, 137–149. https://doi.org/10.1016/j.quaint.2016.08.002

Clark, G.A., Riel-Salvatore, J., 2006. Observations on systematics in paleolithic archaeology, in: Hovers, E., Kuhn, S. (Eds.),. Springer, New York, pp. 29–56.

Crema, E.R., 2012. Modelling Temporal Uncertainty in Archaeological Analysis. Journal of Archaeological Method and Theory 19, 440–461. https://doi.org/10.1007/s10816-011-9122-3

Damlien, H., 2016. Eastern pioneers in westernmost territories? Current perspectives on Mesolithic huntergatherer large-scale interaction and migration within Northern Eurasia. Quaternary International, Holocene Hunter-Gatherer Archaeology of Northern Eurasia (Guest Editors: Peter Jordan and Andrzej Weber) 419, 5–16. https://doi.org/10.1016/j.quaint.2014.02.023

Damlien, H., Solheim, S., 2018. The pioneer settlement of eastern norway, in: Blankholm, H.P. (Ed.),. Equinox, Sheffield, pp. 335–367.

Darmark, K., 2018. A cuationary tale. Post-depositional processes affecting stone age sites in boreal forests, with examples from southern norway, in: Reitan, G., Sundström, L. (Eds.),. Cappelen Damm Akademisk, Oslo, pp. 479–488.

Dibble, H.L., 1995. Middle paleolithic scraper reduction: Background, clarification, and review of the evidence to date. Journal of Archaeological Method and Theory 2, 299–368. https://doi.org/10.1007/BF02229003

Dibble, H.L., Holdaway, S.J., Lin, S.C., Braun, D.R., Douglass, M.J., Iovita, R., McPherron, S.P., Olszewski, D.I., Sandgathe, D., 2017. Major Fallacies Surrounding Stone Artifacts and Assemblages. Journal of Archaeological Method and Theory 24, 813–851. https://doi.org/10.1007/s10816-016-9297-8

Eigeland, L., 2015. Maskinmennesket i steinalderen. Endring og kontinuitet i steinteknologi fram mot neolitiseringen av øst-norge (PhD thesis). Oslo.

Eigeland, L., 2014. Nedre hobekk 2. Lokalitet med opphold i tidligmesolitikum og senneolitikum/jernalder, in: Melvold, S., Persson, P. (Eds.),. Portal forlag, Kristiansand, pp. 110–125.

Eigeland, L., 2007. Pride and Prejudice: Who Should Care About Non-Flint Raw Material Procurement in Mesolithic South-East Norway? Lithic Technology 32, 39–49. https://doi.org/10.1080/01977261.2007.11721042

Eigeland, L., Fossum, G., 2017. Hegna vest 4. En mellommesolittisk lokalitet med to funnkonsentrasjoner, in: Solheim, S. (Ed.),. Portal forlag, Kristiansand, pp. 357–370.

Eigeland, L., Fossum, G., 2014. Vallermyrene 4. En lokalitet fra nøstvetfasen med spesialisert økseproduksjon, in: Reitan, G., Persson, P. (Eds.),. Portal forlag, Kristiansand, pp. 31–69.

Elster, J., 2015. Explaining social behaviour: More nuts and bolts for the social sciences, Revised edition. ed. Cambridge University Press, Cambridge.

Eymundsson, C.S.R., Fossum, G., Koxvold, L.U., Mansrud, A., Mjærum, A., 2018. Axes in transformation: A bifocal view of axe technology in the oslo fjord area, norway, c. 9200-6000 cal BC, in: Glørstad, H., Knutsson, K., Knutsson, H., Apel, J. (Eds.),. Equinox, Sheffield, pp. 221–229.

Fossum, G., 2017. Stokke/polland 3. En senmesolittisk lokalitet med økseproduksjon, in: Solheim, S. (Ed.),. Portal forlag, Kristiansand, pp. 413–434.

Frivoll, A., 2017. Identifisering og klassifisering av littiske råmaterialer i sør- og østnorsk steinalderforskning. Reliabilitet av visuell klassifiseringsmetode (Master's thesis). Oslo.

Fuglestvedt, I., 2012. The Pioneer Condition on the Scandinavian Peninsula: the Last Frontier of a 'Palaeolithic Way' in Europe. Norwegian Archaeological Review 45, 1–29. https://doi.org/10.1080/00293652.2012.669998

Fuglestvedt, I., 2007. The Ahrensburgian Galta 3 site in SW Norway. Dating, Technology and Cultural Affinity. Acta Archaeologica 78, 87–110. https://doi.org/10.1111/j.1600-0390.2007.00101.x

Glørstad, H., 2016. Deglaciation, sea-level change and the Holocene colonization of Norway. Geological Society, London, Special Publications 411, 9–25. https://doi.org/10.1144/SP411.7

Glørstad, H., 2011. The Nøstvet axe, in: Davis, V., Edmonds, M. (Eds.),. Oxbow Books, pp. 21–36.

Glørstad, H., 2010. The structure and history of the late mesolithic societies in the oslo fjord area 6300-3800 BC. Bricoleur Press, Lindome.

Günther, T., Malmström, H., Svensson, E.M., Omrak, A., Sánchez-Quinto, F., Kılınç, G.M., Krzewińska, M., Eriksson, G., Fraser, M., Edlund, H., Munters, A.R., Coutinho, A., Simões, L.G., Vicente, M., Sjölander, A., Sellevold, B.J., Jørgensen, R., Claes, P., Shriver, M.D., Valdiosera, C., Netea, M.G., Apel, J., Lidén, K., Skar, B., Storå, J., Götherström, A., Jakobsson, M., 2018. Population genomics of Mesolithic Scandinavia: Investigating early postglacial migration routes and high-latitude adaptation. PLOS Biology 16, e2003703. https://doi.org/10.1371/journal.pbio.2003703

Hinz, M., Schmid, C., Knitter, D., Tietze, C., 2021. oxcAAR: Interface to 'OxCal' radiocarbon calibration. R package version 1.1.0.

Jaksland, L., 2014. Kulturhistorisk sammenstilling, in: Jaksland, L., Persson, P. (Eds.),. University of Oslo, Museum of Cultural History, Oslo, pp. 11–46.

Jaksland, L., 2001. Vinterbrolokalitetene – en kronologisk sekvens fra mellom-og senmesolitikum i ås, akershus. University of Oslo, Museum of Cultural History, Oslo.

Jaksland, L., Fossum, G., 2014. Kronologiske trender i det littiske funnmaterialet. Typologi, teknologi og råstoff, in: Jaksland, L., Persson, P. (Eds.),. University of Oslo, Museum of Cultural History, Oslo, pp. 47–62.

Jaksland, L., Persson, P. (Eds.), 2014. E18 brunlanesprosjektet. Bind i. Forutsetninger og kulturhistorisk sammenstilling. University of Oslo, Museum of Cultural History, Oslo.

Jelinek, A.J., 1976. Form, function and style in lithic analysis, in: Cleland, C.E. (Ed.),. Academic Press, New York, pp. 19–33.

Jørgensen, E.K., 2017. Om vegetasjonsforstyrrelser: Konsekvenser for bevaringen av arkeologisk kontekstinformasjon i norske jordsmonn. Viking 80, 157–180. https://doi.org/10.5617/viking.5477

Kitchel, N., Aldenderfer, M.S., Haas, R., 2021. Diet, Mobility, Technology, and Lithics: Neolithization on the Andean Altiplano, 7.03.5 ka. Journal of Archaeological Method and Theory. https://doi.org/10.1007/s10816-021-09525-7

Koxvold, L.U., Fossum, G., 2017. Funnbearbeiding, katalogisering og råstoffanalyser. Erfaringer fra E18 Rugtvedt-Dørdal, in: Solheim, S. (Ed.),. Portal forlag, Kristiansand.

Kruskal, J.B., 1971. Multi-dimensional scaling in archeology: Time is not the only dimension, in: Hodson, F.R., Kendall, D.G., T?utu, P. (Eds.),. Edinburgh University Press, Edinburgh, pp. 22–38.

Kuhn, S.L., 1992. On Planning and Curated Technologies in the Middle Paleolithic. Journal of Anthropological Research 48, 185–214.

Kuhn, S.L., Clark, A.E., 2015. Artifact densities and assemblage formation: Evidence from Tabun Cave. Journal of Anthropological Archaeology 38, 8–16. https://doi.org/10.1016/j.jaa.2014.09.002

Lindblom, I., 1984. Former for økologisk tilpasning i mesolitikum, østfold. Universitetets Oldsaksamling Årbok 1982/1983, 43–86.

Manninen, M.A., Damlien, H., Kleppe, J.I., Knutsson, K., Murashkin, A., Niemi, A.R., Rosenvinge, C.S., Persson, P., 2021. First encounters in the north: cultural diversity and gene flow in Early Mesolithic Scandinavia. Antiquity 95, 310–328. https://doi.org/10.15184/aqy.2020.252

Manninen, M.A., Knutsson, K., 2014. Lithic raw material diversification as an adaptive strategy—Technology, mobility, and site structure in Late Mesolithic northernmost Europe. Journal of Anthropological Archaeology 33, 84–98. https://doi.org/10.1016/j.jaa.2013.12.001

Mansrud, A., Eymundsson, C., 2016. Socialized landscapes? Lithic clusters, hearths and relocation rituals at Middle Mesolithic sites in Eastern Norway. Fennoscandia archaeologica 33, 27–55.

Marwick, B., 2017. Computational reproducibility in archaeological research: Basic principles and a case study of their implementation. Journal of Archaeological Method and Theory 24, 424–450. https://doi.org/10.1007/s10816-015-9272-9

Marwick, B., Boettiger, C., Mullen, L., 2018. Packaging data analytical work reproducibly using r (and friends). The American Statistician 72, 80–88. https://doi.org/10.1007/s10816-015-9272-9

Melvold, S., Eigeland, L., 2014. Langangen vestgård 1. En boplass fra siste del av mellommesolitikum med trinnøksproduksjon og strukturer, in: Melvold, S., Persson, P. (Eds.),. Portal forlag, Kristiansand, pp. 239–276.

Melvold, S., Persson, P. (Eds.), 2014. Vestfoldbaneprosjektet. Arkeologiske undersøkelser i forbindelse med ny jernbane mellom larvik og porsgrunn. Bind 1. Tidlig- og mellommesolittiske lokaliteter i vestfold og telemark. Portal forlag, Kristiansand.

Melvold, S., Reitan, G., Eggen, I.M., Eigeland, L., 2014. Utgravningsstrategi, metode og dokumentasjon, in: Melvold, S., Persson, P. (Eds.),. Portal forlag, Kristiansand, pp. 60–71.

Møller, J.J., 1987. Shoreline relation and prehistoric settlement in northern norway. Norwegian Journal of Geography 41, 45–60. https://doi.org/http://dx.doi.org/10.1080/00291958708552171

Nash, S.E., 1996. Is curation a useful heuristic?, in: Odell, G.H. (Ed.),. Springer, pp. 81–99.

Nielsen, S.V., 2021. A Late Mesolithic Forager Dispersal Caused Pre-Agricultural Demographic Transition in Norway. Oxford Journal of Archaeology 40, 153–175. https://doi.org/https://doi.org/10.1111/ojoa.12218

Orton, D., Morris, J., Pipe, A., 2017. Catch Per Unit Research Effort: Sampling Intensity, Chronological Uncertainty, and the Onset of Marine Fish Consumption in Historic London. Open Quaternary 3, 1. https://doi.org/10.5334/oq.29

Parry, W.J., Kelly, R.L., 1987. Expedient core technology and sedentism, in: Johnson, J.K., Morrow, C.A. (Eds.),. Westview Press, Boulder & London, pp. 285–308.

Perreault, C., 2019. The quality of the archaeological record. The University of Chicago Press, Chicago & London.

Persson, P., 2014. Prestemoen 1. En plats med ben från mellanmesolitikum, in: Melvold, S., Persson, P. (Eds.),. Portal forlag, Kristiansand, pp. 202–227.

R Core Team, 2020. R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna.

Reimer, P.J., Austin, W.E.N., Bard, E., Bayliss, A., Blackwell, P.G., Ramsey, C.B., Butzin, M., Cheng, H., Edwards, R.L., Friedrich, M., Grootes, P.M., Guilderson, T.P., Hajdas, I., Heaton, T.J., Hogg, A.G., Hughen, K.A., Kromer, B., Manning, S.W., Muscheler, R., Palmer, J.G., Pearson, C., Plicht, J. van der, Reimer, R.W., Richards, D.A., Scott, E.M., Southon, J.R., Turney, C.S.M., Wacker, L., Adolphi, F., Büntgen, U., Capano, M., Fahrni, S.M., Fogtmann-Schulz, A., Friedrich, R., Köhler, P., Kudsk, S., Miyake, F., Olsen, J., Reinig, F., Sakamoto, M., Sookdeo, A., Talamo, S., 2020. The IntCal20 Northern Hemisphere Radiocarbon Age Calibration Curve (055 cal kBP). Radiocarbon 62, 725–757. https://doi.org/10.1017/RDC.2020.41

Reitan, G., 2016. Mesolittisk kronologi i Sørøst-Norge et forslag til justering. Viking 79, 23–51. https://doi.org/10.5617/viking.3903

Reitan, G., Persson, P. (Eds.), 2014. Vestfoldbaneprosjektet. Arkeologiske undersøkelser i forbindelse med ny jernbane mellom larvik og porsgrunn. Bind 2. Seinmesolittiske, neolittiske og yngre lokaliteter i vestfold og telemark. Portal forlag, Kristiansand.

Rezek, Z., Holdaway, S.J., Olszewski, D.I., Lin, S.C., Douglass, M., McPherron, S.P., Iovita, R., Braun, D.R., Sandgathe, D., 2020. Aggregates, Formational Emergence, and the Focus on Practice in Stone Artifact Archaeology. Journal of Archaeological Method and Theory 27, 887–928. https://doi.org/10.1007/s10816-020-09445-y

Riel-Salvatore, J., Barton, C.M., 2007. New Quantitative Perspectives on the MiddleUpper Paleolithic Transition: The View from the Northern Mediterranean. pp. 61–73.

Riel-Salvatore, J., Barton, C.M., 2004. Late Pleistocene Technology, Economic Behavior, and Land-Use Dynamics in Southern Italy. American Antiquity 69, 257–274. https://doi.org/10.2307/4128419

Riel-Salvatore, J., Popescu, G., Barton, C.M., 2008. Standing at the gates of Europe: Human behavior and biogeography in the Southern Carpathians during the Late Pleistocene. Journal of Anthropological Archaeology 27, 399–417. https://doi.org/10.1016/j.jaa.2008.02.002

Romundset, A., Lakeman, T.R., Høgaas, F., 2018. Quantifying variable rates of postglacial relative sea level fall from a cluster of 24 isolation basins in southern Norway. Quaternary Science Reviews 197, 175–192. https://doi.org/10.1016/j.quascirev.2018.07.041

Shott, M.J., 1996. An Exegesis of the Curation Concept. Journal of Anthropological Research 52, 259–280. https://doi.org/10.1086/jar.52.3.3630085

Shott, M.J., Sillitoe, P., 2005. Use life and curation in New Guinea experimental used flakes. Journal of Archaeological Science 32, 653–663. https://doi.org/10.1016/j.jas.2004.11.012

Smith, G.M., 2015. Modeling the influences of raw material availability and functional efficiency on obsidian projectile point curation: A Great Basin example. Journal of Archaeological Science: Reports 3, 112–121. https://doi.org/10.1016/j.jasrep.2015.06.010

Solheim, S., 2020. Mesolithic coastal landscapes. Demography, settlement patterns and subsistence economy in southeastern norway, in: Schülke, A. (Ed.),. Routledge, London & New York, pp. 44–72.

Solheim, S. (Ed.), 2017a. E18 rugtvedt-dørdal. Arkeologiske undersøkelser av lokaliteter fra steinalder og jernalder i bamble kommune, telemark fylke. Portal forlag, Kristiansand.

Solheim, S., 2017b. Kunnskapsstatus og faglig bakgrunn for undersøkelsene, in: Solheim, S. (Ed.),. University of Oslo, Museum of Cultural History, Oslo, pp. 29–42.

Solheim, S., 2013. E18-lokalitetene relasjonelle struktur, in: Solheim, S., Damlien, H. (Eds.),. Portal forlag, Kristiansand, pp. 276–282.

Solheim, S., Damlien, H. (Eds.), 2013. E18 bommestad-sky. Undersøkelse av lokaliteter fra mellommesolitikum, larvik kommune, vestfold fylke. Portal forlag, Kristiansand.

Solheim, S., Damlien, H., Fossum, G., 2020. Technological transitions and human-environment interactions in Mesolithic southeastern Norway, 11 500–6000 cal. BP. Quaternary Science Reviews 246, 106–501. https://doi.org/10.1016/j.quascirev.2020.106501

Solheim, S., Fossum, G., Knutsson, H., 2018. Use-wear analysis of Early Mesolithic flake axes from South-eastern Norway. Journal of Archaeological Science: Reports 17, 560–570. https://doi.org/10.1016/j.jasrep.2017.12.017

Solheim, S., Olsen, D.E.F., 2013. Hovland 3. Mellommesolittisk boplass med hyttetuft, in: Solheim, S., Damlien, H. (Eds.),. Portal forlag, Kristiansand, pp. 198–235.

Solheim, S., Persson, P., 2018. Early and mid-holocene coastal settlement and demography in southeastern norway: Comparing distribution of radiocarbon dates and shoreline-dated sites, 8500–2000 cal. BCE. Journal of Archaeological Science: Reports 19, 334–343. https://doi.org/10.1016/j.jasrep.2018.03.007

Solheim, S., Persson, P., 2016. Marine adaptation in the middle mesolithic of south-eastern norway, in: Bjerck, H.B., Breivik, H.M., Fretheim, S.E., Piana, E.L., Skar, B., Tivoli, A.M., Zangrando, F.J. (Eds.),. Equinox, Sheffield, pp. 75–94.

Stokke, J.-S.F., Reitan, G., 2018. Krøgenes D7 og D10. To tidligneolittiske lokaliteter med flekkeproduksjon, in: Reitan, G., Sundström, L. (Eds.),. Cappelen Damm Akademisk, Oslo, pp. 309–323.

Surovell, T.A., 2009. Toward a behavioral ecology of lithic technology. The University of Arizona Press, Tucson.

Sørensen, R., 1979. Late Weichselian deglaciation in the Oslofjord area, south Norway. Boreas 8, 241–246. https://doi.org/https://doi.org/10.1111/j.1502-3885.1979.tb00806.x

Sørensen, R., Henningsmoen, K.E., Høeg, H.I., Gälman, V., 2014. Holocene landhevningsstudier i søndre vestfold og sørøstre telemark – revidert kurve, in: Melvold, S., Persson, P. (Eds.),. Portal, Kristiansand, pp. 36–47.

Viken, S., 2018. Early mesolithic sites - are they all the same? Seventeen find concentrations from southeast norway in a forager-collector perspective, in: Reitan, G., Sundström, L. (Eds.),. Cappelen Damm Akademisk, Oslo, pp. 503–514.

Villaverde, V., Aura, J.E., Barton, C.M., 1998. The Upper Paleolithic in Mediterranean Spain: A Review of Current Evidence. Journal of World Prehistory 12, 121–198. https://doi.org/10.1023/A:1022332217614

9 Supplementary material A. Radiocarbon dates.

Site name	Material	Lab code	C14-age	Error
Hovland 5	Hazel (Corylus), nutshell	Ua-45490	8775	52
Hovland 4	Burnt bone	Ua-45500	8747	64
Hovland 4	Hazel (Corylus), nutshell	Ua-45499	8630	49
Hovland 4	Birch (Betula)	Ua-45493	8568	51
Hovland 4	Birch (Betula)	Ua-45494	8526	52
Hovland 1	Hazel (Corylus)	TRa-3410	8465	55
Hovland 1	Aspen/willow (Populus/Salix)	Ua-45675	8623	50
Hovland 1	Birch (Betula), resin	AAR-16884	8582	33
Hovland 3	Birch (Betula)	Ua-45507	8609	54
Hovland 3	Hazel (Corylus), nutshell	Ua-45515	8606	50
Hovland 3	Birch (Betula)	Ua-45509	8594	48
Hovland 3	Rowan (Sorbus)	Ua-45508	8591	50
Hovland 3	Birch (Betula)	Ua-45504	8584	49
Hovland 3	Rowan (Sorbus)	Ua-45514	8552	50
Hovland 3	Hazel (Corylus), nutshell	Ua-45517	8540	51
Hovland 3	Rowan (Sorbus)	Ua-45505	8467	53
Hovland 3	Birch (Betula)	Ua-45511	8465	48
Hovland 3	Rowan (Sorbus)	Ua-45506	8458	48
Hovland 3	Hazel (Corylus), nutshell	Beta-325802	8450	40
Hovland 3	Hazel (Corylus), nutshell	Ua-45516	8428	50
Hovland 3	Hazel (Corylus), nutshell	Ua-45522	8398	49
Hovland 3	Hazel (Corylus), nutshell	Ua-45520	8387	47
Hovland 3	Hazel (Corylus), nutshell	Ua-45519	8383	47
Hovland 3	Birch (Betula)	Ua-45503	8376	51
Hovland 3	Birch (Betula)	Ua-45512	8348	47
Hovland 3	Hazel (Corylus), nutshell	Ua-45518	8291	48
Torstvet	Hazel (Corylus), nutshell	TRa-3406	8460	55
Torstvet	Hazel (Corylus), nutshell	TRa-3407	8425	55
Prestemoen 1	Hazel (Corylus), nutshell	Ua-45176	8671	45
Prestemoen 1	Burnt bone	Ua-45177	8620	45
Prestemoen 1	Hazel (Corylus), nutshell	Ua-45178	8593	46
Langangen Vestgård 1	Burnt bone	TRa-1994	7785	40
Langangen Vestgård 1	Burnt bone	TRa-1995	7760	40
Langangen Vestgård 1	Pine (Pinus)	TRa-2243	7780	70
Langangen Vestgård 1	Birch/rowan (Betula/Sorbus)	TRa-4114	7870	45
Langangen Vestgård 1	Hazel (Corylus)	TRa-4115	7740	45
Langangen Vestgård 1	Hazel (Corylus)	TRa-4116	7800	45
Langangen Vestgård 1	Pine (Pinus)	TRa-4117	8030	55
Langangen Vestgård 1	Willow (Salix)	TRa-4118	8005	45
Langangen Vestgård 1	Birch/hazel (Betula/Corylus)	TRa-4119	7850	45
Langangen Vestgård 1	Hazel (Corylus)	TRa-4120	7875	45
Langangen Vestgård 1	Birch/willow (Betula/Salix)	TRa-4121	7945	45
Langangen Vestgård 1	Burnt bone	TRa-4122	7795	40
Langangen Vestgård 1	Burnt bone	TRa-4123	7745	35
Vallermyrene 4	Burnt bone	Ua-45169	6489	50
Vallermyrene 4	Burnt bone	Ua-45170	6381	37
Vallermyrene 4	Pine (Pinus)	Ua-45172	6197	40
Vallermyrene 4	Pine (Pinus)	Ua-45171	6067	41
Vallermyrene 1	Pine (Pinus)	Ua-45182	5770	35
Vallermyrene 1	Pine (Pinus)	Ua-45181	5748	35

Vallermyrene 1	Birch (Betula)	Ua-45180	5373	34
Langangen Vestgård 3	Pine (Pinus)	TRa-2246	5400	55
Langangen Vestgård 3	Pine (Pinus)	TRa-2247	5325	50
Langangen Vestgård 3	Pine (Pinus)	TRa-2248	5910	10
Langangen Vestgård 3	Pine (Pinus)	TRa-4126	5095	40
Langangen Vestgård 3	Birch (Betula)	TRa-2249	5325	45
Langangen Vestgård 3	Birch (Betula)	TRa-2250	5325	50
Gunnarsrød 4	Birch (Betula)	UBA-19159	6941	36
Hegna vest 2	Pine (Pinus)	Ua-50497	8708	38
Hegna vest 1	Aspen/willow (Populus/Salix)	Ua-50485	8788	34
Hegna vest 1	Willow (Salix)	Ua-51462	8732	40
Hegna vest 3	Aspen/willow (Populus/Salix)	Ua-51471	8679	39
Stokke/Polland 8	Birch (Betula)	Ua-51840	6215	35
Hegna øst 2	Pine (Pinus)	Ua-50501	6318	26
Stokke/Polland 5	Pomoideae (Malinae)	Ua-48257	6098	40
Stokke/Polland 5	Hazel (Corylus)	Ua-48258	6177	42
Stokke/Polland 5	Alder (Alnus)	Ua-50501	6196	40

10 Supplementary material B. Aggregation of variables for the correspondence analysis.



10.0.1 Colophon

This report was generated on 2021-07-26 14:27:39 using the following computational environment and dependencies:

```
#> - Session info ---------------------------------------------------------------
#>  setting  value
#>  version  R version 4.1.0 (2021-05-18)
#>  os       Linux Mint 19.3
#>  system   x86_64, linux-gnu
#>  ui       X11
#>  language en_US
#>  collate  en_US.UTF-8
#>  ctype    en_US.UTF-8
#>  tz       Europe/Oslo
#>  date     2021-07-26
#>
#> - Packages -------------------------------------------------------------------
#>  package       * version date       lib source
#>  abind           1.4-5   2016-07-21 [1] CRAN (R 4.1.0)
#>  assertthat      0.2.1   2019-03-21 [1] CRAN (R 4.1.0)
#>  backports       1.2.1   2020-12-09 [1] CRAN (R 4.1.0)
#>  bitops          1.0-7   2021-04-24 [1] CRAN (R 4.1.0)
#>  bookdown        0.22    2021-04-22 [1] CRAN (R 4.1.0)
#>  broom           0.7.6   2021-04-05 [1] CRAN (R 4.1.0)
#>  cachem          1.0.5   2021-05-15 [1] CRAN (R 4.1.0)
#>  callr           3.7.0   2021-04-20 [1] CRAN (R 4.1.0)
#>  car             3.0-10  2020-09-29 [1] CRAN (R 4.1.0)
#>  carData         3.0-4   2020-05-22 [1] CRAN (R 4.1.0)
#>  cellranger      1.1.0   2016-07-27 [1] CRAN (R 4.1.0)
#>  checkmate       2.0.0   2020-02-06 [1] CRAN (R 4.1.0)
#>  class           7.3-19  2021-05-03 [4] CRAN (R 4.0.5)
#>  classInt        0.4-3   2020-04-07 [1] CRAN (R 4.1.0)
#>  cli             2.5.0   2021-04-26 [1] CRAN (R 4.1.0)
#>  cluster         2.1.2   2021-04-17 [4] CRAN (R 4.0.5)
#>  colorspace      2.0-1   2021-05-04 [1] CRAN (R 4.1.0)
#>  crayon          1.4.1   2021-02-08 [1] CRAN (R 4.1.0)
#>  curl            4.3.1   2021-04-30 [1] CRAN (R 4.1.0)
#>  data.table      1.14.0  2021-02-21 [1] CRAN (R 4.1.0)
#>  DBI             1.1.1   2021-01-15 [1] CRAN (R 4.1.0)
#>  dbplyr          2.1.1   2021-04-06 [1] CRAN (R 4.1.0)
#>  desc            1.3.0   2021-03-05 [1] CRAN (R 4.1.0)
#>  devtools        2.4.2   2021-06-07 [1] CRAN (R 4.1.0)
#>  digest          0.6.27  2020-10-24 [1] CRAN (R 4.1.0)
#>  dplyr         * 1.0.6   2021-05-05 [1] CRAN (R 4.1.0)
#>  DT              0.18    2021-04-14 [1] CRAN (R 4.1.0)
#>  e1071           1.7-7   2021-05-23 [1] CRAN (R 4.1.0)
#>  ellipsis        0.3.2   2021-04-29 [1] CRAN (R 4.1.0)
#>  evaluate        0.14    2019-05-28 [1] CRAN (R 4.1.0)
#>  factoextra    * 1.0.7   2020-04-01 [1] CRAN (R 4.1.0)
#>  FactoMineR    * 2.4     2020-12-11 [1] CRAN (R 4.1.0)
#>  fansi           0.5.0   2021-05-25 [1] CRAN (R 4.1.0)
#>  farver          2.1.0   2021-02-28 [1] CRAN (R 4.1.0)
#>  fastmap         1.1.0   2021-01-25 [1] CRAN (R 4.1.0)
```

```
#>  flashClust      1.01-2  2012-08-21 [1] CRAN (R 4.1.0)
#>  forcats      * 0.5.1   2021-01-27 [1] CRAN (R 4.1.0)
#>  foreign        0.8-81  2020-12-22 [4] CRAN (R 4.0.3)
#>  fs             1.5.0   2020-07-31 [1] CRAN (R 4.1.0)
#>  generics       0.1.0   2020-10-31 [1] CRAN (R 4.1.0)
#>  GGally       * 2.1.1   2021-03-08 [1] CRAN (R 4.1.0)
#>  ggmap          3.0.0   2019-02-05 [1] CRAN (R 4.1.0)
#>  ggplot2      * 3.3.3   2020-12-30 [1] CRAN (R 4.1.0)
#>  ggpubr         0.4.0   2020-06-27 [1] CRAN (R 4.1.0)
#>  ggrepel        0.9.1   2021-01-15 [1] CRAN (R 4.1.0)
#>  ggridges     * 0.5.3   2021-01-08 [1] CRAN (R 4.1.0)
#>  ggsignif       0.6.1   2021-02-23 [1] CRAN (R 4.1.0)
#>  ggsn           0.5.0   2019-02-18 [1] CRAN (R 4.1.0)
#>  glue           1.4.2   2020-08-27 [1] CRAN (R 4.1.0)
#>  gt           * 0.3.0   2021-05-12 [1] CRAN (R 4.1.0)
#>  gtable         0.3.0   2019-03-25 [1] CRAN (R 4.1.0)
#>  haven          2.4.1   2021-04-23 [1] CRAN (R 4.1.0)
#>  here           1.0.1   2020-12-13 [1] CRAN (R 4.1.0)
#>  highr          0.9     2021-04-16 [1] CRAN (R 4.1.0)
#>  hms            1.1.0   2021-05-17 [1] CRAN (R 4.1.0)
#>  htmltools      0.5.1.1 2021-01-22 [1] CRAN (R 4.1.0)
#>  htmlwidgets    1.5.3   2020-12-10 [1] CRAN (R 4.1.0)
#>  httr           1.4.2   2020-07-20 [1] CRAN (R 4.1.0)
#>  igraph         1.2.6   2020-10-06 [1] CRAN (R 4.1.0)
#>  jpeg           0.1-8.1 2019-10-24 [1] CRAN (R 4.1.0)
#>  jsonlite       1.7.2   2020-12-09 [1] CRAN (R 4.1.0)
#>  KernSmooth     2.23-20 2021-05-03 [4] CRAN (R 4.0.5)
#>  knitr          1.33    2021-04-24 [1] CRAN (R 4.1.0)
#>  labeling       0.4.2   2020-10-20 [1] CRAN (R 4.1.0)
#>  lattice        0.20-44 2021-05-02 [4] CRAN (R 4.1.0)
#>  leaps          3.1     2020-01-16 [1] CRAN (R 4.1.0)
#>  lifecycle      1.0.0   2021-02-15 [1] CRAN (R 4.1.0)
#>  lubridate      1.7.10  2021-02-26 [1] CRAN (R 4.1.0)
#>  magrittr       2.0.1   2020-11-17 [1] CRAN (R 4.1.0)
#>  maptools       1.1-1   2021-03-15 [1] CRAN (R 4.1.0)
#>  MASS           7.3-54  2021-05-03 [4] CRAN (R 4.0.5)
#>  Matrix         1.3-4   2021-06-01 [4] CRAN (R 4.1.0)
#>  memoise        2.0.0   2021-01-26 [1] CRAN (R 4.1.0)
#>  mgcv           1.8-36  2021-06-01 [4] CRAN (R 4.1.0)
#>  modelr         0.1.8   2020-05-19 [1] CRAN (R 4.1.0)
#>  munsell        0.5.0   2018-06-12 [1] CRAN (R 4.1.0)
#>  networkD3    * 0.4     2017-03-18 [1] CRAN (R 4.1.0)
#>  nlme           3.1-152 2021-02-04 [4] CRAN (R 4.0.3)
#>  openxlsx       4.2.3   2020-10-27 [1] CRAN (R 4.1.0)
#>  oxcAAR       * 1.1.0   2021-02-23 [1] CRAN (R 4.1.0)
#>  patchwork    * 1.1.1   2020-12-17 [1] CRAN (R 4.1.0)
#>  pillar         1.6.1   2021-05-16 [1] CRAN (R 4.1.0)
#>  pkgbuild       1.2.0   2020-12-15 [1] CRAN (R 4.1.0)
#>  pkgconfig      2.0.3   2019-09-22 [1] CRAN (R 4.1.0)
#>  pkgload        1.2.1   2021-04-06 [1] CRAN (R 4.1.0)
#>  plyr           1.8.6   2020-03-03 [1] CRAN (R 4.1.0)
#>  png            0.1-7   2013-12-03 [1] CRAN (R 4.1.0)
#>  prettyunits    1.1.1   2020-01-24 [1] CRAN (R 4.1.0)
#>  processx       3.5.2   2021-04-30 [1] CRAN (R 4.1.0)
```

```
#>  proxy          0.4-25  2021-03-05 [1] CRAN (R 4.1.0)
#>  ps             1.6.0   2021-02-28 [1] CRAN (R 4.1.0)
#>  purrr        * 0.3.4   2020-04-17 [1] CRAN (R 4.1.0)
#>  R6             2.5.0   2020-10-28 [1] CRAN (R 4.1.0)
#>  RColorBrewer   1.1-2   2014-12-07 [1] CRAN (R 4.1.0)
#>  Rcpp           1.0.6   2021-01-15 [1] CRAN (R 4.1.0)
#>  readr        * 1.4.0   2020-10-05 [1] CRAN (R 4.1.0)
#>  readxl         1.3.1   2019-03-13 [1] CRAN (R 4.1.0)
#>  remotes        2.4.0   2021-06-02 [1] CRAN (R 4.1.0)
#>  reprex         2.0.0   2021-04-02 [1] CRAN (R 4.1.0)
#>  reshape        0.8.8   2018-10-23 [1] CRAN (R 4.1.0)
#>  RgoogleMaps    1.4.5.3 2020-02-12 [1] CRAN (R 4.1.0)
#>  rio            0.5.26  2021-03-01 [1] CRAN (R 4.1.0)
#>  rjson          0.2.20  2018-06-08 [1] CRAN (R 4.1.0)
#>  rlang          0.4.11  2021-04-30 [1] CRAN (R 4.1.0)
#>  rmarkdown      2.9     2021-06-15 [1] CRAN (R 4.1.0)
#>  rnaturalearth * 0.1.0  2017-03-21 [1] CRAN (R 4.1.0)
#>  rprojroot      2.0.2   2020-11-15 [1] CRAN (R 4.1.0)
#>  rstatix        0.7.0   2021-02-13 [1] CRAN (R 4.1.0)
#>  rstudioapi     0.13    2020-11-12 [1] CRAN (R 4.1.0)
#>  rvest          1.0.0   2021-03-09 [1] CRAN (R 4.1.0)
#>  scales         1.1.1   2020-05-11 [1] CRAN (R 4.1.0)
#>  scatterplot3d  0.3-41  2018-03-14 [1] CRAN (R 4.1.0)
#>  sessioninfo    1.1.1   2018-11-05 [1] CRAN (R 4.1.0)
#>  sf           * 0.9-8   2021-03-17 [1] CRAN (R 4.1.0)
#>  sp             1.4-5   2021-01-10 [1] CRAN (R 4.1.0)
#>  stringi        1.6.2   2021-05-17 [1] CRAN (R 4.1.0)
#>  stringr      * 1.4.0   2019-02-10 [1] CRAN (R 4.1.0)
#>  testthat       3.0.2   2021-02-14 [1] CRAN (R 4.1.0)
#>  tibble       * 3.1.2   2021-05-16 [1] CRAN (R 4.1.0)
#>  tidyr        * 1.1.3   2021-03-03 [1] CRAN (R 4.1.0)
#>  tidyselect     1.1.1   2021-04-30 [1] CRAN (R 4.1.0)
#>  tidyverse    * 1.3.1   2021-04-15 [1] CRAN (R 4.1.0)
#>  units          0.7-1   2021-03-16 [1] CRAN (R 4.1.0)
#>  usethis        2.0.1   2021-02-10 [1] CRAN (R 4.1.0)
#>  utf8           1.2.1   2021-03-12 [1] CRAN (R 4.1.0)
#>  vctrs          0.3.8   2021-04-29 [1] CRAN (R 4.1.0)
#>  webshot        0.5.2   2019-11-22 [1] CRAN (R 4.1.0)
#>  withr          2.4.2   2021-04-18 [1] CRAN (R 4.1.0)
#>  xfun           0.24    2021-06-15 [1] CRAN (R 4.1.0)
#>  xml2           1.3.2   2020-04-23 [1] CRAN (R 4.1.0)
#>  yaml           2.2.1   2020-02-01 [1] CRAN (R 4.1.0)
#>  zip            2.2.0   2021-05-31 [1] CRAN (R 4.1.0)
#>
#> [1] /home/isak/R/x86_64-pc-linux-gnu-library/4.1
#> [2] /usr/local/lib/R/site-library
#> [3] /usr/lib/R/site-library
#> [4] /usr/lib/R/library
```

The current Git commit details are:

```
#> Local:    master /home/isak/phd/meso_assemblages/exploring-assemblages-se-norway
#> Remote:   master @ origin (https://github.com/isakro/dialpastrepository.git)
#> Head:     [8de8ecb] 2021-07-25: Starting to seperate results and discussion more clearly
```