

https://isanjaygaire.github.io/accessibility/index.html - Section 508

Scan completed: 10/1/2017 9:55:53 PM

Group

All issues

4

Section 508

Section 508 guidelines for web applications as described at the [US Access Board web site](https://www.access-board.gov/web/).

1194.22(a)

A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).

a.5 All SVG elements require a 'Title' or 'Desc' element, or an 'Aria' attribute ...

SVG elements requires title or desc child elements or ARIA attributes which describe purpose of element.

- SVG doesn't use title, desc and valid ARIA attributes for providing description. Either aria-labelledby, aria-describedby or aria-label must have a value.

- https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
- Line 166, column 15, svg element

- Page doesn't have SVG elements.

- <https://isanjaygaire.github.io/accessibility/index.html>
- https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html

a.1 All IMG elements are required to contain either the ALT or LONGDESC attribute.

The ALT or LONGDESC attribute is used by user agents to supply information about an image when images cannot be shown.

- IMG element has long ALT text (> 100 chars).

- <https://isanjaygaire.github.io/accessibility/index.html>
- Line 63, column 577, img element, SRC = "/index_files/Driveway_Gates_Safety_Design_Sl...Metal_Iron_Security-210x135.jpg"
- Line 66, column 515, img element, SRC = "/index_files/Aluminum_Wrought_Iron_Driveway_Gate_Golden_Orchid-210x135.jpg"
- Line 298, column 304, img element, SRC = "/index_files/side_menu_product_page-2-inactive-90482.png"
- Line 313, column 351, img element, SRC = "/index_files/side_menu_product_page-13-inactive-49203.png"
- Line 318, column 298, img element, SRC = "/index_files/side_menu_product_page-6-inactive-90872.png"
- Line 323, column 299, img element, SRC = "/index_files/side_menu_product_page-7-inactive-90950.png"
- Line 338, column 383, img element, SRC = "/index_files/side_menu_product_page-7-inactive-06531.png"
- Line 363, column 367, img element, SRC = "/index_files/side_menu_product_page-16-inactive-91777.png"
- Line 368, column 307, img element, SRC = "/index_files/side_menu_product_page-17-inactive-91855.png"
- Line 383, column 380, img element, SRC = "/index_files/side_menu_product_page-18-inactive-91933.png"
- Line 393, column 374, img element, SRC = "/index_files/side_menu_product_page-20-inactive-92089.png"
- Line 408, column 343, img element, SRC = "/index_files/side_menu_product_page-13-inactive-91527.png"
- Line 438, column 334, img element, SRC = "/index_files/side_menu_product_page-27-inactive-92619.png"
- Line 453, column 329, img element, SRC = "/index_files/side_menu_product_page-28-inactive-92916.png"
- Line 463, column 326, img element, SRC = "/index_files/side_menu_product_page-30-inactive-93072.png"
- Line 488, column 319, img element, SRC = "/index_files/side_menu_product_page-34-inactive-93384.png"
- Line 513, column 311, img element, SRC = "/index_files/side_menu_product_page-39-inactive-93789.png"
- Line 548, column 312, img element, SRC = "/index_files/side_menu_product_page-48-inactive-43712.png"
- Line 558, column 301, img element, SRC = "/index_files/side_menu_product_page-52-inactive-64590.png"
- Line 593, column 346, img element, SRC = "/index_files/side_menu_product_page-50-inactive-94679.png"

- All IMG elements have valid ALT attributes.

- <https://isanjaygaire.github.io/accessibility/index.html>

- Page does not have IMG elements.

- https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
- https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html

a.2 All APPLET elements are required to contain both element content and the ALT ...

APPLET elements provide functionality that is not available to all users. Either the element content or the ALT attribute are used to describe the purpose of the applet, depending on the user agent.

- No APPLET elements found.

- <https://isanjaygaire.github.io/accessibility/index.html>
- https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
- https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html

a.3 When EMBED elements are used, the NOEMBED element or ARIA attributes are requ...

EMBED elements present functionality not available to all users. The NOEMBED element can be used to provide a deion. ARIA attributes can be use as an alternative of NOEMBED element for providing deion.

- Page does not have EMBED elements.

- <https://isanjaygaire.github.io/accessibility/index.html>
- https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
- https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html

a.4 All OBJECT elements are required to contain element content.

OBJECT elements typically use technologies that are not available to all users. The element content is used to describe the purpose of the object/applet.

- Page does not have OBJECT elements.

- <https://isanjaygaire.github.io/accessibility/index.html>
- https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
- https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html

a.6 All IFRAME elements that contain non-text content should use a 'Title' elemen...

- Page does not have IFRAME elements which contains non-text content.

- <https://isanjaygaire.github.io/accessibility/index.html>
- https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
- https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html

a.7 All FIGURE elements require a 'figcaption' tag that describes the purpose of ...

- Figcaption contains describe the purpose of the figure or any other element which is inside figure element.
- No Figure elements found.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
- o 1194.22(i)
- Frames shall be titled with text that facilitates frame identification and navigation
- 1.1 All IFRAME elements are required to contain element content.

IFRAME elements provide functionality that is not available to all users. The element content should describe the purpose of the IFRAME.

 - IFRAME element does not have element content.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - Line 621, column 407, iframe element, SRC = "../index_files/fastbutton.html"
 - Line 660, column 451, iframe element, SRC = "../index_files/postmessageRelay.html"
 - Page does not have IFRAME elements.
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - 1.2 All FRAME elements are required to contain the title attribute.
 - FRAME element does not contain a TITLE attribute.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - Line 660, column 451, iframe element, SRC = "../index_files/postmessageRelay.html"
 - FRAME element has a TITLE attribute that may not be meaningful.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - Line 621, column 407, iframe element, SRC = "../index_files/fastbutton.html"
 - No FRAME elements found in document body.
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - 1.3 All FRAMESET elements will be checked for the NOFRAMES element.

Pages with frames are not available to all users. The NOFRAMES element should used to provide an alternative.

 - Page does not have FRAMESET elements.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
- o 1194.22(n)
- When electronic forms are designed to be completed on-line, the form shall allow people using assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.
- n.2 All INPUT elements are required to contain the ALT or TITLE attribute, or use...

All visible INPUT elements must have a label, either by using a linked or containing LABEL element, or by using the ALT or TITLE attribute. Buttons are considered to be self-labeling.

 - INPUT element does not use an ALT attribute, TITLE attribute or linked LABEL.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - Line 633, column 1, input element, NAME = "p"
 - No relevant INPUT elements found in document.
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - n.6 Identify all INPUT elements that uses the 'placeholder' attribute instead of ...

The placeholder attribute represents a short hint (a word or short phrase) intended to aid the user with data entry. A hint could be a sample value or a brief deion of the expected format. The placeholder text gets removed as the form is being filled out and forms needs to be usable even when placeholder text is not there.

 - INPUT element doesn't contains placeholder attribute.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - No INPUT elements available on page.
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - n.1 Identify all LABEL elements used within FORM elements.

Until user agents support explicit associations between labels and form controls, for all form controls with implicitly associated labels, ensure that the label is properly positioned.

 - Page does not contain FORM elements.
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - Page does not contain LABEL elements.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - n.3 Associate labels explicitly with their controls (SELECT elements).

All SELECT elements must have a label, either by using a linked or containing LABEL element, or by using the TITLE or ALT attribute.

 - No SELECT elements were found.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - n.4 Associate labels explicitly with their controls (TEXTAREA elements).

All TEXTAREA elements must have a label, either by using a linked or containing LABEL element, or by using the TITLE or ALT attribute.

 - No TEXTAREA elements were found.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - n.5 Ensure that all LABEL 'FOR' attributes match another control.

- No LABEL "FOR" attribute found on page.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - n.7 Ensure that all elements that have a 'Role' attribute value of 'application',...
 - No elements have role=application on page.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - n.8 Ensure that elements with the 'Required' attribute has a linked LABEL content...
 - No elements have required attribute.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - n.9 Ensure that elements that have the 'Role' attribute value of 'checkbox' or 'r...'
 - No elements have role attribute with value of checkbox or radio.
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - No elements have role attribute.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html

o 1194.22(h)

Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.

 - h.1 For data tables that have two or more logical levels of row or column headers...

Describe the table structure using the SUMMARY attribute or ARIA attributes. Identify structural groups of rows using THEAD, TFOOT, TBODY, COLGROUP and COL. Label table elements with the "scope", "headers", and "axis" attributes to assist user agents.

 - Table uses markup to associate data and header cells, but has no summary.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - Line 40, column 11, table element
 - Line 69, column 11, table element
 - Line 97, column 11, table element
 - Line 104, column 11, table element
 - Line 111, column 11, table element
 - Line 118, column 11, table element
 - Line 126, column 11, table element
 - Line 133, column 11, table element
 - Line 140, column 11, table element
 - Line 147, column 11, table element
 - Line 154, column 11, table element
 - Line 161, column 11, table element
 - Line 168, column 11, table element
 - Line 175, column 11, table element
 - Line 182, column 11, table element
 - Line 189, column 11, table element
 - Line 260, column 11, table element
 - Line 267, column 11, table element
 - Line 274, column 11, table element
 - Line 283, column 27, table element
 - Line 615, column 11, table element
 - Line 639, column 11, table element
 - Page does not contain complex data tables.
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html

o 1194.22(i)

When pages utilize ing languages to display content, or to create interface elements, the information provided by the shall be identified with functional text that can be read by assistive technology.

 - i.2 When SCRIPT elements are used, the NOSCRIPT element is required in the page.
 - SCRIPT element used without NOSCRIPT.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - i.1 Verify information provided by scripts shall be identified with functional te...
 - Verify that script is invocable or have textual representation
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - i.3 Ensure that all anchor elements that use JavaScript in the link target descri...
 - IMG elements contains ALT attribute.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - Page does not have A link element which has href contain javascript.
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html

o 1194.22(c)

Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.

 - c.1 Ensure that all information conveyed with color is also available without col...

This check identifies pages that potentially require color for visual checking.

 - Page references an external style-sheet. Visual check required.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - Stylesheet specifies color usage. Visual check required.
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - Line 28, column 414, style element, #content = " :root div[style^="height: 16px; font: bold 1...gn="right"] [width="30%"]. :root "

- Line 28, column 425, style element, #content = " :root div[style^="height: 16px; font: bold 1...gn="right"] [width="30%"], :root "
 - Line 35, column 427, style element, #content = " :root div[style^="height: 16px; font: bold 1...gn="right"] [width="30%"], :root "
 - Line 53, column 440, style element, #content = " :root div[style^="height: 16px; font: bold 1...gn="right"] [width="30%"], :root "
 - Line 67, column 479, style element, #content = " :root div[style^="height: 16px; font: bold 1...gn="right"] [width="30%"], :root "
 - Line 70, column 529, style element, #content = " :root div[style^="height: 16px; font: bold 1...gn="right"] [width="30%"], :root "
 - Line 90, column 406, style element, #content = " .ozWidgetRiobutton_ { border: 1p...: auto } .ozWidgetRiobutton "
 - Line 90, column 417, style element, #content = " .ozWidgetRiobutton_ { border: 1p...: auto } .ozWidgetRiobutton "
 - Line 90, column 436, style element, #content = " .ozWidgetRiobutton_ { border: 1p...: auto } .ozWidgetRiobutton "
 - Line 91, column 398, style element, #content = " .ozWidgetRiobutton_ { border: 1p...: auto } .ozWidgetRiobutton "
 - Line 91, column 409, style element, #content = " .ozWidgetRiobutton_ { border: 1p...: auto } .ozWidgetRiobutton "
 - Line 91, column 428, style element, #content = " .ozWidgetRiobutton_ { border: 1p...: auto } .ozWidgetRiobutton "
 - Line 94, column 386, style element, #content = " .ozWidgetRiobutton_ { border: 1p...: auto } .ozWidgetRiobutton "
 - Line 94, column 397, style element, #content = " .ozWidgetRiobutton_ { border: 1p...: auto } .ozWidgetRiobutton "
 - Line 95, column 386, style element, #content = " .ozWidgetRiobutton_ { border: 1p...: auto } .ozWidgetRiobutton "
 - Line 96, column 386, style element, #content = " .ozWidgetRiobutton_ { border: 1p...: auto } .ozWidgetRiobutton "
 - Line 115, column 386, style element, #content = " .ozWidgetRiobutton_ { border: 1p...: auto } .ozWidgetRiobutton "
 - Line 115, column 397, style element, #content = " .ozWidgetRiobutton_ { border: 1p...: auto } .ozWidgetRiobutton "
 - Line 120, column 386, style element, #content = " .ozWidgetRiobutton_ { border: 1p...: auto } .ozWidgetRiobutton "
 - Line 137, column 386, style element, #content = " .ozWidgetRiobutton_ { border: 1p...: auto } .ozWidgetRiobutton "
 - Line 162, column 589, style element, #content = " .ozWidgetRiobuttonPlusOneSvgFallback...PLUS_18_HEIGHT; } "
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - Line 22, column 500, style element, #content = " :root div[style^="height: 16px; font: bold 1...gn="right"] [width="30%"], :root "
 - Line 22, column 511, style element, #content = " :root div[style^="height: 16px; font: bold 1...gn="right"] [width="30%"], :root "
 - Line 29, column 513, style element, #content = " :root div[style^="height: 16px; font: bold 1...gn="right"] [width="30%"], :root "
 - Line 47, column 526, style element, #content = " :root div[style^="height: 16px; font: bold 1...gn="right"] [width="30%"], :root "
 - Line 61, column 565, style element, #content = " :root div[style^="height: 16px; font: bold 1...gn="right"] [width="30%"], :root "
 - Line 64, column 615, style element, #content = " :root div[style^="height: 16px; font: bold 1...gn="right"] [width="30%"], :root "
- o 1194.22(d)
- Documents shall be organized so they are readable without requiring an associated style sheet.
- d.1 Organize documents so they may be read without style sheets.

Organize documents so they may be read without style sheets. For example, when an HTML document is rendered without associated style sheets, it must still be possible to read the page.

 - Page uses an external style sheet. Verify that the page can be read without it.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - Page uses an internal style sheet. Verify that the page can be read without it.
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - d.3 Making the DOM order match the visual order.
 - Elements displayed with absolute positioning may be out of logical DOM order
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - Line 37, column 7, div element
 - Line 39, column 9, div element
 - Line 68, column 9, div element
 - Line 96, column 9, div element
 - Line 103, column 9, div element
 - Line 110, column 9, div element
 - Line 117, column 9, div element
 - Line 124, column 9, div element
 - Line 125, column 9, div element
 - Line 132, column 9, div element
 - Line 139, column 9, div element
 - Line 146, column 9, div element
 - Line 153, column 549, div element
 - Line 160, column 9, div element
 - Line 167, column 9, div element
 - Line 174, column 9, div element
 - Line 181, column 9, div element
 - Line 188, column 9, div element
 - Line 259, column 9, div element
 - Line 266, column 485, div element
 - Line 273, column 357, div element
 - Line 614, column 9, div element

- Line 623, column 379, div element
 - Line 636, column 9, div element
 - Line 638, column 9, div element
 - Line 645, column 9, div element
 - Page does not use absolute positioning
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - d.2 Ensure Color and background color may be specified at any level in the cascad...

Users with vision loss or cognitive challenges often require specific foreground (text) and background color combinations. For instance, many people with low vision find it much easier to see a Web page that has white text on a black background, so they may have set their user agent to create this contrast. If the author specifies that the text must be black, then it may override the settings of the user agent and render a page that has black text (specified by the author) on black background (that was set in the user agent). This principle also works in reverse. If the Webmaster forces the background to be white, then the white background specified by the author would be the same color as the white text (which was set in the user agent) rendering the page unusable to the user. Therefore, if the author specifies a foreground (text) color then they should also specify a background color which has sufficient contrast (link) with the foreground and vice versa.
 - Page contain no elements that specific foreground color but no background color or vice versa
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
- 1194.22(g)

Row and column headers shall be identified for data tables.

 - g.1 For data tables, identify row and column headers.

This check identifies data tables that do not have any TH elements. Data tables are recognised as having a border attribute greater than 0. Tables with no border require a visual check, unless they contain input, image or child table elements, or cells with long text, indicating they are most likely layout tables.
 - Possible data table does not use TH element.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - Line 40, column 11, table element
 - Line 69, column 11, table element
 - Line 97, column 11, table element
 - Line 104, column 11, table element
 - Line 111, column 11, table element
 - Line 118, column 11, table element
 - Line 126, column 11, table element
 - Line 133, column 11, table element
 - Line 140, column 11, table element
 - Line 147, column 11, table element
 - Line 154, column 11, table element
 - Line 161, column 11, table element
 - Line 168, column 11, table element
 - Line 175, column 11, table element
 - Line 182, column 11, table element
 - Line 189, column 11, table element
 - Line 260, column 11, table element
 - Line 267, column 11, table element
 - Line 274, column 11, table element
 - Line 615, column 11, table element
 - Line 639, column 11, table element
 - Page contains only layout tables.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - Page contains no tables.
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
- 1194.22(j)

Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.

 - j.2 Until user agents allow users to control blinking, avoid causing content to b...
 - Page may contain elements that cause blinking.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - j.1 Pages are required not to contain the BLINK element.
 - Page does not contain a BLINK element.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
- 1194.22(k)

A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.

 - k.1 Check for a 'Text Only Version' link that provides equivalent access to a page.

If a Text Only Equivalent of a page is provided it must be updated every time the primary content changes. This checkpoint typically gets marked N/A because there are sufficient techniques for making complex web content accessible. This checkpoint may need to be customized.
 - Verify if text only version is necessary for page
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
- 1194.22(o)

- A method shall be provided that permits users to skip repetitive navigation links.

 - **p.1** Pages should contain a bookmark link to skip navigation.
This checkpoint may require customization.
 - Page has no skip navigation link, but has no significant content.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - Page has no links.
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - **1194.22(p)**
When a timed response is required, the user shall be ed and given sufficient time to indicate more time is required
 - **p.2** Allow users to complete an activity without any time limit.
The objective of this technique is to provide users with all the time they need to complete an activity. This technique involves providing a specified activity which does not require timed interaction. Users are allowed as much time as they need to interact with the activity.
 - Verify purpose of timeout. Usability test to ensure that user can complete activity without time limit
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - Line 24, column 1, script element, SRC = "/index_files/cb=gapi.loaded_1"
 - Line 24, column 68, script element, SRC = "http://np.lexity.com/embed/YW/Se5d376df1354f8ec0daa666a212ac03?id=6b922c29ee79"
 - Line 24, column 198, script element, SRC = "/index_files/cb=gapi.loaded_0"
 - Line 24, column 261, script element, SRC = "/index_files/plusone.js.download"
 - Line 662, column 2, script element, SRC = "https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"
 - Line 664, column 2, script element, SRC = "https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/js/bootstrap.min.js"
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - Line 4, column 378, script element, #content = "function __sp() {try {var params = {};params[...me]},d={s:c,f:h,r:t:e(k,"rpcto"
 - Line 6, column 288, script element, #content = "function __sp() {try {var params = {};params[...me]},d={s:c,f:h,r:t:e(k,"rpcto"
 - Line 7, column 348, script element, #content = "function __sp() {try {var params = {};params[...me]},d={s:c,f:h,r:t:e(k,"rpcto"
 - Line 171, column 5435, script element, SRC = "/rs=AGLTCCPYEdIaVQLmJ7bpeAmhkuAVoTbh5A"
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - Line 3, column 267, script element, SRC = "/cb=gapi(1).loaded_0"
 - Line 3, column 357, script element, SRC = "/971028622-postmessagerelay.js.download"
 - Line 73, column 51, script element, SRC = "/rpc-shindig_random.js.download"
 - **p.1** Pages are required not to use the META element with the HTTP-EQUIV attribute ...
Until user agents provide the ability to stop the refresh, do not create periodically auto-refreshing pages.
 - Page does not contain the META element.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - **1194.22(e)**
Redundant text links shall be provided for each active region of a server-side image map.
 - **e.2** No INPUT element should contain the USEMAP attribute.
 - No INPUT element contains an USEMAP attribute.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - Page does not contain INPUT elements.
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - **e.1** Locate any IMG element that contains the ISMAP attribute.
If you must use a server-side image map, provide redundant text links for each active region. You should use client-side image maps where possible.
 - Page does not use server-side maps.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - **1194.22(f)**
Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.
 - **f.2** No IMG element should contain the ISMAP attribute.
 - No IMG element contains an ISMAP attribute.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - Page does not contain IMG elements.
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - **f.3** No INPUT element should contain the ISMAP attribute.
 - No INPUT element contains an ISMAP attribute.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - Page does not contain INPUT elements.
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - **f.1** All AREA elements are required to have the ALT attribute.
Client-side image maps present functionality that is not available to all users. The ALT attribute can be used for AREA elements to provide a text equivalent.
 - Page has no AREA elements.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - **1194.22(b)**

- Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.
- b.1

 Identify all OBJECT Elements that have a multimedia MIME type as the type att...

For any time-based multimedia presentation (e.g., a movie or animation), synchronize equivalent alternatives (e.g., captions or auditory deions of the visual track) with the presentation.

 - Page does not contain OBJECT elements using known multimedia MIME type as type attribute value.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - b.2

 Identify all OBJECT Elements that have a DATA attribute value with a multimed...
 - Page does not contain OBJECT elements using known multimedia file extensions.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - b.3

 Identify all EMBED elements that have a SRC attribute value with a multimedia...
 - Page does not contain EMBED elements using a known multimedia file extension.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - b.4

 Identify all links that have an HREF attribute value with a multimedia file e...

For any time-based multimedia presentation (e.g., a movie or animation), synchronize equivalent alternatives (e.g., captions or auditory deions of the visual track) with the presentation.

 - Page does not contain links referring to any known multimedia file extension.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - b.5

 Identify all VIDEO or AUDIO elements that have a 'Track' child element with a...
 - Page does not contain video or Audio elements.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
 - b.6

 Identify all IFRAME elements that have a SRC attribute value with an external...
 - Page does not contain IFRAME elements with external known webpage's video.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html
- 1194.22(m)
- When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).
- m.1

 All pages that have links to files that require a special reader or plug-in a...

This checkpoint may require customization.

 - Page does not contain links to files known to require a special reader.
 - <https://isanjaygaire.github.io/accessibility/index.html>
 - https://isanjaygaire.github.io/accessibility/index_files/fastbutton.html
 - https://isanjaygaire.github.io/accessibility/index_files/postmessageRelay.html