Edexcel A Level Maths: Pure

2.4 Inequalities

Contents

2.4.1 Linear Inequalities

Your notes

Linear Inequalities

What are linear inequalities?

- Linear inequalities are similar to equations but answers take a range of values
- Linear means there will be no terms other than degree 1
  - no squared terms or higher powers, no fractional or negative powers
- Inequalities use the symbols following symbols
  - $>$ Greater than e.g. $5 > 3$
  - $<$ Less than e.g. $-8 < 7$
  - $\geq$ Greater than or equal to
  - $\leq$ Less than or equal to
- Inequalities can be represented in many ways using number lines, set notation and interval notation

$$-4 \leqslant x < 9$$

SET NOTATION	INTERVAL NOTATION

$$\{x : x \geqslant -4\} \cap \{x : x < 9\}$$ $$[-4, 9)$$

NUMBER LINE

$$-4 \qquad 9$$

Copyright © Save My Exams. All Rights Reserved

save my exams

Number line diagrams

- Number line diagrams are made up from circles and lines set above a number line
  - A filled-in circle or empty circle above a number denotes whether the number is included or not
    - filled in for the greater/less than or equal to symbols $\leq$ $\geq$
    - empty for the greater/less than symbols $<$ $>$
  - Arrows show the range of values that are allowed

$$3x + 2 \geqslant 11$$

LINEAR, NO x^2, x^3, etc

$$3x \geqslant 9$$

$$x \geqslant 3$$

NUMBER LINE

● ≤ ≥

○ < >

3

Set notation

- Set notation is a formal way of writing a range of values
- Use of curly brackets { }
- Intersection ∩ and union ∪ may be used
- Not to be confused with interval notation

SET NOTATION

$x > 9 \longrightarrow \{x : x > 9\}$

A FORMAL WAY OF WRITING A RANGE OF VALUES

Interval notation

- Interval notation uses different brackets to indicate whether a number is included or not
- Use of square [] and round () brackets
- [or] mean included
- (or) mean excluded
  - (4,8] means $4 < x \leq 8$
- Note ∞ always uses (or)
- Not to be confused with set notation

Skills for solving linear inequalities

- representing and interpreting inequalities displayed on a number line
- **writing** and **interpreting** set notation
  - eg **{x : x > 1} ∩ {x : x ≤ 7}** is the same as **1 < x ≤ 7**

- **writing** and **interpreting** interval notation
 - eg **[–4, 6)** is the same as **–4 ≤ x < 6**

How do I solve linear inequalities?

- Treat the inequality as an equation and solve
  - avoid multiplying or dividing by a negative
  - if unavoidable, "flip" the inequality sign so < → >, ≥ → ≤, etc
  - try to rearrange to make the x term positive

Your notes

Worked example

> Given that $\{x : x \geq 0\}$, solve the simultaneous inequalities
> $19 - 2x \geq 5$ and $9 < x + 5$, giving your answer in set notation.

$19 - 2x \geqslant 5$

$19 - 5 \geqslant 2x$

$2x \leqslant 14$

$x \leqslant 7$

SOLVE EACH INEQUALITY SEPARATELY, DEALING WITH NEGATIVES CAREFULLY

$0 \leqslant x \leqslant 7$ ⟵ THE QUESTION SAID "x ⩾ 0"

$9 < x + 5$

$x > 4$

DRAW A QUICK DIAGRAM TO SEE WHERE ANSWERS COINCIDE (OVERLAP)

$4 < x \leqslant 7$

$\{x : x > 4\} \cap \{x : x \leqslant 7\}$

FINAL ANSWER IN SET NOTATION

2.4.2 Quadratic Inequalities

Your notes

Quadratic Inequalities

Quadratic inequalities

- Similar to quadratic equations quadratic inequalities just mean there is a range of values that satisfy the solution
- Sketching a quadratic graph is essential

Can involve the **discriminant** or **applications** in **mechanics** and **statistic**


How do I solve quadratic inequalities?

- **STEP 1**: **Rearrange** the inequality into quadratic form with a **positive squared term**
  - $ax^2 + bx + c > 0$ (>, <, ≤ or ≥)
- **STEP 2**: Find the **roots** of the quadratic equation
  - **Solve** $ax^2 + bx + c = 0$ to get x_1 and x_2 where $x_1 < x_2$
- **STEP 3**: **Sketch** a graph of the quadratic and **label the roots**
  - As the squared term is positive it will be **"U" shaped**
- **STEP 4**: **Identify** the **region** that satisfies the inequality

- For $ax^2 + bx + c > 0$ you want the region **above** the x-axis
  - The solution is $x < x_1$ **or** $x > x_2$
- For $ax^2 + bx + c < 0$ you want the region below the x-axis
  - The solution is $x > x_1$ **and** $x < x_2$
  - This is more commonly written as $x_1 < x < x_2$
- **avoid** multiplying or dividing by a negative number
  if unavoidable, "**flip**" the inequality sign so $< \rightarrow >$, $\geq \rightarrow \leq$, etc

- **avoid** multiplying or dividing by a **variable** (**x**) that **could** be negative
  (multiplying or dividing by x^2 guarantees positivity (unless **x** could be 0) but this can create extra, invalid solutions)

- **do** rearrange to make the x^2 term positiveBe careful:

AVOID NEGATIVES!

MAKE THE x²
TERM POSITIVE

$$5 - 5x^2 \leqslant 7 + 4x - 8x^2$$

$$3x^2 - 4x - 2 \leqslant 0$$

$$\frac{2 - \sqrt{10}}{3} \leqslant x \leqslant \frac{2 + \sqrt{10}}{3}$$

Solving quadratic inequalities on a calculator

- Be aware of unconventional ways calculators can display an answer
  eg $8 > x > 2$ rather than $2 < x < 8$

> 💡 **Examiner Tip**
>
> - A calculator can be super-efficient but some marks are for method.
> - Use your judgement:
>   - is it a "show that" or "prove" question?
>   - how many marks?
>   - how long is the question?

Worked example

? Find the set of values for which $3x^2 + 2x - 6 > x^2 + 4x - 2$

giving your answer in set notation.

$3x^2 + 2x - 6 - x^2 - 4x + 2 > 0$

$2x^2 - 2x - 4 > 0$ ← REARRANGE TO QUADRATIC FORM

$2(x^2 - x - 2) > 0$

$x^2 - x - 2 > 0$

$(x - 2)(x + 1) > 0$

CRUCIAL: SKETCH THE GRAPH TO SEE WHERE THE SOLUTIONS ARE

$x < -1$ OR $x > 2$

$\{x : x < -1\} \cup \{x : x > 2\}$

FINAL ANSWER IN SET NOTATION

2.4.3 Inequalities on Graphs

Inequalities on Graphs

Inequalities on graphs

- Inequalities can be represented on graphs by shaded regions and dotted or solid lines

- These inequalities have two variables, **x** and **y**
- Several inequalities are used at once
- The solution is an **area** on a graph (often called a **region**)
- The inequalities can be **linear** or **quadratic**

How do I draw inequalities on a graph?

- Sketch each graph
  - If the inequality is **strict (< or >)** then use a **dotted line**
  - If the inequality is **weak (≤ or ≥)** then use a **solid line**
- Decide **which side** of the line **satisfies** the inequality

Your notes

- Choose a coordinate on each side and **test** it in the inequality
  - The origin is an easy point to use
- If it satisfies the inequality then that whole side of the line satisfies the inequality
  - For example: (0,0) satisfies the inequality $y < x^2 + 1$ so you want the side of the curve that contains the origin

STEP 1: FIND THE KEY POINTS FOR EACH GRAPH
e.g. $x + y = 4$ CROSSES THE AXES
AT (0,4) AND (4,0)

STEP 2: DRAW LINE FOR EACH INEQUALITY
– – – – DOTTED FOR < OR >
———— SOLID FOR ≤ OR ≥

STEP 3: SHADE THE UNWANTED AREA

STEP 4: LABEL THE UNSHADED AREA

R

Your notes

💡 Examiner Tip

- **Recognise** this type of inequality by the use of **two** variables
- You may have to **deduce** the inequalities from a **given** graph
- Pay careful attention to which **region** you are **asked to shade**
- Sometimes the exam could ask you to shade the region that **satisfies the inequalities this means** you should **shade** the region that is **wanted**.
  - If you're unsure, you could …
  - … draw the (dotted and/or solid) lines in on the answer diagram and use a rough sketch to find the region required …
    … and/or …

  - … write clearly you have "shaded the unwanted area"
- As long as your final answer is clear you should get the marks!

Worked example

Your notes

? On the graph below show the region bounded by the following inequalities:

$$y \geq x^2 + 2x - 3 \qquad x + y < 6$$
$$y \geq 2x + 1 \qquad x + 2y > 3$$

$y = x^2 + 2x - 3$

$y = 2x + 1$

STEP 2
DRAW A LINE/
CURVE FOR
EACH INEQUALITY

$x + 2y = 3$

R

STEP 4
LABEL THE
UNSHADED AREA

$x + y = 6$

STEP 3
SHADE THE
UNWANTED AREAS

TURNING POINT

$y = x^2 + 2x - 3 = (x+3)(x-1)$
$(0,-3) \ (-3,0) \ (1,0) \ (-1,-4)$ "$\geq$ SOLID"

$x + y = 6$
$(0,6) \ (6,0)$ "$<$ DOTTED"

STEP 1

FIND THE KEY POINTS
FOR EACH GRAPH

$y = 2x + 1$

$(0,1)$ $(\frac{-1}{2}, 0)$ " $\geqslant$ SOLID"

$x + 2y = 3$

$(0, \frac{3}{2})$ $(3,0)$ " > DOTTED"

Your notes