

# Temperature Inside the Building Report

Date Range: 01-01-2023 to 01-30-2023

Report Generated: December 03, 2025

seq	ts	value
1000000000	2023-01-01 00:00:00	24.20606
1000000001	2023-01-01 00:15:00	23.764
1000000002	2023-01-01 00:30:00	23.14256
1000000003	2023-01-01 00:45:00	23.38995
1000000004	2023-01-01 01:00:00	25.45093
1000000005	2023-01-01 01:15:00	23.1838
1000000006	2023-01-01 01:30:00	25.60025
1000000007	2023-01-01 01:45:00	23.96316
1000000008	2023-01-01 02:00:00	23.30088
1000000009	2023-01-01 02:15:00	24.65303
1000000010	2023-01-01 02:30:00	23.76248
1000000011	2023-01-01 02:45:00	24.28758
1000000012	2023-01-01 03:00:00	25.03944
1000000013	2023-01-01 03:15:00	23.41181
1000000014	2023-01-01 03:30:00	25.89175
1000000015	2023-01-01 03:45:00	24.84148
1000000016	2023-01-01 04:00:00	23.18949
1000000017	2023-01-01 04:15:00	23.92491
1000000018	2023-01-01 04:30:00	24.96503
1000000019	2023-01-01 04:45:00	25.5379
1000000020	2023-01-01 05:00:00	25.72326
1000000021	2023-01-01 05:15:00	24.49124
1000000022	2023-01-01 05:30:00	25.2336
1000000023	2023-01-01 05:45:00	24.39337
1000000024	2023-01-01 06:00:00	25.78399
1000000025	2023-01-01 06:15:00	23.39031
1000000026	2023-01-01 06:30:00	23.43446
1000000027	2023-01-01 06:45:00	25.83793
1000000028	2023-01-01 07:00:00	23.9135
1000000029	2023-01-01 07:15:00	23.30555
1000000030	2023-01-01 07:30:00	24.5643
1000000031	2023-01-01 07:45:00	25.66479
1000000032	2023-01-01 08:00:00	23.19666
1000000033	2023-01-01 08:15:00	23.83231