SPECIFICATION

Background of the Invention

Corporate ownership and control are typically tracked using ephemeral identifiers like company names, stock tickers, or registration numbers. Malicious or evasive actors can exploit this system by using complex ownership structures, shell corporations, and frequent name changes to obfuscate their true level of control and influence over publicly traded companies, thereby evading regulatory scrutiny for "Insider" status. Standard accounting and aggregation methods fail to capture these multi-layered, indirect control vectors. There is a need for a system that can pierce the corporate veil and identify true "real interest" and influence, regardless of the obfuscation techniques employed.

Summary of the Invention

The present invention is a computer-implemented system and method for Attributed Control Aggregation and Influence Detection. It provides a novel technological implementation to address the systemic issues of corporate governance described in the related "MARCELO Act" whitepaper.

The method begins by generating a unique, persistent "Identity Fingerprint" for each entity. This fingerprint is derived from a hash of the entity's long-term relational data, such as its key executives, law firms, office locations, and intellectual property. This makes the identifier resilient to superficial changes.

The core of the invention is an iterative "Influence Smearing" algorithm. The system ingests shareholding data and attributes both direct and indirect control. For indirect control, if

Entity A controls Entity B, and Entity B controls Entity C, the system attributes Entity C's voting power to both B and A. This process is repeated for N layers of indirection until all non-obvious control vectors have been exposed. The system is designed to measure influence, not just equity, so the total attributed control can exceed the actual number of shares.

The system then aggregates the resulting influence data across dozens of dimensions, including the fingerprints of the law firms, financial institutions, and jurisdictions involved. The results are recorded in an append-only, immutable storage system to ensure data integrity. Finally, the system flags any entity whose aggregated influence exceeds user-defined or regulatory thresholds (e.g., the 10% "Insider" threshold), providing a clear signal of concentrated control for regulators in any jurisdiction.

Brief Description of the Drawings

FIG. 1 is a flowchart illustrating the overall process of the Influence Detection System, from fingerprinting to final flagging.

FIG. 2 is a conceptual diagram illustrating the "Identity Fingerprinting" function.

FIG. 3 is a conceptual diagram illustrating the iterative "Influence Smearing" algorithm for attributing indirect control.

Detailed Description of the Invention

The present invention provides a tangible, computer-implemented system to execute the principles of symmetric governance.

Referring to **FIG. 1**, the overall method is shown. The system begins by ingesting pub-

lic corporate and shareholding data (101). The first major step is to generate a resilient "Identity Fingerprint" for each entity in the dataset (102). The system then executes the iterative "Influence Smearing" algorithm (103) to attribute both direct and multi-layered indirect voting control across all entities. Once the iteration stops, the system aggregates the attributed control data across a wide variety of relational dimensions (104). The aggregated results are then recorded into a persistent, immutable storage system (105). Finally, the system compares the aggregated influence levels against regulatory thresholds and flags any entities that exceed them (106).

FIG. 2 illustrates the "Identity Fingerprinting" function. An entity (201) is not identified by its name alone. Instead, the system gathers a set of its long-term relational data, which may include its past CEOs and CFOs (202), its associated law and finance firms (203), its IP portfolio (204), and its physical office locations (205). These data points are fed into a cryptographic hash function (206) to produce a single, unique, and persistent Identity Fingerprint (207) that represents the entity's "real interest."

FIG. 3 illustrates the "Influence Smearing" algorithm. In this example, a primary controlling entity, Vanguard (301), has direct control over Meta (302). Meta, in turn, has direct control over Google (303). In Step 1, the system attributes Google's voting power to Meta. In Step 2 (the first iteration), because Vanguard controls Meta, the system "smears" the influence and also attributes Google's voting power to Vanguard. A counter for Google's shares is incremented to prevent re-counting in subsequent iterations. This iterative process continues for N layers, uncovering hidden chains of influence.