Introduction to Parsing

Parsing
ISCL-BA-06

Çağrı Çöltekin
ccoltekin@sfs.uni-tuebingen.de

University of Tübingen
Seminar für Sprachwissenschaft

Winter Semester 2020/21

version: 4f49137 @2020-11-26

What is parsing?

- Parsing is the task of assigning a structure to a given sentence
- It is related to recognition: typically we follow the steps taken during derivation to obtain the structure
- From a different perspective, parsing is the inverse of the generation task
- Note: we focus on context-free parsing – the structures we build/recover are trees

Why do we need parsing?

- The formal approach to languages as sets emphasizes recognition
  - a string is whether in the language or not
- Parsing is in general a step for semantics
  - we cannot assign semantics without structure



Overview

- Representation context-free analyses and parse trees
- Ambiguity
- Top-down parsing
- Bottom-up parsing
- General overview of the parsing methods
- Representing parsing methods: parse forests
- Parsing and semantics

Overview

- Representation context-free analyses and parse trees
- Ambiguity
- Top-down parsing
- Bottom-up parsing
- General overview of the parsing methods
- Representing parsing methods: parse forests
- Parsing and semantics

Different ways to represent a context-free parse



A history of derivations

Sentential form	derivation		
S			(start)
NP VP	S	$\Rightarrow$	NP VP
Prn VP	NP	$\Rightarrow$	Prn
I VP	Prn	$\Rightarrow$	I
I V NP	VP	$\Rightarrow$	V NP
I saw NP	V	$\Rightarrow$	saw
I saw Prn$_p$ N	NP	$\Rightarrow$	Prn$_p$ N
I saw her N	Prn$_p$	$\Rightarrow$	her
I saw her duck	N	$\Rightarrow$	duck

(*Labeled*) *brackets*: $\Big[_{\text{S}}\Big[_{\text{NP}}\,[_{\text{Prn}}\ \text{I}]\Big]\Big[_{\text{VP}}\,[_{\text{V}}\ \text{saw}]\,\Big[_{\text{NP}}\,\Big[_{\text{Prn}_p}\ \text{her}\Big]\,[_{\text{N}}\ \text{duck}]\,\Big]\Big]\Big]$

Different ways to represent a context-free parse



A history of derivations

Sentential form	derivation
S	(start)
NP VP	S → NP VP
Prn VP	NP → Prn
I VP	Prn → I
I V NP	VP → V NP
I saw NP	V → saw
I saw Prn$_p$ N	NP → Prn$_p$ N
I saw her N	Prn$_p$ → her
I saw her duck	N → duck

(*Labeled*) *brackets*: $\Big[_{S}\Big[_{NP}\,[_{Prn}\ I]\Big]\Big[_{VP}\,[_{V}\ saw]\,\Big[_{NP}\,\Big[_{Prn_p}\ her\Big]\,[_{N}\ duck]\,\Big]\Big]\Big]$

Relation between different representations

- The parse tree and the bracket representation is equivalent
  - parse trees are easier to read by humans
  - brackets are easier for computers
  - brackets are the typical representation for treebanks
- A parse tree (or bracket representation) can be obtained with a different order of production rules

Grammars and ambiguity

$$\text{Exp} \rightarrow \text{n}$$
$$\text{Exp} \rightarrow \text{Exp} + \text{Exp}$$
(terminal symbol 'n' stands for any number)

- If a grammar is ambiguous, some sentences produce multiple analyses
- If the resulting analysis lead to the same semantics, the ambiguity is *spurious*



Grammars and ambiguity

$$\text{Exp} \rightarrow \text{n}$$
$$\text{Exp} \rightarrow \text{Exp} + \text{Exp}$$
(terminal symbol 'n' stands for any number)

- If a grammar is ambiguous, some sentences produce multiple analyses
- If the resulting analysis lead to the same semantics, the ambiguity is *spurious*



Grammars and ambiguity

$$\text{Exp} \rightarrow \text{n}$$
$$\text{Exp} \rightarrow \text{Exp} - \text{Exp}$$

(terminal symbol 'n' stands for any number)

- Is this ambiguity spurious?



Grammars and ambiguity

$$\begin{aligned} \text{Exp} &\rightarrow \text{n} \\ \text{Exp} &\rightarrow \text{Exp} - \text{Exp} \end{aligned}$$

(terminal symbol 'n' stands for any number)

- Is this ambiguity spurious?
- If different structures yield different semantics, the ambiguity is *essential*



Languages and ambiguity

- A language is ambiguous if there is no unambiguous grammar that can produce it
- For example, the language $a^n b^n c^m \cup a^p b^q c^q$ is ambiguous
  - The strings of the form $a^k b^k c^k$ could be generated by either part of the language definition
- Note: do not confuse ambiguity with different derivations leading to same analysis
  - Ambiguity results in different structures
  - Multiple derivations with the same structure is related to the mechanism used for obtaining the derivations

Ambiguity can be removed from a grammar

if the language is not ambiguous

$$\begin{aligned} \text{Exp} &\rightarrow \text{n} \\ \text{Exp} &\rightarrow \text{Exp} + \text{n} \end{aligned}$$

(terminal symbol 'n' stands for any number)

- This one does not have the ambiguity of

$$\begin{aligned} \text{Exp} &\rightarrow \text{n} \\ \text{Exp} &\rightarrow \text{Exp} + \text{Exp} \end{aligned}$$

- Both grammars define the same language



Natural languages are ambiguous





- The grammars we define have to distinguish between two different structures

Top-down parsing

general idea

- Start from S, find a sequence of derivations that yield the sentence
- This is simply the same as the generation procedure we discussed earlier
- Attempt to generate all strings from the parse grammar, but allow productions that only leads to the input string

Top-down: demonstration

the cat bites a dog

$$
\begin{aligned}
S &\rightarrow NP\ VP \\
NP &\rightarrow Det\ N \\
VP &\rightarrow V\ NP \\
VP &\rightarrow V \\
Det &\rightarrow a \\
Det &\rightarrow the \\
N &\rightarrow cat \\
N &\rightarrow dog \\
V &\rightarrow bites
\end{aligned}
$$

Top-down: demonstration

S

the cat bites a dog

$$
\begin{aligned}
S &\rightarrow NP\ VP \\
NP &\rightarrow Det\ N \\
VP &\rightarrow V\ NP \\
VP &\rightarrow V \\
Det &\rightarrow a \\
Det &\rightarrow the \\
N &\rightarrow cat \\
N &\rightarrow dog \\
V &\rightarrow bites
\end{aligned}
$$

Top-down: demonstration



the cat bites a dog

S	→	NP VP
NP	→	Det N
VP	→	V NP
VP	→	V
Det	→	a
Det	→	the
N	→	cat
N	→	dog
V	→	bites

Top-down: demonstration



the cat bites a dog

S	→	NP VP
NP	→	Det N
VP	→	V NP
VP	→	V
Det	→	a
Det	→	the
N	→	cat
N	→	dog
V	→	bites

Top-down: demonstration



$$
\begin{aligned}
S &\rightarrow NP\ VP \\
NP &\rightarrow Det\ N \\
VP &\rightarrow V\ NP \\
VP &\rightarrow V \\
Det &\rightarrow a \\
Det &\rightarrow the \\
N &\rightarrow cat \\
N &\rightarrow dog \\
V &\rightarrow bites
\end{aligned}
$$

Top-down: demonstration



$$
\begin{aligned}
S &\rightarrow NP\ VP \\
NP &\rightarrow Det\ N \\
VP &\rightarrow V\ NP \\
VP &\rightarrow V \\
Det &\rightarrow a \\
Det &\rightarrow the \\
N &\rightarrow cat \\
N &\rightarrow dog \\
V &\rightarrow bites
\end{aligned}
$$

Top-down: demonstration



$$
\begin{aligned}
S &\rightarrow NP\ VP \\
NP &\rightarrow Det\ N \\
VP &\rightarrow V\ NP \\
VP &\rightarrow V \\
Det &\rightarrow a \\
Det &\rightarrow the \\
N &\rightarrow cat \\
N &\rightarrow dog \\
V &\rightarrow bites
\end{aligned}
$$

Top-down: demonstration



$$
\begin{aligned}
S &\rightarrow NP\ VP \\
NP &\rightarrow Det\ N \\
VP &\rightarrow V\ NP \\
VP &\rightarrow V \\
Det &\rightarrow a \\
Det &\rightarrow the \\
N &\rightarrow cat \\
N &\rightarrow dog \\
V &\rightarrow bites
\end{aligned}
$$

Top-down: demonstration



S	→	NP VP
NP	→	Det N
VP	→	V NP
VP	→	V
Det	→	a
Det	→	the
N	→	cat
N	→	dog
V	→	bites

Top-down: demonstration



S → NP VP
NP → Det N
VP → V NP
VP → V
Det → a
Det → the
N → cat
N → dog
V → bites

Top-down: demonstration



$$
\begin{aligned}
S &\rightarrow NP\ VP \\
NP &\rightarrow Det\ N \\
VP &\rightarrow V\ NP \\
VP &\rightarrow V \\
Det &\rightarrow a \\
Det &\rightarrow the \\
N &\rightarrow cat \\
N &\rightarrow dog \\
V &\rightarrow bites
\end{aligned}
$$

From demonstration to parsing

- There may be multiple production applicable
- We need an automatic mechanism to select the correct productions
- We have two actions:

  predict generate a hypothesis based on the grammar

  match when a terminal is produced, check if it matches with the terminal in the expected position
  - if matched, continue
  - otherwise, backtrack
- if we eliminate all non terminals, and the complete input string is matched, then parsing successful

Top-down parsing: another demonstration

the grammar

S	$\rightarrow$	NP VP
NP	$\rightarrow$	Det N
VP	$\rightarrow$	V NP
VP	$\rightarrow$	V
Det	$\rightarrow$	a
Det	$\rightarrow$	the
N	$\rightarrow$	cat
N	$\rightarrow$	dog
V	$\rightarrow$	bites

parse: *the cat bites a dog*

Top-down parsing: another demonstration

the grammar

S	$\rightarrow$	NP VP
NP	$\rightarrow$	Det N
VP	$\rightarrow$	V NP
VP	$\rightarrow$	V
Det	$\rightarrow$	a
Det	$\rightarrow$	the
N	$\rightarrow$	cat
N	$\rightarrow$	dog
V	$\rightarrow$	bites

parse: *the cat bites a dog*

matched	goal	production
	S	S $\Rightarrow$ NP VP

Top-down parsing: another demonstration

the grammar

S	$\rightarrow$	NP VP
NP	$\rightarrow$	Det N
VP	$\rightarrow$	V NP
VP	$\rightarrow$	V
Det	$\rightarrow$	a
Det	$\rightarrow$	the
N	$\rightarrow$	cat
N	$\rightarrow$	dog
V	$\rightarrow$	bites

parse: *the cat bites a dog*

matched	goal	production
	S	S $\Rightarrow$ NP VP
	NP VP	NP $\Rightarrow$ Det VP

Top-down parsing: another demonstration

the grammar

S	→	NP VP
NP	→	Det N
VP	→	V NP
VP	→	V
Det	→	a
Det	→	the
N	→	cat
N	→	dog
V	→	bites

parse: *the cat bites a dog*

matched	goal	production
	S	S ⇒ NP VP
	NP VP	NP ⇒ Det VP
	Det N VP	Det ⇒ a ✗

Top-down parsing: another demonstration

the grammar

S	→	NP VP
NP	→	Det N
VP	→	V NP
VP	→	V
Det	→	a
Det	→	the
N	→	cat
N	→	dog
V	→	bites

parse: *the cat bites a dog*

matched	goal	production
	S	S ⇒ NP VP
	NP VP	NP ⇒ Det VP
	Det N VP	Det ⇒ a ✗
	Det N VP	Det ⇒ the ✓

Top-down parsing: another demonstration

the grammar

S	→	NP VP
NP	→	Det N
VP	→	V NP
VP	→	V
Det	→	a
Det	→	the
N	→	cat
N	→	dog
V	→	bites

parse: *the cat bites a dog*

matched	goal	production
	S	S ⇒ NP VP
	NP VP	NP ⇒ Det VP
	Det N VP	Det ⇒ a ✗
	Det N VP	Det ⇒ the ✓
the	N VP	N ⇒ dog ✗

Top-down parsing: another demonstration

the grammar

S	→	NP VP
NP	→	Det N
VP	→	V NP
VP	→	V
Det	→	a
Det	→	the
N	→	cat
N	→	dog
V	→	bites

parse: *the cat bites a dog*

matched	goal	production
	S	S ⇒ NP VP
	NP VP	NP ⇒ Det VP
	Det N VP	Det ⇒ a ✗
	Det N VP	Det ⇒ the ✓
the	N VP	N ⇒ dog ✗
the cat	N VP	N ⇒ cat ✓

Top-down parsing: another demonstration

the grammar

S	→	NP VP
NP	→	Det N
VP	→	V NP
VP	→	V
Det	→	a
Det	→	the
N	→	cat
N	→	dog
V	→	bites

parse: *the cat bites a dog*

matched	goal	production
	S	S ⇒ NP VP
	NP VP	NP ⇒ Det VP
	Det N VP	Det ⇒ a ✗
	Det N VP	Det ⇒ the ✓
the	N VP	N ⇒ dog ✗
the cat	N VP	N ⇒ cat ✓
the cat	VP	VP ⇒ V

Top-down parsing: another demonstration

the grammar

S	→	NP VP
NP	→	Det N
VP	→	V NP
VP	→	V
Det	→	a
Det	→	the
N	→	cat
N	→	dog
V	→	bites

parse: *the cat bites a dog*

matched	goal	production
	S	S ⇒ NP VP
	NP VP	NP ⇒ Det VP
	Det N VP	Det ⇒ a ✗
	Det N VP	Det ⇒ the ✓
the	N VP	N ⇒ dog ✗
the cat	N VP	N ⇒ cat ✓
the cat	VP	VP ⇒ V
the cat bites	V	V ⇒ bites ✓

Top-down parsing: another demonstration

the grammar

S	→	NP VP
NP	→	Det N
VP	→	V NP
VP	→	V
Det	→	a
Det	→	the
N	→	cat
N	→	dog
V	→	bites

parse: *the cat bites a dog*

matched	goal	production
	S	S ⇒ NP VP
	NP VP	NP ⇒ Det VP
	Det N VP	Det ⇒ a ✗
	Det N VP	Det ⇒ the ✓
the	N VP	N ⇒ dog ✗
the cat	N VP	N ⇒ cat ✓
the cat	VP	VP ⇒ V
the cat bites	V	V ⇒ bites ✓
the cat bites		(not at the end) ✗

Top-down parsing: another demonstration

the grammar

S	→	NP VP
NP	→	Det N
VP	→	V NP
VP	→	V
Det	→	a
Det	→	the
N	→	cat
N	→	dog
V	→	bites

parse: *the cat bites a dog*

matched	goal	production
	S	S ⇒ NP VP
	NP VP	NP ⇒ Det VP
	Det N VP	Det ⇒ a ✗
	Det N VP	Det ⇒ the ✓
the	N VP	N ⇒ dog ✗
the cat	N VP	N ⇒ cat ✓
the cat	VP	VP ⇒ V
the cat bites	V	V ⇒ bites ✓
the cat bites		(not at the end) ✗
the cat	V NP	VP ⇒ V NP

Top-down parsing: another demonstration

the grammar

S	→	NP VP
NP	→	Det N
VP	→	V NP
VP	→	V
Det	→	a
Det	→	the
N	→	cat
N	→	dog
V	→	bites

parse: *the cat bites a dog*

matched	goal	production
	S	S ⇒ NP VP
	NP VP	NP ⇒ Det VP
	Det N VP	Det ⇒ a ✗
	Det N VP	Det ⇒ the ✓
the	N VP	N ⇒ dog ✗
the cat	N VP	N ⇒ cat ✓
the cat	VP	VP ⇒ V
the cat bites	V	V ⇒ bites ✓
the cat bites		(not at the end) ✗
the cat	V NP	VP ⇒ V NP
the cat bites	NP	V ⇒ bites ✓

Top-down parsing: another demonstration

the grammar

S	→	NP VP
NP	→	Det N
VP	→	V NP
VP	→	V
Det	→	a
Det	→	the
N	→	cat
N	→	dog
V	→	bites

parse: *the cat bites a dog*

matched	goal	production
	S	S ⇒ NP VP
	NP VP	NP ⇒ Det VP
	Det N VP	Det ⇒ a ✗
	Det N VP	Det ⇒ the ✓
the	N VP	N ⇒ dog ✗
the cat	N VP	N ⇒ cat ✓
the cat	VP	VP ⇒ V
the cat bites	V	V ⇒ bites ✓
the cat bites		(not at the end) ✗
the cat	V NP	VP ⇒ V NP
the cat bites	NP	V ⇒ bites ✓
the cat bites	Det N	NP ⇒ Det N

Top-down parsing: another demonstration

the grammar

S	→	NP VP
NP	→	Det N
VP	→	V NP
VP	→	V
Det	→	a
Det	→	the
N	→	cat
N	→	dog
V	→	bites

parse: *the cat bites a dog*

matched	goal	production
	S	S ⇒ NP VP
	NP VP	NP ⇒ Det VP
	Det N VP	Det ⇒ a ✗
	Det N VP	Det ⇒ the ✓
the	N VP	N ⇒ dog ✗
the cat	N VP	N ⇒ cat ✓
the cat	VP	VP ⇒ V
the cat bites	V	V ⇒ bites ✓
the cat bites		(not at the end) ✗
the cat	V NP	VP ⇒ V NP
the cat bites	NP	V ⇒ bites ✓
the cat bites	Det N	NP ⇒ Det N
the cat bites a	N	Det ⇒ a ✓

Top-down parsing: another demonstration

the grammar

S	→	NP VP
NP	→	Det N
VP	→	V NP
VP	→	V
Det	→	a
Det	→	the
N	→	cat
N	→	dog
V	→	bites

parse: *the cat bites a dog*

matched	goal	production
	S	S ⇒ NP VP
	NP VP	NP ⇒ Det VP
	Det N VP	Det ⇒ a ✗
	Det N VP	Det ⇒ the ✓
the	N VP	N ⇒ dog ✗
the cat	N VP	N ⇒ cat ✓
the cat	VP	VP ⇒ V
the cat bites	V	V ⇒ bites ✓
the cat bites		(not at the end) ✗
the cat	V NP	VP ⇒ V NP
the cat bites	NP	V ⇒ bites ✓
the cat bites	Det N	NP ⇒ Det N
the cat bites a	N	Det ⇒ a ✓
the cat bites a dog		Det ⇒ dog ✓

Top-down parsing: another demonstration

the grammar

S	→	NP VP
NP	→	Det N
VP	→	V NP
VP	→	V
Det	→	a
Det	→	the
N	→	cat
N	→	dog
V	→	bites

parse: *the cat bites a dog*

matched	goal	production
	S	S ⇒ NP VP
	NP VP	NP ⇒ Det VP
	Det N VP	Det ⇒ a ✗
	Det N VP	Det ⇒ the ✓
the	N VP	N ⇒ dog ✗
the cat	N VP	N ⇒ cat ✓
the cat	VP	VP ⇒ V
the cat bites	V	V ⇒ bites ✓
the cat bites		(not at the end) ✗
the cat	V NP	VP ⇒ V NP
the cat bites	NP	V ⇒ bites ✓
the cat bites	Det N	NP ⇒ Det N
the cat bites a	N	Det ⇒ a ✓
the cat bites a dog		Det ⇒ dog ✓

Note that the valid productions yield the parse tree.

Top-down parsing: problems and possible solutions

- Trial-and-error procedure leads to exponential time parsing

Top-down parsing: problems and possible solutions

- Trial-and-error procedure leads to exponential time parsing
- But lots of repeated work: dynamic programming may help avoid it

Top-down parsing: problems and possible solutions

- Trial-and-error procedure leads to exponential time parsing
- But lots of repeated work: dynamic programming may help avoid it
- What happens if we had a rule like

$$\text{NP} \rightarrow \text{NP PP}$$

Top-down parsing: problems and possible solutions

- Trial-and-error procedure leads to exponential time parsing
- But lots of repeated work: dynamic programming may help avoid it
- What happens if we had a rule like

$$\text{NP} \rightarrow \text{NP PP}$$

Top-down parsing: problems and possible solutions

- Trial-and-error procedure leads to exponential time parsing
- But lots of repeated work: dynamic programming may help avoid it
- What happens if we had a rule like

  $$\text{NP} \rightarrow \text{NP PP}$$

  some rules may cause infinite loops
- Notice that if we knew which terminals are possible as the initial part of a non-terminal symbol, we can eliminate the unsuccessful matches earlier

Bottom-up parsing

general idea

- Start from from the input symbol, and try to *reduce* the input to start symbol
- We need to match parts of the sentential form (starting from the input) to the RHS of the grammar rules
- While top-down process relies on *productions* the bottom-up process relies on *reductions*



Top-down: demonstration

the cat bites a dog

$$
\begin{aligned}
S &\rightarrow NP\ VP \\
NP &\rightarrow Det\ N \\
VP &\rightarrow V\ NP \\
VP &\rightarrow V \\
Det &\rightarrow a \\
Det &\rightarrow the \\
N &\rightarrow cat \\
N &\rightarrow dog \\
V &\rightarrow bites
\end{aligned}
$$

Top-down: demonstration



$$
\begin{aligned}
S &\rightarrow NP\ VP \\
NP &\rightarrow Det\ N \\
VP &\rightarrow V\ NP \\
VP &\rightarrow V \\
Det &\rightarrow a \\
Det &\rightarrow \text{the} \\
N &\rightarrow cat \\
N &\rightarrow dog \\
V &\rightarrow bites
\end{aligned}
$$

Top-down: demonstration



$$
\begin{aligned}
S &\rightarrow NP\ VP \\
NP &\rightarrow Det\ N \\
VP &\rightarrow V\ NP \\
VP &\rightarrow V \\
Det &\rightarrow a \\
Det &\rightarrow the \\
N &\rightarrow cat \\
N &\rightarrow dog \\
V &\rightarrow bites
\end{aligned}
$$

Top-down: demonstration



$$
\begin{aligned}
S &\rightarrow \text{NP VP} \\
NP &\rightarrow \text{Det N} \\
VP &\rightarrow \text{V NP} \\
VP &\rightarrow \text{V} \\
Det &\rightarrow \text{a} \\
Det &\rightarrow \text{the} \\
N &\rightarrow \text{cat} \\
N &\rightarrow \text{dog} \\
V &\rightarrow \text{bites}
\end{aligned}
$$

Top-down: demonstration



$$
\begin{aligned}
S &\rightarrow NP\ VP \\
NP &\rightarrow Det\ N \\
VP &\rightarrow V\ NP \\
VP &\rightarrow V \\
Det &\rightarrow a \\
Det &\rightarrow the \\
N &\rightarrow cat \\
N &\rightarrow dog \\
V &\rightarrow bites
\end{aligned}
$$

Top-down: demonstration



$$
\begin{aligned}
S &\rightarrow NP\ VP \\
NP &\rightarrow Det\ N \\
VP &\rightarrow V\ NP \\
VP &\rightarrow V \\
Det &\rightarrow a \\
Det &\rightarrow the \\
N &\rightarrow cat \\
N &\rightarrow dog \\
V &\rightarrow bites
\end{aligned}
$$

Top-down: demonstration



$$
\begin{aligned}
S &\rightarrow NP\ VP \\
NP &\rightarrow Det\ N \\
VP &\rightarrow V\ NP \\
VP &\rightarrow V \\
Det &\rightarrow a \\
Det &\rightarrow the \\
N &\rightarrow cat \\
N &\rightarrow dog \\
V &\rightarrow bites
\end{aligned}
$$

Top-down: demonstration



S	$\rightarrow$	NP VP
NP	$\rightarrow$	Det N
VP	$\rightarrow$	V NP
VP	$\rightarrow$	V
Det	$\rightarrow$	a
Det	$\rightarrow$	the
N	$\rightarrow$	cat
N	$\rightarrow$	dog
V	$\rightarrow$	bites

Top-down: demonstration



$$
\begin{aligned}
S &\rightarrow NP\ VP \\
NP &\rightarrow Det\ N \\
VP &\rightarrow V\ NP \\
VP &\rightarrow V \\
Det &\rightarrow a \\
Det &\rightarrow the \\
N &\rightarrow cat \\
N &\rightarrow dog \\
V &\rightarrow bites
\end{aligned}
$$

Top-down: demonstration



$$
\begin{aligned}
S &\rightarrow \text{NP VP} \\
NP &\rightarrow \text{Det N} \\
VP &\rightarrow \text{V NP} \\
VP &\rightarrow \text{V} \\
Det &\rightarrow \text{a} \\
Det &\rightarrow \text{the} \\
N &\rightarrow \text{cat} \\
N &\rightarrow \text{dog} \\
V &\rightarrow \text{bites}
\end{aligned}
$$

A (first) introduction to shift-reduce parsing

- We keep two data structures:
  - a stack for the (partially) reduced sentential form
  - an input queue that contains only terminal symbols



- We use two operations:

  shift shifts a terminal to stack



  reduce when top symbols on stack mach a RHS, replace them with the LHS of the rule



Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det $\Rightarrow$ the

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det $\Rightarrow$ the
Det	cat bites a dog	shift

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det $\Rightarrow$ the
Det	cat bites a dog	shift
Det cat	bites a dog	N $\Rightarrow$ cat

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det $\Rightarrow$ the
Det	cat bites a dog	shift
Det cat	bites a dog	N $\Rightarrow$ cat
NP	bites a dog	NP $\Rightarrow$ Det N

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det $\Rightarrow$ the
Det	cat bites a dog	shift
Det cat	bites a dog	N $\Rightarrow$ cat
NP	bites a dog	NP $\Rightarrow$ Det N
NP	bites a dog	shift

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det $\Rightarrow$ the
Det	cat bites a dog	shift
Det cat	bites a dog	N $\Rightarrow$ cat
NP	bites a dog	NP $\Rightarrow$ Det N
NP	bites a dog	shift
NP bites	a dog	V $\Rightarrow$ bites

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det $\Rightarrow$ the
Det	cat bites a dog	shift
Det cat	bites a dog	N $\Rightarrow$ cat
NP	bites a dog	NP $\Rightarrow$ Det N
NP	bites a dog	shift
NP bites	a dog	V $\Rightarrow$ bites
NP V	a dog	VP $\Rightarrow$ V

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det $\Rightarrow$ the
Det	cat bites a dog	shift
Det cat	bites a dog	N $\Rightarrow$ cat
NP	bites a dog	NP $\Rightarrow$ Det N
NP	bites a dog	shift
NP bites	a dog	V $\Rightarrow$ bites
NP V	a dog	VP $\Rightarrow$ V
NP VP	a dog	S $\Rightarrow$ NP VP

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det $\Rightarrow$ the
Det	cat bites a dog	shift
Det cat	bites a dog	N $\Rightarrow$ cat
NP	bites a dog	NP $\Rightarrow$ Det N
NP	bites a dog	shift
NP bites	a dog	V $\Rightarrow$ bites
NP V	a dog	VP $\Rightarrow$ V
NP VP	a dog	S $\Rightarrow$ NP VP
S	a dog	shift

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det $\Rightarrow$ the
Det	cat bites a dog	shift
Det cat	bites a dog	N $\Rightarrow$ cat
NP	bites a dog	NP $\Rightarrow$ Det N
NP	bites a dog	shift
NP bites	a dog	V $\Rightarrow$ bites
NP V	a dog	VP $\Rightarrow$ V
NP VP	a dog	S $\Rightarrow$ NP VP
S	a dog	shift
S a	dog	Det $\Rightarrow$ A

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det $\Rightarrow$ the
Det	cat bites a dog	shift
Det cat	bites a dog	N $\Rightarrow$ cat
NP	bites a dog	NP $\Rightarrow$ Det N
NP	bites a dog	shift
NP bites	a dog	V $\Rightarrow$ bites
NP V	a dog	VP $\Rightarrow$ V
NP VP	a dog	S $\Rightarrow$ NP VP
S	a dog	shift
S a	dog	Det $\Rightarrow$ A
S Det dog		N $\Rightarrow$ dog

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det $\Rightarrow$ the
Det	cat bites a dog	shift
Det cat	bites a dog	N $\Rightarrow$ cat
NP	bites a dog	NP $\Rightarrow$ Det N
NP	bites a dog	shift
NP bites	a dog	V $\Rightarrow$ bites
NP V	a dog	VP $\Rightarrow$ V
NP VP	a dog	S $\Rightarrow$ NP VP
S	a dog	shift
S a	dog	Det $\Rightarrow$ A
S Det dog		N $\Rightarrow$ dog
S Det N		N $\Rightarrow$ dog

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det $\Rightarrow$ the
Det	cat bites a dog	shift
Det cat	bites a dog	N $\Rightarrow$ cat
NP	bites a dog	NP $\Rightarrow$ Det N
NP	bites a dog	shift
NP bites	a dog	V $\Rightarrow$ bites
NP V	a dog	VP $\Rightarrow$ V
NP VP	a dog	S $\Rightarrow$ NP VP
S	a dog	shift
S a	dog	Det $\Rightarrow$ A
S Det dog		N $\Rightarrow$ dog
S Det N		N $\Rightarrow$ dog
S Det N		NP $\Rightarrow$ Det N

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det $\Rightarrow$ the
Det	cat bites a dog	shift
Det cat	bites a dog	N $\Rightarrow$ cat
NP	bites a dog	NP $\Rightarrow$ Det N
NP	bites a dog	shift
NP bites	a dog	V $\Rightarrow$ bites
NP V	a dog	VP $\Rightarrow$ V
NP VP	a dog	S $\Rightarrow$ NP VP
S	a dog	shift
S a	dog	Det $\Rightarrow$ A
S Det dog		N $\Rightarrow$ dog
S Det N		N $\Rightarrow$ dog
S Det N		NP $\Rightarrow$ Det N
S NP		(stuck)

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det ⇒ the
Det	cat bites a dog	shift
Det cat	bites a dog	N ⇒ cat
NP	bites a dog	NP ⇒ Det N
NP	bites a dog	shift
NP bites	a dog	V ⇒ bites
NP V	a dog	VP ⇒ V
NP VP	a dog	S ⇒ NP VP
S	a dog	shift
S a	dog	Det ⇒ A
S Det dog		N ⇒ dog
S Det N		N ⇒ dog
S Det N		NP ⇒ Det N
S NP		(stuck)

stack	input	rule
NP V	a dog	shift

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det ⇒ the
Det	cat bites a dog	shift
Det cat	bites a dog	N ⇒ cat
NP	bites a dog	NP ⇒ Det N
NP	bites a dog	shift
NP bites	a dog	V ⇒ bites
NP V	a dog	VP ⇒ V
NP VP	a dog	S ⇒ NP VP
S	a dog	shift
S a	dog	Det ⇒ A
S Det dog		N ⇒ dog
S Det N		N ⇒ dog
S Det N		NP ⇒ Det N
S NP		(stuck)

stack	input	rule
NP V	a dog	shift
NP V a	dog	Det ⇒ a

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det ⇒ the
Det	cat bites a dog	shift
Det cat	bites a dog	N ⇒ cat
NP	bites a dog	NP ⇒ Det N
NP	bites a dog	shift
NP bites	a dog	V ⇒ bites
NP V	a dog	VP ⇒ V
NP VP	a dog	S ⇒ NP VP
S	a dog	shift
S a	dog	Det ⇒ A
S Det dog		N ⇒ dog
S Det N		N ⇒ dog
S Det N		NP ⇒ Det N
S NP		(stuck)

stack	input	rule
NP V	a dog	shift
NP V a	dog	Det ⇒ a
NP V Det	dog	shift

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det ⇒ the
Det	cat bites a dog	shift
Det cat	bites a dog	N ⇒ cat
NP	bites a dog	NP ⇒ Det N
NP	bites a dog	shift
NP bites	a dog	V ⇒ bites
NP V	a dog	VP ⇒ V
NP VP	a dog	S ⇒ NP VP
S	a dog	shift
S a	dog	Det ⇒ A
S Det dog		N ⇒ dog
S Det N		N ⇒ dog
S Det N		NP ⇒ Det N
S NP		(stuck)

stack	input	rule
NP V	a dog	shift
NP V a	dog	Det ⇒ a
NP V Det	dog	shift
NP V Det dog		N ⇒ dog

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det ⇒ the
Det	cat bites a dog	shift
Det cat	bites a dog	N ⇒ cat
NP	bites a dog	NP ⇒ Det N
NP	bites a dog	shift
NP bites	a dog	V ⇒ bites
NP V	a dog	VP ⇒ V
NP VP	a dog	S ⇒ NP VP
S	a dog	shift
S a	dog	Det ⇒ A
S Det dog		N ⇒ dog
S Det N		N ⇒ dog
S Det N		NP ⇒ Det N
S NP		(stuck)

stack	input	rule
NP V	a dog	shift
NP V a	dog	Det ⇒ a
NP V Det	dog	shift
NP V Det dog		N ⇒ dog
NP V Det N		N ⇒ dog

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det ⇒ the
Det	cat bites a dog	shift
Det cat	bites a dog	N ⇒ cat
NP	bites a dog	NP ⇒ Det N
NP	bites a dog	shift
NP bites	a dog	V ⇒ bites
NP V	a dog	VP ⇒ V
NP VP	a dog	S ⇒ NP VP
S	a dog	shift
S a	dog	Det ⇒ A
S Det dog		N ⇒ dog
S Det N		N ⇒ dog
S Det N		NP ⇒ Det N
S NP		(stuck)

stack	input	rule
NP V	a dog	shift
NP V a	dog	Det ⇒ a
NP V Det	dog	shift
NP V Det dog		N ⇒ dog
NP V Det N		N ⇒ dog
NP V Det N		NP ⇒ Det N

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det $\Rightarrow$ the
Det	cat bites a dog	shift
Det cat	bites a dog	N $\Rightarrow$ cat
NP	bites a dog	NP $\Rightarrow$ Det N
NP	bites a dog	shift
NP bites	a dog	V $\Rightarrow$ bites
NP V	a dog	VP $\Rightarrow$ V
NP VP	a dog	S $\Rightarrow$ NP VP
S	a dog	shift
S a	dog	Det $\Rightarrow$ A
S Det dog		N $\Rightarrow$ dog
S Det N		N $\Rightarrow$ dog
S Det N		NP $\Rightarrow$ Det N
S NP		(stuck)

stack	input	rule
NP V	a dog	shift
NP V a	dog	Det $\Rightarrow$ a
NP V Det	dog	shift
NP V Det dog		N $\Rightarrow$ dog
NP V Det N		N $\Rightarrow$ dog
NP V Det N		NP $\Rightarrow$ Det N
NP V NP		NP $\Rightarrow$ Det N

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det ⇒ the
Det	cat bites a dog	shift
Det cat	bites a dog	N ⇒ cat
NP	bites a dog	NP ⇒ Det N
NP	bites a dog	shift
NP bites	a dog	V ⇒ bites
NP V	a dog	VP ⇒ V
NP VP	a dog	S ⇒ NP VP
S	a dog	shift
S a	dog	Det ⇒ A
S Det dog		N ⇒ dog
S Det N		N ⇒ dog
S Det N		NP ⇒ Det N
S NP		(stuck)

stack	input	rule
NP V	a dog	shift
NP V a	dog	Det ⇒ a
NP V Det	dog	shift
NP V Det dog		N ⇒ dog
NP V Det N		N ⇒ dog
NP V Det N		NP ⇒ Det N
NP V NP		NP ⇒ Det N
NP V NP		VP ⇒ V NP

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det $\Rightarrow$ the
Det	cat bites a dog	shift
Det cat	bites a dog	N $\Rightarrow$ cat
NP	bites a dog	NP $\Rightarrow$ Det N
NP	bites a dog	shift
NP bites	a dog	V $\Rightarrow$ bites
NP V	a dog	VP $\Rightarrow$ V
NP VP	a dog	S $\Rightarrow$ NP VP
S	a dog	shift
S a	dog	Det $\Rightarrow$ A
S Det dog		N $\Rightarrow$ dog
S Det N		N $\Rightarrow$ dog
S Det N		NP $\Rightarrow$ Det N
S NP		(stuck)

stack	input	rule
NP V	a dog	shift
NP V a	dog	Det $\Rightarrow$ a
NP V Det	dog	shift
NP V Det dog		N $\Rightarrow$ dog
NP V Det N		N $\Rightarrow$ dog
NP V Det N		NP $\Rightarrow$ Det N
NP V NP		NP $\Rightarrow$ Det N
NP V NP		VP $\Rightarrow$ V NP
NP VP		VP $\Rightarrow$ V NP

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det ⇒ the
Det	cat bites a dog	shift
Det cat	bites a dog	N ⇒ cat
NP	bites a dog	NP ⇒ Det N
NP	bites a dog	shift
NP bites	a dog	V ⇒ bites
NP V	a dog	VP ⇒ V
NP VP	a dog	S ⇒ NP VP
S	a dog	shift
S a	dog	Det ⇒ A
S Det dog		N ⇒ dog
S Det N		N ⇒ dog
S Det N		NP ⇒ Det N
S NP		(stuck)

stack	input	rule
NP V	a dog	shift
NP V a	dog	Det ⇒ a
NP V Det	dog	shift
NP V Det dog		N ⇒ dog
NP V Det N		N ⇒ dog
NP V Det N		NP ⇒ Det N
NP V NP		NP ⇒ Det N
NP V NP		VP ⇒ V NP
NP VP		VP ⇒ V NP
NP VP		S ⇒ NP VP

Shift-reduce (bottom-up) parsing a demonstration

stack	input	rule
	the cat bites a dog	shift
the	cat bites a dog	Det ⇒ the
Det	cat bites a dog	shift
Det cat	bites a dog	N ⇒ cat
NP	bites a dog	NP ⇒ Det N
NP	bites a dog	shift
NP bites	a dog	V ⇒ bites
NP V	a dog	VP ⇒ V
NP VP	a dog	S ⇒ NP VP
S	a dog	shift
S a	dog	Det ⇒ A
S Det dog		N ⇒ dog
S Det N		N ⇒ dog
S Det N		NP ⇒ Det N
S NP		(stuck)

stack	input	rule
NP V	a dog	shift
NP V a	dog	Det ⇒ a
NP V Det	dog	shift
NP V Det dog		N ⇒ dog
NP V Det N		N ⇒ dog
NP V Det N		NP ⇒ Det N
NP V NP		NP ⇒ Det N
NP V NP		VP ⇒ V NP
NP VP		VP ⇒ V NP
NP VP		S ⇒ NP VP
S		(done)

- All input reduced to S, accept
- Rules form the parse tree

Summary

- Parsing can be formulated as a top-down or bottom-up search (the search may also be depth-first or breadth first)
- Naive parsing algorithms are inefficient (exponential time complexity)
- There are some directions: dynamic programming, filtering
- Suggested reading for this part: Grune and Jacobs (2007, ch.3)

Summary

- Parsing can be formulated as a top-down or bottom-up search (the search may also be depth-first or breadth first)
- Naive parsing algorithms are inefficient (exponential time complexity)
- There are some directions: dynamic programming, filtering
- Suggested reading for this part: Grune and Jacobs (2007, ch.3)

Next:

- Bottom-up chart parsing: CKY algorithm
- Suggested reading: Grune and Jacobs (2007, section 4.2), Jurafsky and Martin (2009, draft 3rd ed, section 13.2)

Acknowledgments, references, additional reading material

- Please read Grune and Jacobs (2007) chapter 3, a big part part of the lecture follows this chapter

Grune, D. and C.J.H. Jacobs (2007). *Parsing Techniques: A Practical Guide*. second. Monographs in Computer Science. The first edition is available at `http://dickgrune.com/Books/PTAPG_1st_Edition/BookBody.pdf`. Springer New York. ISBN: 9780387689548.

Jurafsky, Daniel and James H. Martin (2009). *Speech and Language Processing: An Introduction to Natural Language Processing, Computational Linguistics, and Speech Recognition*. second. Pearson Prentice Hall. ISBN: 978-0-13-504196-3. URL: `http://web.stanford.edu/~jurafsky/slp3/`.