## **ASP.NET Web API 2 for MVC**

## Chapter 21: URL Routing: Part II

- Q1. What are the properties of Route Attribute?
- A. Name.
- B. Order
- C. Template
- D. None of Above Answer: A, B, C

[Ref. Page: 514]

- Q2. For why the virtual property order is used?
- A. Returns the Order value that will be used to sort the routes
- B. Returns the data token for the route
- C. Returns the set of constraints applied to the route
- D. None of above.

Answer: A

[Ref. Page: 532]

- Q3. What is returned by DataTokens property for route?
- A. the Order value that will be used to sort the routes
- B. the set of constraints applied to the route
- C. the data token for the route
- D. All of Above

Ans:C

[Ref. Page: 532]

- Q4. Which method is used to define a new shorthand name?
- A. ConstraintMap.Add
- B. MapHttpAttributeRoutes method
- C. ConstraintMap
- D. MapHttpAttributeRoutes

Answer: A

[Ref. Page: 531]

- Q5. Why should you use DefaultInlineConstraintResolver class?
- A. to resolve shorthand constrain names
- B. defines a property called ConstraintMap that returns a dictionary used to map shorthand names to constraint types
- C. Represent States Transfer
- D. None of above.

Answer: A [Ref. Page: 531]
Q6. What are the properties of Route Attribute?
A. Name. B. Order C. Template D. None of Above Answer: A, B, C [Ref. Page: 514]
Q6. Routes can be defined with <i>data tokens</i> , which are expressed as?
A. a Dictionary <string, string=""> B. a Dictionary<string> C. a Dictionary<string, object=""> D. None of above. Answer: C [Ref. Page:527]</string,></string></string,>
Q7. The first score is always expressed as?
A. string value B. decimal fractions C. a whole number D. None of above. Answer: C [Ref. Page:522]
Q8. What is the score value for Variable segment with a constraint?
A. 2 B. 3 C. 4 D. 1 Answer: A [Ref. Page:522]
Q9.which class is used to Matches a route when the segment variable contains only true or false?
A. bool B. alpha C. range D. regex Answer: A [Ref. Page:520]

Q10.what is the roll of RangeRouteConstraint class?

- A. Matches a route when the segment variable contains only alphabetic characters
- B. Matches a route when the segment variable is a string with a maximum or minimum length
- C. Matches a route when the segment variable is an int within a range of values
- D. Matches a route when the segment variable is an int with a maximum or minimum value

Answer: C

[Ref. Page:520]

Q11. which character is used to apply constraint after the segment name?

A. :

B.;

C. \_

D. @

Answer: A

[Ref. Page:520]

Q12. What is indicated by ? character after the variable name?

- A. the segment is marked as optional
- B. the segment is marked as route
- C. the segment is marked as mandatory
- D. none of them

Answer: A

[Ref. Page:517]