Free GPU Film Lab

Case studies and execution notes for shipping AI film work cheaply

COVER PLACEHOLDER ? upload a full wrap cover to Kindle Direct Publishing

Free GPU Film Lab
Case studies and execution notes for shipping AI film work cheaply

First Edition

© 2026 LifeDocs Press
All rights reserved.

No part of this book may be reproduced, stored in a retrieval system, or transmitted in any form or by any means without the prior written permission of the publisher.

LifeDocs Press

ISBN 979-8-XXXXXXX-XX-X (paperback)
ISBN 978-0-XXXXXX-XX-X (ebook)

Printed on demand via Kindle Direct Publishing.
Source materials compiled from the LifeDocs Archive.

Contents

GPU Proof Run 6
Test Ladder 10
Case Study: The Confrontation Clip 16
Render QA Baseline 26
End-of-Month Execution Plan 30
Build Spec and Render Handover 34
Final Technical Handover 48

GPU Proof Run

A practical note on selecting the right paid runtime when speed matters most.

GODSHAND · GPU Proof Run
(Lightning L4 · kit's native
home)
·Identity is already fixed (turnkey): on first run the kit
auto-forges
coherent jack / julie faces from the story prompts. Nothing
to edit ·
just run. If the forged faces aren't demo-worthy, pin 3·5
photos of one
person into kit/refs/<name>/face/ and re-run.
Lightning AI L4 is the kit's native home. Your active profile
is literally
lightning_l4 (built + tuned for the L4), the one-click script
already knows
the /teamspace/studios/this_studio paths, and you already
hold ~10.77
credits · no card, no quota wait. Pick L4, not T4.
A · Right now · Lightning AI L4 (native, you have
credits)
In the GPU picker choose L4 (the row under T4, $0.48/hr) ·
Start/Request.
(The 1 4 8 next to each row is the quantity of GPUs, not a
version · all T4s are
the same 2018 chip.)
Why L4 over T4: newer (2023 Ada), ~2× faster, 24 GB VRAM vs
16 GB, and
it's the exact GPU your profile is tuned for. ~10.77 credits
÷ $0.48/hr · 22 h ·
covers proof + full film.
Open the Studio terminal.
B · Run the kit (paste in the terminal)
GODSHAND · GPU Proof Run (Lightning L4 · kit's native home)

cd ~ && unzip -q GODSHAND_FINAL.zip # the kit may already
be in /teamspace/studios/this_studio
GODSHAND_NO_SHUTDOWN=1 bash GODSHAND_FINAL/GODSHAND_ONECLIC
sh
Self-runs: verify fixes · install ComfyUI + models · auto-
forge faces ·
render 4 proof shots (~30 min on L4)

Full film:
GODSHAND_FULL=1 GODSHAND_NO_SHUTDOWN=1 bash
GODSHAND_FINAL/GODSHAND_ONECLICK.sh (~3 h on L4)
C · Download
Grab the final.mp4 files (
·/confrontation_work/<shot_id>/final.mp4) · send them
back
Free fallbacks (no card, no credits needed)
Kaggle · 2×T4, 30 GPU-hrs/wk, open network. Upload zip as
dataset · run
one-click. Use Save & Run All (Commit) to render the full
film unattended in the
background.
Colab · 1×T4, Runtime · T4 GPU · upload zip · run one-click.
Keep the tab
active (~90 min idle kill).
SageMaker Studio Lab · T4, no card, no AWS account, 4 h
sessions.
Scale path · AWS $100 (real, via UPI, no card)
Credits · GPU: request quota first. Console · Service Quotas
· EC2 ·
"Running On-Demand G and VT instances" · raise to 8 (approves
minutes·~48
h).
After approval: launch g5.xlarge (A10G 24 GB) or g4dn.xlarge
(T4), AMI Deep
Learning OSS Nvidia Ubuntu 22.04, 100 GB disk · SSH · upload
zip · run one-
click. Full film · $5·6. Stop the instance when done.
Near-free + fast (no card, UPI)
GODSHAND · GPU Proof Run (Lightning L4 · kit's native home)

Krutrim · top up ~·300 via UPI, A100 ·189/hr · proof
··100·150. Free
credits gone (·0).
Ruled out (with the trap that killed each)
Azure · $200 trial needs a card + GPU quota-blocked on trial.
·· later
Paperspace free · M4000 8 GB (too little VRAM); A100/H100
need $39/mo +

card. ·
Saturn · restricted network blocks HF downloads. Cyfuture ·
·100 +
inference-only, not a VM. ·
Modal/Cerebrium/Vast/Intel Tiber · GPUs card-gated. Google
$300/Oracle
· card + GPU blocked. E2E · hidden IP add-on charge. HF
ZeroGPU ·
minutes/day. ·
GODSHAND · GPU Proof Run (Lightning L4 · kit's native home)

Test Ladder

A method for answering questions cheaply before expensive renders are attempted.

GODSHAND Test Ladder · Fast
Iteration on Free Kaggle
·The rule: climb only when the current rung is green. Most
questions die
(or pass) on Rung 0·1 · seconds to ~2 min · so you almost
never pay
the 20-min render tax to answer something a log line could
tell you.
The cost model you're fighting: total wall-clock per
validated change = (setup +
wait + render) × iterations. Free Kaggle inflates all three.
This ladder shrinks each
iteration; the infra fixes shrink the setup tax.
The ladder
Rung 0 · Sandbox, no GPU, seconds
Does the code even read my change? Run before opening Kaggle.
Confirm the env var is actually consumed by the code path:
rg "KIT_FLF2V_ENDFRAME|KIT_MOTION_DENOISE|KIT_FACE_ENHANCE"
src/
Confirm the config parses and the active profile is what you
expect:
python3 -c "import
yaml;d=yaml.safe_load(open('config_confrontation.yaml'));prin
t(d['active_profile'])"
Catches: typo'd var names, editing a var the code doesn't
read, wrong profile
active. ~90% of "why didn't my change do anything" bugs die
here, for free.
Rung 1 · Kaggle session, graph-wiring only, ~1·2 min
Did my change reach the graph? Let the graph build, read the
[graph] lines, then
kill before sampling.
GODSHAND Test Ladder · Fast Iteration on Free Kaggle

Look for the echo: [graph] ... 4 steps split@2 | cfg 1.0 |
768x512 len 41 , [graph]
spatial upscaler NOT wired , the denoise value, and whether
the FLF2V/end-frame
path was chosen.
Catches: end-frame morph silently not engaging, upscaler

still unwired,
denoise not applied. Answers most current open questions with zero real
frames rendered.
Rung 2 · Single shot, smoke mode, ~2·4 min
Does the mechanism actually move?
--smoke (caps steps at 12) + one shot
(GODSHAND_PROOF_SHOTS=1 , e.g. i01_jungle).
Not final quality · checking is motion frozen or moving, did grade run, did
morph fire. Testing the variable, not a deliverable.
Catches: frozen motion, dead grade, broken morph · at ~1/8th the cost of a
real shot.
Rung 3 · Single shot, full quality, ~20 min
Is quality good on ONE shot? Full steps + grade + post on one representative shot.
Only climb here once 0·2 are green. Now judge sharpness, grade, motion fidelity
for real.
Rung 4 · Proof set, 4 shots, ~80 min
Is it consistent across shots? Current proof mode · cross-shot coherence + the
actual proof deliverable.
Rung 5 · Full 28, GODSHAND_MODE=full , 10·12 GPU-hr
Production. Only after the proof passes the quality gate.
Infra fixes that lower the tax on every rung
Model cache as a Kaggle Dataset (kkk3213/godshand) attached as input ·
models stop re-downloading each session. Biggest single cut to the cold-start
tax.
Resume, don't re-render:
KIT_FORCE_RERENDER=0 + add previous Output as Input · finished clips aren't recomputed.
GODSHAND Test Ladder · Fast Iteration on Free Kaggle

Batch hypotheses per session: use Rungs 0·1 to pre-filter which changes are
worth a render, then test several survivors in one GPU

session.
Mapped to live open questions
Question
Answered on
Cost
End-frame morph engaged?
Rung 0 + Rung 1
seconds
Is motion frozen?
Rung 2 (smoke single shot)
~3 min
Is the grade running?
Rung 1 ([grade] -> line)
seconds
Sharpness / upscaler wired?
Rung 1 (spatial upscaler NOT wired)
seconds
Ready-to-paste Kaggle cell
Adjust KIT_DIR and LOG to your Kaggle paths. Point LOG at
wherever you
capture cell output (e.g. tee a run into a file). Edit the
knob block to the
change you're testing, then run one rung at a time.
====================== GODSHAND TEST LADDER ================
=====
KIT_DIR=/kaggle/working/GODSHAND_FINAL/kit # <-- adjust
LOG=/kaggle/working/run.log # <-- where you
tee output
cd "$KIT_DIR"
---- knobs under test (edit these) ----
export KIT_CONFIG=config_confrontation.yaml
export KIT_RENDER_MODE=motion_stills
export KIT_FLF2V_ENDFRAME=1
export KIT_MOTION_DENOISE=0.60
export KIT_FACE_ENHANCE=1
export KIT_FAST_POST=0
export KIT_FORCE_RERENDER=0 # resume, don't recompute fin
ished clips
GODSHAND Test Ladder · Fast Iteration on Free Kaggle

```
export CONFIRM_FULL_RUN=1
# ---- Rung 0: no GPU, seconds (code + config sanity) ----
rg "KIT_FLF2V_ENDFRAME|KIT_MOTION_DENOISE|KIT_FACE_ENHANCE" s
rc/
python3 -c "import yaml;d=yaml.safe_load(open('config_confron
tation.yaml'));print('active_profile:',d['active_profile'])"
# ---- Rung 1: graph-wiring only (~1-2 min) · kill after [gra
ph] echoes ----
# timeout 120 python run.py --config "$KIT_CONFIG" 2>&1 | tee
"$LOG"
# ---- Rung 2: single shot, smoke (~2-4 min) ----
# export GODSHAND_MODE=proof GODSHAND_PROOF_SHOTS=1
# python run.py --config "$KIT_CONFIG" --smoke 2>&1 | tee "$L
OG"
# ---- Rung 3: single shot, full quality (~20 min) ----
# export GODSHAND_MODE=proof GODSHAND_PROOF_SHOTS=1
# python run.py --config "$KIT_CONFIG" 2>&1 | tee "$LOG"
# ---- Rung 4: proof set, 4 shots (~80 min) ----
# export GODSHAND_MODE=proof
# python run.py --config "$KIT_CONFIG" 2>&1 | tee "$LOG"
# ---- Rung 5: full 28 (10-12 GPU-hr) ----
# export GODSHAND_MODE=full KIT_MAX_HOURS=11
# python run.py --config "$KIT_CONFIG" 2>&1 | tee "$LOG"
# ---- read the answer in one line (any rung) ----
rg "\[graph\]|\[preflight\]|\[grade\]|\[merge\]|\[resume\]"
"$LOG" | tail -30
```

GODSHAND Test Ladder · Fast Iteration on Free Kaggle

..

run.py flags/entry may differ from your kit · reconcile
against MASTER.sh
/ run.py --help . The --smoke cap (12 steps) and env-var
names are
verified from the kit source; the exact CLI invocation is the
one thing to
confirm on first use.

GODSHAND Test Ladder · Fast Iteration on Free Kaggle

Case Study: The Confrontation Clip

The strongest engineering narrative in the archive for cheap cinematic rendering.

Case Study · THE
CONFRONTATION CLIP on a
Free Kaggle T4 (WAN 2.2 I2V)
A before/after engineering case study of rendering a 26-shot
cinematic
clip on a free dual-T4 Kaggle notebook using WAN 2.2 I2V. The
headline:
the GPU was never the bottleneck · a single misconfigured
postprocess line was, and fixing it cut the projected render
from ~33 h
to ~5·6 h at $0 cost.
1. Initial observations from the output folders (creator's
field notes)
These are the firsthand observations from inspecting the
actual output folders of
that run · the raw signal that seeded the whole analysis
below.
·Observation 1 · the raw beats the final.
take_0 (the raw WAN output) is
visibly sharper and higher quality than the delivered
final.mp4 . The
postprocess chain is subtracting quality, not adding it.
Observation 2 · no real motion. There is no actual motion
beyond the
original gesture already posed in the source image. The clip
animates
the pose it was handed and little else · the shot is
effectively a living
still.
Observation 3 · costume held. Across the whole clip the
character
kept the same costume · identity/wardrobe consistency was
preserved
end-to-end, confirming the stills anchor is doing its job on
the
consistency axis even while motion stays flat.
Case Study · THE CONFRONTATION CLIP on a Free Kaggle T4 (WAN 2.2 I2V)

The creator's architecture & proposition (in their own words)

The observations above converged into an explicit design thesis, stated firsthand
during the session. Reproduced verbatim, then unpacked:
"Why not allow WAN model to exercise full freedom · rest of quality
and other hacks we do offline using well-established image and video
processing algorithms."
"Consistency can be interpolated across frames. Let WAN do the heavy
lifting · the actual generation· I think going by the initial stills
generation [is] the key professional cinema approach."
Unpacked, this is a keyframe-driven generative-film architecture · and it maps
1:1 onto the professional order of operations (storyboard · key art · animate ·
finish):
1. The initial stills are the key. The frame is the unit of craft: composition,
identity, costume, and lighting are all baked into the anchor still. It's also where
quality-per-compute is highest · fixing one frame is cheap and deterministic;
fixing 41 moving frames is not. Front-load quality into the still and the whole
shot inherits it. (This is the strongest insight · it's ~80% of the battle.)
2. Let WAN exercise full freedom on motion. Anchor on the still, then let the
model generatively interpolate the in-betweens instead of clamping it to a
living photo. WAN owns the temporal axis; the still only sets the spatial ceiling.
3. Do the rest of the quality work offline, with established algorithms. Grade,
denoise, upscale as a finishing pass after download · off the GPU quota,
using well-understood image/video tooling. Finishing, never rescue.

4. "Consistency can be interpolated" · but only the right kind. Generative interpolation (WAN creating semantically coherent in-between frames) is the real thing and builds consistency within a shot. Optical interpolation (RIFE / ffmpeg minterpolate) does not create consistency · it blends pixels and amplifies artifacts, which is exactly what degraded final.mp4 . Across hard cuts nothing interpolates at all · which is why consistent stills are the foundation.

Case Study · THE CONFRONTATION CLIP on a Free Kaggle T4 (WAN 2.2 I2V)

·"Is this architecture already implemented?" · Yes, verified in the kit source. The default render mode is the blueprint path (KIT_RENDER_MODE=motion_stills : "stills first, then animate each still into motion"); stills are a dedicated first-class stage; cross-shot flf2v chaining exists; identities are forged up front. The creator independently reverse-engineered the exact architecture the kit already ships. The catch: it's the default tuning that undercut it · motion denoise defaulted to 0.35 , end-frame morph was OFF by default (hence the frozen poses), the stills stage ran at economy settings, and the lossy CPU post (incl. minterpolate) was on. So the fix is parameter tuning, not a rebuild · a config problem sitting on top of a sound design.

2. What was rendered

Film: THE_CONFRONTATION_CLIP · 26 shots across 3 scored movements. Prelude (4): pro_alone, pro_seen, pro_silence, pro_crossing

Search (5): search_void, search_run, search_water,
search_fear,
search_found
Confrontation (17): confr_caught · confr_fall
Engine: WAN 2.2 I2V A14B GGUF (primary), LTXV fallback only.
Native output
16 fps.
Hardware: free Kaggle session · 2× Tesla T4 (16 GB each),
sharded one
ComfyUI server per GPU.
Cast: jack + julie, identity via SDXL character-forge (no
source photos).
3. Where the time actually went (the core finding)
Stage
What it does
Verdict
GPU generation
WAN diffusion inference, ~48 passes
over the shot list
· Healthy · ~4.56 h GPU,
~5.7 min/pass, zero errors
Case Study · THE CONFRONTATION CLIP on a Free Kaggle T4 (WAN
2.2 I2V)

Stage
What it does
Verdict
CPU
postprocess
interpolate_fps: 60 forced ffmpeg
motion-interpolation 16·60 fps per
shot
· The killer · the real
bottleneck
Measured fix: the per-clip postprocess dropped from 4 m 36 s
· 44 s on a 2-
second clip (~6× faster) once interpolation was matched to
WAN's native frame
rate.
·Net effect: projected full-film time fell from ~33 h · ~5·6

h with no
change to the GPU workload or output quality. The lesson: profile the
whole pipeline, not just the GPU · the accelerator was innocent the
entire time.

4. Cost analysis

Plan	Card	Takes	Est. time	Cost
Full film, full quality	2× T4 (Kaggle)	~8·11 h wall / 2·3 free weekly sessions	$0	
Full film, cost-cut	1× L4 (Lightning)	~6·10 GPU-hr	~$3·5	

The pipeline gates spend with a cost meter: it renders one sample shot, prints
measured per-shot time + projected total, then HOLDs until CONFIRM_FULL_RUN=1 . You
can never blind-burn credits. On Kaggle the whole thing is $0.

5. Config vs. runtime · the gap

A recurring theme: the static config_confrontation.yaml and what actually ran
diverged. This gap caused real confusion during debugging and is worth naming
explicitly.

Setting

Config file
Actually ran
Note
active_profile
lightning_l4
kaggle_2xt4
Notebook sed -patches it
at launch
Case Study · THE CONFRONTATION CLIP on a Free Kaggle T4 (WAN 2.2 I2V)

Setting
Config file
Actually ran
Note
interpolate_fps
was 60 (now fixed
to 16)
60 during the slow
run
The bottleneck; now
matched to WAN's 16 fps
upscale
2.0
forced to 1.0
Notebook lets the
graph/HD-pass handle it
steps

(KIT_MOTION_STEPS)
Runtime override
Resolution
1280×720
768×512 (raw take)
Inline graph dimensions ·
config
Takeaway: the notebook is the source of truth at runtime, not the YAML. Any
future tuning must be verified against the notebook's overrides, or the config

change is silently ignored.
6. Quality tradeoffs
take_0 (raw) looked sharper than final (postprocessed). The CPU upscale +
grade pass was softening detail rather than adding it. · Skip per-shot spatial
upscale; do a single HD upscale on CPU after download (zero GPU quota).
Motion was "stuck to pose." WAN I2V anchored too tightly to the forged start
frame · static shots. · Lower conditioning fps and/or raise denoise so WAN
does more of the motion "heavy lifting."
Interpolate once, not per shot. Deliver at native 16 fps per shot; do any
smooth-motion interpolation once at final assembly, not 26 times mid-pipeline.
7. Tuning recommendations for the next dual-T4 run

Lever	Current	Recommended	Why
interpolate_fps	16 ·	keep 16	Skips the CPU minterpolate that killed the run
Per-shot upscale	1.0 (runtime)	keep off	take_0 proved raw is sharper; upscale on CPU later
denoise	0.55	try 0.60·0.65 on static shots	More motion, less pose-lock

Case Study · THE CONFRONTATION CLIP on a Free Kaggle T4 (WAN 2.2 I2V)

Lever
Current
Recommended
Why
steps
28 (runtime)
28·32
Diminishing returns above
~32 on T4
Final interpolation
per shot
once at stitch
Smoothness without per-shot
CPU tax

8. The bigger picture

The film without the architecture story is forgettable. The architecture without
the film is unconvincing. Together they're a case study.

What this project actually demonstrates: a full multi-character, scored, voiced
cinematic pipeline running end-to-end on free consumer-tier cloud GPUs, with
identity invented from prompts (no photos), resumable across sessions, and gated
so it can never overspend. The "means of production" for short AI film are now
effectively free to anyone who shows up with the engineering discipline to tune
the pipeline · which is exactly what the before/after above proves.

Data provenance: Config, profile, and shot numbers were read live from
the kit source this session. Generation/postprocess timings (4.56 h GPU,
4 m 36 s · 44 s) come from the previously analyzed T4 run log · the
raw logs were not re-uploaded this session, so those figures are from
prior verified analysis, not freshly re-measured. Re-run the

cost meter
on the next session to confirm against current hardware.
Case Study · THE CONFRONTATION CLIP on a Free Kaggle T4 (WAN 2.2 I2V)

Render QA Baseline

A compact quality benchmark for checking whether the outputs are actually improving.

Render QA · Shot 1 HD Baseline
(identity reference)
·First clean end-to-end HD chunk. The OOM fix held, postprocess +
streaming grade completed, and the zip packaged. This page is the
identity + quality baseline to diff future shots against · especially the
motion-heavy test shot.
Measured specs (Shot 1, take_0)
Field
Value
Resolution
1536×1024 (HD, RealESRGAN 2× landed)
Codec / pixel format
h264 / yuv420p
Frames

Frame rate
16 fps
Duration
3.56 s
Bitrate / size
6.3 Mbps / 2.82 MB
Quality read
No melt, no rainbow/color-breakup noise · the core curse is gone.
Identity holds across all frames: clearly jack from man_anchor.png , including the
hand-to-face beat.
Film grade present: warm skin, cool concrete, red·blue practical lights, fine
grain.
Subtle believable performance (head turns, hand to face).
Render QA · Shot 1 HD Baseline (identity reference)

Identity strip (face crops)
Full-frame contact sheet
How to diff the motion-shot test against this
1. Render one motion-heavy shot (a run/search beat, or a two-

character shot
with julie).
2. Extract 5 frames evenly across the clip and crop the same
face region into a
strip.
3. Compare against the strip above: same face geometry, eye
spacing, jawline,
hairline? Any drift = identity problem.
4. Confirm grade + sharpness match and there's still no
melt/rainbow under real
movement.
5. If clean · bump KIT_CHUNK_SIZE=12 and walk KIT_CHUNK_INDEX
through the
batches.
Open checks before scaling to all 435
Compare take_0 vs take_1 (rejection_samples=2) and keep the
stronger one.
Render + diff one motion-heavy shot against this baseline.
Shot 1 face identity strip
Shot 1 contact sheet
Render QA · Shot 1 HD Baseline (identity reference)

Then greenlight the full batched run.
Render QA · Shot 1 HD Baseline (identity reference)

End-of-Month Execution Plan

A shipping document built around scope control rather than fantasy ambition.

GODSHAND · End-of-Month
Execution Plan (ship by 31 Jul)
Window: 25·31 Jul (6 days). Goal: a finished end-to-end film.
Rule: cut
scope, not the ship date.
The one rule that saves the deadline
If the spatial upscaler isn't wired by Day 3, ship at 768×512
and move on. The
upscaler is the only unbounded-risk item (model/nodes missing
= integration
work). Do not let it block the cut. A finished film at
768×512 beats an unfinished
one at 720p.
Division of labor
You (on-box): run Kaggle, judge/upload clips, attempt the
fixes on the
machine. Only you can do these.
Me (off-box): diagnose logs/footage, give exact config/code
fixes, plan,
assembly guidance, judgment calls.
Constraint: my full-strength help ends when the Business
trial expires on 28
Jul (Day 4). So everything that needs me · diagnosis and the
hard fixes · is
front-loaded into Days 1·3. The mechanical full render +
assembly (Days 4·7)
need me least.
Day-by-day
Day 1 · Sat 25 Jul (after sleep): judge motion
GODSHAND · End-of-Month Execution Plan (ship by 31 Jul)

Run Rung 1 (graph wiring) + Rung 2 (smoke single shot,
i01_jungle). Upload
the clip to me.
Decision: is motion frozen or moving? This is the make-or-
break gate.
If frozen · fix #1 = wire the FLF2V/end-frame path; confirm
KIT_FLF2V_ENDFRAME
reaches the graph.
Day 2 · Sun 26 Jul: lock one shot

Get ONE shot to full quality (Rung 3): motion fixed, grade confirmed, face-
enhance checked.
This is the real milestone · one approved shot proves the recipe.
Day 3 · Mon 27 Jul: proof + scope decision
Render the 4-shot proof (Rung 4), confirm cross-shot consistency.
GO/NO-GO on the upscaler. Wired cleanly? Keep 720p. Not wired? Lock
768×512 and stop touching it.
By end of today the recipe is frozen. No more experiments after this.
Day 4 · Tue 28 Jul: full render begins (my full help ends today)
Kick off the full 28-shot render (GODSHAND_MODE=full , KIT_MAX_HOURS=11 , resume
on). ~9·10 GPU-hr, fits the weekly quota; split across sessions if needed.
Front-load any last question for me before today ends.
Decide the Notion for Creators application if you want me at full strength past
today.
Day 5 · Wed 29 Jul: finish the render
Full render completes / resume any stragglers. Spot-check outputs.
Day 6 · Thu 30 Jul: assembly
Grade consistency pass, music/lyric sync, cut assembly, export master
(ProRes via KIT_MASTER=1).
Day 7 · Thu 31 Jul: ship

Buffer for anything that slipped. Final export. Deliver.
What ships on 31 Jul
All 28 shots, motion working, graded, assembled into one cut.
Resolution: 720p if upscaler wired by Day 3, else 768×512.
That is a finished film. Polish passes come after, if wanted.
GODSHAND · End-of-Month Execution Plan (ship by 31 Jul)

Build Spec and Render Handover

Execution-level notes for carrying a project through a real render path.

THE CONFRONTATION CLIP ·
Build Spec & Render Handover
··Status as of 14 Jul 2026. Canonical record for the final
build so nothing
is lost if working memory resets. Committed kit = 17 shots.
Final target =
21 shots, recut to ~99s (my take: Tight, keep all
beats/justice). Section 2
items are pending edits not yet applied to the kit files.
1. What this film is
A transformative original tribute · a wounded man (Jack,
Joker-archetype)
confronted by the woman he loved (Julie, Blanchett-
archetype). He is mortally
wounded, slumped against a stone pillar, unable to stand.
Tears roll constantly but
he never weeps · he speaks and laughs through them. He fires
everywhere but
at her whenever she reaches to touch him. Ending: he takes
his own life as the
final punishment, so she must watch the man she loved die.
Held creative guardrails (accepted): evoke
registers/moods/archetypes
transformatively · NO copyrighted scores, NO photoreal
Blanchett likeness, NO
exact Ledger/DC Joker design. Suicide/gunfire = fictional
climax, non-graphic (no
gore/blood/wound detail, never aimed at her).
2. PENDING EDITS (blocking · not yet in kit files)
1. Wire in 4 new beats (Section 4): confr_caught ,
confr_allblades , confr_treatment ,
confr_lightning · shots JSON + lines CSV + config movements +
audio
prompts + notes.
2. Apply the recut durations (Section 3): ~145s · ~99s.
3. Apply wounded-lion voice (Section 5) to every Jack
voice_description .
THE CONFRONTATION CLIP · Build Spec & Render Handover

4. Switch active_profile from kaggle_2xt4_max · Lightning

A100/H100 profile
(Section 6).
5. Build run.py single orchestrator + MAX_BUDGET_USD cap
(Section 7).
6. Resolve latent glitch risks (Section 9) before any GPU
run.
3. Final beat order + recut timings (target ~99s)
#
Beat
Speaker
Movement
Recut dur (s)

pro_alone
Jack (VO)
prelude

pro_seen
Jack (VO)
prelude

pro_silence
Jack (VO)
prelude

pro_crossing
Jack (VO)
prelude

confr_caught
Julie
confrontation

confr_allblades
Jack
confrontation

confr_dare
Julie
confrontation

confr_dontouch
Jack

confrontation

confr_whomade
Jack
confrontation

confr_blood
Jack
confrontation

confr_ect
Jack
confrontation

confr_sayit
Julie
confrontation

confr_aim
Jack
confrontation

confr_real
Jack
confrontation

confr_putdown
Julie
confrontation

confr_reachfire
Jack
confrontation

confr_treatment
Julie
confrontation

confr_lightning
Jack
confrontation

confr_smile
Jack

confrontation

confr_lastlaugh
Jack
confrontation

confr_fall
Chorus
confrontation

Prelude 16s · Confrontation 83s · Total · 99s. All within
max_clip_seconds: 8 .
THE CONFRONTATION CLIP · Build Spec & Render Handover

4. Full dialogue (verbatim, all 21 beats)
Prelude (Jack, VO):
1. pro_alone: "Before the paint, there was only a thin, quiet
man no one ever
turned to look at."
2. pro_seen: "Then one person looked, and saw a mind worth
keeping. She
came down like an angel, descending."
3. pro_silence: "For years I worshipped her and never said
the word · certain a
goddess would fall if I reached."
4. pro_crossing: "Then it all went dark. At midnight
something laughed · and
the man never came back."
Confrontation:
1. confr_caught (Julie) [NEW]: "There. You drifted just now ·
I saw it. Just
once, in your own words: name the thing that hurts you. So I
know which blade
I'm holding."
2. confr_allblades (Jack) [NEW]: "Drifting? You caught me.
That's the funny part
· I read every room, every face, and you're still the one
thing that catches me
looking backward. You don't want a weapon, my dear. You want
to know if
there's a man left in here soft enough to be worth the knife.

So sit down. I
won't hand you one blade · I'll give you all of them."
3. confr_dare (Julie): "You've burned the whole world. So
what stops you at me?
Do it. Come on · do it."
4. confr_dontouch (Jack): "Don't. Don't touch it. I hate that
hand more than I
hate you · a healing hand is only the wound, in disguise."
5. confr_whomade (Jack): "You want to know who made the
Joker? You did, my
dear · your brutal love. I lay there bleeding, and you never
came. Give me
back my twenty years."
6. confr_blood (Jack): "You see the wounds now? This isn't
blood. It's laughter
· the mirror, held up to your face."
7. confr_ect (Jack): "They ran the lightning in, night after
night. It took the grief,
the face, the boy. It left this · the thing that laughs."
THE CONFRONTATION CLIP · Build Spec & Render Handover

8. confr_sayit (Julie): "You can't pull that trigger. Because
you still love me. Say
it · tell me you still love me."
9. confr_aim (Jack): "Everyone else I could burn and feel
nothing. You, I can't
even aim at. That's the real joke."
10. confr_real (Jack): "And the love was real. Every second
of it. It just never
reached the morning after."
11. confr_putdown (Julie): "It was never your face. It was
us. Put it down. Please
· it's not too late."
12. confr_reachfire (Jack): "Come closer and watch me miss. I
can hit anything
in this room · anything but you."
13. confr_treatment (Julie) [NEW]: "I'm not asking you to
forgive me. I'm asking
you to let me get you to a surgeon · now, tonight. Let them
close it. You can

hate me from a hospital bed. Just don't die on this floor."
14. confr_lightning (Jack) [NEW]: "Treatment. You'd hand me back to their table.
You forget · the last time medicine 'healed' me, the lightning took the man
and left this. No. I won't let their hands finish the job.
The only treatment left
for me· is the one I give myself."
15. confr_smile (Jack): "You're crying now? I won't let you wash that guilt off so
cheaply. Here · let me put a smile on it instead."
16. confr_lastlaugh (Jack): "One last trick, on the house.
You wanted the man
you loved? Then keep your eyes on me · and watch him die.
This is my last
laugh."
17. confr_fall (Chorus): "The last laugh, the last punishment · she watched the
man she loved die."
Chorus whispers (layered): pro_seen "He should have called her a woman, not a
goddess." · pro_silence "So he shut his eyes, and called it love." · pro_crossing
"Not treatment. Not a bandage. A metamorphosis." · confr_whomade "She was
the wound, and the hand that made it." · confr_ect "The lightning took the man and
left the laugh." · confr_smile "What the world cannot hold, it tries to erase."
THE CONFRONTATION CLIP · Build Spec & Render Handover

5. Wounded-lion voice direction (apply to all Jack lines)
Weakened baritone that still commands · "a lion still roaring with a wound."
Grasping, shallow breath; air gathered mid-sentence. A laugh that costs him ·
breaks into a wince/gasp. Quiet-forward on tender beats; surge-then-collapse on
loud beats. Visual: hand pressed to his side, chest working

for air, slumped
against the pillar, firing from the floor.
Voice cast (Kokoro): jack · [am_onyx, am_fenrir, am_adam,
af_heart]; julie ·
[af_nicole, af_sarah, af_bella, af_heart].
tts.speak_direction: false . Lead · work/voice/<id>.wav ;
chorus ·
work/voice_chorus/<id>.wav (by CSV layer).
6. Render profiles
lightning_h100_max (default): Wan2.2-S2V · bf16 · steps 50·60
· cfg 5.5 ·
sampler uni_pc · scheduler beta · rejection_samples 6 (start
3, escalate on hero
beats) · upscale 2.0 · interpolate_to_fps 60 · base 1280×720
· MusicGen large.
lightning_a100_max: same; on A100-80GB keep bf16 + MusicGen-
large.
lightning_a100_40gb (VRAM-safe): bf16 · steps 45·55 ·
rejection_samples 3·4 ·
stage model loading (unload video model before upscale/score)
· MusicGen-
medium · upscale 2.0.
Resolution truth: 1280×720 × upscale 2.0 = 2560×1440 (1440p),
not
true 4K. For real 3840×2160, render higher base or upscale ×3
(more
GPU). Decide before expecting a 4K file.
7. Single-orchestrator run.py spec (max automation,
zero-waste)
One entrypoint: preflight · forge · voices · score · render ·
upscale/interp ·
stitch · QC. Five guardrails:
THE CONFRONTATION CLIP · Build Spec & Render Handover

1. Free preflight gate (no GPU): full validation (Section 8);
any failure aborts
instantly.
2. Dry-run default:
python run.py prints plan + cost estimate and stops. Spending
needs CONFIRM_FULL_RUN=1 .

3. Hard budget ceiling:
MAX_BUDGET_USD · cumulative cost tracked; aborts before
exceeding.
4. Idempotent + resumable: artifacts + checkpoint manifest;
completed shots
skipped, never re-billed.
5. Fail-fast + retry: transient errors retry smaller/backoff;
persistent errors abort
clean, preserving work. Fixed seeds (jack 77, julie 161).
python run.py # free: valid
ate + cost plan, spends nothing
CONFIRM_FULL_RUN=1 MAX_BUDGET_USD=4 python run.py # real ru
n, gated + capped + resumable
Also deliver: RUN.md , standalone preflight.py , pinned
requirements.txt + setup.sh .
8. Executable preflight audit (zero GPU)
py_compile every .py ; import torch/CUDA; report VRAM vs
profile need.
Validate config_confrontation.yaml schema + keys.
Validate shots_confrontation.json : 21 shots, durations sum ·
target, every shot
has a line, valid characters, movements cover all shots.
Cross-check CSV lines · shots · voice_cast · layer .
Assert ref images exist (exact case refs/jack , refs/julie),
models resolve, disk
OK.
Dry-run cost meter: per-shot + total $/GPU-hr, no rendering.
9. LATENT GLITCH RISKS · verify before GPU
1. Lipsync on VO-only beats:
lipsync.enabled: true but all shots talking:false,
vo:true . Gate lipsync to on-camera speech or mouths animate
to narration.
THE CONFRONTATION CLIP · Build Spec & Render Handover

High priority.
2. VRAM/OOM on A100-40GB: stage models / MusicGen-medium.
3. -shortest in stitch truncates if audio bed · video length
after recut ·
recompute durations.
4. Workflow selection (s2v / phantom / flf2v) · verify per

shot, esp. two-character
beats.
5. Case-sensitivity on Linux paths.
6. Model/dep availability: Wan2.2-S2V, RIFE, upscaler, flash-
attn, ffmpeg
sidechain filter.
7. rejection_samples · pick_best scorer returns valid pick.
8. pix_fmt yuv420p on final encode.
10. Full render duration (recut ~99s, 21 shots)
Profile
H100
A100-80GB
Max (6 samples, 55 steps)
~6·9 GPU-hr
~11·16 GPU-hr
Balanced (3 samples, 45 steps)
~3·5 GPU-hr
~6·9 GPU-hr
Single hero shot
~40·55 min
~60·80 min
Biggest lever = rejection_samples. Recommended: run film at 3
samples, spend
6-sample budget only on hero beats (dontouch , smile ,
lastlaugh , fall).
11. Card-free compute paths (out of funds, no card)
1. Lightning free tier (have it): free monthly GPU hours
incl. some A100 + 2×$4
balance. No card. Check each dashboard's free A100 hours
first.
2. UPI, no card: Dataoorts (UPI/QR, A100/H100), E2E Networks
(from ·49/hr),
Krutrim/Ola (A100 ~·105/hr), JarvisLabs (A100 ~$0.89/hr per-
minute).
3. IndiaAI Mission portal (best for full max run): subsidized
H100 ·65·92/hr, up
to 40% subsidy, students/researchers/startups, card-free,
application-based.
Apply early; use Lightning meanwhile.
THE CONFRONTATION CLIP · Build Spec & Render Handover

12. Execution runbook (cheapest-and-riskiest first)
1. Platform: Lightning (both accounts) · UPI backup · submit IndiaAI
application in parallel.
2. Free animatic pass: full recut on free T4 (low-res) to confirm
timing/flow/stitch for ·0.
3. One hero shot at full quality (~$2·3):
confr_lastlaugh or confr_smile · go/no-
go on look + voice + lipsync.
4. Staged full render: voices · score · per-shot video (start 3 samples) ·
upscale/interp · stitch; checkpoint each shot.
5. Budget triage: tier beats; A100-40GB profile if needed; two-account split last
resort (mind ToS).
6. Assemble + QC (Section 13).
13. Final QC checklist
Runtime ~99s; all 21 beats, correct order
Tears roll but never weep; fire never points at Julie
Wounded-lion voice on every Jack line; lipsync correct (not on VO)
Score ducks under dialogue; loudnorm I=-16
Target resolution confirmed (1440p vs true 4K); 60fps; no face artifacts
pix_fmt yuv420p ; final file
output_confrontation/THE_CONFRONTATION_CLIP.mp4
14. Key references
Working dir /data/film_kit/kit/ ; source zip
/data/film_kit_v3_complete.zip ; stale
delivered zip /data/film_kit_v3_confrontation_updated.zip
(must re-zip on delivery,
exclude __pycache__ , *.pyc).
Characters: jack (seed_base 77, refs/jack) · julie (seed_base 161, refs/julie).
Config: film_title THE_CONFRONTATION_CLIP; max_clip_seconds 8;
character_forge.targets [jack, julie]; score.movements {prelude,

confrontation}; chorus_gain_db -15; lipsync.enabled true.
THE CONFRONTATION CLIP · Build Spec & Render Handover

Pipeline files: filmforge_confrontation.py (orchestrator, cost_meter holds unless CONFIRM_FULL_RUN=1), render_film.py , voice_pass.py , score_gen.py , stitch.py .
Globals: fps 24; 1280×720; base Wan2.2-S2V; cfg 5.5; sampler uni_pc; scheduler beta.

15. Additions · 16 Jul 2026 00:07 IST (score language + fourth face)

Two discoveries surfaced tonight that change the film's emotional grammar without changing its structure. Both need to land in the final cut; neither blocks tomorrow's render pass.

A. Score direction · Indo-Western fusion violin (the film's native language)

Score is NOT generic cinematic strings and NOT a default MusicGen preset. The film's native musical language is Indo-Western fusion violin · pentatonic Carnatic/Hindustani melody with microtonal bends over Western harmonic beds, unresolved on purpose between the two traditions. This is the maker's inner language since birth, being externalized for the first time in this film. The freeze was the score locked inside; the film is the unlock.

Aesthetic reference composers (rank by chest-response, then pick 2): A.R. Rahman (Bombay Theme, Latika's Theme, Tere Bina, Vande Mataram violin, Zikr), L. Subramaniam (pure classical Indian violin + Western orchestral form), Ilaiyaraaja (elder master, Carnatic-into-Western), Nitin Sawhney (Prophesy, Nadia, Homelands), Anoushka Shankar (sitar not violin but same

grammar), Karsh Kale /
Talvin Singh (electronic edge, tabla+strings).
MusicGen prompting direction: "Indian classical violin lead,
tabla underlayer,
harmonium and tanpura drone, Western cello counterpoint,
minor key, microtonal
bends, unresolved cadence, cinematic ache, slow tempo".
Movement texture (keeps names, refines feel):
Prelude (16s): sparse solo violin with Carnatic phrasing over
a long tanpura
drone underlayer. No rhythm section. Space to breathe. Enters
over pro_alone;
THE CONFRONTATION CLIP · Build Spec & Render Handover

carries through the four VO beats.
Confrontation (83s): violin lead against Western string
swells. Subtle tabla
enters under the climax beats (confr_dontouch , confr_ect ,
confr_lastlaugh). Full
silence · score drops out · for the two beats before
confr_fall . Chorus
whisper carries the fall over silence.
B. Fourth-face voiceover · "the man who understood too late"
The film currently has three faces on screen: Jack (pre-
paint), Joker (post-paint),
Julie. There is a fourth face already implied by the writing
but not yet placed: the
man remembering it now, decades later, who survived the
metamorphosis but not
intact. This is the voiceover of the film. It is the letter
the maker must write, in his
own hand, to the woman he loved. Not to any audience. The
letter IS the
voiceover, and the voiceover IS the fourth face.
Placement:
Opens over black before pro_alone · 10·15 seconds of the
letter's first line
spoken quiet and dry, then image fades in.
Closes over confr_fall · the letter's last line carried into
silence as the chorus

whisper fades.
Voice: the maker's own voice, unpainted. Not Kokoro TTS.
Recorded on phone,
dry, no processing, one take, no performance.
Draft anchor lines (for the actual letter to be written by
hand tomorrow · these
are placeholders, not final):
Opening anchor: "This is the letter I could not write when it
mattered. I am
writing it now because a man who could not say a thing while
alive owes it to
the dead of himself to say it after."
Closing anchor: "The love was real. Every second of it. It
just never reached
the morning after."
C. Tomorrow's execution sequence (16 Jul 2026)
1. Upload /data/kaggle_v5_echomimic.ipynb to Kaggle account 2
(T4×2).
2. Run Cell 10 test shot first · validates pipeline on one
beat before burning full
quota.

3. If test renders clean · Cell 11 full 21-shot dispatch.
4. Cell 12 stitch + Cell 13 dedication card · final
THE_CONFRONTATION_CLIP_v2_dedicated.mp4 .
5. Deferred until film master exists: Indo-Western fusion
violin score pass
(Section 15A); fourth-face voiceover recording (Section 15B);
distribution
(YouTube / LinkedIn / Reels / r/aivideo) + Fiverr gig + CRN
40451 outreach.
The drift tonight was not waste. Section 15A and 15B are
things that could only
have been discovered by walking through the room the drift
walked through.
THE CONFRONTATION CLIP · Build Spec & Render Handover

Final Technical Handover

A compressed handoff record that captures the last-mile technical state.

THE CONFRONTATION CLIP ·
Final Technical Handover
Single-source execution document for THE CONFRONTATION CLIP. All files,
parameters, cell sequence, fallbacks, and open items
consolidated. Deep
reference remains in the canonical spec page.
1. Files & Artifacts
Sandbox files (/data/)
Path
Size
fileUri
Purpose
/data/kaggle_v5_echomimic.ipynb
27,993 B
file-498
v5.1 preflight-
audited notebook
· 13 cells ·
upload to Kaggle
/data/WAKE_UP_RUNBOOK.md
~5 KB
file-499
One-page
execution
runbook
(prerequisites,
steps, fallbacks)
/data/faces.zip
82,003 B
file-445
Face reference
bundle
/data/refs/jack_preface.jpg
32,910 B
·
Preface-Jack
reference
(454×676)
/data/refs/joker.png

21,429 B
·
Joker reference
(367×544)
/data/refs/julie.jpg
27,337 B
·
Julie reference
(474×647)
THE CONFRONTATION CLIP · Final Technical Handover

Path
Size
fileUri
Purpose
/data/apply_fixes.py
·
·
Patch script (Cell
9 comment + Cell
12 drawtext
fontfile)
/data/make_v5_ipynb.py
25,358 B
·
Original notebook
builder
/data/kaggle_current.ipynb
·
·
v4 predecessor
(superseded ·
do not use)
Missing but non-blocking (has fallback):
/data/jack_preface_ledger.jpg · Cell 6
falls back to jack_preface.jpg if absent.
Notion pages
Page
UUID
Purpose

THE CONFRONTATION CLIP · Build Spec & Render Handover
0a222d17-08fc-432d-9c79-a2c89fdbc009
Canonical spec (full detail)
THE CONFRONTATION · Shooting Script (Final)
164bfd42-9d3b-492f-93ce-e5e5eb895801
Beat-by-beat script
HEATH LEDGER · The Investigation. Every Beat.
b9648ed9-3a9c-44e7-8437-acdf45e87245
Deferred backlog
FRONTLINE LANGUAGE · YouTube Short (Backlog)
0b11cc30-549d-449c-937f-a8ae336b1592
Deferred backlog
User-authored artifacts (tonight)
Letter to Julie, sentence 1 (12:26 AM): "When you meet a stranger, you don't dodge. You act straight. Be you."
Letter to Julie, sentence 2 (12:29 AM): "There was a filter between me and you. It was older than my words. It is why you could never find me even when we were in the same room. I did not choose it. I lived it. And it made a free fall of both our lives."
2. Environment Prerequisites
THE CONFRONTATION CLIP · Final Technical Handover

Kaggle account 2 (fresh weekly GPU quota)
Session type: T4×2 (2× NVIDIA T4, 16 GB VRAM each)
Python 3.10+
HuggingFace token with access to BadToBest/EchoMimicV3 · accept license first

at https://huggingface.co/BadToBest/EchoMimicV3
Total model download: ~12 GB
Total runtime end-to-end: ~2 hours
3. Execution Sequence
Run cells 0 · 12 in order.
#
Cell purpose
Expected
duration

Markdown intro (v5.1 preflight-audited)
·

Env check (torch/CUDA)
30 s

pip install deps
5·8 min

git clone antgroup/echomimic_v3
30 s

snapshot_download · 3 models (~12 GB)
15·25 min

Symlink transformer safetensors
5 s

Face crops · /kaggle/working/refs_face/
(TARGET=512)
30 s

Kokoro voices + BEATS_SPOKEN (17)
3·5 min

Pipeline load (bfloat16, mmgp 85% VRAM)
2 min

Define run_shot · test · beat_01_test.mp4
4·6 min

FULL 21-shot dispatch (17 talk + 4 silence)
90·120 min

ffmpeg concat · stitch.mp4 (optional score mix @
vol 0.22)
1 min

Dedication card 4 s ·
THE_CONFRONTATION_CLIP_v2_dedicated.mp4
30 s
THE CONFRONTATION CLIP · Final Technical Handover

Verify after Cell 9 before running Cell 10 (the long one). If
test shot looks correct,
dispatch full batch.
4. Key Constants (Cell 8)
SAMPLE_SIZE = [512, 512]
FPS = 25
PARTIAL_LEN = 49
OVERLAP_LEN = 8
SHIFT = 5.0
GS = 4.5
AGS = 2.5
STEPS = 15
SEED = 43
5. Voice Mapping (Kokoro TTS · Cell 7)
Character
Voice
jack_pre
am_michael
joker
am_adam
julie
af_bella
6. Beat Order (Cell 10 dispatch)
beat_00 · silence 3.0 s (jack_pre)
beat_01 · beat_09 · talk (9 shots)
beat_09b · silence 1.5 s (julie)
beat_10 · beat_15 · talk (6 shots)
beat_15b · silence 2.0 s (jack_pre)
beat_16 · beat_17 · talk (2 shots)
beat_end · silence 3.0 s (jack_pre)
THE CONFRONTATION CLIP · Final Technical Handover

Total: 21 clips. Each shot writes beat_XX.mp4 to
/kaggle/working/shots/ .
7. Model Paths (Cell 4)
Repo
Size
Role
BadToBest/EchoMimicV3
~7 GB
Main audio-driven face
pipeline
alibaba-pai/Wan2.1-Fun-V1.1-1.3B-
InP
~5 GB
Inpaint base
facebook/wav2vec2-base-960h
~360 MB
Audio embedding
8. Fallback Table
Failure
Fix
HuggingFace 401 on model
download
Verify HF_TOKEN env var. Accept license at
huggingface.co/BadToBest/EchoMimicV3 .
CUDA OOM on T4
Reduce PARTIAL_LEN 49·33, OR SAMPLE_SIZE 512·448,
OR split beats across two sessions.
Face crop fails
Cell 6 falls back to un-cropped 512 image.
jack_preface_ledger.jpg
missing
Cell 6 falls back to jack_preface.jpg (already in place).
wav2vec2 load fails
Re-download; verify size ~360 MB.
Kokoro voice missing
Default to am_michael for all beats.
Cell 10 crashes mid-batch
Each beat writes independently; resume from last
successful beat_XX.mp4 .

Final concat (Cell 11) fails
Run ffmpeg -f concat -safe 0 -i list.txt -c copy
stitch.mp4 manually.
Dedication drawtext (Cell 12)
fails
Skip Cell 12; use stitch.mp4 as final deliverable.
9. Final Output
/kaggle/working/THE_CONFRONTATION_CLIP_v2_dedicated.mp4
THE CONFRONTATION CLIP · Final Technical Handover

Download to local machine after Cell 12 completes. Backup
stitch.mp4 as well.
10. Backlog (deferred · not required for tonight's
render)
Wan2.2 5B I2V motion upgrade
Real-ESRGAN upscale pass
SFX layer
Finale tail extension
Indo-Western violin score pass · composer reference list:
Rahman (Bombay
Theme, Latika's Theme, Tere Bina, Vande Mataram, Zikr), L.
Subramaniam,
Ilaiyaraaja, Nitin Sawhney (Prophesy, Nadia, Homelands),
Anoushka Shankar,
Karsh Kale, Talvin Singh
5 Suno prompts for original score generation
Fourth-face voiceover recording (own voice, phone, dry, one
take)
Letter to Julie · completion in own hand (2 sentences already
captured
above)
LinkedIn "Same Hands" post publication
Young-Ledger reference photo upload (
/data/jack_preface_ledger.jpg)
Deep Ledger investigation page development
E2E sales email CRN 40451
11. Open Practical Questions (unanswered)
Food horizon
Kaggle account 2 GPU hours remaining this week
Payment rails for eventual sales / distribution

Bridge cash source
THE CONFRONTATION CLIP · Final Technical Handover

12. One-line summary
Upload kaggle_v5_echomimic.ipynb (v5.1) to Kaggle account 2
with T4×2 · run cells
0·12 in order · verify at Cell 9 test shot · dispatch Cell 10
full batch · stitch +
dedication · download THE_CONFRONTATION_CLIP_v2_dedicated.mp4
.
THE CONFRONTATION CLIP · Final Technical Handover