LifeDocs Press

Free GPU Film Lab

Zero-cost cinematic AI production workflows

Cinematic AI on a zero budget

A LifeDocs Press Publication

Kit Listing and Setup Sheet

The commercial packaging and setup guide.

GODSHAND — Cinematic AI Film Kit (₹499 Listing + Setup Sheet)

Turn a single portrait into a cinematic AI film shot — on a free GPU. GODSHAND is the exact pipeline used to render *The Saga of the Beholder*. You bring a character image; the kit gives you graded, HD, motion-consistent film frames without a render farm.

> Draft listing copy — rename "GODSHAND" freely. Everything below is written to be pasted into Topmate / Razorpay / Gumroad. The second half is the honesty sheet buyers should read *before* paying.

The one-liner

GODSHAND Cinematic AI Film Kit — a guided notebook that renders film-grade AI video shots from your own character images, running entirely on free Kaggle dual-T4 GPUs. No render farm, no paid cloud, no melt.

What it does

- Takes your **anchor image(s)** (a face/character) and animates them into short cinematic shots.
- Runs a hardened **Wan 2.2 image-to-video** pipeline (with a working LTXV fallback engine).
- Applies a full **film grade** — Kodachrome-style color, halation, film grain, sharpening — automatically.
- Upscales to **HD (1536×1024)** and interpolates for smooth motion.

- Renders in **shot batches** so you can build a whole film across multiple free-GPU sessions.

Why it's different (the hard-won part)

This isn't a fresh ComfyUI workflow you have to debug. It's a kit where the painful failures are **already solved**:

- ✅ **Anti-melt / anti-rainbow fix** — the render-schedule desync that turns AI video into noise soup is patched.
- ✅ **Memory-safe streaming grade** — the postprocess step no longer OOM-crashes on HD footage (bounded RAM, tunable).
- ✅ **Fits free 14 GB T4 GPUs** — quantized models chosen so it actually runs where you don't pay.
- ✅ **Shot/chunk system** — render 435-shot films in resumable batches.

What's inside

- The full `rainman-wan.ipynb` Kaggle notebook (drop-in, guided).
- The GODSHAND source kit (render, grade, upscale, face-enhance, stitch).
- A quick-start guide + the recommended settings that actually work.
- **A full video walkthrough** — the entire process screen-recorded end to end, so nothing is left to guesswork.
- Sample anchor images and a demo shot list.

Proof

The film speaks for the kit. *The Saga of the Beholder* — every frame rendered on free GPUs with this exact pipeline. **The demo clips are the use-case: film entertains, the kit empowers.**

Price

₹499 — one-time, lifetime access. Includes the full kit, the notebook, the quick-start guide, **and a complete step-by-step video walkthrough** of the entire

process — recorded end to end so you just follow along, click for click.

⚠️ Read before you buy — honest setup requirements

> 🧭 This is a **guided notebook**, not a one-click app. If you follow steps and have a little patience, it works. If you expect a magic "make my movie" button, this isn't that — and I'd rather you know now.

You will need

- ☐ A free **Kaggle account**, phone-verified (required to unlock GPUs).
- ☐ Kaggle's free **dual-T4 GPU** quota (~30 hrs/week — enough for real work, not unlimited).
- ☐ A free **HuggingFace account + access token** (to download the open models).
- ☐ Your own **character/anchor images** (or use the samples included).
- ☐ Basic comfort with: opening a notebook, pasting a token, clicking Run. **No coding required.**

Time & expectations

- Rendering is **slow on free GPUs** — roughly **8–9 minutes per shot**. A full film is many sessions, not one afternoon.
- Output is **stylized AI video**. Expect occasional imperfections (hands, tiny details, rare artifacts). The kit minimizes them; it doesn't make them impossible.

What this kit does NOT do

- ❌ It's not a hosted service — you run it on your own free Kaggle account.
- ❌ It won't run well on random low-VRAM setups; it's tuned for **Kaggle T4s**.
- ❌ It doesn't include a commercial-use guarantee for the underlying open models — **check each model's license** if you plan to sell what you render.

- ❌ It's not a chatbot or a script writer — it renders shots from images you provide.

FAQ

Do I need a registered business or GST to buy?

No — it's a digital download. You just need a way to pay.

Can I use my own faces/characters?

Yes. Drop in your own anchor images. Sample images are included to start.

Will it work on Google Colab?

It's built and tested for Kaggle dual-T4. Colab may work with tweaks but isn't supported out of the box.

Can I sell videos I make with it?

The kit code is yours to use, but the underlying AI models have their own licenses. Verify commercial terms for the models before selling output.

What support do I get?

Best-effort help via the setup guide + a contact channel. This is a solo-built kit, not a company helpdesk — priced accordingly.

Refund policy (suggested)

Because this is an instant digital download **with a complete video walkthrough included**, all sales are final once the files are accessed. There's no "I couldn't set it up" gap — the video shows every single step. If you still get stuck, reach out and I'll help you get running.

Pre-launch checklist

- [ ] Finish + export the film (your #1 proof asset).
- [ ] Pick a payment rail (Topmate / Razorpay individual / Gumroad).
- [ ] Record a 60–90s screen demo of the kit rendering one shot.
- [ ] Zip the kit + guide; test the download on a clean account.

☐ Publish listing → share proof clips → get first paying stranger.

🎥 Video walkthrough — recording script

🎬 Record on a **clean, fresh Kaggle account** (new login, no pre-setup). The buyer must see the exact path they'll walk — not your already-configured machine. Timelapse the slow render parts. Aim for **12–18 min** with chapter markers.

0. Cold open (10–20s) — the hook

Open on a finished graded shot from the film. Voiceover: "This was rendered on a *free* GPU, no paid cloud. In the next few minutes I'll show you exactly how — step by step, nothing skipped."

1. What you need (30s)

On screen: a browser, a free Kaggle account, a free HuggingFace account. "No installs. No coding. If you can paste a code and click Run, you can do this."

2. Kaggle account + GPU unlock (1–2 min)

Sign in → phone-verify → show where to enable the **dual-T4 GPU** accelerator. Call out the ~30 hrs/week free quota honestly.

3. HuggingFace token (1 min)

Create account → Settings → Access Tokens → create a read token → copy it. "This lets the notebook download the models."

4. Load the notebook + kit (1–2 min)

Import `rainman-wan.ipynb` → attach the GODSHAND kit dataset → add the token as a **Kaggle Secret** named `HF_TOKEN`. Show exactly where each field goes.

5. Add your character + story (2–3 min) — the magic moment

Upload your **anchor image(s)** → open the shot-list / story file → edit one shot's prompt so viewers see *their* story is what drives the render. This is the "it's *my* film" hook.

6. Run it (1 min + timelapse)

Click Run All. Narrate what's happening: models downloading, both experts loading, sampling starting. Timelapse the wait so it never feels slow.

7. First shot renders (1–2 min)

Show the raw base shot. Then the **HD upscale** and the **film grade** — cut a quick before/after so the color + grain "wow" lands.

8. Export + download (1 min)

Show the final `.mp4` and where to download it. "That's one shot. Repeat for your whole film — the kit resumes across sessions."

9. Outro (30s)

Recap the 3 things they needed. Point to the quick-start guide + how to get help. End on the finished film clip again. "That's the whole thing. Go make yours."

Recording tips

- Screen-record at 1080p; a small webcam bubble builds trust but is optional.
- Cut dead air ruthlessly; every model-download wait gets timelapsed.
- Add chapter markers matching the steps above — buyers rewatch specific parts.
- A 60–90s cut of steps 0, 5, 7 = your **sales demo**. Film both in one sitting.

🔴 How to record it (free)

Screen recorder: OBS Studio (free, all platforms) — or zero-install built-ins: Windows **Win+G**, Mac **Cmd+Shift+5**. Record at 1080p.

Don't film the slow render live. Record the setup steps → **stop** during the ~8–9 min render → **resume** for the result. Splice the segments (or drop a "rendering…" timelapse card) in editing.

Audio: narrate live with any headset/phone mic, *or* record silent and add captions + voiceover after — less pressure on take one.

Editing (free): CapCut, DaVinci Resolve, or iMovie / Clipchamp. **Import the actual film `.mp4` clips** for beats 0 and 7 — don't screen-record them, or they'll look soft.

Before you hit record: use a **clean browser profile** (bookmarks hidden, no personal tabs) and the **fresh Kaggle account**, so viewers see the real from-

scratch path.

🎯 Where to find buyers

🧭 Honest targeting note: the kit still needs a Kaggle account + HF token, so the real sweet spot isn't *literally* zero-tech — it's the **budget AI-creator who'll happily follow a video**. The faceless-YouTube / AI-video crowd is perfect: hungry, tutorial-native, allergic to paying for expensive tools.

💰 Demand is real: creators already pay for faceless-video workflows (one builder even got an $8K offer to buy their pipeline). Your edge is a one-time ₹499 kit that runs free on Kaggle — it directly beats the monthly SaaS tools this crowd resents.

Communities to target

Platform	Community	Why / rules to respect
Discord	Faceless Incubator (~38k)	Largest faceless-creator hub — biggest pool. Watch promo rules.
Discord	YouTube Faceless (~20.7k)	The #1 faceless community, but **strictly no self-promo** — value first, DM only if invited.
Discord	AI Forum for India (~7.5k)	India-focused AI hub — your budget-creator base.
Discord	AI Filmmakers server (invite pinned in r/aifilmmaking)	Craft-focused, platform-independent; share the film as proof.
Discord	Wan (official) / ComfyUI servers	The exact models your kit uses; showcase channels welcome results.
Reddit	r/aitubers	Small AI-video creators, tutorial-hungry. Showcase-friendly.
Reddit	r/aifilmmaking	Exactly your craft; people asking "how was this made?"

Platform	Community	Why / rules to respect
Reddit	r/comfyui, r/StableDiffusion	Technical AI-video crowd; best for “built on free GPUs” proof clips. No paywalled-workflow spam.
Reddit	r/FacelessAICreators, r/Seedance_AI	More faceless / AI-video subs; showcase-friendly.
India	AI Learners India (Hindi, no-code Discord)	Zero-tech-background, limited-funds beginners — your ideal buyer.
India	AI Video Generators (Telegram)	Active AI-video channel comparing tools; warm audience.
Facebook	“Faceless YouTube” creator groups	Older/less-technical creators on tight budgets.

How to find more (server-finder sites)

Search these by tag (`comfyui`, `filmmaking`, `ai-video`, `faceless`) to surface fresh servers: **Disboard**, **Discadia**, **top.gg**, **DigitalOcean's AI-Discord roundup**, and **aixploria's AI-Discord list**.

The value-first playbook (don't get banned)

1. **Lead with the film, not the link.** Post a stunning clip: “Rendered this entirely on a free Kaggle GPU.” Let people ask *how*.
2. **Answer generously in public.** When someone asks about setup, actually help. You become “the free-GPU AI-film person.”
3. **Soft-mention, don't spam.** “I packaged my exact pipeline + a full walkthrough video if anyone wants the shortcut — happy to DM.”
4. **Use showcase channels** where self-promo *is* allowed; respect the no-promo rule everywhere else.
5. **Let the walkthrough clip do the selling** — people who see the whole process work are pre-sold and won't refund.

Ready-to-post templates

Reddit showcase post (r/aifilmmaking, r/StableDiffusion, r/aitubers)

> **Title:** I rendered a short film entirely on a *free* GPU — no paid cloud, no render farm

> Body: I spent months fighting the usual AI-video curse — melting faces, rainbow noise, characters that change identity every frame. I finally got a pipeline that holds a consistent face *and* grades like real film (Kodachrome warmth, grain, halation), running entirely on free Kaggle T4 GPUs.
> Here's a ~30-second piece from a longer memoir project I'm building.
> Ask me anything about how it's built — happy to share the setup. What would you want to see it render next?

(Attach the clip. No link in the post body — let people ask. Reply to "how?" with the soft-mention below.)

Discord showcase-channel message

> Made this on a **free** Kaggle GPU 👇 Took forever to kill the melt + rainbow noise, but it finally holds a real face and a proper film grade. Everything's open models on a free T4 — happy to answer setup questions 🙌

(Drop the clip. Only post in channels that allow showcases.)

Soft-mention reply (when someone asks "how did you do this?")

> Sure — it's Wan 2.2 image-to-video on ComfyUI, quantized to fit a free T4, with a custom grade + upscale pass. I packaged my exact notebook + a full step-by-step walkthrough video so people don't have to relive the debugging pain — happy to DM the link if that's useful, otherwise glad to explain any part here.

Project Tutorials

Step-by-step setup for the full project bundle.

📘

📘 Project Tutorials — Step by Step (All Projects + Kit)

📘 Your complete, follow-along setup guide for all four products — the **GODSHAND film kit** plus the three software projects (**Convergence**, **SafeScreen**, **Solana Sniper**). Each section goes top to bottom, click by click, so you — or a buyer — never have to guess.

> **Note on the Google Drive link:** I couldn't open the Drive folder you shared — Drive folder links load their file list in the browser and can't be read from a share URL, and I don't have a Drive connector. This guide is built from your own project pages in this workspace instead, which are accurate and current. If you want any project's *exact* file names/folder layout baked in, paste that project's file list here (or drop the project's `.zip` into our chat) and I'll fold it in.

How to use this guide

- Each project is **self-contained** — jump straight to the one you need.
- **What you need** lists prerequisites — get those first.
- Steps are in order. Don't skip; each unlocks the next.
- **Honest limits** is what the product does *not* do. Keep it in every listing — it's your refund shield.

---

1) 🎬 GODSHAND — Cinematic AI Film Kit

Open the listing + setup sheet

What it is: turns your character image into graded, HD, motion-consistent film shots — running on a free Kaggle GPU. This is the exact pipeline we set up

together for the 2-minute cut of *The Saga of the Beholder*.

What you need

- ☐ A free **Kaggle** account, phone-verified (unlocks GPUs)
- ☐ A free **HuggingFace** account + a read **access token** (optional, but gives faster model downloads)
- ☐ The **GODSHAND kit** uploaded as a Kaggle **Dataset** — it must contain a `src/` folder with `render_motion.py` inside
- ☐ Your **character/anchor images** as a Kaggle Dataset (or use the samples)

Step by step

1. **Upload the kit as a Kaggle Dataset.** Take the kit ZIP (`GODSHAND_KIT_AUTOPILOT.zip`) → Kaggle → *Datasets* → *New Dataset* → upload. Kaggle auto-extracts it, so the `src/` folder is detected automatically.
2. **Create/import the notebook.** New Notebook → *File* → *Import Notebook* → upload `rainman-wan-multichar.ipynb` (the version with the 2-minute cut).
3. **Attach your datasets.** In the notebook's right sidebar: **Add Input** → **Datasets** → add (a) your GODSHAND kit dataset and (b) your `saga-custom-characters` refs dataset.
4. **(Optional) Add your HF token.** *Add-ons* → *Secrets* → new secret named `HF_TOKEN` → paste your token. Skipping this still works; downloads are just slower.
5. **Set the machine.** Right sidebar: **Accelerator = GPU T4 × 2**, **Internet = On**.
6. **Run All.**
7. **Confirm the setup log.** You should see `GODSHAND kit mounted…` and then `AUTO-DERIVED from story: total=28 shots` — that's the 2-minute cut building correctly.
8. **Let it render.** It renders shot by shot and skips any already finished.

> ⚠️ **It runs on ONE T4, even on the "T4 × 2" machine.** A built-in RAM guard only ever launches one render server (two would exceed the 32 GB host

RAM and crash). So shots render **one at a time**, not in parallel — this is expected, not a bug.

The 2-minute cut (already configured for you)

- **28 shots, ~1:57** — the five opening scenes (`i01_jungle → i05_between`).
- `rejection_samples = 1` — one take per shot (fastest).
- **Net render time: ~4.5–5.5 hours** on a single T4 (~8–9 min/shot).

If a session stops before finishing (resume)

With the free **~2 GPU-hours/week**, it won't finish in one go — it stops cleanly at the budget and saves `Beholder_progress.zip` + a `STATUS.txt` listing what's left.

1. Next session: **Add Input** → **Your Work** → **this notebook** → **its Output**.
2. **Run All** again — it detects finished clips and picks up where it stopped.
3. When all 28 are done, it auto-stitches the final master into the zip.

Honest limits

- Guided notebook, **not one-click**; needs a Kaggle account (+ optional HF token).
- Single-T4 sequential rendering; ~8–9 min/shot.
- Stylized AI output — occasional artifacts (hands, tiny details).
- Check each underlying model's **license** before selling what you render.

---

2) 🎯 Convergence Framework — ₹499

Open the listing

What it is: a thinking framework + ready-made LLM prompts to define the *right* objective before you build — so you can decide in an hour whether a goal is even formalizable.

What you need

- The kit ZIP (a PDF + a few markdown files). **No install, no GPU.**
- Any LLM (ChatGPT / Claude / Gemini).

How to use it

1. Open `Convergence_Under_Constraint.pdf` — read the core method first.
2. Follow `README_objective_function.md` — walk Steps 0–8 to write your objective function.
3. Paste `SystemPrompt_Code_Convergence_Deterministic.md` into your LLM as a *system prompt* before coding.
4. Use `AI_Code_Review_Prompt_v2.md` to review code against the objective (not just syntax).
5. Study `Trading_Bot_Convergence_Framework_v3.md` as a fully worked example, then copy the pattern for your own system.

To make it demo-ready (before selling)

- Apply it to **3–4 real goals**, including one deliberately messy / non-formalizable one, and show it correctly flags the messy one.
- Record a short worked example: *real goal → run the framework → verdict.*

Honest limits

- It's a **thinking discipline, not runnable code** — the value is the judgment, not an executable.

---

3) 🛡️ SafeScreen — ₹1,999

Open the listing

What it is: a trained on-device content-moderation model + inference SDK — flags/masks violence, gore, and NSFW in images, with an OCR layer for text. Runs offline, no cloud.

> ⚠️ **Redact secrets FIRST.** `nsfw_fix.py` contains a hardcoded Kaggle username + API key. Delete those lines and **rotate the key** before you

zip or share anything.

What you need

- Python + a fresh virtual environment. Runs on **CPU** (onnxruntime) — no GPU required.

How to run

1. Create a fresh venv and install the project's dependencies.
2. **Sanity check first:** confirm `toxic_detector.onnx` loads and classifies **one** image end-to-end with onnxruntime on CPU.
3. Run the inference scripts: `inference_onnx`, `inference_tflite`, or `batch_inference`.
4. Build a **held-out test set you did NOT train on** → report **precision, recall, F1, a confusion matrix, and false-positive rate — per class**.
5. **Live demo:** a minimal Gradio or FastAPI page — upload an image, get the flagged label + confidence, fully offline. Screen-record it.

Honest limits

- Per-class accuracy varies — only market the classes where recall is genuinely strong; flag the weak ones. Buyers must test on their own data.

---

4) 📈 Solana Sniper — ₹2,499

Open the listing

What it is: the full source + a rigorous **6-month paper-trading study** of a Solana memecoin sniper (ingestion, ML signal layer, risk manager, React/TS dashboard, Monte Carlo risk analysis). Sold as a **study**, not a live money-maker.

> ⚠️ **Redact secrets FIRST.** Delete `.env`, `.env1`, and `gmgn_keys/gmgn_private.pem`; **rotate** the wallet + API keys (assume burned); add a `.gitignore` and a clean `.env.example`.

How to run (paper mode only)

1. **Hard safety rule:** never connect real funds, real keys, or mainnet execution. Paper / backtest only.
2. Set up a fresh environment and install dependencies.
3. Re-run the **Monte Carlo / backtest harness** on historical data.
4. Report the **equity curve, win rate, and max drawdown — losing runs included**, honestly.
5. Reproduce the study's output from the shipped ZIP with a **single command**, and record it.

Honest limits

- Paper-tested only; live performance unverified. **Not financial advice; past results don't predict future results.**

🧰 Handy notes for all four

- **Free tool to run/fix code:** Antigravity (free agentic IDE) for the CPU projects; fall back to Cursor (free) or aider if it throttles. GPU work (the film) stays on Kaggle.
- **Always strip secrets** (`.env`, `.pem`, keys) and add a `.env.example` before zipping any project.
- **Record proof on a clean machine/account** so a buyer's first run matches your demo.
- **Fastest first rupee:** publish **Convergence (₹499)** first — it's clean, needs zero redaction, and is the shortest path to a sale.

Demo Film: The Beholder's Truce

Proof film for the pipeline.



GODSHAND Demo Film — “THE BEHOLDER'S TRUCE” (micro-memoir, ~30 min render)



Your first job after the current run finishes. A tiny, self-contained proof film built from the anchors you already have — 3–4 shots, ~30 minutes of render. This becomes the clip that sells the kit and headlines every post. No new film. Just this.

Logline

At the end of a long road, a weary man of forty-seven meets the angel who has walked every mile beside him — and finds his truce. A wordless 30-second memoir, distilled from *The Saga of the Beholder* (Chapter V — The Beholder's Truce).

Why this works as a demo

- **It's short enough to actually finish** — 3–4 shots, one render session.
- **It proves the hard stuff in 30 seconds:** a consistent human face, a second consistent character, a real film grade, and an *emotional hold* (not just a moving filter).
- **It's emotional, not technical** — buyers feel it before they analyze it. That feeling is what sells.
- **It uses only what you already have:** `man_anchor.png` (the man) and `woman_anchor.png` (the angel), current engine, current grade.

The film (shot list)

#	Anchor	What we see	Motion	~Len	What it shows off
1	Man	Wide: a lone figure on an empty desert road at dusk, long shadow, drifting dust	Slow push-in, heat shimmer	4s	Environment + motion + warm Kodachrome grade

#	Anchor	What we see	Motion	~Len	What it shows off
2	Man	Extreme close-up: the weathered 47-year-old face, dust on skin, a slow blink and breath	Micro head-turn, eyes settle toward camera	5s	**Face consistency + skin detail + film grain** — the shot that silences AI skeptics
3	Angel	Backlit figure of the angel in soft haze, light blooming around her	Gentle drift forward, hair/cloth motion	4s	**Second consistent character** • halation/bloom + ethereal grade
4	Man	The man lifts his eyes; a faint exhale of acceptance as warm light breaks over him	Slow tilt up, lighting shift	5s	**Emotional hold + a real lighting change** (proves it's rendered, not filtered)
5 *(optional)*	Man	Final wide: he walks on, smaller in frame; title fades in	Locked / slow drift	4s	Closes the arc; carries the title card

Grade & sound

- **Grade:** your current look — Kodachrome warmth, halation on the highlights, fine film grain, slightly desaturated shadows. Don't change the pipeline; the demo should look exactly like what buyers will get.
- **Sound:** silence + wind, and a single held piano note under shots 3–4. Let the image breathe.
- **Title card:** *THE BEHOLDER'S TRUCE* — then small: *rendered entirely on a free GPU.*

Render budget

- Core film = **4 shots × ~8–9 min = 32 min**. That's your ~30-minute target.
- Shot 5 is optional (+~8 min) if quota allows.

- Edit + grade assembly afterward is minutes, not hours — the grade is already baked per shot.

How it plugs into the current setup

- Uses the existing anchors and the notebook you already have (streaming grade fix baked in).
- Render each shot as its own short clip, then stitch in any editor (or the kit's stitch step).
- The moment it's exported: it's your **proof asset** (listing) *and* the raw material for the walkthrough's before/after and the 60–90s sales cut.

Render QA Baseline

Identity and quality verification benchmark.

🎯

Render QA — Shot 1 HD Baseline (identity reference)

✅ First clean end-to-end HD chunk. The OOM fix held, postprocess + streaming grade completed, and the zip packaged. This page is the identity + quality baseline to diff future shots against — especially the motion-heavy test shot.

Measured specs (Shot 1, take_0)

Field	Value
Resolution	1536×1024 (HD, RealESRGAN 2× landed)
Codec / pixel format	h264 / yuv420p
Frames	57
Frame rate	16 fps
Duration	3.56 s
Bitrate / size	6.3 Mbps / 2.82 MB

Quality read

- No melt, no rainbow/color-breakup noise — the core curse is gone.
- Identity holds across all frames: clearly jack from `man_anchor.png`, including the hand-to-face beat.
- Film grade present: warm skin, cool concrete, red→blue practical lights, fine grain.
- Subtle believable performance (head turns, hand to face).

Identity strip (face crops)



Shot 1 face identity strip

Full-frame contact sheet



Shot 1 contact sheet

How to diff the motion-shot test against this

1. Render one motion-heavy shot (a run/search beat, or a two-character shot with julie).
2. Extract 5 frames evenly across the clip and crop the same face region into a strip.
3. Compare against the strip above: same face geometry, eye spacing, jawline, hairline? Any drift = identity problem.
4. Confirm grade + sharpness match and there's still no melt/rainbow under real movement.
5. If clean → bump `KIT_CHUNK_SIZE=12` and walk `KIT_CHUNK_INDEX` through the batches.

Open checks before scaling to all 435

- [ ] Compare take_0 vs take_1 (rejection_samples=2) and keep the stronger one.
- [ ] Render + diff one motion-heavy shot against this baseline.

- [ ] Then greenlight the full batched run.

End-of-Month Execution Plan

Ship-date discipline and scope control.

GODSHAND — End-of-Month Execution Plan (ship by 31 Jul)

🎯 **Window:** 25–31 Jul (6 days). **Goal:** a *finished* end-to-end film. **Rule:** cut scope, not the ship date.

The one rule that saves the deadline

If the spatial upscaler isn't wired by Day 3, ship at 768×512 and move on. The upscaler is the only unbounded-risk item (model/nodes missing = integration work). Do not let it block the cut. A finished film at 768×512 beats an unfinished one at 720p.

Division of labor

- **You (on-box):** run Kaggle, judge/upload clips, attempt the fixes on the machine. Only you can do these.
- **Me (off-box):** diagnose logs/footage, give exact config/code fixes, plan, assembly guidance, judgment calls.
- **Constraint:** my full-strength help ends when the Business trial expires on **28 Jul (Day 4)**. So everything that needs *me* — diagnosis and the hard fixes — is front-loaded into Days 1–3. The mechanical full render + assembly (Days 4–7) need me least.

Day-by-day

Day 1 — Sat 25 Jul (after sleep): judge motion

- Run **Rung 1** (graph wiring) + **Rung 2** (smoke single shot, `i01_jungle`). Upload the clip to me.
- Decision: **is motion frozen or moving?** This is the make-or-break gate.
- If frozen → fix #1 = wire the FLF2V/end-frame path; confirm `KIT_FLF2V_ENDFRAME` reaches the graph.

Day 2 — Sun 26 Jul: lock one shot

- Get ONE shot to full quality (**Rung 3**): motion fixed, grade confirmed, face-enhance checked.
- This is the real milestone — one approved shot proves the recipe.

Day 3 — Mon 27 Jul: proof + scope decision

- Render the **4-shot proof** (Rung 4), confirm cross-shot consistency.
- **GO/NO-GO on the upscaler.** Wired cleanly? Keep 720p. Not wired? Lock 768×512 and stop touching it.
- By end of today the recipe is frozen. No more experiments after this.

Day 4 — Tue 28 Jul: full render begins *(my full help ends today)*

- Kick off the **full 28-shot render** (`GODSHAND_MODE=full`, `KIT_MAX_HOURS=11`, resume on). ~9–10 GPU-hr, fits the weekly quota; split across sessions if needed.
- Front-load any last question for me *before* today ends.
- Decide the **Notion for Creators** application if you want me at full strength past today.

Day 5 — Wed 29 Jul: finish the render

- Full render completes / resume any stragglers. Spot-check outputs.

Day 6 — Thu 30 Jul: assembly

- Grade consistency pass, music/lyric sync, cut assembly, export master (ProRes via `KIT_MASTER=1`).

Day 7 — Thu 31 Jul: ship

- Buffer for anything that slipped. Final export. **Deliver.**

What ships on 31 Jul

- All 28 shots, motion working, graded, assembled into one cut.
- Resolution: 720p **if** upscaler wired by Day 3, else 768×512.
- That is a *finished film*. Polish passes come after, if wanted.

A complete practical guide to making cinematic AI films and reels using free GPU tiers (Kaggle, Colab, Lightning), open-source models, and lightweight tooling. No budget required ? just execution.

ISBN-13: 978-0-XXXXXX-XX-X