

Results

Confirmatory Factor Analysis

Model fit

Chi-square test

Model	X ²	df	p
Baseline model	13276.261	703	
Factor model	1371.715	657	< .001

Note. The standard error method is robust.sem.

Additional fit measures

Fit indices

Index	Value
Comparative Fit Index (CFI)	0.9432
Tucker-Lewis Index (TLI)	0.9392
Bentler-Bonett Non-normed Fit Index (NNFI)	0.9392
Bentler-Bonett Normed Fit Index (NFI)	0.8967
Parsimony Normed Fit Index (PNFI)	0.9183
Bollen's Relative Fit Index (RFI)	0.8894
Bollen's Incremental Fit Index (IFI)	0.9434
Relative Noncentrality Index (RNI)	0.9432

Note. Except for the PNFI, the fit indices are scaled because of categorical variables in the data.

Information criteria

 Information criteria are only available with ML-type estimators	
Number of free parameters	105.0
Akaike (AIC)	
Bayesian (BIC)	
Sample-size adjusted Bayesian (SSABIC)	

Other fit measures

Metric	Value
Root mean square error of approximation (RMSEA)	0.08603
RMSEA 90% CI lower bound	0.07963
RMSEA 90% CI upper bound	0.09242
RMSEA p-value	2.949×10^{-13}
Standardized root mean square residual (SRMR)	0.08897
Hoelter's critical N ($\alpha = .05$)	69.44
Hoelter's critical N ($\alpha = .01$)	71.97
Goodness of fit index (GFI)	0.9840
McDonald fit index (MFI)	0.04934
Expected cross validation index (ECVI)	

Note. The RMSEA results are scaled because of categorical variables in the data.

R ²	
tv1	0.4643
tv2	0.8102
tv3	0.6265
tv4	0.8080
tv5	0.7553
tv6	0.6216
tv7	0.6440
tv8	0.4643
tv9	0.2579
tv10	0.4722
tv11	0.9894
to1	0.5948
to2	0.6767
to3	0.5034
to4	0.6928
to5	0.7485
to6	0.7461
to7	0.5720
si1	0.7759
si2	0.5663
si3	0.5507
si4	0.7450
si5	0.7892
si6	0.7912
si7	0.8522
si8	0.9243
ps1	0.7285
ps2	0.7370
ps3	0.7306
ps4	0.7609
ps5	0.7876
ps6	0.6777
ps7	0.6228
ps8	0.6575
ps9	0.7584
ps10	0.7193
ps11	0.8790
ps12	0.4669

Parameter estimates

Factor loadings

Factor	Indicator	Std. estimate	Std. Error	z-value	p	95% Confidence Interval	
						Lower	Upper
Factor 1	tv1	0.6814	0.04699	14.50	< .001	0.5893	0.7735
	tv2	0.9001	0.02711	33.20	< .001	0.8470	0.9532
	tv3	0.7915	0.04150	19.07	< .001	0.7102	0.8728
	tv4	0.8989	0.02786	32.26	< .001	0.8443	0.9535
	tv5	0.8691	0.03395	25.60	< .001	0.8025	0.9356
	tv6	0.7884	0.04279	18.43	< .001	0.7045	0.8723
	tv7	0.8025	0.03911	20.52	< .001	0.7258	0.8791
	tv8	0.6814	0.05789	11.77	< .001	0.5679	0.7948
	tv9	0.5078	0.06207	8.182	< .001	0.3862	0.6295
	tv10	0.6872	0.04962	13.85	< .001	0.5899	0.7844
	tv11	0.9947	0.03759	26.46	< .001	0.9210	1.068
Factor 2	to1	0.7712	0.04362	17.68	< .001	0.6858	0.8567
	to2	0.8226	0.03084	26.68	< .001	0.7622	0.8830
	to3	0.7095	0.04191	16.93	< .001	0.6274	0.7917
	to4	0.8323	0.02911	28.59	< .001	0.7753	0.8894
	to5	0.8651	0.03324	26.03	< .001	0.8000	0.9303
	to6	0.8638	0.02705	31.93	< .001	0.8107	0.9168
	to7	0.7563	0.03538	21.38	< .001	0.6870	0.8257
Factor 3	si1	0.8808	0.02771	31.79	< .001	0.8265	0.9351
	si2	0.7525	0.03802	19.79	< .001	0.6780	0.8270
	si3	0.7421	0.03900	19.03	< .001	0.6656	0.8185
	si4	0.8631	0.02475	34.88	< .001	0.8146	0.9116
	si5	0.8884	0.02400	37.02	< .001	0.8413	0.9354
	si6	0.8895	0.02030	43.82	< .001	0.8497	0.9293
	si7	0.9232	0.01814	50.90	< .001	0.8876	0.9587
	si8	0.9614	0.01302	73.85	< .001	0.9359	0.9869
Factor 4	ps1	0.8535	0.03176	26.88	< .001	0.7913	0.9158
	ps2	0.8585	0.03098	27.71	< .001	0.7978	0.9192
	ps3	0.8547	0.02714	31.50	< .001	0.8015	0.9079
	ps4	0.8723	0.02436	35.81	< .001	0.8246	0.9201
	ps5	0.8875	0.02325	38.17	< .001	0.8419	0.9331
	ps6	0.8232	0.03848	21.39	< .001	0.7478	0.8987
	ps7	0.7892	0.03514	22.46	< .001	0.7203	0.8581
	ps8	0.8109	0.03296	24.60	< .001	0.7463	0.8755
	ps9	0.8709	0.02340	37.22	< .001	0.8250	0.9167
	ps10	0.8481	0.03057	27.74	< .001	0.7882	0.9081
	ps11	0.9375	0.01721	54.49	< .001	0.9038	0.9713
	ps12	0.6833	0.04430	15.42	< .001	0.5965	0.7701

Factor variances

Factor	Std. estimate	Std. Error	z-value	p	95% Confidence Interval	
					Lower	Upper
Factor 1	1.000	0.000			1.000	1.000
Factor 2	1.000	0.000			1.000	1.000
Factor 3	1.000	0.000			1.000	1.000
Factor 4	1.000	0.000			1.000	1.000

Factor Covariances

							95% Confidence Interval	
			Std. estimate	Std. Error	z-value	p	Lower	Upper
Factor 1	↔	Factor 2	0.6490	0.04226	15.36	< .001	0.5661	0.7318
Factor 1	↔	Factor 3	0.6526	0.04137	15.77	< .001	0.5715	0.7337
Factor 1	↔	Factor 4	0.7039	0.03851	18.28	< .001	0.6284	0.7794
Factor 2	↔	Factor 3	0.9093	0.01880	48.38	< .001	0.8724	0.9461
Factor 2	↔	Factor 4	0.8976	0.01608	55.81	< .001	0.8661	0.9291
Factor 3	↔	Factor 4	0.8456	0.02251	37.56	< .001	0.8014	0.8897

Residual variances

Indicator	Std. estimate	Std. Error	z-value	p	95% Confidence Interval	
					Lower	Upper
tv1	0.5357	0.06403	8.366	< .001	0.4102	0.6612
tv2	0.1898	0.04881	3.889	< .001	0.09415	0.2855
tv3	0.3735	0.06569	5.686	< .001	0.2448	0.5023
tv4	0.1920	0.05008	3.835	< .001	0.09388	0.2902
tv5	0.2447	0.05901	4.148	< .001	0.1291	0.3604
tv6	0.3784	0.06747	5.609	< .001	0.2462	0.5107
tv7	0.3560	0.06277	5.672	< .001	0.2330	0.4791
tv8	0.5357	0.07889	6.791	< .001	0.3811	0.6904
tv9	0.7421	0.06304	11.77	< .001	0.6185	0.8657
tv10	0.5278	0.06819	7.741	< .001	0.3942	0.6615
tv11	0.01064	0.07478	0.1423	.887	-0.1359	0.1572
to1	0.4052	0.06729	6.022	< .001	0.2733	0.5371
to2	0.3233	0.05073	6.373	< .001	0.2239	0.4228
to3	0.4966	0.05947	8.351	< .001	0.3800	0.6131
to4	0.3072	0.04846	6.340	< .001	0.2122	0.4022
to5	0.2515	0.05751	4.374	< .001	0.1388	0.3642
to6	0.2539	0.04674	5.433	< .001	0.1623	0.3455
to7	0.4280	0.05352	7.996	< .001	0.3231	0.5328
si1	0.2241	0.04881	4.592	< .001	0.1285	0.3198
si2	0.4337	0.05722	7.579	< .001	0.3215	0.5458
si3	0.4493	0.05789	7.762	< .001	0.3359	0.5628
si4	0.2550	0.04272	5.969	< .001	0.1713	0.3387
si5	0.2108	0.04264	4.944	< .001	0.1272	0.2944
si6	0.2088	0.03611	5.781	< .001	0.1380	0.2795
si7	0.1478	0.03348	4.413	< .001	0.08214	0.2134
si8	0.07569	0.02503	3.024	.002	0.02663	0.1248
ps1	0.2715	0.05421	5.008	< .001	0.1652	0.3777
ps2	0.2630	0.05320	4.943	< .001	0.1587	0.3672
ps3	0.2694	0.04639	5.808	< .001	0.1785	0.3604
ps4	0.2391	0.04250	5.625	< .001	0.1558	0.3224
ps5	0.2124	0.04126	5.146	< .001	0.1315	0.2932
ps6	0.3223	0.06336	5.086	< .001	0.1981	0.4465
ps7	0.3772	0.05546	6.800	< .001	0.2685	0.4859
ps8	0.3425	0.05346	6.407	< .001	0.2377	0.4473
ps9	0.2416	0.04076	5.927	< .001	0.1617	0.3215
ps10	0.2807	0.05185	5.412	< .001	0.1790	0.3823
ps11	0.1210	0.03226	3.751	< .001	0.05779	0.1842
ps12	0.5331	0.06054	8.806	< .001	0.4144	0.6518

Residual covariances

							95% Confidence Interval	
			Std. estimate	Std. Error	z-value	p	Lower	Upper
ps9	↔	ps10	0.7526	0.05148	14.62	< .001	0.6517	0.8535
tv7	↔	tv8	0.7075	0.06470	10.94	< .001	0.5807	0.8343

Indicator	Threshold	Estimate	Std. Error	z-value	p	95% Confidence Interval	
						Lower	Upper
tv1	t1	-2.470	0.3577	-6.904	5.041×10^{-12}	-3.171	-1.769
	t2	-1.828	0.1985	-9.207	0.000	-2.217	-1.439
	t3	-1.167	0.1335	-8.741	0.000	-1.429	-0.9053
	t4	0.1702	0.1039	1.638	0.1015	-0.03349	0.3739
tv2	t1	-2.048	0.2373	-8.630	0.000	-2.513	-1.583
	t2	-1.237	0.1379	-8.967	0.000	-1.507	-0.9663
	t3	-0.05083	0.1034	-0.4915	0.6231	-0.2535	0.1519
tv3	t1	-1.926	0.2144	-8.985	0.000	-2.347	-1.506
	t2	-1.072	0.1281	-8.365	0.000	-1.323	-0.8207
	t3	0.2047	0.1042	1.965	0.04944	5.058×10^{-4}	0.4088
tv4	t1	-2.470	0.3577	-6.904	5.041×10^{-12}	-3.171	-1.769
	t2	-1.494	0.1584	-9.430	0.000	-1.805	-1.184
	t3	-0.6326	0.1113	-5.686	1.302×10^{-8}	-0.8506	-0.4145
	t4	0.6745	0.1124	6.001	1.956×10^{-9}	0.4542	0.8948
tv5	t1	-1.828	0.1985	-9.207	0.000	-2.217	-1.439
	t2	-0.6745	0.1124	-6.001	1.956×10^{-9}	-0.8948	-0.4542
	t3	0.6534	0.1118	5.844	5.098×10^{-9}	0.4342	0.8725
tv6	t1	-2.048	0.2373	-8.630	0.000	-2.513	-1.583
	t2	-1.201	0.1356	-8.857	0.000	-1.467	-0.9353
	t3	-0.1359	0.1037	-1.310	0.1901	-0.3392	0.06738
tv7	t1	-2.211	0.2751	-8.037	8.882×10^{-16}	-2.750	-1.672
	t2	-1.102	0.1298	-8.495	0.000	-1.357	-0.8481
	t3	-0.1359	0.1037	-1.310	0.1901	-0.3392	0.06738
tv8	t1	-1.744	0.1867	-9.343	0.000	-2.110	-1.378
	t2	-1.237	0.1379	-8.967	0.000	-1.507	-0.9663
	t3	-0.2568	0.1046	-2.455	0.01409	-0.4619	-0.05179
tv9	t1	-1.672	0.1775	-9.419	0.000	-2.019	-1.324
	t2	-0.8562	0.1184	-7.232	4.767×10^{-13}	-1.088	-0.6241
	t3	-0.2047	0.1042	-1.965	0.04944	-0.4088	-5.058×10^{-4}
	t4	0.4745	0.1077	4.405	1.056×10^{-5}	0.2634	0.6856
tv10	t1	-1.828	0.1985	-9.207	0.000	-2.217	-1.439
	t2	-1.201	0.1356	-8.857	0.000	-1.467	-0.9353
	t3	0.03388	0.1034	0.3277	0.7432	-0.1688	0.2365
tv11	t1	-1.926	0.2144	-8.985	0.000	-2.347	-1.506
	t2	-1.134	0.1316	-8.620	0.000	-1.392	-0.8762
	t3	0.1530	0.1038	1.474	0.1405	-0.05044	0.3565
to1	t1	-2.470	0.3577	-6.904	5.041×10^{-12}	-3.171	-1.769
	t2	-1.828	0.1985	-9.207	0.000	-2.217	-1.439
	t3	-1.274	0.1405	-9.070	0.000	-1.549	-0.9986
	t4	0.1018	0.1036	0.9829	0.3257	-0.1012	0.3048
to2	t1	-1.672	0.1775	-9.419	0.000	-2.019	-1.324
	t2	-0.8083	0.1166	-6.930	4.198×10^{-12}	-1.037	-0.5797
	t3	0.4184	0.1067	3.920	8.855×10^{-5}	0.2092	0.6276
to3	t1	-2.211	0.2751	-8.037	8.882×10^{-16}	-2.750	-1.672
	t2	-1.444	0.1539	-9.385	0.000	-1.746	-1.143
	t3	-0.5518	0.1093	-5.049	4.451×10^{-7}	-0.7660	-0.3376
	t4	0.5518	0.1093	5.049	4.451×10^{-7}	0.3376	0.7660
to4	t1	-2.048	0.2373	-8.630	0.000	-2.513	-1.583
	t2	-1.274	0.1405	-9.070	0.000	-1.549	-0.9986
	t3	-0.5322	0.1089	-4.888	1.017×10^{-6}	-0.7456	-0.3188
	t4	0.5128	0.1085	4.728	2.272×10^{-6}	0.3002	0.7254
to5	t1	-2.211	0.2751	-8.037	8.882×10^{-16}	-2.750	-1.672

Indicator	Threshold	Estimate	Std. Error	z-value	p	95% Confidence Interval	
						Lower	Upper
to6	t2	-2.048	0.2373	-8.630	0.000	-2.513	-1.583
	t3	-1.167	0.1335	-8.741	0.000	-1.429	-0.9053
	t4	0.2220	0.1043	2.128	0.03331	0.01756	0.4264
	t1	-2.470	0.3577	-6.904	5.041×10^{-12}	-3.171	-1.769
to7	t2	-1.354	0.1464	-9.250	0.000	-1.641	-1.067
	t3	-0.7397	0.1143	-6.470	9.813×10^{-11}	-0.9638	-0.5156
	t4	0.2047	0.1042	1.965	0.04944	5.058×10^{-4}	0.4088
	t1	-2.470	0.3577	-6.904	5.041×10^{-12}	-3.171	-1.769
si1	t2	-1.607	0.1700	-9.453	0.000	-1.940	-1.274
	t3	-0.6120	0.1107	-5.527	3.253×10^{-8}	-0.8290	-0.3950
	t4	0.6120	0.1107	5.527	3.253×10^{-8}	0.3950	0.8290
	t1	-2.470	0.3577	-6.904	5.041×10^{-12}	-3.171	-1.769
si2	t2	-1.744	0.1867	-9.343	0.000	-2.110	-1.378
	t3	-0.8320	0.1175	-7.082	1.424×10^{-12}	-1.062	-0.6017
	t4	0.5128	0.1085	4.728	2.272×10^{-6}	0.3002	0.7254
	t1	-1.607	0.1700	-9.453	0.000	-1.940	-1.274
si3	t2	-0.9320	0.1215	-7.673	1.688×10^{-14}	-1.170	-0.6939
	t3	-0.1874	0.1040	-1.801	0.07166	-0.3913	0.01651
	t4	0.8562	0.1184	7.232	4.767×10^{-13}	0.6241	1.088
	t1	-1.672	0.1775	-9.419	0.000	-2.019	-1.324
si4	t2	-1.072	0.1281	-8.365	0.000	-1.323	-0.8207
	t3	-0.4369	0.1070	-4.082	4.465×10^{-5}	-0.6467	-0.2271
	t4	0.6745	0.1124	6.001	1.956×10^{-9}	0.4542	0.8948
	t1	-2.211	0.2751	-8.037	8.882×10^{-16}	-2.750	-1.672
si5	t2	-1.744	0.1867	-9.343	0.000	-2.110	-1.378
	t3	-0.8562	0.1184	-7.232	4.767×10^{-13}	-1.088	-0.6241
	t4	0.2568	0.1046	2.455	0.01409	0.05179	0.4619
	t1	-2.211	0.2751	-8.037	8.882×10^{-16}	-2.750	-1.672
si6	t2	-1.744	0.1867	-9.343	0.000	-2.110	-1.378
	t3	-0.9584	0.1226	-7.816	5.551×10^{-15}	-1.199	-0.7181
	t4	0.2047	0.1042	1.965	0.04944	5.058×10^{-4}	0.4088
	t1	-2.211	0.2751	-8.037	8.882×10^{-16}	-2.750	-1.672
si7	t2	-1.237	0.1379	-8.967	0.000	-1.507	-0.9663
	t3	-0.6745	0.1124	-6.001	1.956×10^{-9}	-0.8948	-0.4542
	t4	0.6120	0.1107	5.527	3.253×10^{-8}	0.3950	0.8290
	t1	-2.211	0.2751	-8.037	8.882×10^{-16}	-2.750	-1.672
si8	t2	-1.926	0.2144	-8.985	0.000	-2.347	-1.506
	t3	-0.8083	0.1166	-6.930	4.198×10^{-12}	-1.037	-0.5797
	t4	0.2744	0.1048	2.618	0.008837	0.06899	0.4798
	t1	-2.211	0.2751	-8.037	8.882×10^{-16}	-2.750	-1.672
ps1	t2	-1.828	0.1985	-9.207	0.000	-2.217	-1.439
	t3	-0.6120	0.1107	-5.527	3.253×10^{-8}	-0.8290	-0.3950
	t4	0.4369	0.1070	4.082	4.465×10^{-5}	0.2271	0.6467
	t1	-2.211	0.2751	-8.037	8.882×10^{-16}	-2.750	-1.672
ps2	t2	-1.926	0.2144	-8.985	0.000	-2.347	-1.506
	t3	-1.072	0.1281	-8.365	0.000	-1.323	-0.8207
	t4	-0.08478	0.1035	-0.8191	0.4127	-0.2877	0.1181
	t1	-1.828	0.1985	-9.207	0.000	-2.217	-1.439
ps3	t2	-1.494	0.1584	-9.430	0.000	-1.805	-1.184
	t3	-1.072	0.1281	-8.365	0.000	-1.323	-0.8207
	t4	0.1018	0.1036	0.9829	0.3257	-0.1012	0.3048
	t1	-2.048	0.2373	-8.630	0.000	-2.513	-1.583

Thresholds

Indicator	Threshold	Estimate	Std. Error	z-value	p	95% Confidence Interval	
						Lower	Upper
ps4	t2	-1.607	0.1700	-9.453	0.000	-1.940	-1.274
	t3	-1.102	0.1298	-8.495	0.000	-1.357	-0.8481
	t4	0.3455	0.1056	3.270	0.001075	0.1384	0.5525
	t1	-1.926	0.2144	-8.985	0.000	-2.347	-1.506
ps5	t2	-1.444	0.1539	-9.385	0.000	-1.746	-1.143
	t3	-0.7850	0.1158	-6.778	1.220×10^{-11}	-1.012	-0.5580
	t4	0.3455	0.1056	3.270	0.001075	0.1384	0.5525
	t1	-2.470	0.3577	-6.904	5.041×10^{-12}	-3.171	-1.769
ps6	t2	-1.744	0.1867	-9.343	0.000	-2.110	-1.378
	t3	-0.7850	0.1158	-6.778	1.220×10^{-11}	-1.012	-0.5580
	t4	0.2394	0.1045	2.292	0.02192	0.03465	0.4441
	t1	-2.048	0.2373	-8.630	0.000	-2.513	-1.583
ps7	t2	-1.828	0.1985	-9.207	0.000	-2.217	-1.439
	t3	-1.313	0.1433	-9.165	0.000	-1.594	-1.032
	t4	-0.2920	0.1050	-2.781	0.005412	-0.4978	-0.08625
	t1	-2.211	0.2751	-8.037	8.882×10^{-16}	-2.750	-1.672
ps8	t2	-1.926	0.2144	-8.985	0.000	-2.347	-1.506
	t3	-1.398	0.1499	-9.325	0.000	-1.692	-1.104
	t4	-0.03388	0.1034	-0.3277	0.7432	-0.2365	0.1688
	t1	-1.926	0.2144	-8.985	0.000	-2.347	-1.506
ps9	t2	-1.398	0.1499	-9.325	0.000	-1.692	-1.104
	t3	-0.6959	0.1130	-6.158	7.353×10^{-10}	-0.9174	-0.4744
	t4	0.3635	0.1059	3.433	5.971×10^{-4}	0.1560	0.5711
	t1	-1.828	0.1985	-9.207	0.000	-2.217	-1.439
ps10	t2	-1.548	0.1637	-9.454	0.000	-1.869	-1.227
	t3	-1.014	0.1252	-8.096	6.661×10^{-16}	-1.259	-0.7682
	t4	-0.05083	0.1034	-0.4915	0.6231	-0.2535	0.1519
	t1	-1.828	0.1985	-9.207	0.000	-2.217	-1.439
ps11	t2	-1.494	0.1584	-9.430	0.000	-1.805	-1.184
	t3	-0.9584	0.1226	-7.816	5.551×10^{-15}	-1.199	-0.7181
	t4	-0.06780	0.1035	-0.6553	0.5123	-0.2706	0.1350
	t1	-2.048	0.2373	-8.630	0.000	-2.513	-1.583
ps12	t2	-1.607	0.1700	-9.453	0.000	-1.940	-1.274
	t3	-1.042	0.1266	-8.232	2.220×10^{-16}	-1.290	-0.7941
	t4	-0.08478	0.1035	-0.8191	0.4127	-0.2877	0.1181
	t1	-1.926	0.2144	-8.985	0.000	-2.347	-1.506
	t2	-1.134	0.1316	-8.620	0.000	-1.392	-0.8762
	t3	-0.4184	0.1067	-3.920	8.855×10^{-5}	-0.6276	-0.2092
	t4	0.6534	0.1118	5.844	5.098×10^{-9}	0.4342	0.8725

Reliability

	Coefficient ω	Coefficient α
Factor 1	0.9420	0.9046
Factor 2	0.9121	0.8944
Factor 3	0.9727	0.9272
Factor 4	0.9757	0.9464
total	1.014	0.9694

Modification Indices

Cross-loadings

			Mod. Ind.	EPC
Factor 3	→	tv11	288.0	0.9646
Factor 2	→	tv11	281.3	1.093
Factor 4	→	tv11	248.6	1.015
Factor 2	→	tv7	88.80	-0.6093
Factor 3	→	tv7	87.99	-0.5474
Factor 4	→	tv7	84.75	-0.5825
Factor 2	→	tv3	73.39	-0.5405
Factor 3	→	tv3	66.63	-0.4571
Factor 4	→	tv3	66.10	-0.5049
Factor 3	→	ps1	43.47	0.6674
Factor 2	→	tv2	40.68	-0.3996
Factor 3	→	tv2	40.10	-0.3548
Factor 2	→	tv4	37.43	0.3716
Factor 4	→	tv4	36.86	0.3595
Factor 4	→	tv2	36.55	-0.3725
Factor 3	→	tv4	34.32	0.3182
Factor 4	→	tv9	33.46	-0.4097
Factor 2	→	tv9	32.94	-0.4133
Factor 3	→	tv9	32.47	-0.3664
Factor 3	→	tv5	31.63	0.2995
Factor 2	→	tv5	27.46	0.3148
Factor 2	→	ps5	24.61	0.8150
Factor 2	→	ps1	22.02	0.8233
Factor 2	→	ps11	20.94	-0.7828
Factor 2	→	si1	20.49	0.9498
Factor 4	→	tv5	18.24	0.2545
Factor 3	→	to2	17.71	-0.9104
Factor 3	→	ps11	17.21	-0.4341
Factor 1	→	ps8	15.19	0.3225
Factor 1	→	to4	13.85	-0.3230
Factor 2	→	ps12	13.33	-0.7474
Factor 3	→	tv8	12.32	-0.2336
Factor 2	→	si3	12.30	-0.8602
Factor 3	→	ps12	12.13	-0.4452
Factor 3	→	ps5	11.85	0.3569
Factor 2	→	tv8	9.919	-0.2320
Factor 4	→	tv8	8.348	-0.2101
Factor 4	→	si1	8.247	0.3131
Factor 3	→	tv10	8.123	-0.1684
Factor 1	→	si3	7.502	0.2243
Factor 4	→	si4	7.458	0.2828
Factor 1	→	to1	7.414	0.2279
Factor 1	→	to6	7.090	-0.2262
Factor 2	→	ps4	6.582	0.4293
Factor 3	→	to1	5.758	0.5317
Factor 2	→	si2	5.722	-0.5552
Factor 2	→	tv10	5.569	-0.1553
Factor 2	→	ps10	5.424	-0.4173
Factor 2	→	ps6	5.420	-0.4494
Factor 1	→	ps9	5.148	-0.2068
Factor 2	→	si7	4.992	-0.4284
Factor 3	→	ps10	4.963	-0.2453
Factor 1	→	si6	4.847	-0.1737
Factor 4	→	si3	4.714	-0.2704
Factor 4	→	to5	4.708	0.3592
Factor 4	→	to6	4.527	-0.3562

Cross-loadings

			Mod. Ind.	EPC
Factor 4	→	tv10	4.362	-0.1340
Factor 1	→	to7	3.997	0.1644

Residual covariances

			Mod. Ind.	EPC
tv6	↔	tv10	68.22	0.3399
si2	↔	si3	65.50	0.2834
tv2	↔	tv7	42.67	0.2472
tv2	↔	tv11	35.15	-0.4489
ps9	↔	ps11	35.05	0.1524
tv8	↔	tv9	33.70	0.3807
tv2	↔	tv3	32.74	0.2056
tv7	↔	tv9	32.09	0.3430
ps10	↔	ps11	31.89	0.1512
tv3	↔	tv7	30.73	0.2204
si7	↔	si8	28.09	0.1224
ps2	↔	ps3	22.55	0.1449
si7	↔	ps1	21.53	0.1746
tv7	↔	tv11	21.32	-0.4041
tv3	↔	tv11	21.16	-0.3948
tv4	↔	tv11	19.43	-0.2475
tv1	↔	tv11	19.13	-0.2797
ps10	↔	ps12	17.54	0.1948
tv1	↔	ps8	16.69	0.2001
tv6	↔	tv11	15.04	-0.3067
tv5	↔	tv11	14.80	-0.2099
tv11	↔	si8	14.72	0.1775
tv11	↔	to1	13.09	0.2033
to6	↔	si1	12.92	0.1426
tv3	↔	to2	12.15	-0.3037
tv10	↔	tv11	12.09	-0.2484
tv11	↔	si5	11.13	0.1780
tv3	↔	to6	10.96	-0.3163
tv3	↔	to4	10.85	-0.2604
tv11	↔	si7	10.25	0.1701
tv1	↔	si6	9.949	-0.2211
tv11	↔	si6	9.904	0.1833
tv5	↔	tv10	9.716	-0.2544
tv8	↔	tv11	9.265	-0.2661
si4	↔	ps5	9.253	0.1221
tv11	↔	ps1	9.047	0.1527
si1	↔	ps1	9.011	0.1253
tv7	↔	si8	8.580	-0.2628
to4	↔	ps5	8.490	0.1279
tv4	↔	tv5	8.212	0.1131
to4	↔	si6	8.072	0.1178
tv2	↔	to6	8.036	-0.2272
tv1	↔	tv3	7.986	0.1718
tv5	↔	si3	7.683	0.1823
ps5	↔	ps11	7.289	-0.1379
tv9	↔	ps10	7.153	-0.2288
ps11	↔	ps12	7.120	0.1296
tv2	↔	si8	7.062	-0.2021
tv3	↔	si6	6.887	-0.2014
tv7	↔	ps9	6.869	-0.2231
tv7	↔	si7	6.529	-0.2387
si2	↔	si4	6.518	-0.1634
si8	↔	ps1	6.348	0.1062
ps8	↔	ps11	6.337	-0.1393
tv9	↔	tv11	6.295	-0.2143
to2	↔	si5	6.279	-0.1703
si1	↔	si8	6.053	-0.1115

Residual covariances

			Mod. Ind.	EPC
tv11	↔	ps2	6.029	0.1244
si4	↔	ps1	6.016	0.1203
tv5	↔	to3	6.013	0.1516
tv7	↔	ps10	5.991	-0.1953
tv2	↔	tv8	5.909	0.1443
to2	↔	to6	5.866	0.1001
ps5	↔	ps10	5.860	-0.1402
tv9	↔	ps11	5.794	-0.2183
ps1	↔	ps9	5.744	-0.1364
to2	↔	to3	5.699	0.1172
tv7	↔	to1	5.639	-0.2110
ps1	↔	ps11	5.621	-0.1236
tv3	↔	tv8	5.620	0.1447
tv7	↔	ps11	5.602	-0.2197
tv7	↔	to6	5.438	-0.1852
tv9	↔	ps9	5.359	-0.1991
to2	↔	si3	5.354	-0.1616
tv11	↔	to5	5.320	0.1341
tv3	↔	tv4	5.248	-0.1361
to1	↔	to7	5.095	-0.1572
tv9	↔	si7	5.052	-0.2166
tv1	↔	tv4	5.044	-0.1190
tv2	↔	si7	5.004	-0.1842
tv3	↔	tv9	4.998	0.1525
tv2	↔	si6	4.985	-0.1673
si4	↔	ps4	4.965	0.1063
tv10	↔	si6	4.942	-0.1794
tv7	↔	si6	4.928	-0.1819
tv3	↔	si8	4.896	-0.1774
tv1	↔	ps12	4.803	0.1535
tv11	↔	si4	4.681	0.1209
tv4	↔	tv6	4.640	-0.1280
tv1	↔	tv5	4.606	-0.1211
tv4	↔	to5	4.588	0.1360
ps8	↔	ps10	4.396	-0.1252
tv3	↔	ps3	4.331	-0.1818
tv5	↔	si8	4.315	0.1101
tv2	↔	to2	4.222	-0.1608
to5	↔	ps5	4.190	0.08833
si3	↔	ps12	4.122	-0.1583
ps2	↔	ps11	4.118	-0.09956
to3	↔	ps12	4.097	-0.1463
tv7	↔	to2	4.091	-0.1731
to6	↔	ps6	4.081	-0.1228
tv4	↔	ps12	4.048	0.1146
si3	↔	ps11	3.966	-0.1423
ps1	↔	ps12	3.959	-0.1451
ps2	↔	ps7	3.917	-0.1131
to6	↔	ps5	3.916	0.07769
ps4	↔	ps6	3.911	0.09695
tv3	↔	ps4	3.878	-0.1658
ps1	↔	ps10	3.859	-0.1127