

# **Yum Extension for Config5**

**Stefan Walter**

---

# Yum Extension for Config5

Stefan Walter

Publication date August 2012

Copyright © 2012 ETH Zurich, ISGINF

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License" of the "Config5 Systems Administrator's Guide".

---

# Table of Contents

1. Introduction .....	1
1.1. Overview .....	1
1.2. Examples .....	1
2. Installation and Customization .....	2
2.1. Installation .....	2
2.1.1. Files .....	2
2.2. Settings .....	2
3. Changes .....	3
3.1. Changes .....	3
3.1.1. yum install .....	3
3.1.2. yum uninstall .....	3
3.2. Configuration Application .....	3
3.2.1. Phase .....	3
3.2.2. Order and Application .....	3
3.2.3. Trigger Flag .....	3
A. Error Messages .....	4
A.1. Configuration Data Errors .....	4
A.2. Configuration Application Errors .....	4

---

## List of Examples

3.1. Install .....	3
3.2. Uninstall .....	3

---

# Chapter 1. Introduction

## 1.1. Overview

The Yum Extension is a simple wrapper around the **yum** command. It provides the `yum change` to efficiently install and uninstall RPM packages from Yum repositories with Config5.

## 1.2. Examples

Packages can be installed and uninstalled as shown in the following example spec file:

```
RedHatEnterpriseServer:
yum install gcc
yum uninstall sane
```

---

# Chapter 2. Installation and Customization

## 2.1. Installation

This extension is contained in the archive `extensions/yum.tgz` which is part of the Config5 distribution. Simply extract this archive in the `deploy` directory.

### 2.1.1. Files

The following files are included in the archive:

- `etc/extensions.d/yum.pl`
- `lib/perl/Config5/Change/Extensions/Yum.pm`
- `lib/perl/Config5/Action/Extensions/Yum.pm`

## 2.2. Settings

This extension does not have any configurable settings.

---

# Chapter 3. Changes

## 3.1. Changes

This extension provides the `yum change` which has two actions: `install` and `uninstall`.

### 3.1.1. yum install

The `install` action of the `yum change` will install a single RPM package.

Synopsis	<code>yum [-ntT] install package [repo]</code>
----------	--

The parameter *package* is the package name without version numbers. The optional parameter *repo* specifies a repository that will be enabled for the installation.

#### Example 3.1. Install

```
sample:
yum install gcc
yum install mplayer rpmforge
```

### 3.1.2. yum uninstall

The `uninstall` action of the `yum change` will uninstall the specified package.

Synopsis	<code>yum [-ntT] uninstall package</code>
----------	---

The parameter *package* is the package to uninstall.

#### Example 3.2. Uninstall

```
sample:
yum uninstall cups
```

## 3.2. Configuration Application

### 3.2.1. Phase

The `yum changes` are applied in the `packages` phase.

### 3.2.2. Order and Application

All `yum changes` of a pass are applied in the order the changes are encountered during the parsing of the `spec` files.

The extension caches package information when checking for packages that have to be installed or uninstalled. Mixing `yum` and `execute` changes to install or uninstall packages is not supported.

### 3.2.3. Trigger Flag

The the trigger flag for triggered changes is set when package is installed or uninstalled.

---

# Appendix A. Error Messages

## A.1. Configuration Data Errors

Configuration data errors are fatal, no changes will be done to the system.

Invalid action '...' in ...

The action must be `install` or `uninstall`.

## A.2. Configuration Application Errors

The following errors are reported for changes as they are applied but do not interrupt the application of other changes.

Failed to ... package '*package*'

The named package could not be installed or uninstalled. Typically the package does not exist or there was an error with the **yum** command.