

Eight-Week COVID19 Projections for New York City

Wan Yang, Sasikiran Kandula, Jeffrey Shaman

Document Date: 4/25/2020

Note: Projections from 4/3/20 onwards included age-specific data and as such the model was likely better constrained and would better reflect the transmission dynamics, compared to our previous model projections. For more details on Methods, see README.pdf


Results – see tables (Projected Epidemic Outcomes and Healthcare Demands etc.) in WeeklyProjections.xlsx; see figures below.

Some observations based on confirmed COVID19 case data up to 4/24/2020:

- 1) This week, numbers of infections and related health outcomes (e.g. hospitalizations) continued to decrease and are projected to trend further down in the following weeks, should current level of control measures (social distancing, etc.) be maintained.
 - 2) Promisingly, the demands to healthcare systems (ICU beds and ventilators) are also projected to decrease for the coming weeks, should current level of control measures (social distancing, etc.) be maintained.
 - 3) Estimated R_t , the real-time reproductive number, for the week of 4/19/20 was 0.67 (IQR: 0.47 – 0.81), which accounted for the depletion of susceptibles (i.e., seroprevalence—assuming people are immune after recovery). Estimated R_t for the week of 4/19/20 was 0.82 (IQR: 0.58 – 0.99) if seroprevalence is ignored. Note both estimates indicate strong reductions in transmissibility over the last few weeks.
 - 4) Model evaluation: Our model was trained using weekly incidence data (i.e. confirmed case counts) and further calibrated to weekly number of reported hospitalizations citywide and weekly number of reported covid-19 related deaths citywide. Compared to citywide incidence, hospitalization, and mortality data, the relative error of our model estimates was 3.9% for incidence, -0.35% for hospitalization, and -2.7% for mortality.
 - 5) Model evaluation: Compared to reported healthcare demands reported in The New York State Department of Health Hospital Emergency Response Data System (HERDS) including hospital beds, ICU beds and ventilators in use each day, our model estimates of hospital beds and ICU beds were higher (but not ventilators). This could in part be due to under-reporting in HERDS. Therefore, if you are using our projected needs of hospital beds and ICU beds for logistics and planning, please scale according to records in your own facility. (Note that estimates for past weeks are available in the spreadsheet " TrainingEstimates" for such scaling.)
-


Acknowledgement: We thank the NYC Department of Health and Mental Hygiene (DOHMH) for sharing of data and allowing this public posting. And we thank Columbia Mailman School of Public Health for high performance computing.

Caution: Please note that there are large uncertainties in our model projections due to unknown disease transmission dynamics (model misspecification), changing behavior and policies, delay in reporting, and under-reporting. In particular, the data our projections are based on reflect situations ~2 weeks ago due to time lags from interventions implemented to transmission events (a couple days to weeks), from infection to symptom onset (~2-6 days), from symptom onset to seeking treatment (~2-7 days), from seeking treatment to getting tested and then reported in the surveillance system (~2-7 days). In addition, how the epidemic would unfold also depend largely on behavior changes over time.




Projected number for the next 8 weeks under different control scenarios. Blue lines and points show median estimates for the model training period; red lines show projected median numbers with seasonality (solid lines) or without seasonality (dashed lines); shaded regions shown the interquartile ranges (IQR) for model estimates with seasonality (in orange) or without seasonality (in yellow). Dates are the first day (i.e. Sunday) of the week.

New Cases




Projected number for the next 8 weeks under different control scenarios. Blue lines and points show median estimates for the model training period; red lines show projected median numbers with seasonality (solid lines) or without seasonality (dashed lines); shaded regions shown the interquartile ranges (IQR) for model estimates with seasonality (in orange) or without seasonality (in yellow). Dates are the first day (i.e. Sunday) of the week.

New Total Hospitalizations




Projected number for the next 8 weeks under different control scenarios. Blue lines and points show median estimates for the model training period; red lines show projected median numbers with seasonality (solid lines) or without seasonality (dashed lines); shaded regions shown the interquartile ranges (IQR) for model estimates with seasonality (in orange) or without seasonality (in yellow). Dates are the first day (i.e. Sunday) of the week.

New Non-ICU Hospitalizations




Projected number for the next 8 weeks under different control scenarios. Blue lines and points show median estimates for the model training period; red lines show projected median numbers with seasonality (solid lines) or without seasonality (dashed lines); shaded regions shown the interquartile ranges (IQR) for model estimates with seasonality (in orange) or without seasonality (in yellow). Dates are the first day (i.e. Sunday) of the week.

New ICU admissions




Projected number for the next 8 weeks under different control scenarios. Blue lines and points show median estimates for the model training period; red lines show projected median numbers with seasonality (solid lines) or without seasonality (dashed lines); shaded regions shown the interquartile ranges (IQR) for model estimates with seasonality (in orange) or without seasonality (in yellow). Dates are the first day (i.e. Sunday) of the week.

New Intubations




Projected number for the next 8 weeks under different control scenarios. Blue lines and points show median estimates for the model training period; red lines show projected median numbers with seasonality (solid lines) or without seasonality (dashed lines); shaded regions shown the interquartile ranges (IQR) for model estimates with seasonality (in orange) or without seasonality (in yellow). Dates are the first day (i.e. Sunday) of the week.

New Deaths




Projected number for the next 8 weeks under different control scenarios. Blue lines and points show median estimates for the model training period; red lines show projected median numbers with seasonality (solid lines) or without seasonality (dashed lines); shaded regions shown the interquartile ranges (IQR) for model estimates with seasonality (in orange) or without seasonality (in yellow). Dates are the first day (i.e. Sunday) of the week.

Total Hospital Bed Needs (prevalence, max)




Projected number for the next 8 weeks under different control scenarios. Blue lines and points show median estimates for the model training period; red lines show projected median numbers with seasonality (solid lines) or without seasonality (dashed lines); shaded regions shown the interquartile ranges (IQR) for model estimates with seasonality (in orange) or without seasonality (in yellow). Dates are the first day (i.e. Sunday) of the week.

Total Hospital Bed Needs (prevalence, mean)




Projected number for the next 8 weeks under different control scenarios. Blue lines and points show median estimates for the model training period; red lines show projected median numbers with seasonality (solid lines) or without seasonality (dashed lines); shaded regions shown the interquartile ranges (IQR) for model estimates with seasonality (in orange) or without seasonality (in yellow). Dates are the first day (i.e. Sunday) of the week.

Non-ICU Hospital Bed Needs (prevalence, max)




Projected number for the next 8 weeks under different control scenarios. Blue lines and points show median estimates for the model training period; red lines show projected median numbers with seasonality (solid lines) or without seasonality (dashed lines); shaded regions shown the interquartile ranges (IQR) for model estimates with seasonality (in orange) or without seasonality (in yellow). Dates are the first day (i.e. Sunday) of the week.

Non-ICU Hospital Bed Needs (prevalence, mean)




Projected number for the next 8 weeks under different control scenarios. Blue lines and points show median estimates for the model training period; red lines show projected median numbers with seasonality (solid lines) or without seasonality (dashed lines); shaded regions shown the interquartile ranges (IQR) for model estimates with seasonality (in orange) or without seasonality (in yellow). Dates are the first day (i.e. Sunday) of the week.

ICU Bed Needs (prevalence, max)




Projected number for the next 8 weeks under different control scenarios. Blue lines and points show median estimates for the model training period; red lines show projected median numbers with seasonality (solid lines) or without seasonality (dashed lines); shaded regions shown the interquartile ranges (IQR) for model estimates with seasonality (in orange) or without seasonality (in yellow). Dates are the first day (i.e. Sunday) of the week.

ICU Bed Needs (prevalence, mean)




Projected number for the next 8 weeks under different control scenarios. Blue lines and points show median estimates for the model training period; red lines show projected median numbers with seasonality (solid lines) or without seasonality (dashed lines); shaded regions shown the interquartile ranges (IQR) for model estimates with seasonality (in orange) or without seasonality (in yellow). Dates are the first day (i.e. Sunday) of the week.

Ventilator Needs (prevalence, max)




Projected number for the next 8 weeks under different control scenarios. Blue lines and points show median estimates for the model training period; red lines show projected median numbers with seasonality (solid lines) or without seasonality (dashed lines); shaded regions shown the interquartile ranges (IQR) for model estimates with seasonality (in orange) or without seasonality (in yellow). Dates are the first day (i.e. Sunday) of the week.

Ventilator Needs (prevalence, mean)




Projected number for the next 8 weeks under different control scenarios. Blue lines and points show median estimates for the model training period; red lines show projected median numbers with seasonality (solid lines) or without seasonality (dashed lines); shaded regions shown the interquartile ranges (IQR) for model estimates with seasonality (in orange) or without seasonality (in yellow). Dates are the first day (i.e. Sunday) of the week.

Total Hospitalization Discharge




Projected number for the next 8 weeks under different control scenarios. Blue lines and points show median estimates for the model training period; red lines show projected median numbers with seasonality (solid lines) or without seasonality (dashed lines); shaded regions shown the interquartile ranges (IQR) for model estimates with seasonality (in orange) or without seasonality (in yellow). Dates are the first day (i.e. Sunday) of the week.

Non-ICU Hospitalization Discharge




Projected number for the next 8 weeks under different control scenarios. Blue lines and points show median estimates for the model training period; red lines show projected median numbers with seasonality (solid lines) or without seasonality (dashed lines); shaded regions shown the interquartile ranges (IQR) for model estimates with seasonality (in orange) or without seasonality (in yellow). Dates are the first day (i.e. Sunday) of the week.

New ICU Discharge



Projected number for the next 8 weeks under different control scenarios. Blue lines and points show median estimates for the model training period; red lines show projected median numbers with seasonality (solid lines) or without seasonality (dashed lines); shaded regions shown the interquartile ranges (IQR) for model estimates with seasonality (in orange) or without seasonality (in yellow). Dates are the first day (i.e. Sunday) of the week.

New Extubation



Projected number for the next 8 weeks under different control scenarios. Blue lines and points show median estimates for the model training period; red lines show projected median numbers with seasonality (solid lines) or without seasonality (dashed lines); shaded regions shown the interquartile ranges (IQR) for model estimates with seasonality (in orange) or without seasonality (in yellow). Dates are the first day (i.e. Sunday) of the week.