	LSHA SINGH
	1BM19EC057
CONTRACTOR CONTRACT	Lab-6 Section A//
	, του σωνί = μ
	The stay elaster
	in al parkage bolden - Student
	In see backage III. and and Internation
	In dela 14 19 places - Esternal para
	In cie package folder - Student java and Internation In see package folder - Esternal java In default package mitotaltanks java.
	the decides of the state of the
Fue >	Student java
	Jane
	in the super of the super state
	parkage cie.
	1.t. mai tradmi
	import java util Scarner.
	punc coss student.
	There is talland in 1 1 2
	String mans
	String name.
	String usn:
	un sem; di achi i di achi
	public Student's
	500,0000 50 - 00 50 1
	Scanner Sc = new Scanner (System.in)
	open ou punto l'Enter the name of dudent
	name = sc. nerd():
	System. ord println(" Enter-the un of student:").
	won = sc. nest():
	C + +
	Dyslem out printle (" Enter the sem of student: ").
	System out printle (" Enter the sem of student: ").  Sem = Si new Intilization
	3 daniel and in
	7
	Librate - on - Clause stant redon
	Chelegody intel
	Har maker 2 manapale . a 2 2 man
A STATE OF THE STA	
	1 Comment of the comm
-	
-	to your od while the market
	Pur S
Marie Day	

	18 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	ISHA SINGH	
	. 1141	1 Britite CO57	
		DATE	
File > Student java Internals. java			
11/11/11	Just en control just		
	parage cie:		
•	Francis liter and broden	the true to	
	public dass student Internal	tudent student	
		· · · · · · · · · · · · · · · · · · ·	
	public double vient]=n	cio daubicis.	
	public Internals)	1000	
	Ç.	Williams Gooding	
	Scanner Sc = new Scanner	•	
	System out println!" (ie	make.").	
	for(int i=0 ic5 i++)		
	9	in a bout	
	System out println ("Ente	n the subject"	
	+ (i+1)+" marks:"	)-1,11	
	cumtil=sc.nestbouber		
	Jan roky I Bearing and	2 000000	
1.50	at 3. mai cat white in	ditu mili.	
•	J.*	i de Societ	
1 60	and to any of who water	of the men of	
	Externals java		
	package see	ri tue miero	
	import java util Scarren	no property.	
	public class Externals /	•	
	2'		
	public double seeml] =	new double 1.57.	
	public Externals()		
	1		
	Scanner Sc = new Sca	mer (system is).	
	forlind i = 0; i < 5, i ++)		
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
	"I system out brinth ("	Enter the subject "T.	
		hison	
		Scanned with CamScanner	
		Jeanned with Campeanner	

```
(i+1)+ " see moodes::");
Seem (i) = sc. nextbouble();
```

File > Total Martes. jour

import see .

import java Lili Scanner;

public class TotalMorks

I Eleger parte laison bien state sitele

Scanner oc = new Scanner (System in).

System. out printle!" Enter the number of students: ").

en n = sc. nerottall;

cie. Internals cit] = new cie. Internals [n].

see Externals Sell = new see Externals 15%.

forlist i = 0; isn; i++)

System. out. println!" Student "+ (i+1)+" ditails:")
cie (i] = new cie. Internals ().

Setil = new see Esternals ().

System out println(" The total marks of subjects").

for lint j=0; j<5; j+r)

System out println!" Total marks in subject" + (i+1) + "::" + (iii) ciemlj] + sclil.seemlj!

Scanned with CamScanner