





pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Foreign Data Wrappers
- Languages
- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (2)
 - books
 - test_vectors
 - Trigger Functions
 - Types
 - Views
- Subscriptions
- postgres
- Login/Group Roles
- Tablespaces

Processes

bookflow_db/postgres@PostgreSQL 18

Query

```
1 INSERT INTO books (title, author, description)
2 The Martian, 'Andy Weir', 'A stranded astro
3 Dune', 'Frank Herbert', 'A science-fiction s
4 Pride and Prejudice', 'Jane Austen', 'A clas
5 The Hobbit', 'J.R.R. Tolkien', 'A fantasy ad
6 Foundation', 'Isaac Asimov', 'A science-fict
7 SELECT * FROM books;
```

Data Output

id	[PK] integer	title	character varying (200)	author	character varying (200)	description	text
1		1	The Martian	Andy Weir		A stranded astronaut struggles to survive on Mars.	
2		2	Dune	Frank Herbert		A science-fiction story involving planets, politics and survival.	
3		3	Pride and Prejudice	Jane Austen		A classic story of relationships, family and society.	
4		4	The Hobbit	J.R.R. Tolkien		A fantasy adventure involving a journey, creatures and a dangerous world.	
5		5	Foundation	Isaac Asimov		A science-fiction story about humanity and the future of civilization.	

Total rows: 10 Query complete 00:00:00.131 CRLF Ln 7, Col 21

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Foreign Data Wrappers
- Languages
- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (2)
 - books
 - test_vectors
 - Trigger Functions
 - Types
 - Views
- Subscriptions
- postgres
- Login/Group Roles
- Tablespaces

Processes

bookflow_db/postgres@PostgreSQL 18

Query

```
1 INSERT INTO books (title, author, description)
2 The Martian, 'Andy Weir', 'A stranded astro
3 Dune', 'Frank Herbert', 'A science-fiction s
4 Pride and Prejudice', 'Jane Austen', 'A clas
5 The Hobbit', 'J.R.R. Tolkien', 'A fantasy ad
6 Foundation', 'Isaac Asimov', 'A science-fict
7 SELECT * FROM books;
```

Data Output

id	[PK] integer	title	character varying (200)	author	character varying (200)	description	text
6		6	The Martian	Andy Weir		A stranded astronaut struggles to survive on Mars.	
7		7	Dune	Frank Herbert		A science-fiction story involving planets, politics and survival.	
8		8	Pride and Prejudice	Jane Austen		A classic story of relationships, family and society.	
9		9	The Hobbit	J.R.R. Tolkien		A fantasy adventure involving a journey, creatures and a dangerous world.	
10		10	Foundation	Isaac Asimov		A science-fiction story about humanity and the future of civilization.	

Total rows: 10 Query complete 00:00:00.131 CRLF Ln 7, Col 21

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Event Triggers
- Extensions
- Foreign Data Wrappers
- Languages
- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (2)
 - books
 - test_vectors
 - Trigger Functions
 - Types
 - Views
- Subscriptions
- postgres
- Login/Group Roles
- Tablespaces

Processes

bookflow_db/postgres@PostgreSQL 18

Query




```
1 TABLE books ADD COLUMN embedding VECTOR(3);
```




Data Output

ALTER TABLE

Query returned successfully in 135 msec.

Total rows: Query complete 00:00:00.135 CRLF Ln 1, Col 50





pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Event Triggers
- Extensions
- Foreign Data Wrappers
- Languages
- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (2)
 - books
 - test_vectors
 - Trigger Functions
 - Types
 - Views
- postgres

Processes X bookflow_db/post... X bookflow_db/post... X bookflow_db/postgres@PostgreSQL 18*

Query Query History Scratch Pad X

```
1 SELECT
2   id,
3   title,
4   embedding <-> '[0.10, 0.85, 0.20]' AS L
5 FROM books
6 WHERE embedding IS NOT NULL
7 ORDER BY embedding <-> '[0.10, 0.85, 0.20]'
8 LIMIT 3;
```

Data Output Messages Notifications

Showing rows: 1 to 3 Page No: 1 of 1

id	title	L2_distance
[pk] integer	character varying (200)	double precision
1	The Martian	0.049099952970850514
2	The Martian	0.049099952970850514
3	Dune	0.11180339670794972

Total rows: 3 Query complete 00:00:00.202 CRLF Ln 8, Col 9

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Event Triggers
- Extensions
- Foreign Data Wrappers
- Languages
- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (2)
 - books
 - test_vectors
 - Trigger Functions
 - Types
 - Views
- postgres

Processes X bookflow_db/post... X bookflow_db/post... X bookflow_db/postgres@PostgreSQL 18*

Query Query History Scratch Pad X

```
1 DELETE FROM books b
2 USING books b_
3 WHERE a.title = b.title
4 AND a.id > b.id;
```

Data Output Messages Notifications

DELETE 5

Query returned successfully in 88 msec.

Total rows: Query complete 00:00:00.088 CRLF Ln 4, Col 19

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Event Triggers
- Extensions
- Foreign Data Wrappers
- Languages
- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (2)
 - books
 - test_vectors
 - Trigger Functions
 - Types
 - Views
- postgres

Processes X bookflow_db/post... X bookflow_db/post... X bookflow_db/postgres@PostgreSQL 18*

Query Query History Scratch Pad X

```
1 SELECT
2   id,
3   title,
4   embedding <-> '[0.10, 0.85, 0.20]' AS L
5 FROM books
6 WHERE embedding IS NOT NULL
7 ORDER BY embedding <-> '[0.10, 0.85, 0.20]'
8 LIMIT 3;
```

Data Output Messages Notifications

Showing rows: 1 to 3 Page No: 1 of 1

id	title	L2_distance
[pk] integer	character varying (200)	double precision
1	The Martian	0.049099952970850514
2	Dune	0.11180339670794972
3	Foundation	0.12247450097883303

Total rows: 3 Query complete 00:00:00.120 CRLF Ln 8, Col 9

pgAdmin 4

Object Explorer

- Event Triggers
- Extensions
- Foreign Data Wrappers
- Languages
- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (2)
 - books
 - test_vectors
 - Trigger Functions
 - Types
 - Views
- Subscriptions

Processes

bookflow_db/postgres@PostgreSQL 18

Query

```

1 SELECT
2   id,
3   title,
4   embedding <=> '[0.10, 0.85, 0.20]' AS cosine_distance
5 FROM books
6 WHERE embedding IS NOT NULL
7 ORDER BY embedding <=> '[0.10, 0.85, 0.20]'
8 LIMIT 3;

```

Data Output

id	title	cosine_distance
[PK] integer	character varying (200)	double precision
1	The Martian	5.400262185794306e-05
2	Dune	0.0072885302161147525
3	Foundation	0.009750970430461937

Total rows: 3 Query complete 00:00:00.225

pgAdmin 4

Object Explorer

- Event Triggers
- Extensions
- Foreign Data Wrappers
- Languages
- Publications
- Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (2)
 - books
 - test_vectors
 - Trigger Functions
 - Types
 - Views
- Subscriptions

Processes

bookflow_db/postgres@PostgreSQL 18

Query

```

1 SELECT
2   id,
3   title,
4   1 - (embedding <=> '[0.10, 0.85, 0.20]') AS cosine_similarity
5 FROM books
6 WHERE embedding IS NOT NULL
7 ORDER BY embedding <=> '[0.10, 0.85, 0.20]'
8 LIMIT 3;

```

Data Output

id	title	cosine_similarity
[PK] integer	character varying (200)	double precision
1	The Martian	0.99999917278142
2	Dune	0.9927114097638832
3	Foundation	0.9902406205600281

Total rows: 3 Query complete 00:00:00.118

Swagger Editor

File Edit Generate Server Generate Client About

Sign in to Swagger Try Swagger

```

46 required: [id, title, score]
47 properties:
48   id:
49     type: integer
50   title:
51     type: string
52   score:
53     type: number
54     format: float
55
56 400:
57   description: Bad Request
58   content:
59     application/json:
60       schema:
61         type: object
62         required: [error]
63         properties:
64           error:
65             type: object
66             required: [code, message]
67             properties:
68               code:
69                 type: string
70               message:
71                 type: string

```

BookFlow Search API 1.0.0 OAS 3.0

API contract for semantic book search

default

GET /v1/books/search Search books semantically

