



Document Number: SCN064637

Revision: A

Group: Scanned (Hardcopy) Item

Type: Environmental Reports - Svs Ctr

State: Released


Latest Released: YES

Implemented Date: 05/20/2019

Stamp Date: Monday, May 20, 2019 4:12:35 PM EST

viewLinc Location History Report


Report name	ETHICON Quarterly Report
Location history	from 2018-10-01 12:00:00 to 2019-01-01 12:00:00
Report generated on	2019-01-01 12:00:23 (UTC-05:00) Eastern Time (US & Canada)
Include trend graphs:	Yes
Include threshold lines on graphs:	Yes
Include zones and locations:	System/ETHICON
Include report summary tables:	Yes
Include real-time values:	No
Include device samples:	No
Include statistics tables:	No
Include summary statistics:	Yes
Include interval statistics tables:	No
Include interval statistics graphs:	No



Time zone: (UTC-05:00) Eastern Time (US & Canada)

Security Status: Secure

Report Summary Statistics						
#	Location	Zone	Color	Units	Avg	Min Max
1	Receiving RH (11912)	System/ETHICON (11911)		%RH	43.3	22.4 68.8
2	Repair Testing RH (11918)	System/ETHICON (11911)		%RH	41.8	33.7 61.0
3	Repair Testing2 RH (11922)	System/ETHICON (11911)		%RH	41.7	34.0 61.5
4	Spare parts Shipping RH (11926)	System/ETHICON (11911)		%RH	42.5	32.6 71.3
5	Warehouse RH (11928)	System/ETHICON (11911)		%RH	39.6	25.0 78.5







Time zone: (UTC-05:00) Eastern Time (US & Canada)

Security Status: Secure

Report Summary Statistics							
#	Location	Zone	Color	Units	Avg	Min	Max
6	Receiving T (11914)	System/ETHICON (11911)		°F	69.00	63.71	74.07
7	Repair Testing T (11916)	System/ETHICON (11911)		°F	71.02	66.56	73.94
8	Repair Testing2 T (11920)	System/ETHICON (11911)		°F	71.05	66.38	73.75
9	Spare parts Shipping T (11924)	System/ETHICON (11911)		°F	69.13	66.01	73.09
10	Warehouse T (11930)	System/ETHICON (11911)		°F	69.14	64.65	72.02





Summary for %RH locations

#	1	2	3	4
Plot Legend:				
Location:	Receiving&Decontaminatio n RH (11912)	Repair & Testing RH (11918)	Repair & Testing2 RH (11922)	Spare parts & Shipping RH (11926)
Zone:	System/ETHICON (11911)	System/ETHICON (11911)	System/ETHICON (11911)	System/ETHICON (11911)
Units:	%RH	%RH	%RH	%RH
Device Serial Number:	17332041	17332042	17332036	17332040
Hardware Model:	2000 35R VL	2000 35R VL	2000 35R VL	2000 35R VL
Hardware Revision:	6.13	6.13	6.13	6.13
Firmware Version:	3.39.1	3.39.1	3.39.1	3.39.1
Security:	Secure	Secure	Secure	Secure
Last Calibrated By:	Vaisala Canada Inc	Vaisala Canada Inc	Vaisala Canada Inc	Vaisala Canada Inc
Last Calibration Date:	2018-09-28	2018-09-28	2018-09-28	2018-09-28
Next Calibration Date:	2019-09-28	2019-09-28	2019-09-28	2019-09-28
Host:	ITSUSRAWSP04243.jnj.com	ITSUSRAWSP04243.jnj.com	ITSUSRAWSP04243.jnj.com	ITSUSRAWSP04243.jnj.com

Summary for %RH locations

#	5
Plot Legend:	
Location:	Warehouse RH (11928)
Zone:	System/ETHICON (11911)
Units:	%RH
Device Serial Number:	17332038
Hardware Model:	2000 35R VL
Hardware Revision:	6.13
Firmware Version:	3.39.1
Security:	Secure
Last Calibrated By:	Vaisala Canada Inc
Last Calibration Date:	2018-09-28
Next Calibration Date:	2019-09-28
Host:	ITSUSRAWSP04243.jnj.com

Summary for °F locations


#	6	7	8	9
Plot Legend:				
Location:	Receiving&Decontaminatio n T (11914)	Repair & Testing T (11916)	Repair & Testing2 T (11920)	Spare parts & Shipping T (11924)
Zone:	System/ETHICON (11911)	System/ETHICON (11911)	System/ETHICON (11911)	System/ETHICON (11911)
Units:	°F	°F	°F	°F
Device Serial Number:	17332041	17332042	17332036	17332040
Hardware Model:	2000 35R VL	2000 35R VL	2000 35R VL	2000 35R VL
Hardware Revision:	6.13	6.13	6.13	6.13
Firmware Version:	3.39.1	3.39.1	3.39.1	3.39.1
Security:	Secure	Secure	Secure	Secure
Last Calibrated By:	Vaisala Canada Inc	Vaisala Canada Inc	Vaisala Canada Inc	Vaisala Canada Inc
Last Calibration Date:	2018-09-28	2018-09-28	2018-09-28	2018-09-28
Next Calibration Date:	2019-09-28	2019-09-28	2019-09-28	2019-09-28
Host:	ITSUSRAWSP04243.jnj.com	ITSUSRAWSP04243.jnj.com	ITSUSRAWSP04243.jnj.com	ITSUSRAWSP04243.jnj.com

Summary for °F locations


#	10
Plot Legend:	
Location:	Warehouse T (11930)
Zone:	System/ETHICON (11911)
Units:	°F
Device Serial Number:	17332038
Hardware Model:	2000 35R VL
Hardware Revision:	6.13
Firmware Version:	3.39.1
Security:	Secure
Last Calibrated By:	Vaisala Canada Inc
Last Calibration Date:	2018-09-28
Next Calibration Date:	2019-09-28
Host:	ITSUSRAWSP04243.jnj.com

Name: ERIC SMITH
Date: 1/4/2019
Signature: 

Time zone: (UTC-05:00) Eastern Time (US & Canada)

Name: Robert Peters
Date: 1/3/2019
Signature: 

Security Status: Secure

Name: Ibrahim Bitar
Date: 1/3/2019
Signature: 

Page 7 of 7

Handwritten notes or signatures in the upper right corner of the page.