

PMC Compass: Modelling Outputs for MWI


Modelling outputs from PMC Compass. Please note, results are preliminary and subject to change following further validation.

Corresponding authors: Ishana Atkinson, Catherine Pitt, Andria Mousa

10 February 2026


MWI: Ranked prioritised order to implement PMC

Order at which to implement PMC in the country based on cost-effectiveness of the PMC delivery strategy.



MWI: Incremental cost–effectiveness ratios of implementing NA in each admin–1 unit.

Incremental cost–effectiveness ratios of implementing NA in each admin–1 unit. All costs used to calculate these exclude national–level start up costs.



MWI: Ranked prioritisation of options (page 1)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional clinical malaria cases averted	Additional hospitalisations averted	Additional deaths averted	Additional DALYs averted
MWI	Lilongwe	PMC co-delivery with EPI only vs No PMC	9477	572	122	682
MWI	Dowa	PMC co-delivery with EPI only vs No PMC	5741	280	60	389
MWI	Mchinji	PMC co-delivery with EPI only vs No PMC	3207	166	35	221
MWI	Phalombe	PMC co-delivery with EPI only vs No PMC	1093	69	15	80
MWI	Kasungu	PMC co-delivery with EPI only vs No PMC	5749	279	60	390
MWI	Mzimba	PMC co-delivery with EPI only vs No PMC	3708	253	54	277
MWI	Dedza	PMC co-delivery with EPI only vs No PMC	2603	159	34	188
MWI	Ntchisi	PMC co-delivery with EPI only vs No PMC	1844	101	21	129
MWI	Zomba	PMC co-delivery with EPI only vs No PMC	2346	164	35	177
MWI	Salima	PMC co-delivery with EPI only vs No PMC	2859	147	32	198
MWI	Machinga	PMC co-delivery with EPI only vs No PMC	3431	174	37	235
MWI	Ntcheu	PMC co-delivery with EPI only vs No PMC	2009	123	26	146
MWI	Karonga	PMC co-delivery with EPI only vs No PMC	1568	93	20	112
MWI	Blantyre	PMC co-delivery with EPI only vs No PMC	1338	104	22	105
MWI	Mulanje	PMC co-delivery with EPI only vs No PMC	1192	76	16	87
MWI	Mwanza	PMC co-delivery with EPI only vs No PMC	428	26	6	32
MWI	Chikwawa	PMC co-delivery with EPI only vs No PMC	1180	76	16	86
MWI	Nsanje	PMC co-delivery with EPI only vs No PMC	1202	64	14	84
MWI	Thyolo	PMC co-delivery with EPI only vs No PMC	1137	76	16	84
MWI	Neno	PMC co-delivery with EPI only vs No PMC	437	25	5	30
MWI	Chiradzulu	PMC co-delivery with EPI only vs No PMC	582	40	9	43
MWI	Chitipa	PMC co-delivery with EPI only vs No PMC	315	23	5	24
MWI	Nkhotakota	PMC co-delivery with EPI only vs No PMC	248	18	4	19
MWI	Rumphi	PMC co-delivery with EPI only vs No PMC	269	18	4	19
MWI	Nkhata_Bay	PMC co-delivery with EPI only vs No PMC	155	12	3	13
MWI	Likoma	PMC co-delivery with EPI only vs No PMC	16	1	0	1

MWI: Ranked prioritisation of options (page 2)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Financial cost of SP and administration consumables	Cumulative cost of SP and administration consumables	Additional economic cost savings to public providers from reduced treatment	Cumulative economic cost savings to public providers from reduced treatment
MWI	Lilongwe	PMC co-delivery with EPI only vs No PMC	95093	95093	-42510	-42510
MWI	Dowa	PMC co-delivery with EPI only vs No PMC	24808	119901	-22299	-64809
MWI	Mchinji	PMC co-delivery with EPI only vs No PMC	18902	138803	-12955	-77764
MWI	Phalombe	PMC co-delivery with EPI only vs No PMC	11317	150120	-5059	-82823
MWI	Kasungu	PMC co-delivery with EPI only vs No PMC	24803	174923	-22255	-105078
MWI	Mzimba	PMC co-delivery with EPI only vs No PMC	37749	212672	-18150	-123228
MWI	Dedza	PMC co-delivery with EPI only vs No PMC	0	212672	-11776	-135004
MWI	Ntchisi	PMC co-delivery with EPI only vs No PMC	0	212672	-7737	-142741
MWI	Zomba	PMC co-delivery with EPI only vs No PMC	23603	236275	-11690	-154431
MWI	Salima	PMC co-delivery with EPI only vs No PMC	14315	250590	-11496	-165927
MWI	Machinga	PMC co-delivery with EPI only vs No PMC	19038	269628	-13674	-179601
MWI	Ntcheu	PMC co-delivery with EPI only vs No PMC	18149	287777	-9101	-188702
MWI	Karonga	PMC co-delivery with EPI only vs No PMC	10895	298672	-6948	-195650
MWI	Blantyre	PMC co-delivery with EPI only vs No PMC	36590	335262	-7210	-202860
MWI	Mulanje	PMC co-delivery with EPI only vs No PMC	18104	353366	-5557	-208417
MWI	Mwanza	PMC co-delivery with EPI only vs No PMC	4624	357990	-1928	-210345
MWI	Chikwawa	PMC co-delivery with EPI only vs No PMC	16327	374317	-5541	-215886
MWI	Nsanje	PMC co-delivery with EPI only vs No PMC	8665	382982	-4945	-220831
MWI	Thyolo	PMC co-delivery with EPI only vs No PMC	23605	406587	-5485	-226316
MWI	Neno	PMC co-delivery with EPI only vs No PMC	0	406587	-1887	-228203
MWI	Chiradzulu	PMC co-delivery with EPI only vs No PMC	11029	417616	-2864	-231067
MWI	Chitipa	PMC co-delivery with EPI only vs No PMC	7296	424912	-1619	-232686
MWI	Nkhotakota	PMC co-delivery with EPI only vs No PMC	12147	437059	-1270	-233956
MWI	Rumphi	PMC co-delivery with EPI only vs No PMC	6595	443654	-1297	-235253
MWI	Nkhata_Bay	PMC co-delivery with EPI only vs No PMC	0	443654	-832	-236085
MWI	Likoma	PMC co-delivery with EPI only vs No PMC	0	443654	-73	-236158

MWI: Ranked prioritisation of options (page 3)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional net economic costs of PMC implementation and treatment	Cumulative net costs of PMC implementation and treatment	Incremental economic cost per DALY averted vs. next higher option in ranking	Cost-effective? (lower country-specific threshold)
MWI	Lilongwe	PMC co-delivery with EPI only vs No PMC	525904	525904	771	no
MWI	Dowa	PMC co-delivery with EPI only vs No PMC	197520	723424	508	no
MWI	Mchinji	PMC co-delivery with EPI only vs No PMC	158186	881610	716	no
MWI	Phalombe	PMC co-delivery with EPI only vs No PMC	71432	953042	893	no
MWI	Kasungu	PMC co-delivery with EPI only vs No PMC	352827	1305869	905	no
MWI	Mzimba	PMC co-delivery with EPI only vs No PMC	298953	1604822	1079	no
MWI	Dedza	PMC co-delivery with EPI only vs No PMC	212801	1817623	1132	no
MWI	Ntchisi	PMC co-delivery with EPI only vs No PMC	150285	1967908	1165	no
MWI	Zomba	PMC co-delivery with EPI only vs No PMC	206424	2174332	1166	no
MWI	Salima	PMC co-delivery with EPI only vs No PMC	245262	2419594	1239	no
MWI	Machinga	PMC co-delivery with EPI only vs No PMC	312219	2731813	1329	no
MWI	Ntcheu	PMC co-delivery with EPI only vs No PMC	228083	2959896	1562	no
MWI	Karonga	PMC co-delivery with EPI only vs No PMC	180248	3140144	1609	no
MWI	Blantyre	PMC co-delivery with EPI only vs No PMC	220061	3360205	2096	no
MWI	Mulanje	PMC co-delivery with EPI only vs No PMC	186593	3546798	2145	no
MWI	Mwanza	PMC co-delivery with EPI only vs No PMC	92175	3638973	2880	no
MWI	Chikwawa	PMC co-delivery with EPI only vs No PMC	251942	3890915	2930	no
MWI	Nsanje	PMC co-delivery with EPI only vs No PMC	247298	4138213	2944	no
MWI	Thyolo	PMC co-delivery with EPI only vs No PMC	301553	4439766	3590	no
MWI	Neno	PMC co-delivery with EPI only vs No PMC	111159	4550925	3705	no
MWI	Chiradzulu	PMC co-delivery with EPI only vs No PMC	162184	4713109	3772	no
MWI	Chitipa	PMC co-delivery with EPI only vs No PMC	160948	4874057	6706	no
MWI	Nkhotakota	PMC co-delivery with EPI only vs No PMC	209617	5083674	11032	no
MWI	Rumphi	PMC co-delivery with EPI only vs No PMC	271712	5355386	14301	no
MWI	Nkhata_Bay	PMC co-delivery with EPI only vs No PMC	223240	5578626	17172	no
MWI	Likoma	PMC co-delivery with EPI only vs No PMC	24334	5602960	24334	no

MWI: Ranked prioritisation of options (page 4)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Cost-effective? (higher country-specific threshold)	Cost-effective? (\$250 / DALY averted threshold)	Population (all ages)	Expected PMC doses delivered (age 0-1yr)
MWI	Lilongwe	PMC co-delivery with EPI only vs No PMC	no	no	3681879	552754
MWI	Dowa	PMC co-delivery with EPI only vs No PMC	no	no	918908	136802
MWI	Mchinji	PMC co-delivery with EPI only vs No PMC	no	no	760148	112018
MWI	Phalombe	PMC co-delivery with EPI only vs No PMC	no	no	462788	69019
MWI	Kasungu	PMC co-delivery with EPI only vs No PMC	no	no	984096	138202
MWI	Mzimba	PMC co-delivery with EPI only vs No PMC	no	no	1436886	210232
MWI	Dedza	PMC co-delivery with EPI only vs No PMC	no	no	955008	NA
MWI	Ntchisi	PMC co-delivery with EPI only vs No PMC	no	no	347648	NA
MWI	Zomba	PMC co-delivery with EPI only vs No PMC	no	no	947882	142590
MWI	Salima	PMC co-delivery with EPI only vs No PMC	no	no	554401	81877
MWI	Machinga	PMC co-delivery with EPI only vs No PMC	no	no	819224	114391
MWI	Ntcheu	PMC co-delivery with EPI only vs No PMC	no	no	717343	107077
MWI	Karonga	PMC co-delivery with EPI only vs No PMC	no	no	454044	67907
MWI	Blantyre	PMC co-delivery with EPI only vs No PMC	no	no	1532981	212509
MWI	Mulanje	PMC co-delivery with EPI only vs No PMC	no	no	738078	108112
MWI	Mwanza	PMC co-delivery with EPI only vs No PMC	no	no	171446	25776
MWI	Chikwawa	PMC co-delivery with EPI only vs No PMC	no	no	661903	97009
MWI	Nsanje	PMC co-delivery with EPI only vs No PMC	no	no	336729	47797
MWI	Thyolo	PMC co-delivery with EPI only vs No PMC	no	no	924758	133598
MWI	Neno	PMC co-delivery with EPI only vs No PMC	no	no	187174	NA
MWI	Chiradzulu	PMC co-delivery with EPI only vs No PMC	no	no	441760	66489
MWI	Chitipa	PMC co-delivery with EPI only vs No PMC	no	no	306315	43955
MWI	Nkhotakota	PMC co-delivery with EPI only vs No PMC	no	no	472352	68818
MWI	Rumphi	PMC co-delivery with EPI only vs No PMC	no	no	272895	39598
MWI	Nkhata_Bay	PMC co-delivery with EPI only vs No PMC	no	no	347987	NA
MWI	Likoma	PMC co-delivery with EPI only vs No PMC	no	no	7513	NA

MWI: Ranked prioritisation of options (page 5)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Expected PMC doses delivered (age 1-2yr)	Expected PMC doses delivered (age 2-2.5yr)	Data source for cost modelling	ICER based on regional costs only (no national costs)
MWI	Lilongwe	PMC co-delivery with EPI only vs No PMC	24639	0	Plus Project countries	559
MWI	Dowa	PMC co-delivery with EPI only vs No PMC	10813	0	Plus Project countries	508
MWI	Mchinji	PMC co-delivery with EPI only vs No PMC	3625	0	Plus Project countries	716
MWI	Phalombe	PMC co-delivery with EPI only vs No PMC	1014	0	Plus Project countries	893
MWI	Kasungu	PMC co-delivery with EPI only vs No PMC	9966	0	Plus Project countries	905
MWI	Mzimba	PMC co-delivery with EPI only vs No PMC	15231	0	Plus Project countries	1079
MWI	Dedza	PMC co-delivery with EPI only vs No PMC	NA	0	Plus Project countries	1132
MWI	Ntchisi	PMC co-delivery with EPI only vs No PMC	NA	0	Plus Project countries	1165
MWI	Zomba	PMC co-delivery with EPI only vs No PMC	2922	0	Plus Project countries	1166
MWI	Salima	PMC co-delivery with EPI only vs No PMC	4499	0	Plus Project countries	1239
MWI	Machinga	PMC co-delivery with EPI only vs No PMC	2724	0	Plus Project countries	1329
MWI	Ntcheu	PMC co-delivery with EPI only vs No PMC	3766	0	Plus Project countries	1562
MWI	Karonga	PMC co-delivery with EPI only vs No PMC	111	0	Plus Project countries	1609
MWI	Blantyre	PMC co-delivery with EPI only vs No PMC	9587	0	Plus Project countries	2096
MWI	Mulanje	PMC co-delivery with EPI only vs No PMC	2984	0	Plus Project countries	2145
MWI	Mwanza	PMC co-delivery with EPI only vs No PMC	1850	0	Plus Project countries	2880
MWI	Chikwawa	PMC co-delivery with EPI only vs No PMC	2983	0	Plus Project countries	2930
MWI	Nsanje	PMC co-delivery with EPI only vs No PMC	3769	0	Plus Project countries	2944
MWI	Thyolo	PMC co-delivery with EPI only vs No PMC	8255	0	Plus Project countries	3590
MWI	Neno	PMC co-delivery with EPI only vs No PMC	NA	0	Plus Project countries	3705
MWI	Chiradzulu	PMC co-delivery with EPI only vs No PMC	1447	0	Plus Project countries	3772
MWI	Chitipa	PMC co-delivery with EPI only vs No PMC	975	0	Plus Project countries	6706
MWI	Nkhotakota	PMC co-delivery with EPI only vs No PMC	4206	0	Plus Project countries	11032
MWI	Rumphi	PMC co-delivery with EPI only vs No PMC	961	0	Plus Project countries	14301
MWI	Nkhata_Bay	PMC co-delivery with EPI only vs No PMC	NA	0	Plus Project countries	17172
MWI	Likoma	PMC co-delivery with EPI only vs No PMC	NA	0	Plus Project countries	24334

MWI: Ranked prioritisation of options (page 6)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	rank
MWI	Lilongwe	PMC co-delivery with EPI only vs No PMC	1
MWI	Dowa	PMC co-delivery with EPI only vs No PMC	2
MWI	Mchinji	PMC co-delivery with EPI only vs No PMC	3
MWI	Phalombe	PMC co-delivery with EPI only vs No PMC	4
MWI	Kasungu	PMC co-delivery with EPI only vs No PMC	5
MWI	Mzimba	PMC co-delivery with EPI only vs No PMC	6
MWI	Dedza	PMC co-delivery with EPI only vs No PMC	7
MWI	Ntchisi	PMC co-delivery with EPI only vs No PMC	8
MWI	Zomba	PMC co-delivery with EPI only vs No PMC	9
MWI	Salima	PMC co-delivery with EPI only vs No PMC	10
MWI	Machinga	PMC co-delivery with EPI only vs No PMC	11
MWI	Ntcheu	PMC co-delivery with EPI only vs No PMC	12
MWI	Karonga	PMC co-delivery with EPI only vs No PMC	13
MWI	Blantyre	PMC co-delivery with EPI only vs No PMC	14
MWI	Mulanje	PMC co-delivery with EPI only vs No PMC	15
MWI	Mwanza	PMC co-delivery with EPI only vs No PMC	16
MWI	Chikwawa	PMC co-delivery with EPI only vs No PMC	17
MWI	Nsanje	PMC co-delivery with EPI only vs No PMC	18
MWI	Thyolo	PMC co-delivery with EPI only vs No PMC	19
MWI	Neno	PMC co-delivery with EPI only vs No PMC	20
MWI	Chiradzulu	PMC co-delivery with EPI only vs No PMC	21
MWI	Chitipa	PMC co-delivery with EPI only vs No PMC	22
MWI	Nkhotakota	PMC co-delivery with EPI only vs No PMC	23
MWI	Rumphi	PMC co-delivery with EPI only vs No PMC	24
MWI	Nkhata_Bay	PMC co-delivery with EPI only vs No PMC	25
MWI	Likoma	PMC co-delivery with EPI only vs No PMC	26

MWI: Cost assumptions (page 1)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N doses in PMC schedule	Data source for cost modelling	Total cost of PMC implementation (excl national costs)
MWI	Balaka	494530	No PMC	0	Plus Project countries	0
MWI	Balaka	494530	PMC co-delivery with EPI only	6	Plus Project countries	77165
MWI	Blantyre	1532981	No PMC	0	Plus Project countries	0
MWI	Blantyre	1532981	PMC co-delivery with EPI only	6	Plus Project countries	227271
MWI	Chikwawa	661903	No PMC	0	Plus Project countries	0
MWI	Chikwawa	661903	PMC co-delivery with EPI only	6	Plus Project countries	257483
MWI	Chiradzulu	441760	No PMC	0	Plus Project countries	0
MWI	Chiradzulu	441760	PMC co-delivery with EPI only	6	Plus Project countries	165048
MWI	Chitipa	306315	No PMC	0	Plus Project countries	0
MWI	Chitipa	306315	PMC co-delivery with EPI only	6	Plus Project countries	162567
MWI	Dedza	955008	No PMC	0	Plus Project countries	0
MWI	Dedza	955008	PMC co-delivery with EPI only	6	Plus Project countries	224577
MWI	Dowa	918908	No PMC	0	Plus Project countries	0
MWI	Dowa	918908	PMC co-delivery with EPI only	6	Plus Project countries	219819
MWI	Karonga	454044	No PMC	0	Plus Project countries	0
MWI	Karonga	454044	PMC co-delivery with EPI only	6	Plus Project countries	187196
MWI	Kasungu	984096	No PMC	0	Plus Project countries	0
MWI	Kasungu	984096	PMC co-delivery with EPI only	6	Plus Project countries	375082
MWI	Likoma	7513	No PMC	0	Plus Project countries	0
MWI	Likoma	7513	PMC co-delivery with EPI only	6	Plus Project countries	24407
MWI	Lilongwe	3681879	No PMC	0	Plus Project countries	0
MWI	Lilongwe	3681879	PMC co-delivery with EPI only	6	Plus Project countries	423911
MWI	Machinga	819224	No PMC	0	Plus Project countries	0
MWI	Machinga	819224	PMC co-delivery with EPI only	6	Plus Project countries	325893
MWI	Mangochi	1260450	No PMC	0	Plus Project countries	0
MWI	Mangochi	1260450	PMC co-delivery with EPI only	6	Plus Project countries	311358
MWI	Mchinji	760148	No PMC	0	Plus Project countries	0
MWI	Mchinji	760148	PMC co-delivery with EPI only	6	Plus Project countries	171141
MWI	Mulanje	738078	No PMC	0	Plus Project countries	0
MWI	Mulanje	738078	PMC co-delivery with EPI only	6	Plus Project countries	192150

MWI: Cost assumptions (page 2)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N doses in PMC schedule	Data source for cost modelling	Total cost of PMC implementation (excl national costs)
MWI	Mwanza	171446	No PMC	0	Plus Project countries	0
MWI	Mwanza	171446	PMC co–delivery with EPI only	6	Plus Project countries	94103
MWI	Mzimba	1436886	No PMC	0	Plus Project countries	0
MWI	Mzimba	1436886	PMC co–delivery with EPI only	6	Plus Project countries	317103
MWI	Neno	187174	No PMC	0	Plus Project countries	0
MWI	Neno	187174	PMC co–delivery with EPI only	6	Plus Project countries	113046
MWI	Nkhata_Bay	347987	No PMC	0	Plus Project countries	0
MWI	Nkhata_Bay	347987	PMC co–delivery with EPI only	6	Plus Project countries	224072
MWI	Nkhotakota	472352	No PMC	0	Plus Project countries	0
MWI	Nkhotakota	472352	PMC co–delivery with EPI only	6	Plus Project countries	210887
MWI	Nsanje	336729	No PMC	0	Plus Project countries	0
MWI	Nsanje	336729	PMC co–delivery with EPI only	6	Plus Project countries	252243
MWI	Ntcheu	717343	No PMC	0	Plus Project countries	0
MWI	Ntcheu	717343	PMC co–delivery with EPI only	6	Plus Project countries	237184
MWI	Ntchisi	347648	No PMC	0	Plus Project countries	0
MWI	Ntchisi	347648	PMC co–delivery with EPI only	6	Plus Project countries	158022
MWI	Phalombe	462788	No PMC	0	Plus Project countries	0
MWI	Phalombe	462788	PMC co–delivery with EPI only	6	Plus Project countries	76491
MWI	Rumphi	272895	No PMC	0	Plus Project countries	0
MWI	Rumphi	272895	PMC co–delivery with EPI only	6	Plus Project countries	273009
MWI	Salima	554401	No PMC	0	Plus Project countries	0
MWI	Salima	554401	PMC co–delivery with EPI only	6	Plus Project countries	256758
MWI	Thyolo	924758	No PMC	0	Plus Project countries	0
MWI	Thyolo	924758	PMC co–delivery with EPI only	6	Plus Project countries	307038
MWI	Zomba	947882	No PMC	0	Plus Project countries	0
MWI	Zomba	947882	PMC co–delivery with EPI only	6	Plus Project countries	218114

MWI: Cost assumptions (page 3)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Sub-total: Cost of treatment	Total cost of PMC implementation + treatment (excluding national costs)	Total cost of PMC implementation + treatment (including full national costs for every region)
MWI	Balaka	494530	No PMC	115	115	115
MWI	Balaka	494530	PMC co-delivery with EPI only	115	77280	221783
MWI	Blantyre	1532981	No PMC	96139	96139	96139
MWI	Blantyre	1532981	PMC co-delivery with EPI only	88929	316200	460703
MWI	Chikwawa	661903	No PMC	66413	66413	66413
MWI	Chikwawa	661903	PMC co-delivery with EPI only	60872	318355	462858
MWI	Chiradzulu	441760	No PMC	36561	36561	36561
MWI	Chiradzulu	441760	PMC co-delivery with EPI only	33697	198745	343248
MWI	Chitipa	306315	No PMC	21201	21201	21201
MWI	Chitipa	306315	PMC co-delivery with EPI only	19582	182149	326652
MWI	Dedza	955008	No PMC	141328	141328	141328
MWI	Dedza	955008	PMC co-delivery with EPI only	129552	354129	498632
MWI	Dowa	918908	No PMC	224847	224847	224847
MWI	Dowa	918908	PMC co-delivery with EPI only	202548	422367	566870
MWI	Karonga	454044	No PMC	80890	80890	80890
MWI	Karonga	454044	PMC co-delivery with EPI only	73942	261138	405641
MWI	Kasungu	984096	No PMC	248544	248544	248544
MWI	Kasungu	984096	PMC co-delivery with EPI only	226289	601371	745874
MWI	Likoma	7513	No PMC	868	868	868
MWI	Likoma	7513	PMC co-delivery with EPI only	795	25202	169705
MWI	Lilongwe	3681879	No PMC	492913	492913	492913
MWI	Lilongwe	3681879	PMC co-delivery with EPI only	450403	874314	1018817
MWI	Machinga	819224	No PMC	173912	173912	173912
MWI	Machinga	819224	PMC co-delivery with EPI only	160238	486131	630634
MWI	Mangochi	1260450	No PMC	968	968	968
MWI	Mangochi	1260450	PMC co-delivery with EPI only	960	312318	456821
MWI	Mchinji	760148	No PMC	143298	143298	143298
MWI	Mchinji	760148	PMC co-delivery with EPI only	130343	301484	445987
MWI	Mulanje	738078	No PMC	76764	76764	76764
MWI	Mulanje	738078	PMC co-delivery with EPI only	71207	263357	407860

MWI: Cost assumptions (page 4)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Sub-total: Cost of treatment	Total cost of PMC implementation + treatment (excluding national costs)	Total cost of PMC implementation + treatment (including full national costs for every region)
MWI	Mwanza	171446	No PMC	22341	22341	22341
MWI	Mwanza	171446	PMC co-delivery with EPI only	20413	114516	259019
MWI	Mzimba	1436886	No PMC	191582	191582	191582
MWI	Mzimba	1436886	PMC co-delivery with EPI only	173432	490535	635038
MWI	Neno	187174	No PMC	24922	24922	24922
MWI	Neno	187174	PMC co-delivery with EPI only	23035	136081	280584
MWI	Nkhata_Bay	347987	No PMC	11214	11214	11214
MWI	Nkhata_Bay	347987	PMC co-delivery with EPI only	10382	234454	378957
MWI	Nkhotakota	472352	No PMC	19527	19527	19527
MWI	Nkhotakota	472352	PMC co-delivery with EPI only	18257	229144	373647
MWI	Nsanje	336729	No PMC	55810	55810	55810
MWI	Nsanje	336729	PMC co-delivery with EPI only	50865	303108	447611
MWI	Ntcheu	717343	No PMC	110123	110123	110123
MWI	Ntcheu	717343	PMC co-delivery with EPI only	101022	338206	482709
MWI	Ntchisi	347648	No PMC	81435	81435	81435
MWI	Ntchisi	347648	PMC co-delivery with EPI only	73698	231720	376223
MWI	Phalombe	462788	No PMC	63506	63506	63506
MWI	Phalombe	462788	PMC co-delivery with EPI only	58447	134938	279441
MWI	Rumphi	272895	No PMC	17714	17714	17714
MWI	Rumphi	272895	PMC co-delivery with EPI only	16417	289426	433929
MWI	Salima	554401	No PMC	123597	123597	123597
MWI	Salima	554401	PMC co-delivery with EPI only	112101	368859	513362
MWI	Thyolo	924758	No PMC	71762	71762	71762
MWI	Thyolo	924758	PMC co-delivery with EPI only	66277	373315	517818
MWI	Zomba	947882	No PMC	129665	129665	129665
MWI	Zomba	947882	PMC co-delivery with EPI only	117975	336089	480592

MWI: Cost assumptions (page 5)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Clinical cases (N, 0–30mo)	Clinical cases for whom care sought	Hospitalisations (N, 0–30mo)
MWI	Balaka	494530	No PMC	9	4	2
MWI	Balaka	494530	PMC co–delivery with EPI only	9	4	2
MWI	Blantyre	1532981	No PMC	20030	10015	1330
MWI	Blantyre	1532981	PMC co–delivery with EPI only	18692	9346	1226
MWI	Chikwawa	661903	No PMC	16369	8184	853
MWI	Chikwawa	661903	PMC co–delivery with EPI only	15189	7594	777
MWI	Chiradzulu	441760	No PMC	8302	4151	488
MWI	Chiradzulu	441760	PMC co–delivery with EPI only	7720	3860	448
MWI	Chitipa	306315	No PMC	4545	2272	290
MWI	Chitipa	306315	PMC co–delivery with EPI only	4230	2115	267
MWI	Dedza	955008	No PMC	36648	18324	1768
MWI	Dedza	955008	PMC co–delivery with EPI only	34045	17022	1609
MWI	Dowa	918908	No PMC	70419	35210	2498
MWI	Dowa	918908	PMC co–delivery with EPI only	64678	32339	2218
MWI	Karonga	454044	No PMC	22166	11083	981
MWI	Karonga	454044	PMC co–delivery with EPI only	20598	10299	888
MWI	Kasungu	984096	No PMC	78468	39234	2745
MWI	Kasungu	984096	PMC co–delivery with EPI only	72719	36360	2466
MWI	Likoma	7513	No PMC	219	110	11
MWI	Likoma	7513	PMC co–delivery with EPI only	203	102	10
MWI	Lilongwe	3681879	No PMC	127329	63664	6179
MWI	Lilongwe	3681879	PMC co–delivery with EPI only	117852	58926	5607
MWI	Machinga	819224	No PMC	53971	26986	1945
MWI	Machinga	819224	PMC co–delivery with EPI only	50540	25270	1771
MWI	Mangochi	1260450	No PMC	141	70	15
MWI	Mangochi	1260450	PMC co–delivery with EPI only	134	67	15
MWI	Mchinji	760148	No PMC	41839	20920	1671
MWI	Mchinji	760148	PMC co–delivery with EPI only	38632	19316	1505
MWI	Mulanje	738078	No PMC	18031	9016	1009
MWI	Mulanje	738078	PMC co–delivery with EPI only	16839	8420	933

MWI: Cost assumptions (page 6)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Clinical cases (N, 0-30mo)	Clinical cases for whom care sought	Hospitalisations (N, 0-30mo)
MWI	Mwanza	171446	No PMC	5658	2829	283
MWI	Mwanza	171446	PMC co-delivery with EPI only	5230	2615	257
MWI	Mzimba	1436886	No PMC	47588	23794	2451
MWI	Mzimba	1436886	PMC co-delivery with EPI only	43880	21940	2198
MWI	Neno	187174	No PMC	6300	3150	316
MWI	Neno	187174	PMC co-delivery with EPI only	5863	2932	291
MWI	Nkhata_Bay	347987	No PMC	2073	1036	162
MWI	Nkhata_Bay	347987	PMC co-delivery with EPI only	1918	959	150
MWI	Nkhotakota	472352	No PMC	3612	1806	282
MWI	Nkhotakota	472352	PMC co-delivery with EPI only	3364	1682	264
MWI	Nsanje	336729	No PMC	15981	7990	659
MWI	Nsanje	336729	PMC co-delivery with EPI only	14779	7390	595
MWI	Ntcheu	717343	No PMC	28389	14194	1382
MWI	Ntcheu	717343	PMC co-delivery with EPI only	26380	13190	1259
MWI	Ntchisi	347648	No PMC	24839	12420	922
MWI	Ntchisi	347648	PMC co-delivery with EPI only	22995	11498	821
MWI	Phalombe	462788	No PMC	16408	8204	796
MWI	Phalombe	462788	PMC co-delivery with EPI only	15315	7658	727
MWI	Rumphi	272895	No PMC	3809	1904	242
MWI	Rumphi	272895	PMC co-delivery with EPI only	3540	1770	224
MWI	Salima	554401	No PMC	38022	19011	1391
MWI	Salima	554401	PMC co-delivery with EPI only	35163	17582	1244
MWI	Thyolo	924758	No PMC	16019	8010	965
MWI	Thyolo	924758	PMC co-delivery with EPI only	14882	7441	889
MWI	Zomba	947882	No PMC	33511	16756	1625
MWI	Zomba	947882	PMC co-delivery with EPI only	31165	15582	1461

MWI: Cost assumptions (page 7)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Deaths (N, 0–30mo)	Total DALYs	DALYs from clinical cases
MWI	Balaka	494530	No PMC	0	0	0
MWI	Balaka	494530	PMC co–delivery with EPI only	0	0	0
MWI	Blantyre	1532981	No PMC	286	1485	1022
MWI	Blantyre	1532981	PMC co–delivery with EPI only	264	1380	953
MWI	Chikwawa	661903	No PMC	183	1131	835
MWI	Chikwawa	661903	PMC co–delivery with EPI only	167	1045	775
MWI	Chiradzulu	441760	No PMC	105	593	423
MWI	Chiradzulu	441760	PMC co–delivery with EPI only	96	550	394
MWI	Chitipa	306315	No PMC	62	333	232
MWI	Chitipa	306315	PMC co–delivery with EPI only	57	309	216
MWI	Dedza	955008	No PMC	380	2484	1869
MWI	Dedza	955008	PMC co–delivery with EPI only	346	2296	1736
MWI	Dowa	918908	No PMC	537	4460	3591
MWI	Dowa	918908	PMC co–delivery with EPI only	477	4071	3299
MWI	Karonga	454044	No PMC	211	1471	1130
MWI	Karonga	454044	PMC co–delivery with EPI only	191	1359	1050
MWI	Kasungu	984096	No PMC	590	4957	4002
MWI	Kasungu	984096	PMC co–delivery with EPI only	530	4567	3709
MWI	Likoma	7513	No PMC	2	14	11
MWI	Likoma	7513	PMC co–delivery with EPI only	2	13	10
MWI	Lilongwe	3681879	No PMC	1328	8644	6494
MWI	Lilongwe	3681879	PMC co–delivery with EPI only	1206	7962	6010
MWI	Machinga	819224	No PMC	418	3430	2753
MWI	Machinga	819224	PMC co–delivery with EPI only	381	3195	2578
MWI	Mangochi	1260450	No PMC	3	12	7
MWI	Mangochi	1260450	PMC co–delivery with EPI only	3	12	7
MWI	Mchinji	760148	No PMC	359	2715	2134
MWI	Mchinji	760148	PMC co–delivery with EPI only	324	2494	1970
MWI	Mulanje	738078	No PMC	217	1271	920
MWI	Mulanje	738078	PMC co–delivery with EPI only	201	1184	859

MWI: Cost assumptions (page 8)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Deaths (N, 0–30mo)	Total DALYs	DALYs from clinical cases
MWI	Mwanza	171446	No PMC	61	388	289
MWI	Mwanza	171446	PMC co–delivery with EPI only	55	356	267
MWI	Mzimba	1436886	No PMC	527	3280	2427
MWI	Mzimba	1436886	PMC co–delivery with EPI only	473	3003	2238
MWI	Neno	187174	No PMC	68	431	321
MWI	Neno	187174	PMC co–delivery with EPI only	63	401	299
MWI	Nkhata_Bay	347987	No PMC	35	163	106
MWI	Nkhata_Bay	347987	PMC co–delivery with EPI only	32	150	98
MWI	Nkhotakota	472352	No PMC	61	283	184
MWI	Nkhotakota	472352	PMC co–delivery with EPI only	57	264	172
MWI	Nsanje	336729	No PMC	142	1045	815
MWI	Nsanje	336729	PMC co–delivery with EPI only	128	961	754
MWI	Ntcheu	717343	No PMC	297	1929	1448
MWI	Ntcheu	717343	PMC co–delivery with EPI only	271	1783	1345
MWI	Ntchisi	347648	No PMC	198	1588	1267
MWI	Ntchisi	347648	PMC co–delivery with EPI only	177	1459	1173
MWI	Phalombe	462788	No PMC	171	1114	837
MWI	Phalombe	462788	PMC co–delivery with EPI only	156	1034	781
MWI	Rumphi	272895	No PMC	52	278	194
MWI	Rumphi	272895	PMC co–delivery with EPI only	48	259	181
MWI	Salima	554401	No PMC	299	2423	1939
MWI	Salima	554401	PMC co–delivery with EPI only	267	2225	1793
MWI	Thyolo	924758	No PMC	207	1152	817
MWI	Thyolo	924758	PMC co–delivery with EPI only	191	1068	759
MWI	Zomba	947882	No PMC	349	2274	1709
MWI	Zomba	947882	PMC co–delivery with EPI only	314	2097	1589

MWI: Cost assumptions (page 9)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	DALYs from hospitalisations	DALYs from deaths	PMC cost input: Implementation cost at national level
MWI	Balaka	494530	No PMC	0	0	0
MWI	Balaka	494530	PMC co-delivery with EPI only	0	0	144503
MWI	Blantyre	1532981	No PMC	177	286	0
MWI	Blantyre	1532981	PMC co-delivery with EPI only	163	264	144503
MWI	Chikwawa	661903	No PMC	113	183	0
MWI	Chikwawa	661903	PMC co-delivery with EPI only	103	167	144503
MWI	Chiradzulu	441760	No PMC	65	105	0
MWI	Chiradzulu	441760	PMC co-delivery with EPI only	60	96	144503
MWI	Chitipa	306315	No PMC	39	62	0
MWI	Chitipa	306315	PMC co-delivery with EPI only	36	57	144503
MWI	Dedza	955008	No PMC	235	380	0
MWI	Dedza	955008	PMC co-delivery with EPI only	214	346	144503
MWI	Dowa	918908	No PMC	332	537	0
MWI	Dowa	918908	PMC co-delivery with EPI only	295	477	144503
MWI	Karonga	454044	No PMC	130	211	0
MWI	Karonga	454044	PMC co-delivery with EPI only	118	191	144503
MWI	Kasungu	984096	No PMC	365	590	0
MWI	Kasungu	984096	PMC co-delivery with EPI only	328	530	144503
MWI	Likoma	7513	No PMC	1	2	0
MWI	Likoma	7513	PMC co-delivery with EPI only	1	2	144503
MWI	Lilongwe	3681879	No PMC	822	1328	0
MWI	Lilongwe	3681879	PMC co-delivery with EPI only	746	1206	144503
MWI	Machinga	819224	No PMC	259	418	0
MWI	Machinga	819224	PMC co-delivery with EPI only	236	381	144503
MWI	Mangochi	1260450	No PMC	2	3	0
MWI	Mangochi	1260450	PMC co-delivery with EPI only	2	3	144503
MWI	Mchinji	760148	No PMC	222	359	0
MWI	Mchinji	760148	PMC co-delivery with EPI only	200	324	144503
MWI	Mulanje	738078	No PMC	134	217	0
MWI	Mulanje	738078	PMC co-delivery with EPI only	124	201	144503

MWI: Cost assumptions (page 10)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	DALYs from hospitalisations	DALYs from deaths	PMC cost input: Implementation cost at national level
MWI	Mwanza	171446	No PMC	38	61	0
MWI	Mwanza	171446	PMC co–delivery with EPI only	34	55	144503
MWI	Mzimba	1436886	No PMC	326	527	0
MWI	Mzimba	1436886	PMC co–delivery with EPI only	292	473	144503
MWI	Neno	187174	No PMC	42	68	0
MWI	Neno	187174	PMC co–delivery with EPI only	39	63	144503
MWI	Nkhata_Bay	347987	No PMC	22	35	0
MWI	Nkhata_Bay	347987	PMC co–delivery with EPI only	20	32	144503
MWI	Nkhotakota	472352	No PMC	38	61	0
MWI	Nkhotakota	472352	PMC co–delivery with EPI only	35	57	144503
MWI	Nsanje	336729	No PMC	88	142	0
MWI	Nsanje	336729	PMC co–delivery with EPI only	79	128	144503
MWI	Ntcheu	717343	No PMC	184	297	0
MWI	Ntcheu	717343	PMC co–delivery with EPI only	167	271	144503
MWI	Ntchisi	347648	No PMC	123	198	0
MWI	Ntchisi	347648	PMC co–delivery with EPI only	109	177	144503
MWI	Phalombe	462788	No PMC	106	171	0
MWI	Phalombe	462788	PMC co–delivery with EPI only	97	156	144503
MWI	Rumphi	272895	No PMC	32	52	0
MWI	Rumphi	272895	PMC co–delivery with EPI only	30	48	144503
MWI	Salima	554401	No PMC	185	299	0
MWI	Salima	554401	PMC co–delivery with EPI only	165	267	144503
MWI	Thyolo	924758	No PMC	128	207	0
MWI	Thyolo	924758	PMC co–delivery with EPI only	118	191	144503
MWI	Zomba	947882	No PMC	216	349	0
MWI	Zomba	947882	PMC co–delivery with EPI only	194	314	144503

MWI: Cost assumptions (page 11)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC cost input: PMC implementation cost per district	PMC cost input: PMC implementation cost per health facility	PMC cost input: Cost of PMC administration consumables per dose
MWI	Balaka	494530	No PMC	0	0	0.00
MWI	Balaka	494530	PMC co-delivery with EPI only	22185	101	0.05
MWI	Blantyre	1532981	No PMC	0	0	0.00
MWI	Blantyre	1532981	PMC co-delivery with EPI only	22185	101	0.05
MWI	Chikwawa	661903	No PMC	0	0	0.00
MWI	Chikwawa	661903	PMC co-delivery with EPI only	22185	101	0.05
MWI	Chiradzulu	441760	No PMC	0	0	0.00
MWI	Chiradzulu	441760	PMC co-delivery with EPI only	22185	101	0.05
MWI	Chitipa	306315	No PMC	0	0	0.00
MWI	Chitipa	306315	PMC co-delivery with EPI only	22185	101	0.05
MWI	Dedza	955008	No PMC	0	0	0.00
MWI	Dedza	955008	PMC co-delivery with EPI only	22185	101	0.05
MWI	Dowa	918908	No PMC	0	0	0.00
MWI	Dowa	918908	PMC co-delivery with EPI only	22185	101	0.05
MWI	Karonga	454044	No PMC	0	0	0.00
MWI	Karonga	454044	PMC co-delivery with EPI only	22185	101	0.05
MWI	Kasungu	984096	No PMC	0	0	0.00
MWI	Kasungu	984096	PMC co-delivery with EPI only	22185	101	0.05
MWI	Likoma	7513	No PMC	0	0	0.00
MWI	Likoma	7513	PMC co-delivery with EPI only	22185	101	0.05
MWI	Lilongwe	3681879	No PMC	0	0	0.00
MWI	Lilongwe	3681879	PMC co-delivery with EPI only	22185	101	0.05
MWI	Machinga	819224	No PMC	0	0	0.00
MWI	Machinga	819224	PMC co-delivery with EPI only	22185	101	0.05
MWI	Mangochi	1260450	No PMC	0	0	0.00
MWI	Mangochi	1260450	PMC co-delivery with EPI only	22185	101	0.05
MWI	Mchinji	760148	No PMC	0	0	0.00
MWI	Mchinji	760148	PMC co-delivery with EPI only	22185	101	0.05
MWI	Mulanje	738078	No PMC	0	0	0.00
MWI	Mulanje	738078	PMC co-delivery with EPI only	22185	101	0.05

MWI: Cost assumptions (page 12)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	PMC cost input: PMC implementation cost per district	PMC cost input: PMC implementation cost per health facility	PMC cost input: Cost of PMC administration consumables per dose
MWI	Mwanza	171446	No PMC	0	0	0.00
MWI	Mwanza	171446	PMC co–delivery with EPI only	22185	101	0.05
MWI	Mzimba	1436886	No PMC	0	0	0.00
MWI	Mzimba	1436886	PMC co–delivery with EPI only	22185	101	0.05
MWI	Neno	187174	No PMC	0	0	0.00
MWI	Neno	187174	PMC co–delivery with EPI only	22185	101	0.05
MWI	Nkhata_Bay	347987	No PMC	0	0	0.00
MWI	Nkhata_Bay	347987	PMC co–delivery with EPI only	22185	101	0.05
MWI	Nkhotakota	472352	No PMC	0	0	0.00
MWI	Nkhotakota	472352	PMC co–delivery with EPI only	22185	101	0.05
MWI	Nsanje	336729	No PMC	0	0	0.00
MWI	Nsanje	336729	PMC co–delivery with EPI only	22185	101	0.05
MWI	Ntcheu	717343	No PMC	0	0	0.00
MWI	Ntcheu	717343	PMC co–delivery with EPI only	22185	101	0.05
MWI	Ntchisi	347648	No PMC	0	0	0.00
MWI	Ntchisi	347648	PMC co–delivery with EPI only	22185	101	0.05
MWI	Phalombe	462788	No PMC	0	0	0.00
MWI	Phalombe	462788	PMC co–delivery with EPI only	22185	101	0.05
MWI	Rumphi	272895	No PMC	0	0	0.00
MWI	Rumphi	272895	PMC co–delivery with EPI only	22185	101	0.05
MWI	Salima	554401	No PMC	0	0	0.00
MWI	Salima	554401	PMC co–delivery with EPI only	22185	101	0.05
MWI	Thyolo	924758	No PMC	0	0	0.00
MWI	Thyolo	924758	PMC co–delivery with EPI only	22185	101	0.05
MWI	Zomba	947882	No PMC	0	0	0.00
MWI	Zomba	947882	PMC co–delivery with EPI only	22185	101	0.05

MWI: Cost assumptions (page 13)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC Cost input: Cost per SP tablet (includes wastage)	N districts in region	N health facilities in region
MWI	Balaka	494530	No PMC	0.00	3	21
MWI	Balaka	494530	PMC co-delivery with EPI only	0.11	3	21
MWI	Blantyre	1532981	No PMC	0.00	9	21
MWI	Blantyre	1532981	PMC co-delivery with EPI only	0.11	9	21
MWI	Chikwawa	661903	No PMC	0.00	11	21
MWI	Chikwawa	661903	PMC co-delivery with EPI only	0.11	11	21
MWI	Chiradzulu	441760	No PMC	0.00	7	21
MWI	Chiradzulu	441760	PMC co-delivery with EPI only	0.11	7	21
MWI	Chitipa	306315	No PMC	0.00	7	22
MWI	Chitipa	306315	PMC co-delivery with EPI only	0.11	7	22
MWI	Dedza	955008	No PMC	0.00	10	27
MWI	Dedza	955008	PMC co-delivery with EPI only	0.11	10	27
MWI	Dowa	918908	No PMC	0.00	9	27
MWI	Dowa	918908	PMC co-delivery with EPI only	0.11	9	27
MWI	Karonga	454044	No PMC	0.00	8	22
MWI	Karonga	454044	PMC co-delivery with EPI only	0.11	8	22
MWI	Kasungu	984096	No PMC	0.00	16	27
MWI	Kasungu	984096	PMC co-delivery with EPI only	0.11	16	27
MWI	Likoma	7513	No PMC	0.00	1	22
MWI	Likoma	7513	PMC co-delivery with EPI only	0.11	1	22
MWI	Lilongwe	3681879	No PMC	0.00	16	27
MWI	Lilongwe	3681879	PMC co-delivery with EPI only	0.11	16	27
MWI	Machinga	819224	No PMC	0.00	14	21
MWI	Machinga	819224	PMC co-delivery with EPI only	0.11	14	21
MWI	Mangochi	1260450	No PMC	0.00	13	21
MWI	Mangochi	1260450	PMC co-delivery with EPI only	0.11	13	21
MWI	Mchinji	760148	No PMC	0.00	7	27
MWI	Mchinji	760148	PMC co-delivery with EPI only	0.11	7	27
MWI	Mulanje	738078	No PMC	0.00	8	21
MWI	Mulanje	738078	PMC co-delivery with EPI only	0.11	8	21

MWI: Cost assumptions (page 14)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	PMC Cost input: Cost per SP tablet (includes wastage)	N districts in region	N health facilities in region
MWI	Mwanza	171446	No PMC	0.00	4	21
MWI	Mwanza	171446	PMC co–delivery with EPI only	0.11	4	21
MWI	Mzimba	1436886	No PMC	0.00	13	22
MWI	Mzimba	1436886	PMC co–delivery with EPI only	0.11	13	22
MWI	Neno	187174	No PMC	0.00	5	21
MWI	Neno	187174	PMC co–delivery with EPI only	0.11	5	21
MWI	Nkhata_Bay	347987	No PMC	0.00	10	22
MWI	Nkhata_Bay	347987	PMC co–delivery with EPI only	0.11	10	22
MWI	Nkhotakota	472352	No PMC	0.00	9	27
MWI	Nkhotakota	472352	PMC co–delivery with EPI only	0.11	9	27
MWI	Nsanje	336729	No PMC	0.00	11	21
MWI	Nsanje	336729	PMC co–delivery with EPI only	0.11	11	21
MWI	Ntcheu	717343	No PMC	0.00	10	27
MWI	Ntcheu	717343	PMC co–delivery with EPI only	0.11	10	27
MWI	Ntchisi	347648	No PMC	0.00	7	27
MWI	Ntchisi	347648	PMC co–delivery with EPI only	0.11	7	27
MWI	Phalombe	462788	No PMC	0.00	3	21
MWI	Phalombe	462788	PMC co–delivery with EPI only	0.11	3	21
MWI	Rumphi	272895	No PMC	0.00	12	22
MWI	Rumphi	272895	PMC co–delivery with EPI only	0.11	12	22
MWI	Salima	554401	No PMC	0.00	11	27
MWI	Salima	554401	PMC co–delivery with EPI only	0.11	11	27
MWI	Thyolo	924758	No PMC	0.00	13	21
MWI	Thyolo	924758	PMC co–delivery with EPI only	0.11	13	21
MWI	Zomba	947882	No PMC	0.00	9	21
MWI	Zomba	947882	PMC co–delivery with EPI only	0.11	9	21

MWI: Cost assumptions (page 15)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N expected PMC doses delivered (age 0–1yr)	N expected PMC doses delivered (age 1–2yr)	N expected PMC doses delivered (age 2–2.5yr)
MWI	Balaka	494530	No PMC	0	0	0
MWI	Balaka	494530	PMC co–delivery with EPI only	72676	2250	0
MWI	Blantyre	1532981	No PMC	0	0	0
MWI	Blantyre	1532981	PMC co–delivery with EPI only	212509	9587	0
MWI	Chikwawa	661903	No PMC	0	0	0
MWI	Chikwawa	661903	PMC co–delivery with EPI only	97009	2983	0
MWI	Chiradzulu	441760	No PMC	0	0	0
MWI	Chiradzulu	441760	PMC co–delivery with EPI only	66489	1447	0
MWI	Chitipa	306315	No PMC	0	0	0
MWI	Chitipa	306315	PMC co–delivery with EPI only	43955	975	0
MWI	Dedza	955008	No PMC	0	0	0
MWI	Dedza	955008	PMC co–delivery with EPI only	NA	NA	0
MWI	Dowa	918908	No PMC	0	0	0
MWI	Dowa	918908	PMC co–delivery with EPI only	136802	10813	0
MWI	Karonga	454044	No PMC	0	0	0
MWI	Karonga	454044	PMC co–delivery with EPI only	67907	111	0
MWI	Kasungu	984096	No PMC	0	0	0
MWI	Kasungu	984096	PMC co–delivery with EPI only	138202	9966	0
MWI	Likoma	7513	No PMC	0	0	0
MWI	Likoma	7513	PMC co–delivery with EPI only	NA	NA	0
MWI	Lilongwe	3681879	No PMC	0	0	0
MWI	Lilongwe	3681879	PMC co–delivery with EPI only	552754	24639	0
MWI	Machinga	819224	No PMC	0	0	0
MWI	Machinga	819224	PMC co–delivery with EPI only	114391	2724	0
MWI	Mangochi	1260450	No PMC	0	0	0
MWI	Mangochi	1260450	PMC co–delivery with EPI only	179283	5050	0
MWI	Mchinji	760148	No PMC	0	0	0
MWI	Mchinji	760148	PMC co–delivery with EPI only	112018	3625	0
MWI	Mulanje	738078	No PMC	0	0	0
MWI	Mulanje	738078	PMC co–delivery with EPI only	108112	2984	0

MWI: Cost assumptions (page 16)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N expected PMC doses delivered (age 0–1yr)	N expected PMC doses delivered (age 1–2yr)	N expected PMC doses delivered (age 2–2.5yr)
MWI	Mwanza	171446	No PMC	0	0	0
MWI	Mwanza	171446	PMC co–delivery with EPI only	25776	1850	0
MWI	Mzimba	1436886	No PMC	0	0	0
MWI	Mzimba	1436886	PMC co–delivery with EPI only	210232	15231	0
MWI	Neno	187174	No PMC	0	0	0
MWI	Neno	187174	PMC co–delivery with EPI only	NA	NA	0
MWI	Nkhata_Bay	347987	No PMC	0	0	0
MWI	Nkhata_Bay	347987	PMC co–delivery with EPI only	NA	NA	0
MWI	Nkhotakota	472352	No PMC	0	0	0
MWI	Nkhotakota	472352	PMC co–delivery with EPI only	68818	4206	0
MWI	Nsanje	336729	No PMC	0	0	0
MWI	Nsanje	336729	PMC co–delivery with EPI only	47797	3769	0
MWI	Ntcheu	717343	No PMC	0	0	0
MWI	Ntcheu	717343	PMC co–delivery with EPI only	107077	3766	0
MWI	Ntchisi	347648	No PMC	0	0	0
MWI	Ntchisi	347648	PMC co–delivery with EPI only	NA	NA	0
MWI	Phalombe	462788	No PMC	0	0	0
MWI	Phalombe	462788	PMC co–delivery with EPI only	69019	1014	0
MWI	Rumphi	272895	No PMC	0	0	0
MWI	Rumphi	272895	PMC co–delivery with EPI only	39598	961	0
MWI	Salima	554401	No PMC	0	0	0
MWI	Salima	554401	PMC co–delivery with EPI only	81877	4499	0
MWI	Thyolo	924758	No PMC	0	0	0
MWI	Thyolo	924758	PMC co–delivery with EPI only	133598	8255	0
MWI	Zomba	947882	No PMC	0	0	0
MWI	Zomba	947882	PMC co–delivery with EPI only	142590	2922	0

MWI: Cost assumptions (page 17)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N total expected PMC doses delivered (age 0-2.5yr)	N SP tablets delivered	Sub-total: Cost of PMC implementation at district and HFs
MWI	Balaka	494530	No PMC	0	0	0
MWI	Balaka	494530	PMC co-delivery with EPI only	74926	77176	68676
MWI	Blantyre	1532981	No PMC	0	0	0
MWI	Blantyre	1532981	PMC co-delivery with EPI only	222096	231683	201786
MWI	Chikwawa	661903	No PMC	0	0	0
MWI	Chikwawa	661903	PMC co-delivery with EPI only	99992	102975	246156
MWI	Chiradzulu	441760	No PMC	0	0	0
MWI	Chiradzulu	441760	PMC co-delivery with EPI only	67936	69383	157416
MWI	Chitipa	306315	No PMC	0	0	0
MWI	Chitipa	306315	PMC co-delivery with EPI only	44930	45905	157517
MWI	Dedza	955008	No PMC	0	0	0
MWI	Dedza	955008	PMC co-delivery with EPI only	0	0	224577
MWI	Dowa	918908	No PMC	0	0	0
MWI	Dowa	918908	PMC co-delivery with EPI only	147615	158427	202392
MWI	Karonga	454044	No PMC	0	0	0
MWI	Karonga	454044	PMC co-delivery with EPI only	68018	68129	179702
MWI	Kasungu	984096	No PMC	0	0	0
MWI	Kasungu	984096	PMC co-delivery with EPI only	148169	158135	357687
MWI	Likoma	7513	No PMC	0	0	0
MWI	Likoma	7513	PMC co-delivery with EPI only	0	0	24407
MWI	Lilongwe	3681879	No PMC	0	0	0
MWI	Lilongwe	3681879	PMC co-delivery with EPI only	577394	602033	357687
MWI	Machinga	819224	No PMC	0	0	0
MWI	Machinga	819224	PMC co-delivery with EPI only	117115	119840	312711
MWI	Mangochi	1260450	No PMC	0	0	0
MWI	Mangochi	1260450	PMC co-delivery with EPI only	184333	189384	290526
MWI	Mchinji	760148	No PMC	0	0	0
MWI	Mchinji	760148	PMC co-delivery with EPI only	115643	119268	158022
MWI	Mulanje	738078	No PMC	0	0	0
MWI	Mulanje	738078	PMC co-delivery with EPI only	111097	114081	179601

MWI: Cost assumptions (page 18)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N total expected PMC doses delivered (age 0–2.5yr)	N SP tablets delivered	Sub–total: Cost of PMC implementation at district and HFs
MWI	Mwanza	171446	No PMC	0	0	0
MWI	Mwanza	171446	PMC co–delivery with EPI only	27626	29476	90861
MWI	Mzimba	1436886	No PMC	0	0	0
MWI	Mzimba	1436886	PMC co–delivery with EPI only	225462	240693	290627
MWI	Neno	187174	No PMC	0	0	0
MWI	Neno	187174	PMC co–delivery with EPI only	0	0	113046
MWI	Nkhata_Bay	347987	No PMC	0	0	0
MWI	Nkhata_Bay	347987	PMC co–delivery with EPI only	0	0	224072
MWI	Nkhotakota	472352	No PMC	0	0	0
MWI	Nkhotakota	472352	PMC co–delivery with EPI only	73025	77231	202392
MWI	Nsanje	336729	No PMC	0	0	0
MWI	Nsanje	336729	PMC co–delivery with EPI only	51566	55336	246156
MWI	Ntcheu	717343	No PMC	0	0	0
MWI	Ntcheu	717343	PMC co–delivery with EPI only	110843	114609	224577
MWI	Ntchisi	347648	No PMC	0	0	0
MWI	Ntchisi	347648	PMC co–delivery with EPI only	0	0	158022
MWI	Phalombe	462788	No PMC	0	0	0
MWI	Phalombe	462788	PMC co–delivery with EPI only	70033	71046	68676
MWI	Rumphi	272895	No PMC	0	0	0
MWI	Rumphi	272895	PMC co–delivery with EPI only	40559	41520	268442
MWI	Salima	554401	No PMC	0	0	0
MWI	Salima	554401	PMC co–delivery with EPI only	86375	90874	246762
MWI	Thyolo	924758	No PMC	0	0	0
MWI	Thyolo	924758	PMC co–delivery with EPI only	141853	150109	290526
MWI	Zomba	947882	No PMC	0	0	0
MWI	Zomba	947882	PMC co–delivery with EPI only	145512	148434	201786

MWI: Cost assumptions (page 19)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Sub-total: Cost of PMC administration (SP+consumables)	Treatment cost per clinical case	Treatment cost per hospitalisation
MWI	Balaka	494530	No PMC	0	2.7	42.76
MWI	Balaka	494530	PMC co-delivery with EPI only	12236	2.7	42.76
MWI	Blantyre	1532981	No PMC	0	2.7	42.76
MWI	Blantyre	1532981	PMC co-delivery with EPI only	36590	2.7	42.76
MWI	Chikwawa	661903	No PMC	0	2.7	42.76
MWI	Chikwawa	661903	PMC co-delivery with EPI only	16327	2.7	42.76
MWI	Chiradzulu	441760	No PMC	0	2.7	42.76
MWI	Chiradzulu	441760	PMC co-delivery with EPI only	11029	2.7	42.76
MWI	Chitipa	306315	No PMC	0	2.7	42.76
MWI	Chitipa	306315	PMC co-delivery with EPI only	7296	2.7	42.76
MWI	Dedza	955008	No PMC	0	2.7	42.76
MWI	Dedza	955008	PMC co-delivery with EPI only	0	2.7	42.76
MWI	Dowa	918908	No PMC	0	2.7	42.76
MWI	Dowa	918908	PMC co-delivery with EPI only	24808	2.7	42.76
MWI	Karonga	454044	No PMC	0	2.7	42.76
MWI	Karonga	454044	PMC co-delivery with EPI only	10895	2.7	42.76
MWI	Kasungu	984096	No PMC	0	2.7	42.76
MWI	Kasungu	984096	PMC co-delivery with EPI only	24803	2.7	42.76
MWI	Likoma	7513	No PMC	0	2.7	42.76
MWI	Likoma	7513	PMC co-delivery with EPI only	0	2.7	42.76
MWI	Lilongwe	3681879	No PMC	0	2.7	42.76
MWI	Lilongwe	3681879	PMC co-delivery with EPI only	95093	2.7	42.76
MWI	Machinga	819224	No PMC	0	2.7	42.76
MWI	Machinga	819224	PMC co-delivery with EPI only	19038	2.7	42.76
MWI	Mangochi	1260450	No PMC	0	2.7	42.76
MWI	Mangochi	1260450	PMC co-delivery with EPI only	30049	2.7	42.76
MWI	Mchinji	760148	No PMC	0	2.7	42.76
MWI	Mchinji	760148	PMC co-delivery with EPI only	18902	2.7	42.76
MWI	Mulanje	738078	No PMC	0	2.7	42.76
MWI	Mulanje	738078	PMC co-delivery with EPI only	18104	2.7	42.76

MWI: Cost assumptions (page 20)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Sub–total: Cost of PMC administration (SP+consumables)	Treatment cost per clinical case	Treatment cost per hospitalisation
MWI	Mwanza	171446	No PMC	0	2.7	42.76
MWI	Mwanza	171446	PMC co–delivery with EPI only	4624	2.7	42.76
MWI	Mzimba	1436886	No PMC	0	2.7	42.76
MWI	Mzimba	1436886	PMC co–delivery with EPI only	37749	2.7	42.76
MWI	Neno	187174	No PMC	0	2.7	42.76
MWI	Neno	187174	PMC co–delivery with EPI only	0	2.7	42.76
MWI	Nkhata_Bay	347987	No PMC	0	2.7	42.76
MWI	Nkhata_Bay	347987	PMC co–delivery with EPI only	0	2.7	42.76
MWI	Nkhotakota	472352	No PMC	0	2.7	42.76
MWI	Nkhotakota	472352	PMC co–delivery with EPI only	12147	2.7	42.76
MWI	Nsanje	336729	No PMC	0	2.7	42.76
MWI	Nsanje	336729	PMC co–delivery with EPI only	8665	2.7	42.76
MWI	Ntcheu	717343	No PMC	0	2.7	42.76
MWI	Ntcheu	717343	PMC co–delivery with EPI only	18149	2.7	42.76
MWI	Ntchisi	347648	No PMC	0	2.7	42.76
MWI	Ntchisi	347648	PMC co–delivery with EPI only	0	2.7	42.76
MWI	Phalombe	462788	No PMC	0	2.7	42.76
MWI	Phalombe	462788	PMC co–delivery with EPI only	11317	2.7	42.76
MWI	Rumphi	272895	No PMC	0	2.7	42.76
MWI	Rumphi	272895	PMC co–delivery with EPI only	6595	2.7	42.76
MWI	Salima	554401	No PMC	0	2.7	42.76
MWI	Salima	554401	PMC co–delivery with EPI only	14315	2.7	42.76
MWI	Thyolo	924758	No PMC	0	2.7	42.76
MWI	Thyolo	924758	PMC co–delivery with EPI only	23605	2.7	42.76
MWI	Zomba	947882	No PMC	0	2.7	42.76
MWI	Zomba	947882	PMC co–delivery with EPI only	23603	2.7	42.76

MWI: Cost assumptions (page 21)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Treatment cost per death
MWI	Balaka	494530	No PMC	42.76
MWI	Balaka	494530	PMC co–delivery with EPI only	42.76
MWI	Blantyre	1532981	No PMC	42.76
MWI	Blantyre	1532981	PMC co–delivery with EPI only	42.76
MWI	Chikwawa	661903	No PMC	42.76
MWI	Chikwawa	661903	PMC co–delivery with EPI only	42.76
MWI	Chiradzulu	441760	No PMC	42.76
MWI	Chiradzulu	441760	PMC co–delivery with EPI only	42.76
MWI	Chitipa	306315	No PMC	42.76
MWI	Chitipa	306315	PMC co–delivery with EPI only	42.76
MWI	Dedza	955008	No PMC	42.76
MWI	Dedza	955008	PMC co–delivery with EPI only	42.76
MWI	Dowa	918908	No PMC	42.76
MWI	Dowa	918908	PMC co–delivery with EPI only	42.76
MWI	Karonga	454044	No PMC	42.76
MWI	Karonga	454044	PMC co–delivery with EPI only	42.76
MWI	Kasungu	984096	No PMC	42.76
MWI	Kasungu	984096	PMC co–delivery with EPI only	42.76
MWI	Likoma	7513	No PMC	42.76
MWI	Likoma	7513	PMC co–delivery with EPI only	42.76
MWI	Lilongwe	3681879	No PMC	42.76
MWI	Lilongwe	3681879	PMC co–delivery with EPI only	42.76
MWI	Machinga	819224	No PMC	42.76
MWI	Machinga	819224	PMC co–delivery with EPI only	42.76
MWI	Mangochi	1260450	No PMC	42.76
MWI	Mangochi	1260450	PMC co–delivery with EPI only	42.76
MWI	Mchinji	760148	No PMC	42.76
MWI	Mchinji	760148	PMC co–delivery with EPI only	42.76
MWI	Mulanje	738078	No PMC	42.76
MWI	Mulanje	738078	PMC co–delivery with EPI only	42.76

MWI: Cost assumptions (page 22)


Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Treatment cost per death
MWI	Mwanza	171446	No PMC	42.76
MWI	Mwanza	171446	PMC co–delivery with EPI only	42.76
MWI	Mzimba	1436886	No PMC	42.76
MWI	Mzimba	1436886	PMC co–delivery with EPI only	42.76
MWI	Neno	187174	No PMC	42.76
MWI	Neno	187174	PMC co–delivery with EPI only	42.76
MWI	Nkhata_Bay	347987	No PMC	42.76
MWI	Nkhata_Bay	347987	PMC co–delivery with EPI only	42.76
MWI	Nkhotakota	472352	No PMC	42.76
MWI	Nkhotakota	472352	PMC co–delivery with EPI only	42.76
MWI	Nsanje	336729	No PMC	42.76
MWI	Nsanje	336729	PMC co–delivery with EPI only	42.76
MWI	Ntcheu	717343	No PMC	42.76
MWI	Ntcheu	717343	PMC co–delivery with EPI only	42.76
MWI	Ntchisi	347648	No PMC	42.76
MWI	Ntchisi	347648	PMC co–delivery with EPI only	42.76
MWI	Phalombe	462788	No PMC	42.76
MWI	Phalombe	462788	PMC co–delivery with EPI only	42.76
MWI	Rumphi	272895	No PMC	42.76
MWI	Rumphi	272895	PMC co–delivery with EPI only	42.76
MWI	Salima	554401	No PMC	42.76
MWI	Salima	554401	PMC co–delivery with EPI only	42.76
MWI	Thyolo	924758	No PMC	42.76
MWI	Thyolo	924758	PMC co–delivery with EPI only	42.76
MWI	Zomba	947882	No PMC	42.76
MWI	Zomba	947882	PMC co–delivery with EPI only	42.76

MWI: Clinical malaria incidence


Age-specific clinical malaria cases per 1,000 children (0–30 months, with and without PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.




MWI: Clinical malaria incidence (rural and urban)

Age-specific clinical malaria cases per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.




MWI: Malaria hospitalisations

Age-specific new malaria hospitalisations per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.
Raw model outputs have been smoothed to reduce stochastic variation.



MWI: Spatial distribution of clinical malaria without PMC


Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, no PMC).



MWI: Spatial distribution of clinical malaria with PMC

Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, with PMC).


PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



MWI: Spatial distribution of averted clinical malaria with PMC

Admin-1 averted clinical malaria incidence per 1,000 children aged (0–30 months, averted with PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



MWI: Clinical malaria burden (page 1)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Abia	362.1	325.8	36.3
Adamawa	379.8	355.7	24.1
Akwa_Ibom	445.1	413.0	32.1
Anambra	247.1	225.2	21.9
Bauchi	474.3	457.9	16.4
Bayelsa	578.6	539.8	38.8
Benue	369.2	343.5	25.8
Borno	1287.6	1233.4	54.3
Cross_River	527.1	486.7	40.4
Delta	333.0	308.1	24.8
Ebonyi	752.8	694.8	58.1
Edo	705.8	650.6	55.2
Ekiti	1165.1	1065.5	99.7
Enugu	380.5	348.1	32.4
Federal_Capital_Territory	323.3	297.5	25.7
Gombe	448.2	431.8	16.4
Imo	260.2	239.5	20.7
Jigawa	1614.4	1517.4	96.9
Kaduna	594.6	570.2	24.4
Kano	826.2	788.8	37.3
Katsina	2178.7	2115.4	63.2
Kebbi	3879.9	3744.2	135.7
Kogi	606.9	568.5	38.5
Kwara	372.3	348.6	23.7
Lagos	123.6	111.7	11.9
Nasarawa	1022.6	952.2	70.4
Niger	1011.6	970.3	41.3
Ogun	412.8	389.4	23.4
Ondo	1074.9	992.2	82.7
Osun	718.5	679.2	39.3

MWI: Clinical malaria burden (page 2)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Oyo	582.4	552.3	30.1
Plateau	786.5	733.0	53.5
Rivers	384.2	352.8	31.4
Sokoto	3696.7	3601.7	95.0
Taraba	563.2	540.4	22.8
Yobe	780.6	737.7	42.9
Zamfara	3789.7	3718.0	71.7

MWI: Severe malaria burden (page 1)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Abia	24.1	21.3	2.8
Adamawa	24.7	23.0	1.8
Akwa_Ibom	26.5	24.3	2.2
Anambra	16.9	15.3	1.7
Bauchi	30.9	29.7	1.2
Bayelsa	32.2	29.7	2.5
Benue	23.2	21.5	1.7
Borno	59.7	56.8	2.9
Cross_River	29.5	26.8	2.7
Delta	21.8	19.9	1.8
Ebonyi	38.3	34.9	3.4
Edo	36.8	33.1	3.7
Ekiti	48.1	42.8	5.4
Enugu	24.7	22.4	2.3
Federal_Capital_Territory	20.4	18.8	1.7
Gombe	27.8	26.6	1.2
Imo	18.4	16.8	1.6
Jigawa	72.6	67.3	5.3
Kaduna	33.2	31.6	1.6
Kano	46.5	44.1	2.3
Katsina	84.0	81.1	2.9
Kebbi	100.5	95.2	5.4
Kogi	33.3	30.6	2.7
Kwara	22.0	20.4	1.6
Lagos	10.4	9.3	1.1
Nasarawa	43.4	39.6	3.8
Niger	43.1	40.7	2.4
Ogun	25.7	23.8	1.9
Ondo	45.6	41.0	4.6
Osun	35.3	32.8	2.5

MWI: Severe malaria burden (page 2)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Oyo	30.9	28.7	2.2
Plateau	39.2	35.9	3.2
Rivers	25.4	22.7	2.6
Sokoto	103.4	99.6	3.8
Taraba	32.3	30.7	1.6
Yobe	46.1	43.2	2.9
Zamfara	102.3	99.4	2.9