

PMC Compass: Modelling Outputs for MLI



Modelling outputs from PMC Compass. Please note, results are preliminary and subject to change following further validation.

Corresponding authors: Ishana Atkinson, Catherine Pitt, Andria Mousa

10 February 2026


MLI: Ranked prioritised order to implement PMC

Order at which to implement PMC in the country based on cost-effectiveness of the PMC delivery strategy.



MLI: Incremental cost-effectiveness ratios of implementing PMC co-delivery with EPI only vs No PMC in each admin-1 unit.

Incremental cost-effectiveness ratios of implementing PMC co-delivery with EPI only vs No PMC in each admin-1 unit. All costs used to calculate these exclude national-level start up costs.



MLI: Ranked prioritisation of options (page 1)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional clinical malaria cases averted	Additional hospitalisations averted	Additional deaths averted	Additional DALYs averted
MLI	Segou	PMC co-delivery with EPI only vs No PMC	30163	1463	314	2047
MLI	Koulikoro	PMC co-delivery with EPI only vs No PMC	17389	1072	231	1261
MLI	Mopti	PMC co-delivery with EPI only vs No PMC	12106	669	144	851
MLI	Bamako	PMC co-delivery with EPI only vs No PMC	2022	172	37	163
MLI	Kayes	PMC co-delivery with EPI only vs No PMC	3712	276	60	285
MLI	Sikasso	PMC co-delivery with EPI only vs No PMC	3702	238	51	272
MLI	Timbuktu	PMC co-delivery with EPI only vs No PMC	612	45	9	46
MLI	Gao	PMC co-delivery with EPI only vs No PMC	399	28	6	30
MLI	Kidal	PMC co-delivery with EPI only vs No PMC	40	3	1	3

MLI: Ranked prioritisation of options (page 2)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Financial cost of SP and administration consumables	Cumulative cost of SP and administration consumables	Additional economic cost savings to public providers from reduced treatment	Cumulative economic cost savings to public providers from reduced treatment
MLI	Segou	PMC co-delivery with EPI only vs No PMC	84496	84496	-151466	-151466
MLI	Koulikoro	PMC co-delivery with EPI only vs No PMC	122278	206774	-101441	-252907
MLI	Mopti	PMC co-delivery with EPI only vs No PMC	62947	269721	-65847	-318754
MLI	Bamako	PMC co-delivery with EPI only vs No PMC	0	269721	-14725	-333479
MLI	Kayes	PMC co-delivery with EPI only vs No PMC	60788	330509	-24569	-358048
MLI	Sikasso	PMC co-delivery with EPI only vs No PMC	87448	417957	-22201	-380249
MLI	Timbuktu	PMC co-delivery with EPI only vs No PMC	21318	439275	-4019	-384268
MLI	Gao	PMC co-delivery with EPI only vs No PMC	14713	453988	-2536	-386804
MLI	Kidal	PMC co-delivery with EPI only vs No PMC	530	454518	-267	-387071

MLI: Ranked prioritisation of options (page 3)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional net economic costs of PMC implementation and treatment	Cumulative net costs of PMC implementation and treatment	Incremental economic cost per DALY averted vs. next higher option in ranking	Cost-effective? (lower country-specific threshold)
MLI	Segou	PMC co-delivery with EPI only vs No PMC	300565	300565	147	no
MLI	Koulikoro	PMC co-delivery with EPI only vs No PMC	232543	533108	184	no
MLI	Mopti	PMC co-delivery with EPI only vs No PMC	244021	777129	287	no
MLI	Bamako	PMC co-delivery with EPI only vs No PMC	48989	826118	301	no
MLI	Kayes	PMC co-delivery with EPI only vs No PMC	269541	1095659	946	no
MLI	Sikasso	PMC co-delivery with EPI only vs No PMC	296717	1392376	1091	no
MLI	Timbuktu	PMC co-delivery with EPI only vs No PMC	176567	1568943	3838	no
MLI	Gao	PMC co-delivery with EPI only vs No PMC	138115	1707058	4604	no
MLI	Kidal	PMC co-delivery with EPI only vs No PMC	116954	1824012	38985	no

MLI: Ranked prioritisation of options (page 4)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Cost-effective? (higher country-specific threshold)	Cost-effective? (\$250 / DALY averted threshold)	Population (all ages)	Expected PMC doses delivered (age 0-1yr)
MLI	Segou	PMC co-delivery with EPI only vs No PMC	yes	yes	3411811	528097
MLI	Koulikoro	PMC co-delivery with EPI only vs No PMC	yes	yes	5358277	764238
MLI	Mopti	PMC co-delivery with EPI only vs No PMC	no	no	2848515	393419
MLI	Bamako	PMC co-delivery with EPI only vs No PMC	no	no	2848782	NA
MLI	Kayes	PMC co-delivery with EPI only vs No PMC	no	no	2960475	379923
MLI	Sikasso	PMC co-delivery with EPI only vs No PMC	no	no	4095382	546549
MLI	Timbuktu	PMC co-delivery with EPI only vs No PMC	no	no	1090728	133238
MLI	Gao	PMC co-delivery with EPI only vs No PMC	no	no	905663	91956
MLI	Kidal	PMC co-delivery with EPI only vs No PMC	no	no	128977	3314

MLI: Ranked prioritisation of options (page 5)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Expected PMC doses delivered (age 1-2yr)	Expected PMC doses delivered (age 2-2.5yr)	Data source for cost modelling	ICER based on regional costs only (no national costs)
MLI	Segou	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	75
MLI	Koulikoro	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	184
MLI	Mopti	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	287
MLI	Bamako	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	301
MLI	Kayes	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	946
MLI	Sikasso	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	1091
MLI	Timbuktu	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	3838
MLI	Gao	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	4604
MLI	Kidal	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	38985

MLI: Ranked prioritisation of options (page 6)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	rank
MLI	Segou	PMC co-delivery with EPI only vs No PMC	1
MLI	Koulikoro	PMC co-delivery with EPI only vs No PMC	2
MLI	Mopti	PMC co-delivery with EPI only vs No PMC	3
MLI	Bamako	PMC co-delivery with EPI only vs No PMC	4
MLI	Kayes	PMC co-delivery with EPI only vs No PMC	5
MLI	Sikasso	PMC co-delivery with EPI only vs No PMC	6
MLI	Timbuktu	PMC co-delivery with EPI only vs No PMC	7
MLI	Gao	PMC co-delivery with EPI only vs No PMC	8
MLI	Kidal	PMC co-delivery with EPI only vs No PMC	9

MLI: Cost assumptions (page 1)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N doses in PMC schedule	Data source for cost modelling	Total cost of PMC implementation (excl national costs)
MLI	Bamako	2848782	No PMC	0	Plus Project countries	0
MLI	Bamako	2848782	PMC co-delivery with EPI only	5	Plus Project countries	63714
MLI	Gao	905663	No PMC	0	Plus Project countries	0
MLI	Gao	905663	PMC co-delivery with EPI only	5	Plus Project countries	140651
MLI	Kayes	2960475	No PMC	0	Plus Project countries	0
MLI	Kayes	2960475	PMC co-delivery with EPI only	5	Plus Project countries	294110
MLI	Kidal	128977	No PMC	0	Plus Project countries	0
MLI	Kidal	128977	PMC co-delivery with EPI only	5	Plus Project countries	117221
MLI	Koulikoro	5358277	No PMC	0	Plus Project countries	0
MLI	Koulikoro	5358277	PMC co-delivery with EPI only	5	Plus Project countries	333984
MLI	Mopti	2848515	No PMC	0	Plus Project countries	0
MLI	Mopti	2848515	PMC co-delivery with EPI only	5	Plus Project countries	309868
MLI	Segou	3411811	No PMC	0	Plus Project countries	0
MLI	Segou	3411811	PMC co-delivery with EPI only	5	Plus Project countries	305849
MLI	Sikasso	4095382	No PMC	0	Plus Project countries	0
MLI	Sikasso	4095382	PMC co-delivery with EPI only	5	Plus Project countries	318918
MLI	Timbuktu	1090728	No PMC	0	Plus Project countries	0
MLI	Timbuktu	1090728	PMC co-delivery with EPI only	5	Plus Project countries	180586

MLI: Cost assumptions (page 2)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Sub–total: Cost of treatment	Total cost of PMC implementation + treatment (excluding national costs)	Total cost of PMC implementation + treatment (including full national costs for every region)
MLI	Bamako	2848782	No PMC	145575	145575	145575
MLI	Bamako	2848782	PMC co–delivery with EPI only	130850	194564	340746
MLI	Gao	905663	No PMC	49045	49045	49045
MLI	Gao	905663	PMC co–delivery with EPI only	46509	187160	333342
MLI	Kayes	2960475	No PMC	322486	322486	322486
MLI	Kayes	2960475	PMC co–delivery with EPI only	297917	592027	738209
MLI	Kidal	128977	No PMC	15013	15013	15013
MLI	Kidal	128977	PMC co–delivery with EPI only	14746	131967	278149
MLI	Koulikoro	5358277	No PMC	1130626	1130626	1130626
MLI	Koulikoro	5358277	PMC co–delivery with EPI only	1029185	1363169	1509351
MLI	Mopti	2848515	No PMC	802818	802818	802818
MLI	Mopti	2848515	PMC co–delivery with EPI only	736971	1046839	1193021
MLI	Segou	3411811	No PMC	1512085	1512085	1512085
MLI	Segou	3411811	PMC co–delivery with EPI only	1360619	1666468	1812650
MLI	Sikasso	4095382	No PMC	367082	367082	367082
MLI	Sikasso	4095382	PMC co–delivery with EPI only	344881	663799	809981
MLI	Timbuktu	1090728	No PMC	63797	63797	63797
MLI	Timbuktu	1090728	PMC co–delivery with EPI only	59778	240364	386546

MLI: Cost assumptions (page 3)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Clinical cases (N, 0–30mo)	Clinical cases for whom care sought	Hospitalisations (N, 0–30mo)
MLI	Bamako	2848782	No PMC	20143	10072	1696
MLI	Bamako	2848782	PMC co–delivery with EPI only	18121	9060	1524
MLI	Gao	905663	No PMC	7257	3628	556
MLI	Gao	905663	PMC co–delivery with EPI only	6858	3429	528
MLI	Kayes	2960475	No PMC	52041	26020	3514
MLI	Kayes	2960475	PMC co–delivery with EPI only	48329	24164	3238
MLI	Kidal	128977	No PMC	2289	1144	168
MLI	Kidal	128977	PMC co–delivery with EPI only	2249	1124	165
MLI	Koulikoro	5358277	No PMC	214944	107472	11255
MLI	Koulikoro	5358277	PMC co–delivery with EPI only	197555	98778	10183
MLI	Mopti	2848515	No PMC	171442	85721	7375
MLI	Mopti	2848515	PMC co–delivery with EPI only	159336	79668	6706
MLI	Segou	3411811	No PMC	352185	176092	12931
MLI	Segou	3411811	PMC co–delivery with EPI only	322022	161011	11468
MLI	Sikasso	4095382	No PMC	63232	31616	3869
MLI	Sikasso	4095382	PMC co–delivery with EPI only	59530	29765	3631
MLI	Timbuktu	1090728	No PMC	9446	4723	723
MLI	Timbuktu	1090728	PMC co–delivery with EPI only	8834	4417	678

MLI: Cost assumptions (page 4)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Deaths (N, 0–30mo)	Total DALYs	DALYs from clinical cases
MLI	Bamako	2848782	No PMC	365	1618	1027
MLI	Bamako	2848782	PMC co–delivery with EPI only	328	1455	924
MLI	Gao	905663	No PMC	120	564	370
MLI	Gao	905663	PMC co–delivery with EPI only	114	534	350
MLI	Kayes	2960475	No PMC	756	3877	2654
MLI	Kayes	2960475	PMC co–delivery with EPI only	696	3592	2465
MLI	Kidal	128977	No PMC	36	175	117
MLI	Kidal	128977	PMC co–delivery with EPI only	35	172	115
MLI	Koulikoro	5358277	No PMC	2420	14879	10962
MLI	Koulikoro	5358277	PMC co–delivery with EPI only	2189	13618	10075
MLI	Mopti	2848515	No PMC	1586	11311	8744
MLI	Mopti	2848515	PMC co–delivery with EPI only	1442	10460	8126
MLI	Segou	3411811	No PMC	2780	22461	17961
MLI	Segou	3411811	PMC co–delivery with EPI only	2466	20414	16423
MLI	Sikasso	4095382	No PMC	832	4572	3225
MLI	Sikasso	4095382	PMC co–delivery with EPI only	781	4300	3036
MLI	Timbuktu	1090728	No PMC	155	733	482
MLI	Timbuktu	1090728	PMC co–delivery with EPI only	146	687	451

MLI: Cost assumptions (page 5)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	DALYs from hospitalisations	DALYs from deaths	PMC cost input: Implementation cost at national level
MLI	Bamako	2848782	No PMC	226	365	0
MLI	Bamako	2848782	PMC co–delivery with EPI only	203	328	146182
MLI	Gao	905663	No PMC	74	120	0
MLI	Gao	905663	PMC co–delivery with EPI only	70	114	146182
MLI	Kayes	2960475	No PMC	467	756	0
MLI	Kayes	2960475	PMC co–delivery with EPI only	431	696	146182
MLI	Kidal	128977	No PMC	22	36	0
MLI	Kidal	128977	PMC co–delivery with EPI only	22	35	146182
MLI	Koulikoro	5358277	No PMC	1497	2420	0
MLI	Koulikoro	5358277	PMC co–delivery with EPI only	1354	2189	146182
MLI	Mopti	2848515	No PMC	981	1586	0
MLI	Mopti	2848515	PMC co–delivery with EPI only	892	1442	146182
MLI	Segou	3411811	No PMC	1720	2780	0
MLI	Segou	3411811	PMC co–delivery with EPI only	1525	2466	146182
MLI	Sikasso	4095382	No PMC	515	832	0
MLI	Sikasso	4095382	PMC co–delivery with EPI only	483	781	146182
MLI	Timbuktu	1090728	No PMC	96	155	0
MLI	Timbuktu	1090728	PMC co–delivery with EPI only	90	146	146182

MLI: Cost assumptions (page 6)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC cost input: PMC implementation cost per district	PMC cost input: PMC implementation cost per health facility	PMC cost input: Cost of PMC administration consumables per dose
MLI	Bamako	2848782	No PMC	0	0	0.00
MLI	Bamako	2848782	PMC co-delivery with EPI only	27954	240	0.05
MLI	Gao	905663	No PMC	0	0	0.00
MLI	Gao	905663	PMC co-delivery with EPI only	27954	240	0.05
MLI	Kayes	2960475	No PMC	0	0	0.00
MLI	Kayes	2960475	PMC co-delivery with EPI only	27954	240	0.05
MLI	Kidal	128977	No PMC	0	0	0.00
MLI	Kidal	128977	PMC co-delivery with EPI only	27954	240	0.05
MLI	Koulikoro	5358277	No PMC	0	0	0.00
MLI	Koulikoro	5358277	PMC co-delivery with EPI only	27954	240	0.05
MLI	Mopti	2848515	No PMC	0	0	0.00
MLI	Mopti	2848515	PMC co-delivery with EPI only	27954	240	0.05
MLI	Segou	3411811	No PMC	0	0	0.00
MLI	Segou	3411811	PMC co-delivery with EPI only	27954	240	0.05
MLI	Sikasso	4095382	No PMC	0	0	0.00
MLI	Sikasso	4095382	PMC co-delivery with EPI only	27954	240	0.05
MLI	Timbuktu	1090728	No PMC	0	0	0.00
MLI	Timbuktu	1090728	PMC co-delivery with EPI only	27954	240	0.05

MLI: Cost assumptions (page 7)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	PMC Cost input: Cost per SP tablet (includes wastage)	N districts in region	N health facilities in region
MLI	Bamako	2848782	No PMC	0.00	1	149
MLI	Bamako	2848782	PMC co–delivery with EPI only	0.11	1	149
MLI	Gao	905663	No PMC	0.00	4	78
MLI	Gao	905663	PMC co–delivery with EPI only	0.11	4	78
MLI	Kayes	2960475	No PMC	0.00	7	236
MLI	Kayes	2960475	PMC co–delivery with EPI only	0.11	7	236
MLI	Kidal	128977	No PMC	0.00	4	21
MLI	Kidal	128977	PMC co–delivery with EPI only	0.11	4	21
MLI	Koulikoro	5358277	No PMC	0.00	7	226
MLI	Koulikoro	5358277	PMC co–delivery with EPI only	0.11	7	226
MLI	Mopti	2848515	No PMC	0.00	8	179
MLI	Mopti	2848515	PMC co–delivery with EPI only	0.11	8	179
MLI	Segou	3411811	No PMC	0.00	7	217
MLI	Segou	3411811	PMC co–delivery with EPI only	0.11	7	217
MLI	Sikasso	4095382	No PMC	0.00	7	263
MLI	Sikasso	4095382	PMC co–delivery with EPI only	0.11	7	263
MLI	Timbuktu	1090728	No PMC	0.00	5	109
MLI	Timbuktu	1090728	PMC co–delivery with EPI only	0.11	5	109

MLI: Cost assumptions (page 8)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N expected PMC doses delivered (age 0–1yr)	N expected PMC doses delivered (age 1–2yr)	N expected PMC doses delivered (age 2–2.5yr)
MLI	Bamako	2848782	No PMC	0	0	0
MLI	Bamako	2848782	PMC co–delivery with EPI only	NA	0	0
MLI	Gao	905663	No PMC	0	0	0
MLI	Gao	905663	PMC co–delivery with EPI only	91956	0	0
MLI	Kayes	2960475	No PMC	0	0	0
MLI	Kayes	2960475	PMC co–delivery with EPI only	379923	0	0
MLI	Kidal	128977	No PMC	0	0	0
MLI	Kidal	128977	PMC co–delivery with EPI only	3314	0	0
MLI	Koulikoro	5358277	No PMC	0	0	0
MLI	Koulikoro	5358277	PMC co–delivery with EPI only	764238	0	0
MLI	Mopti	2848515	No PMC	0	0	0
MLI	Mopti	2848515	PMC co–delivery with EPI only	393419	0	0
MLI	Segou	3411811	No PMC	0	0	0
MLI	Segou	3411811	PMC co–delivery with EPI only	528097	0	0
MLI	Sikasso	4095382	No PMC	0	0	0
MLI	Sikasso	4095382	PMC co–delivery with EPI only	546549	0	0
MLI	Timbuktu	1090728	No PMC	0	0	0
MLI	Timbuktu	1090728	PMC co–delivery with EPI only	133238	0	0

MLI: Cost assumptions (page 9)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N total expected PMC doses delivered (age 0-2.5yr)	N SP tablets delivered	Sub-total: Cost of PMC implementation at district and HFs
MLI	Bamako	2848782	No PMC	0	0	0
MLI	Bamako	2848782	PMC co-delivery with EPI only	0	0	63714
MLI	Gao	905663	No PMC	0	0	0
MLI	Gao	905663	PMC co-delivery with EPI only	91956	91956	130536
MLI	Kayes	2960475	No PMC	0	0	0
MLI	Kayes	2960475	PMC co-delivery with EPI only	379923	379923	252318
MLI	Kidal	128977	No PMC	0	0	0
MLI	Kidal	128977	PMC co-delivery with EPI only	3314	3314	116856
MLI	Koulikoro	5358277	No PMC	0	0	0
MLI	Koulikoro	5358277	PMC co-delivery with EPI only	764238	764238	249918
MLI	Mopti	2848515	No PMC	0	0	0
MLI	Mopti	2848515	PMC co-delivery with EPI only	393419	393419	266592
MLI	Segou	3411811	No PMC	0	0	0
MLI	Segou	3411811	PMC co-delivery with EPI only	528097	528097	247758
MLI	Sikasso	4095382	No PMC	0	0	0
MLI	Sikasso	4095382	PMC co-delivery with EPI only	546549	546549	258798
MLI	Timbuktu	1090728	No PMC	0	0	0
MLI	Timbuktu	1090728	PMC co-delivery with EPI only	133238	133238	165930

MLI: Cost assumptions (page 10)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Sub–total: Cost of PMC administration (SP+consumables)	Treatment cost per clinical case	Treatment cost per hospitalisation
MLI	Bamako	2848782	No PMC	0	4.05	50.85
MLI	Bamako	2848782	PMC co–delivery with EPI only	0	4.05	50.85
MLI	Gao	905663	No PMC	0	4.05	50.85
MLI	Gao	905663	PMC co–delivery with EPI only	14713	4.05	50.85
MLI	Kayes	2960475	No PMC	0	4.05	50.85
MLI	Kayes	2960475	PMC co–delivery with EPI only	60788	4.05	50.85
MLI	Kidal	128977	No PMC	0	4.05	50.85
MLI	Kidal	128977	PMC co–delivery with EPI only	530	4.05	50.85
MLI	Koulikoro	5358277	No PMC	0	4.05	50.85
MLI	Koulikoro	5358277	PMC co–delivery with EPI only	122278	4.05	50.85
MLI	Mopti	2848515	No PMC	0	4.05	50.85
MLI	Mopti	2848515	PMC co–delivery with EPI only	62947	4.05	50.85
MLI	Segou	3411811	No PMC	0	4.05	50.85
MLI	Segou	3411811	PMC co–delivery with EPI only	84496	4.05	50.85
MLI	Sikasso	4095382	No PMC	0	4.05	50.85
MLI	Sikasso	4095382	PMC co–delivery with EPI only	87448	4.05	50.85
MLI	Timbuktu	1090728	No PMC	0	4.05	50.85
MLI	Timbuktu	1090728	PMC co–delivery with EPI only	21318	4.05	50.85

MLI: Cost assumptions (page 11)


Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Treatment cost per death
MLI	Bamako	2848782	No PMC	50.85
MLI	Bamako	2848782	PMC co–delivery with EPI only	50.85
MLI	Gao	905663	No PMC	50.85
MLI	Gao	905663	PMC co–delivery with EPI only	50.85
MLI	Kayes	2960475	No PMC	50.85
MLI	Kayes	2960475	PMC co–delivery with EPI only	50.85
MLI	Kidal	128977	No PMC	50.85
MLI	Kidal	128977	PMC co–delivery with EPI only	50.85
MLI	Koulikoro	5358277	No PMC	50.85
MLI	Koulikoro	5358277	PMC co–delivery with EPI only	50.85
MLI	Mopti	2848515	No PMC	50.85
MLI	Mopti	2848515	PMC co–delivery with EPI only	50.85
MLI	Segou	3411811	No PMC	50.85
MLI	Segou	3411811	PMC co–delivery with EPI only	50.85
MLI	Sikasso	4095382	No PMC	50.85
MLI	Sikasso	4095382	PMC co–delivery with EPI only	50.85
MLI	Timbuktu	1090728	No PMC	50.85
MLI	Timbuktu	1090728	PMC co–delivery with EPI only	50.85

MLI: Clinical malaria incidence


Age-specific clinical malaria cases per 1,000 children (0–30 months, with and without PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.




MLI: Clinical malaria incidence (rural and urban)

Age-specific clinical malaria cases per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.




MLI: Malaria hospitalisations

Age-specific new malaria hospitalisations per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.
Raw model outputs have been smoothed to reduce stochastic variation.



MLI: Spatial distribution of clinical malaria without PMC


Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, no PMC).



MLI: Spatial distribution of clinical malaria with PMC

Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, with PMC).


PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



MLI: Spatial distribution of averted clinical malaria with PMC

Admin-1 averted clinical malaria incidence per 1,000 children aged (0–30 months, averted with PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



MLI: Clinical malaria burden (page 1)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Abia	362.1	325.8	36.3
Adamawa	379.8	355.7	24.1
Akwa_Ibom	445.1	413.0	32.1
Anambra	247.1	225.2	21.9
Bauchi	474.3	457.9	16.4
Bayelsa	578.6	539.8	38.8
Benue	369.2	343.5	25.8
Borno	1287.6	1233.4	54.3
Cross_River	527.1	486.7	40.4
Delta	333.0	308.1	24.8
Ebonyi	752.8	694.8	58.1
Edo	705.8	650.6	55.2
Ekiti	1165.1	1065.5	99.7
Enugu	380.5	348.1	32.4
Federal_Capital_Territory	323.3	297.5	25.7
Gombe	448.2	431.8	16.4
Imo	260.2	239.5	20.7
Jigawa	1614.4	1517.4	96.9
Kaduna	594.6	570.2	24.4
Kano	826.2	788.8	37.3
Katsina	2178.7	2115.4	63.2
Kebbi	3879.9	3744.2	135.7
Kogi	606.9	568.5	38.5
Kwara	372.3	348.6	23.7
Lagos	123.6	111.7	11.9
Nasarawa	1022.6	952.2	70.4
Niger	1011.6	970.3	41.3
Ogun	412.8	389.4	23.4
Ondo	1074.9	992.2	82.7
Osun	718.5	679.2	39.3

MLI: Clinical malaria burden (page 2)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Oyo	582.4	552.3	30.1
Plateau	786.5	733.0	53.5
Rivers	384.2	352.8	31.4
Sokoto	3696.7	3601.7	95.0
Taraba	563.2	540.4	22.8
Yobe	780.6	737.7	42.9
Zamfara	3789.7	3718.0	71.7

MLI: Severe malaria burden (page 1)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Abia	24.1	21.3	2.8
Adamawa	24.7	23.0	1.8
Akwa_Ibom	26.5	24.3	2.2
Anambra	16.9	15.3	1.7
Bauchi	30.9	29.7	1.2
Bayelsa	32.2	29.7	2.5
Benue	23.2	21.5	1.7
Borno	59.7	56.8	2.9
Cross_River	29.5	26.8	2.7
Delta	21.8	19.9	1.8
Ebonyi	38.3	34.9	3.4
Edo	36.8	33.1	3.7
Ekiti	48.1	42.8	5.4
Enugu	24.7	22.4	2.3
Federal_Capital_Territory	20.4	18.8	1.7
Gombe	27.8	26.6	1.2
Imo	18.4	16.8	1.6
Jigawa	72.6	67.3	5.3
Kaduna	33.2	31.6	1.6
Kano	46.5	44.1	2.3
Katsina	84.0	81.1	2.9
Kebbi	100.5	95.2	5.4
Kogi	33.3	30.6	2.7
Kwara	22.0	20.4	1.6
Lagos	10.4	9.3	1.1
Nasarawa	43.4	39.6	3.8
Niger	43.1	40.7	2.4
Ogun	25.7	23.8	1.9
Ondo	45.6	41.0	4.6
Osun	35.3	32.8	2.5

MLI: Severe malaria burden (page 2)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Oyo	30.9	28.7	2.2
Plateau	39.2	35.9	3.2
Rivers	25.4	22.7	2.6
Sokoto	103.4	99.6	3.8
Taraba	32.3	30.7	1.6
Yobe	46.1	43.2	2.9
Zamfara	102.3	99.4	2.9