

PMC Compass: Modelling Outputs for BDI


Modelling outputs from PMC Compass. Please note, results are preliminary and subject to change following further validation.

Corresponding authors: Ishana Atkinson, Catherine Pitt, Andria Mousa

10 February 2026


BDI: Ranked prioritised order to implement PMC

Order at which to implement PMC in the country based on cost-effectiveness of the PMC delivery strategy.



BDI: Incremental cost-effectiveness ratios of implementing PMC co-delivery with EPI only vs No PMC in each admin-1 unit.

Incremental cost-effectiveness ratios of implementing PMC co-delivery with EPI only vs No PMC in each admin-1 unit. All costs used to calculate these exclude national-level start up costs.



BDI: Ranked prioritisation of options (page 1)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional clinical malaria cases averted	Additional hospitalisations averted	Additional deaths averted	Additional DALYs averted
BDI	Kirundo	PMC co-delivery with EPI only vs No PMC	7463	329	71	495
BDI	Muyinga	PMC co-delivery with EPI only vs No PMC	6289	310	67	429
BDI	Ngozi	PMC co-delivery with EPI only vs No PMC	7506	355	76	506
BDI	Kayanza	PMC co-delivery with EPI only vs No PMC	4490	228	49	308
BDI	Cibitoke	PMC co-delivery with EPI only vs No PMC	2691	145	31	188
BDI	Cankuzo	PMC co-delivery with EPI only vs No PMC	1932	101	21	134
BDI	Ruyigi	PMC co-delivery with EPI only vs No PMC	2077	123	26	148
BDI	Rutana	PMC co-delivery with EPI only vs No PMC	1509	98	21	111
BDI	Muramvya	PMC co-delivery with EPI only vs No PMC	1206	82	18	91
BDI	Gitega	PMC co-delivery with EPI only vs No PMC	3043	169	36	214
BDI	Mwaro	PMC co-delivery with EPI only vs No PMC	1286	85	18	95
BDI	Bubanza	PMC co-delivery with EPI only vs No PMC	1180	71	16	85
BDI	Karuzi	PMC co-delivery with EPI only vs No PMC	1273	92	20	98
BDI	Makamba	PMC co-delivery with EPI only vs No PMC	1429	97	21	107
BDI	Bujumbura_Mairie	PMC co-delivery with EPI only vs No PMC	2295	156	34	172
BDI	Bururi	PMC co-delivery with EPI only vs No PMC	1660	115	25	126
BDI	Bujumbura_Rural	PMC co-delivery with EPI only vs No PMC	1854	129	28	140

BDI: Ranked prioritisation of options (page 2)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Financial cost of SP and administration consumables	Cumulative cost of SP and administration consumables	Additional economic cost savings to public providers from reduced treatment	Cumulative economic cost savings to public providers from reduced treatment
BDI	Kirundo	PMC co-delivery with EPI only vs No PMC	33390	33390	-23242	-23242
BDI	Muyinga	PMC co-delivery with EPI only vs No PMC	43221	76611	-21119	-44361
BDI	Ngozi	PMC co-delivery with EPI only vs No PMC	35269	111880	-24504	-68865
BDI	Kayanza	PMC co-delivery with EPI only vs No PMC	36620	148500	-15390	-84255
BDI	Cibitoke	PMC co-delivery with EPI only vs No PMC	22205	170705	-9614	-93869
BDI	Cankuzo	PMC co-delivery with EPI only vs No PMC	0	170705	-6757	-100626
BDI	Ruyigi	PMC co-delivery with EPI only vs No PMC	0	170705	-7938	-108564
BDI	Rutana	PMC co-delivery with EPI only vs No PMC	0	170705	-6172	-114736
BDI	Muramvya	PMC co-delivery with EPI only vs No PMC	0	170705	-5101	-119837
BDI	Gitega	PMC co-delivery with EPI only vs No PMC	35657	206362	-11104	-130941
BDI	Mwaro	PMC co-delivery with EPI only vs No PMC	0	206362	-5326	-136267
BDI	Bubanza	PMC co-delivery with EPI only vs No PMC	15587	221949	-4562	-140829
BDI	Karuzi	PMC co-delivery with EPI only vs No PMC	0	221949	-5642	-146471
BDI	Makamba	PMC co-delivery with EPI only vs No PMC	22888	244837	-6038	-152509
BDI	Bujumbura_Mairie	PMC co-delivery with EPI only vs No PMC	40589	285426	-9708	-162217
BDI	Bururi	PMC co-delivery with EPI only vs No PMC	33171	318597	-7124	-169341
BDI	Bujumbura_Rural	PMC co-delivery with EPI only vs No PMC	30575	349172	-7985	-177326

BDI: Ranked prioritisation of options (page 3)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional net economic costs of PMC implementation and treatment	Cumulative net costs of PMC implementation and treatment	Incremental economic cost per DALY averted vs. next higher option in ranking	Cost-effective? (lower country-specific threshold)
BDI	Kirundo	PMC co-delivery with EPI only vs No PMC	281270	281270	568	no
BDI	Muyinga	PMC co-delivery with EPI only vs No PMC	147021	428291	343	no
BDI	Ngozi	PMC co-delivery with EPI only vs No PMC	176955	605246	350	no
BDI	Kayanza	PMC co-delivery with EPI only vs No PMC	186221	791467	605	no
BDI	Cibitoke	PMC co-delivery with EPI only vs No PMC	123785	915252	658	no
BDI	Cankuzo	PMC co-delivery with EPI only vs No PMC	91337	1006589	682	no
BDI	Ruyigi	PMC co-delivery with EPI only vs No PMC	128957	1135546	871	no
BDI	Rutana	PMC co-delivery with EPI only vs No PMC	111411	1246957	1004	no
BDI	Muramvya	PMC co-delivery with EPI only vs No PMC	92698	1339655	1019	no
BDI	Gitega	PMC co-delivery with EPI only vs No PMC	229324	1568979	1072	no
BDI	Mwaro	PMC co-delivery with EPI only vs No PMC	111667	1680646	1175	no
BDI	Bubanza	PMC co-delivery with EPI only vs No PMC	104202	1784848	1226	no
BDI	Karuzi	PMC co-delivery with EPI only vs No PMC	131017	1915865	1337	no
BDI	Makamba	PMC co-delivery with EPI only vs No PMC	147205	2063070	1376	no
BDI	Bujumbura_Mairie	PMC co-delivery with EPI only vs No PMC	289965	2353035	1686	no
BDI	Bururi	PMC co-delivery with EPI only vs No PMC	213113	2566148	1691	no
BDI	Bujumbura_Rural	PMC co-delivery with EPI only vs No PMC	247650	2813798	1769	no

BDI: Ranked prioritisation of options (page 4)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Cost-effective? (higher country-specific threshold)	Cost-effective? (\$250 / DALY averted threshold)	Population (all ages)	Expected PMC doses delivered (age 0-1yr)
BDI	Kirundo	PMC co-delivery with EPI only vs No PMC	no	no	1022753	176889
BDI	Muyinga	PMC co-delivery with EPI only vs No PMC	no	no	1244384	221090
BDI	Ngozi	PMC co-delivery with EPI only vs No PMC	no	no	1016751	180784
BDI	Kayanza	PMC co-delivery with EPI only vs No PMC	no	no	1023776	183902
BDI	Cibitoke	PMC co-delivery with EPI only vs No PMC	no	no	689670	117588
BDI	Cankuzo	PMC co-delivery with EPI only vs No PMC	no	no	385297	NA
BDI	Ruyigi	PMC co-delivery with EPI only vs No PMC	no	no	724932	NA
BDI	Rutana	PMC co-delivery with EPI only vs No PMC	no	no	603179	NA
BDI	Muramvya	PMC co-delivery with EPI only vs No PMC	no	no	440617	NA
BDI	Gitega	PMC co-delivery with EPI only vs No PMC	no	no	1012745	182269
BDI	Mwaro	PMC co-delivery with EPI only vs No PMC	no	no	427761	NA
BDI	Bubanza	PMC co-delivery with EPI only vs No PMC	no	no	475323	82325
BDI	Karuzi	PMC co-delivery with EPI only vs No PMC	no	no	575463	NA
BDI	Makamba	PMC co-delivery with EPI only vs No PMC	no	no	660575	115878
BDI	Bujumbura_Mairie	PMC co-delivery with EPI only vs No PMC	no	no	1204304	213952
BDI	Bururi	PMC co-delivery with EPI only vs No PMC	no	no	1015486	172332
BDI	Bujumbura_Rural	PMC co-delivery with EPI only vs No PMC	no	no	889947	157307

BDI: Ranked prioritisation of options (page 5)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Expected PMC doses delivered (age 1-2yr)	Expected PMC doses delivered (age 2-2.5yr)	Data source for cost modelling	ICER based on regional costs only (no national costs)
BDI	Kirundo	PMC co-delivery with EPI only vs No PMC	18846	0	Plus Project countries	278
BDI	Muyinga	PMC co-delivery with EPI only vs No PMC	29062	0	Plus Project countries	343
BDI	Ngozi	PMC co-delivery with EPI only vs No PMC	23493	0	Plus Project countries	350
BDI	Kayanza	PMC co-delivery with EPI only vs No PMC	26649	0	Plus Project countries	605
BDI	Cibitoke	PMC co-delivery with EPI only vs No PMC	12559	0	Plus Project countries	658
BDI	Cankuzo	PMC co-delivery with EPI only vs No PMC	NA	0	Plus Project countries	682
BDI	Ruyigi	PMC co-delivery with EPI only vs No PMC	NA	0	Plus Project countries	871
BDI	Rutana	PMC co-delivery with EPI only vs No PMC	NA	0	Plus Project countries	1004
BDI	Muramvya	PMC co-delivery with EPI only vs No PMC	NA	0	Plus Project countries	1019
BDI	Gitega	PMC co-delivery with EPI only vs No PMC	24050	0	Plus Project countries	1072
BDI	Mwaro	PMC co-delivery with EPI only vs No PMC	NA	0	Plus Project countries	1175
BDI	Bubanza	PMC co-delivery with EPI only vs No PMC	8945	0	Plus Project countries	1226
BDI	Karuzi	PMC co-delivery with EPI only vs No PMC	NA	0	Plus Project countries	1337
BDI	Makamba	PMC co-delivery with EPI only vs No PMC	16103	0	Plus Project countries	1376
BDI	Bujumbura_Mairie	PMC co-delivery with EPI only vs No PMC	23545	0	Plus Project countries	1686
BDI	Bururi	PMC co-delivery with EPI only vs No PMC	20734	0	Plus Project countries	1691
BDI	Bujumbura_Rural	PMC co-delivery with EPI only vs No PMC	20020	0	Plus Project countries	1769

BDI: Ranked prioritisation of options (page 6)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	rank
BDI	Kirundo	PMC co-delivery with EPI only vs No PMC	1
BDI	Muyinga	PMC co-delivery with EPI only vs No PMC	2
BDI	Ngozi	PMC co-delivery with EPI only vs No PMC	3
BDI	Kayanza	PMC co-delivery with EPI only vs No PMC	4
BDI	Cibitoke	PMC co-delivery with EPI only vs No PMC	5
BDI	Cankuzo	PMC co-delivery with EPI only vs No PMC	6
BDI	Ruyigi	PMC co-delivery with EPI only vs No PMC	7
BDI	Rutana	PMC co-delivery with EPI only vs No PMC	8
BDI	Muramvya	PMC co-delivery with EPI only vs No PMC	9
BDI	Gitega	PMC co-delivery with EPI only vs No PMC	10
BDI	Mwaro	PMC co-delivery with EPI only vs No PMC	11
BDI	Bubanza	PMC co-delivery with EPI only vs No PMC	12
BDI	Karuzi	PMC co-delivery with EPI only vs No PMC	13
BDI	Makamba	PMC co-delivery with EPI only vs No PMC	14
BDI	Bujumbura_Mairie	PMC co-delivery with EPI only vs No PMC	15
BDI	Bururi	PMC co-delivery with EPI only vs No PMC	16
BDI	Bujumbura_Rural	PMC co-delivery with EPI only vs No PMC	17

BDI: Cost assumptions (page 1)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N doses in PMC schedule	Data source for cost modelling	Total cost of PMC implementation (excl national costs)
BDI	Bubanza	475323	No PMC	0	Plus Project countries	0
BDI	Bubanza	475323	PMC co-delivery with EPI only	7	Plus Project countries	108764
BDI	Bujumbura_Mairie	1204304	No PMC	0	Plus Project countries	0
BDI	Bujumbura_Mairie	1204304	PMC co-delivery with EPI only	7	Plus Project countries	299673
BDI	Bujumbura_Rural	889947	No PMC	0	Plus Project countries	0
BDI	Bujumbura_Rural	889947	PMC co-delivery with EPI only	7	Plus Project countries	255635
BDI	Bururi	1015486	No PMC	0	Plus Project countries	0
BDI	Bururi	1015486	PMC co-delivery with EPI only	7	Plus Project countries	220237
BDI	Cankuzo	385297	No PMC	0	Plus Project countries	0
BDI	Cankuzo	385297	PMC co-delivery with EPI only	7	Plus Project countries	98094
BDI	Cibitoke	689670	No PMC	0	Plus Project countries	0
BDI	Cibitoke	689670	PMC co-delivery with EPI only	7	Plus Project countries	133399
BDI	Gitega	1012745	No PMC	0	Plus Project countries	0
BDI	Gitega	1012745	PMC co-delivery with EPI only	7	Plus Project countries	240428
BDI	Karuzi	575463	No PMC	0	Plus Project countries	0
BDI	Karuzi	575463	PMC co-delivery with EPI only	7	Plus Project countries	136659
BDI	Kayanza	1023776	No PMC	0	Plus Project countries	0
BDI	Kayanza	1023776	PMC co-delivery with EPI only	7	Plus Project countries	201611
BDI	Kirundo	1022753	No PMC	0	Plus Project countries	0
BDI	Kirundo	1022753	PMC co-delivery with EPI only	7	Plus Project countries	161030
BDI	Makamba	660575	No PMC	0	Plus Project countries	0
BDI	Makamba	660575	PMC co-delivery with EPI only	7	Plus Project countries	153243
BDI	Muramvya	440617	No PMC	0	Plus Project countries	0
BDI	Muramvya	440617	PMC co-delivery with EPI only	7	Plus Project countries	97799
BDI	Muyinga	1244384	No PMC	0	Plus Project countries	0
BDI	Muyinga	1244384	PMC co-delivery with EPI only	7	Plus Project countries	168140
BDI	Mwaro	427761	No PMC	0	Plus Project countries	0
BDI	Mwaro	427761	PMC co-delivery with EPI only	7	Plus Project countries	116993
BDI	Ngozi	1016751	No PMC	0	Plus Project countries	0
BDI	Ngozi	1016751	PMC co-delivery with EPI only	7	Plus Project countries	201459

BDI: Cost assumptions (page 2)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N doses in PMC schedule	Data source for cost modelling	Total cost of PMC implementation (excl national costs)
BDI	Rutana	603179	No PMC	0	Plus Project countries	0
BDI	Rutana	603179	PMC co–delivery with EPI only	7	Plus Project countries	117583
BDI	Ruyigi	724932	No PMC	0	Plus Project countries	0
BDI	Ruyigi	724932	PMC co–delivery with EPI only	7	Plus Project countries	136895

BDI: Cost assumptions (page 3)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Sub-total: Cost of treatment	Total cost of PMC implementation + treatment (excluding national costs)	Total cost of PMC implementation + treatment (including full national costs for every region)
BDI	Bubanza	475323	No PMC	43013	43013	43013
BDI	Bubanza	475323	PMC co-delivery with EPI only	38451	147215	290697
BDI	Bujumbura_Mairie	1204304	No PMC	91301	91301	91301
BDI	Bujumbura_Mairie	1204304	PMC co-delivery with EPI only	81593	381266	524748
BDI	Bujumbura_Rural	889947	No PMC	66911	66911	66911
BDI	Bujumbura_Rural	889947	PMC co-delivery with EPI only	58926	314561	458043
BDI	Bururi	1015486	No PMC	69106	69106	69106
BDI	Bururi	1015486	PMC co-delivery with EPI only	61982	282219	425701
BDI	Cankuzo	385297	No PMC	56547	56547	56547
BDI	Cankuzo	385297	PMC co-delivery with EPI only	49790	147884	291366
BDI	Cibitoke	689670	No PMC	89954	89954	89954
BDI	Cibitoke	689670	PMC co-delivery with EPI only	80340	213739	357221
BDI	Gitega	1012745	No PMC	101482	101482	101482
BDI	Gitega	1012745	PMC co-delivery with EPI only	90378	330806	474288
BDI	Karuzi	575463	No PMC	43814	43814	43814
BDI	Karuzi	575463	PMC co-delivery with EPI only	38172	174831	318313
BDI	Kayanza	1023776	No PMC	129700	129700	129700
BDI	Kayanza	1023776	PMC co-delivery with EPI only	114310	315921	459403
BDI	Kirundo	1022753	No PMC	205383	205383	205383
BDI	Kirundo	1022753	PMC co-delivery with EPI only	182141	343171	486653
BDI	Makamba	660575	No PMC	52102	52102	52102
BDI	Makamba	660575	PMC co-delivery with EPI only	46064	199307	342789
BDI	Muramvya	440617	No PMC	40968	40968	40968
BDI	Muramvya	440617	PMC co-delivery with EPI only	35867	133666	277148
BDI	Muyinga	1244384	No PMC	184890	184890	184890
BDI	Muyinga	1244384	PMC co-delivery with EPI only	163771	331911	475393
BDI	Mwaro	427761	No PMC	41927	41927	41927
BDI	Mwaro	427761	PMC co-delivery with EPI only	36601	153594	297076
BDI	Ngozi	1016751	No PMC	194521	194521	194521
BDI	Ngozi	1016751	PMC co-delivery with EPI only	170017	371476	514958

BDI: Cost assumptions (page 4)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Sub–total: Cost of treatment	Total cost of PMC implementation + treatment (excluding national costs)	Total cost of PMC implementation + treatment (including full national costs for every region)
BDI	Rutana	603179	No PMC	52338	52338	52338
BDI	Rutana	603179	PMC co–delivery with EPI only	46166	163749	307231
BDI	Ruyigi	724932	No PMC	78394	78394	78394
BDI	Ruyigi	724932	PMC co–delivery with EPI only	70456	207351	350833

BDI: Cost assumptions (page 5)						
Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.						
Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Clinical cases (N, 0-30mo)	Clinical cases for whom care sought	Hospitalisations (N, 0-30mo)
BDI	Bubanza	475323	No PMC	11988	5994	650
BDI	Bubanza	475323	PMC co-delivery with EPI only	10808	5404	579
BDI	Bujumbura_Mairie	1204304	No PMC	22733	11366	1441
BDI	Bujumbura_Mairie	1204304	PMC co-delivery with EPI only	20438	10219	1285
BDI	Bujumbura_Rural	889947	No PMC	17059	8530	1047
BDI	Bujumbura_Rural	889947	PMC co-delivery with EPI only	15205	7602	918
BDI	Bururi	1015486	No PMC	17723	8862	1079
BDI	Bururi	1015486	PMC co-delivery with EPI only	16063	8032	964
BDI	Cankuzo	385297	No PMC	19725	9862	765
BDI	Cankuzo	385297	PMC co-delivery with EPI only	17793	8896	664
BDI	Cibitoke	689670	No PMC	27832	13916	1297
BDI	Cibitoke	689670	PMC co-delivery with EPI only	25141	12570	1152
BDI	Gitega	1012745	No PMC	29814	14907	1499
BDI	Gitega	1012745	PMC co-delivery with EPI only	26771	13386	1330
BDI	Karuzi	575463	No PMC	11330	5665	682
BDI	Karuzi	575463	PMC co-delivery with EPI only	10057	5028	590
BDI	Kayanza	1023776	No PMC	39999	20000	1873
BDI	Kayanza	1023776	PMC co-delivery with EPI only	35509	17754	1645
BDI	Kirundo	1022753	No PMC	81050	40525	2566
BDI	Kirundo	1022753	PMC co-delivery with EPI only	73587	36794	2237
BDI	Makamba	660575	No PMC	13784	6892	804
BDI	Makamba	660575	PMC co-delivery with EPI only	12355	6178	707
BDI	Muramvya	440617	No PMC	11113	5556	626
BDI	Muramvya	440617	PMC co-delivery with EPI only	9907	4954	544
BDI	Muyinga	1244384	No PMC	63662	31831	2520
BDI	Muyinga	1244384	PMC co-delivery with EPI only	57373	28686	2210
BDI	Mwaro	427761	No PMC	11889	5944	629
BDI	Mwaro	427761	PMC co-delivery with EPI only	10603	5302	544
BDI	Ngozi	1016751	No PMC	71684	35842	2545
BDI	Ngozi	1016751	PMC co-delivery with EPI only	64178	32089	2190

BDI: Cost assumptions (page 6)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Clinical cases (N, 0–30mo)	Clinical cases for whom care sought	Hospitalisations (N, 0–30mo)
BDI	Rutana	603179	No PMC	14803	7402	786
BDI	Rutana	603179	PMC co–delivery with EPI only	13294	6647	688
BDI	Ruyigi	724932	No PMC	24047	12024	1135
BDI	Ruyigi	724932	PMC co–delivery with EPI only	21970	10985	1012

BDI: Cost assumptions (page 7)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Deaths (N, 0–30mo)	Total DALYs	DALYs from clinical cases
BDI	Bubanza	475323	No PMC	140	837	611
BDI	Bubanza	475323	PMC co–delivery with EPI only	124	752	551
BDI	Bujumbura_Mairie	1204304	No PMC	310	1661	1159
BDI	Bujumbura_Mairie	1204304	PMC co–delivery with EPI only	276	1489	1042
BDI	Bujumbura_Rural	889947	No PMC	225	1234	870
BDI	Bujumbura_Rural	889947	PMC co–delivery with EPI only	197	1094	775
BDI	Bururi	1015486	No PMC	232	1280	904
BDI	Bururi	1015486	PMC co–delivery with EPI only	207	1154	819
BDI	Cankuzo	385297	No PMC	164	1272	1006
BDI	Cankuzo	385297	PMC co–delivery with EPI only	143	1138	907
BDI	Cibitoke	689670	No PMC	279	1871	1419
BDI	Cibitoke	689670	PMC co–delivery with EPI only	248	1683	1282
BDI	Gitega	1012745	No PMC	322	2042	1521
BDI	Gitega	1012745	PMC co–delivery with EPI only	286	1828	1365
BDI	Karuzi	575463	No PMC	147	816	578
BDI	Karuzi	575463	PMC co–delivery with EPI only	127	718	513
BDI	Kayanza	1023776	No PMC	403	2692	2040
BDI	Kayanza	1023776	PMC co–delivery with EPI only	354	2384	1811
BDI	Kirundo	1022753	No PMC	552	5027	4134
BDI	Kirundo	1022753	PMC co–delivery with EPI only	481	4532	3753
BDI	Makamba	660575	No PMC	173	983	703
BDI	Makamba	660575	PMC co–delivery with EPI only	152	876	630
BDI	Muramvya	440617	No PMC	135	785	567
BDI	Muramvya	440617	PMC co–delivery with EPI only	117	694	505
BDI	Muyinga	1244384	No PMC	542	4124	3247
BDI	Muyinga	1244384	PMC co–delivery with EPI only	475	3695	2926
BDI	Mwaro	427761	No PMC	135	825	606
BDI	Mwaro	427761	PMC co–delivery with EPI only	117	730	541
BDI	Ngozi	1016751	No PMC	547	4541	3656
BDI	Ngozi	1016751	PMC co–delivery with EPI only	471	4035	3273

BDI: Cost assumptions (page 8)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Deaths (N, 0–30mo)	Total DALYs	DALYs from clinical cases
BDI	Rutana	603179	No PMC	169	1029	755
BDI	Rutana	603179	PMC co–delivery with EPI only	148	918	678
BDI	Ruyigi	724932	No PMC	244	1621	1226
BDI	Ruyigi	724932	PMC co–delivery with EPI only	218	1473	1120

BDI: Cost assumptions (page 9)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	DALYs from hospitalisations	DALYs from deaths	PMC cost input: Implementation cost at national level
BDI	Bubanza	475323	No PMC	86	140	0
BDI	Bubanza	475323	PMC co-delivery with EPI only	77	124	143482
BDI	Bujumbura_Mairie	1204304	No PMC	192	310	0
BDI	Bujumbura_Mairie	1204304	PMC co-delivery with EPI only	171	276	143482
BDI	Bujumbura_Rural	889947	No PMC	139	225	0
BDI	Bujumbura_Rural	889947	PMC co-delivery with EPI only	122	197	143482
BDI	Bururi	1015486	No PMC	144	232	0
BDI	Bururi	1015486	PMC co-delivery with EPI only	128	207	143482
BDI	Cankuzo	385297	No PMC	102	164	0
BDI	Cankuzo	385297	PMC co-delivery with EPI only	88	143	143482
BDI	Cibitoke	689670	No PMC	173	279	0
BDI	Cibitoke	689670	PMC co-delivery with EPI only	153	248	143482
BDI	Gitega	1012745	No PMC	199	322	0
BDI	Gitega	1012745	PMC co-delivery with EPI only	177	286	143482
BDI	Karuzi	575463	No PMC	91	147	0
BDI	Karuzi	575463	PMC co-delivery with EPI only	78	127	143482
BDI	Kayanza	1023776	No PMC	249	403	0
BDI	Kayanza	1023776	PMC co-delivery with EPI only	219	354	143482
BDI	Kirundo	1022753	No PMC	341	552	0
BDI	Kirundo	1022753	PMC co-delivery with EPI only	298	481	143482
BDI	Makamba	660575	No PMC	107	173	0
BDI	Makamba	660575	PMC co-delivery with EPI only	94	152	143482
BDI	Muramvya	440617	No PMC	83	135	0
BDI	Muramvya	440617	PMC co-delivery with EPI only	72	117	143482
BDI	Muyinga	1244384	No PMC	335	542	0
BDI	Muyinga	1244384	PMC co-delivery with EPI only	294	475	143482
BDI	Mwaro	427761	No PMC	84	135	0
BDI	Mwaro	427761	PMC co-delivery with EPI only	72	117	143482
BDI	Ngozi	1016751	No PMC	338	547	0
BDI	Ngozi	1016751	PMC co-delivery with EPI only	291	471	143482

BDI: Cost assumptions (page 10)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	DALYs from hospitalisations	DALYs from deaths	PMC cost input: Implementation cost at national level
BDI	Rutana	603179	No PMC	105	169	0
BDI	Rutana	603179	PMC co–delivery with EPI only	92	148	143482
BDI	Ruyigi	724932	No PMC	151	244	0
BDI	Ruyigi	724932	PMC co–delivery with EPI only	135	218	143482

BDI: Cost assumptions (page 11)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC cost input: PMC implementation cost per district	PMC cost input: PMC implementation cost per health facility	PMC cost input: Cost of PMC administration consumables per dose
BDI	Bubanza	475323	No PMC	0	0	0.00
BDI	Bubanza	475323	PMC co-delivery with EPI only	19253	59	0.05
BDI	Bujumbura_Mairie	1204304	No PMC	0	0	0.00
BDI	Bujumbura_Mairie	1204304	PMC co-delivery with EPI only	19253	59	0.05
BDI	Bujumbura_Rural	889947	No PMC	0	0	0.00
BDI	Bujumbura_Rural	889947	PMC co-delivery with EPI only	19253	59	0.05
BDI	Bururi	1015486	No PMC	0	0	0.00
BDI	Bururi	1015486	PMC co-delivery with EPI only	19253	59	0.05
BDI	Cankuzo	385297	No PMC	0	0	0.00
BDI	Cankuzo	385297	PMC co-delivery with EPI only	19253	59	0.05
BDI	Cibitoke	689670	No PMC	0	0	0.00
BDI	Cibitoke	689670	PMC co-delivery with EPI only	19253	59	0.05
BDI	Gitega	1012745	No PMC	0	0	0.00
BDI	Gitega	1012745	PMC co-delivery with EPI only	19253	59	0.05
BDI	Karuzi	575463	No PMC	0	0	0.00
BDI	Karuzi	575463	PMC co-delivery with EPI only	19253	59	0.05
BDI	Kayanza	1023776	No PMC	0	0	0.00
BDI	Kayanza	1023776	PMC co-delivery with EPI only	19253	59	0.05
BDI	Kirundo	1022753	No PMC	0	0	0.00
BDI	Kirundo	1022753	PMC co-delivery with EPI only	19253	59	0.05
BDI	Makamba	660575	No PMC	0	0	0.00
BDI	Makamba	660575	PMC co-delivery with EPI only	19253	59	0.05
BDI	Muramvya	440617	No PMC	0	0	0.00
BDI	Muramvya	440617	PMC co-delivery with EPI only	19253	59	0.05
BDI	Muyinga	1244384	No PMC	0	0	0.00
BDI	Muyinga	1244384	PMC co-delivery with EPI only	19253	59	0.05
BDI	Mwaro	427761	No PMC	0	0	0.00
BDI	Mwaro	427761	PMC co-delivery with EPI only	19253	59	0.05
BDI	Ngozi	1016751	No PMC	0	0	0.00
BDI	Ngozi	1016751	PMC co-delivery with EPI only	19253	59	0.05

BDI: Cost assumptions (page 12)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	PMC cost input: PMC implementation cost per district	PMC cost input: PMC implementation cost per health facility	PMC cost input: Cost of PMC administration consumables per dose
BDI	Rutana	603179	No PMC	0	0	0.00
BDI	Rutana	603179	PMC co–delivery with EPI only	19253	59	0.05
BDI	Ruyigi	724932	No PMC	0	0	0.00
BDI	Ruyigi	724932	PMC co–delivery with EPI only	19253	59	0.05

BDI: Cost assumptions (page 13)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC Cost input: Cost per SP tablet (includes wastage)	N districts in region	N health facilities in region
BDI	Bubanza	475323	No PMC	0.00	5	25
BDI	Bubanza	475323	PMC co-delivery with EPI only	0.11	5	25
BDI	Bujumbura_Mairie	1204304	No PMC	0.00	14	24
BDI	Bujumbura_Mairie	1204304	PMC co-delivery with EPI only	0.11	14	24
BDI	Bujumbura_Rural	889947	No PMC	0.00	12	49
BDI	Bujumbura_Rural	889947	PMC co-delivery with EPI only	0.11	12	49
BDI	Bururi	1015486	No PMC	0.00	10	71
BDI	Bururi	1015486	PMC co-delivery with EPI only	0.11	10	71
BDI	Cankuzo	385297	No PMC	0.00	5	31
BDI	Cankuzo	385297	PMC co-delivery with EPI only	0.11	5	31
BDI	Cibitoke	689670	No PMC	0.00	6	37
BDI	Cibitoke	689670	PMC co-delivery with EPI only	0.11	6	37
BDI	Gitega	1012745	No PMC	0.00	11	56
BDI	Gitega	1012745	PMC co-delivery with EPI only	0.11	11	56
BDI	Karuzi	575463	No PMC	0.00	7	32
BDI	Karuzi	575463	PMC co-delivery with EPI only	0.11	7	32
BDI	Kayanza	1023776	No PMC	0.00	9	38
BDI	Kayanza	1023776	PMC co-delivery with EPI only	0.11	9	38
BDI	Kirundo	1022753	No PMC	0.00	7	45
BDI	Kirundo	1022753	PMC co-delivery with EPI only	0.11	7	45
BDI	Makamba	660575	No PMC	0.00	7	37
BDI	Makamba	660575	PMC co-delivery with EPI only	0.11	7	37
BDI	Muramvya	440617	No PMC	0.00	5	26
BDI	Muramvya	440617	PMC co-delivery with EPI only	0.11	5	26
BDI	Muyinga	1244384	No PMC	0.00	7	45
BDI	Muyinga	1244384	PMC co-delivery with EPI only	0.11	7	45
BDI	Mwaro	427761	No PMC	0.00	6	25
BDI	Mwaro	427761	PMC co-delivery with EPI only	0.11	6	25
BDI	Ngozi	1016751	No PMC	0.00	9	53
BDI	Ngozi	1016751	PMC co-delivery with EPI only	0.11	9	53

BDI: Cost assumptions (page 14)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	PMC Cost input: Cost per SP tablet (includes wastage)	N districts in region	N health facilities in region
BDI	Rutana	603179	No PMC	0.00	6	35
BDI	Rutana	603179	PMC co–delivery with EPI only	0.11	6	35
BDI	Ruyigi	724932	No PMC	0.00	7	36
BDI	Ruyigi	724932	PMC co–delivery with EPI only	0.11	7	36

BDI: Cost assumptions (page 15)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N expected PMC doses delivered (age 0-1yr)	N expected PMC doses delivered (age 1-2yr)	N expected PMC doses delivered (age 2-2.5yr)
BDI	Bubanza	475323	No PMC	0	0	0
BDI	Bubanza	475323	PMC co-delivery with EPI only	82325	8945	0
BDI	Bujumbura_Mairie	1204304	No PMC	0	0	0
BDI	Bujumbura_Mairie	1204304	PMC co-delivery with EPI only	213952	23545	0
BDI	Bujumbura_Rural	889947	No PMC	0	0	0
BDI	Bujumbura_Rural	889947	PMC co-delivery with EPI only	157307	20020	0
BDI	Bururi	1015486	No PMC	0	0	0
BDI	Bururi	1015486	PMC co-delivery with EPI only	172332	20734	0
BDI	Cankuzo	385297	No PMC	0	0	0
BDI	Cankuzo	385297	PMC co-delivery with EPI only	NA	NA	0
BDI	Cibitoke	689670	No PMC	0	0	0
BDI	Cibitoke	689670	PMC co-delivery with EPI only	117588	12559	0
BDI	Gitega	1012745	No PMC	0	0	0
BDI	Gitega	1012745	PMC co-delivery with EPI only	182269	24050	0
BDI	Karuzi	575463	No PMC	0	0	0
BDI	Karuzi	575463	PMC co-delivery with EPI only	NA	NA	0
BDI	Kayanza	1023776	No PMC	0	0	0
BDI	Kayanza	1023776	PMC co-delivery with EPI only	183902	26649	0
BDI	Kirundo	1022753	No PMC	0	0	0
BDI	Kirundo	1022753	PMC co-delivery with EPI only	176889	18846	0
BDI	Makamba	660575	No PMC	0	0	0
BDI	Makamba	660575	PMC co-delivery with EPI only	115878	16103	0
BDI	Muramvya	440617	No PMC	0	0	0
BDI	Muramvya	440617	PMC co-delivery with EPI only	NA	NA	0
BDI	Muyinga	1244384	No PMC	0	0	0
BDI	Muyinga	1244384	PMC co-delivery with EPI only	221090	29062	0
BDI	Mwaro	427761	No PMC	0	0	0
BDI	Mwaro	427761	PMC co-delivery with EPI only	NA	NA	0
BDI	Ngozi	1016751	No PMC	0	0	0
BDI	Ngozi	1016751	PMC co-delivery with EPI only	180784	23493	0

BDI: Cost assumptions (page 16)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N expected PMC doses delivered (age 0–1yr)	N expected PMC doses delivered (age 1–2yr)	N expected PMC doses delivered (age 2–2.5yr)
BDI	Rutana	603179	No PMC	0	0	0
BDI	Rutana	603179	PMC co–delivery with EPI only	NA	NA	0
BDI	Ruyigi	724932	No PMC	0	0	0
BDI	Ruyigi	724932	PMC co–delivery with EPI only	NA	NA	0

BDI: Cost assumptions (page 17)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N total expected PMC doses delivered (age 0-2.5yr)	N SP tablets delivered	Sub-total: Cost of PMC implementation at district and HFs
BDI	Bubanza	475323	No PMC	0	0	0
BDI	Bubanza	475323	PMC co-delivery with EPI only	91270	100215	97740
BDI	Bujumbura_Mairie	1204304	No PMC	0	0	0
BDI	Bujumbura_Mairie	1204304	PMC co-delivery with EPI only	237497	261042	270958
BDI	Bujumbura_Rural	889947	No PMC	0	0	0
BDI	Bujumbura_Rural	889947	PMC co-delivery with EPI only	177328	197348	233927
BDI	Bururi	1015486	No PMC	0	0	0
BDI	Bururi	1015486	PMC co-delivery with EPI only	193066	213800	196719
BDI	Cankuzo	385297	No PMC	0	0	0
BDI	Cankuzo	385297	PMC co-delivery with EPI only	0	0	98094
BDI	Cibitoke	689670	No PMC	0	0	0
BDI	Cibitoke	689670	PMC co-delivery with EPI only	130147	142707	117701
BDI	Gitega	1012745	No PMC	0	0	0
BDI	Gitega	1012745	PMC co-delivery with EPI only	206319	230369	215087
BDI	Karuzi	575463	No PMC	0	0	0
BDI	Karuzi	575463	PMC co-delivery with EPI only	0	0	136659
BDI	Kayanza	1023776	No PMC	0	0	0
BDI	Kayanza	1023776	PMC co-delivery with EPI only	210552	237201	175519
BDI	Kirundo	1022753	No PMC	0	0	0
BDI	Kirundo	1022753	PMC co-delivery with EPI only	195734	214580	137426
BDI	Makamba	660575	No PMC	0	0	0
BDI	Makamba	660575	PMC co-delivery with EPI only	131981	148084	136954
BDI	Muramvya	440617	No PMC	0	0	0
BDI	Muramvya	440617	PMC co-delivery with EPI only	0	0	97799
BDI	Muyinga	1244384	No PMC	0	0	0
BDI	Muyinga	1244384	PMC co-delivery with EPI only	250153	279215	137426
BDI	Mwaro	427761	No PMC	0	0	0
BDI	Mwaro	427761	PMC co-delivery with EPI only	0	0	116993
BDI	Ngozi	1016751	No PMC	0	0	0
BDI	Ngozi	1016751	PMC co-delivery with EPI only	204278	227771	176404

BDI: Cost assumptions (page 18)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N total expected PMC doses delivered (age 0–2.5yr)	N SP tablets delivered	Sub–total: Cost of PMC implementation at district and HFs
BDI	Rutana	603179	No PMC	0	0	0
BDI	Rutana	603179	PMC co–delivery with EPI only	0	0	117583
BDI	Ruyigi	724932	No PMC	0	0	0
BDI	Ruyigi	724932	PMC co–delivery with EPI only	0	0	136895

BDI: Cost assumptions (page 19)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Sub-total: Cost of PMC administration (SP+consumables)	Treatment cost per clinical case	Treatment cost per hospitalisation
BDI	Bubanza	475323	No PMC	0	2.11	38.45
BDI	Bubanza	475323	PMC co-delivery with EPI only	15587	2.11	38.45
BDI	Bujumbura_Mairie	1204304	No PMC	0	2.11	38.45
BDI	Bujumbura_Mairie	1204304	PMC co-delivery with EPI only	40589	2.11	38.45
BDI	Bujumbura_Rural	889947	No PMC	0	2.11	38.45
BDI	Bujumbura_Rural	889947	PMC co-delivery with EPI only	30575	2.11	38.45
BDI	Bururi	1015486	No PMC	0	2.11	38.45
BDI	Bururi	1015486	PMC co-delivery with EPI only	33171	2.11	38.45
BDI	Cankuzo	385297	No PMC	0	2.11	38.45
BDI	Cankuzo	385297	PMC co-delivery with EPI only	0	2.11	38.45
BDI	Cibitoke	689670	No PMC	0	2.11	38.45
BDI	Cibitoke	689670	PMC co-delivery with EPI only	22205	2.11	38.45
BDI	Gitega	1012745	No PMC	0	2.11	38.45
BDI	Gitega	1012745	PMC co-delivery with EPI only	35657	2.11	38.45
BDI	Karuzi	575463	No PMC	0	2.11	38.45
BDI	Karuzi	575463	PMC co-delivery with EPI only	0	2.11	38.45
BDI	Kayanza	1023776	No PMC	0	2.11	38.45
BDI	Kayanza	1023776	PMC co-delivery with EPI only	36620	2.11	38.45
BDI	Kirundo	1022753	No PMC	0	2.11	38.45
BDI	Kirundo	1022753	PMC co-delivery with EPI only	33390	2.11	38.45
BDI	Makamba	660575	No PMC	0	2.11	38.45
BDI	Makamba	660575	PMC co-delivery with EPI only	22888	2.11	38.45
BDI	Muramvya	440617	No PMC	0	2.11	38.45
BDI	Muramvya	440617	PMC co-delivery with EPI only	0	2.11	38.45
BDI	Muyinga	1244384	No PMC	0	2.11	38.45
BDI	Muyinga	1244384	PMC co-delivery with EPI only	43221	2.11	38.45
BDI	Mwaro	427761	No PMC	0	2.11	38.45
BDI	Mwaro	427761	PMC co-delivery with EPI only	0	2.11	38.45
BDI	Ngozi	1016751	No PMC	0	2.11	38.45
BDI	Ngozi	1016751	PMC co-delivery with EPI only	35269	2.11	38.45

BDI: Cost assumptions (page 20)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Sub–total: Cost of PMC administration (SP+consumables)	Treatment cost per clinical case	Treatment cost per hospitalisation
BDI	Rutana	603179	No PMC	0	2.11	38.45
BDI	Rutana	603179	PMC co–delivery with EPI only	0	2.11	38.45
BDI	Ruyigi	724932	No PMC	0	2.11	38.45
BDI	Ruyigi	724932	PMC co–delivery with EPI only	0	2.11	38.45

BDI: Cost assumptions (page 21)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Treatment cost per death
BDI	Bubanza	475323	No PMC	38.45
BDI	Bubanza	475323	PMC co–delivery with EPI only	38.45
BDI	Bujumbura_Mairie	1204304	No PMC	38.45
BDI	Bujumbura_Mairie	1204304	PMC co–delivery with EPI only	38.45
BDI	Bujumbura_Rural	889947	No PMC	38.45
BDI	Bujumbura_Rural	889947	PMC co–delivery with EPI only	38.45
BDI	Bururi	1015486	No PMC	38.45
BDI	Bururi	1015486	PMC co–delivery with EPI only	38.45
BDI	Cankuzo	385297	No PMC	38.45
BDI	Cankuzo	385297	PMC co–delivery with EPI only	38.45
BDI	Cibitoke	689670	No PMC	38.45
BDI	Cibitoke	689670	PMC co–delivery with EPI only	38.45
BDI	Gitega	1012745	No PMC	38.45
BDI	Gitega	1012745	PMC co–delivery with EPI only	38.45
BDI	Karuzi	575463	No PMC	38.45
BDI	Karuzi	575463	PMC co–delivery with EPI only	38.45
BDI	Kayanza	1023776	No PMC	38.45
BDI	Kayanza	1023776	PMC co–delivery with EPI only	38.45
BDI	Kirundo	1022753	No PMC	38.45
BDI	Kirundo	1022753	PMC co–delivery with EPI only	38.45
BDI	Makamba	660575	No PMC	38.45
BDI	Makamba	660575	PMC co–delivery with EPI only	38.45
BDI	Muramvya	440617	No PMC	38.45
BDI	Muramvya	440617	PMC co–delivery with EPI only	38.45
BDI	Muyinga	1244384	No PMC	38.45
BDI	Muyinga	1244384	PMC co–delivery with EPI only	38.45
BDI	Mwaro	427761	No PMC	38.45
BDI	Mwaro	427761	PMC co–delivery with EPI only	38.45
BDI	Ngozi	1016751	No PMC	38.45
BDI	Ngozi	1016751	PMC co–delivery with EPI only	38.45

BDI: Cost assumptions (page 22)


Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Treatment cost per death
BDI	Rutana	603179	No PMC	38.45
BDI	Rutana	603179	PMC co–delivery with EPI only	38.45
BDI	Ruyigi	724932	No PMC	38.45
BDI	Ruyigi	724932	PMC co–delivery with EPI only	38.45

BDI: Clinical malaria incidence


Age-specific clinical malaria cases per 1,000 children (0–30 months, with and without PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.




BDI: Clinical malaria incidence (rural and urban)

Age-specific clinical malaria cases per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.




BDI: Malaria hospitalisations

Age-specific new malaria hospitalisations per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.
Raw model outputs have been smoothed to reduce stochastic variation.



BDI: Spatial distribution of clinical malaria without PMC


Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, no PMC).



BDI: Spatial distribution of clinical malaria with PMC

Admin–1 clinical malaria incidence per 1,000 children aged (0–30 months, with PMC).


PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.



BDI: Spatial distribution of averted clinical malaria with PMC

Admin-1 averted clinical malaria incidence per 1,000 children aged (0–30 months, averted with PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



BDI: Clinical malaria burden (page 1)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Abia	362.1	325.8	36.3
Adamawa	379.8	355.7	24.1
Akwa_Ibom	445.1	413.0	32.1
Anambra	247.1	225.2	21.9
Bauchi	474.3	457.9	16.4
Bayelsa	578.6	539.8	38.8
Benue	369.2	343.5	25.8
Borno	1287.6	1233.4	54.3
Cross_River	527.1	486.7	40.4
Delta	333.0	308.1	24.8
Ebonyi	752.8	694.8	58.1
Edo	705.8	650.6	55.2
Ekiti	1165.1	1065.5	99.7
Enugu	380.5	348.1	32.4
Federal_Capital_Territory	323.3	297.5	25.7
Gombe	448.2	431.8	16.4
Imo	260.2	239.5	20.7
Jigawa	1614.4	1517.4	96.9
Kaduna	594.6	570.2	24.4
Kano	826.2	788.8	37.3
Katsina	2178.7	2115.4	63.2
Kebbi	3879.9	3744.2	135.7
Kogi	606.9	568.5	38.5
Kwara	372.3	348.6	23.7
Lagos	123.6	111.7	11.9
Nasarawa	1022.6	952.2	70.4
Niger	1011.6	970.3	41.3
Ogun	412.8	389.4	23.4
Ondo	1074.9	992.2	82.7
Osun	718.5	679.2	39.3

BDI: Clinical malaria burden (page 2)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Oyo	582.4	552.3	30.1
Plateau	786.5	733.0	53.5
Rivers	384.2	352.8	31.4
Sokoto	3696.7	3601.7	95.0
Taraba	563.2	540.4	22.8
Yobe	780.6	737.7	42.9
Zamfara	3789.7	3718.0	71.7

BDI: Severe malaria burden (page 1)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Abia	24.1	21.3	2.8
Adamawa	24.7	23.0	1.8
Akwa_Ibom	26.5	24.3	2.2
Anambra	16.9	15.3	1.7
Bauchi	30.9	29.7	1.2
Bayelsa	32.2	29.7	2.5
Benue	23.2	21.5	1.7
Borno	59.7	56.8	2.9
Cross_River	29.5	26.8	2.7
Delta	21.8	19.9	1.8
Ebonyi	38.3	34.9	3.4
Edo	36.8	33.1	3.7
Ekiti	48.1	42.8	5.4
Enugu	24.7	22.4	2.3
Federal_Capital_Territory	20.4	18.8	1.7
Gombe	27.8	26.6	1.2
Imo	18.4	16.8	1.6
Jigawa	72.6	67.3	5.3
Kaduna	33.2	31.6	1.6
Kano	46.5	44.1	2.3
Katsina	84.0	81.1	2.9
Kebbi	100.5	95.2	5.4
Kogi	33.3	30.6	2.7
Kwara	22.0	20.4	1.6
Lagos	10.4	9.3	1.1
Nasarawa	43.4	39.6	3.8
Niger	43.1	40.7	2.4
Ogun	25.7	23.8	1.9
Ondo	45.6	41.0	4.6
Osun	35.3	32.8	2.5

BDI: Severe malaria burden (page 2)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Oyo	30.9	28.7	2.2
Plateau	39.2	35.9	3.2
Rivers	25.4	22.7	2.6
Sokoto	103.4	99.6	3.8
Taraba	32.3	30.7	1.6
Yobe	46.1	43.2	2.9
Zamfara	102.3	99.4	2.9