

PMC Compass: Modelling Outputs for BEN


Modelling outputs from PMC Compass. Please note, results are preliminary and subject to change following further validation.

Corresponding authors: Ishana Atkinson, Catherine Pitt, Andria Mousa

10 February 2026


BEN: Ranked prioritised order to implement PMC

Order at which to implement PMC in the country based on cost-effectiveness of the PMC delivery strategy.



BEN: Incremental cost-effectiveness ratios of implementing PMC co-delivery with EPI only vs No PMC in each admin-1 unit.

Incremental cost-effectiveness ratios of implementing PMC co-delivery with EPI only vs No PMC in each admin-1 unit. All costs used to calculate these exclude national-level start up costs.



BEN: Ranked prioritisation of options (page 1)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional clinical malaria cases averted	Additional hospitalisations averted	Additional deaths averted	Additional DALYs averted
BEN	Atakora	PMC co-delivery with EPI only vs No PMC	18477	559	120	1137
BEN	Borgou	PMC co-delivery with EPI only vs No PMC	5395	273	59	371
BEN	Atlantique	PMC co-delivery with EPI only vs No PMC	4278	330	71	333
BEN	Collines	PMC co-delivery with EPI only vs No PMC	3321	187	40	234
BEN	Littoral	PMC co-delivery with EPI only vs No PMC	579	50	10	47
BEN	Oueme	PMC co-delivery with EPI only vs No PMC	3601	222	47	259
BEN	Kouffo	PMC co-delivery with EPI only vs No PMC	2355	122	26	162
BEN	Mono	PMC co-delivery with EPI only vs No PMC	1136	77	17	85
BEN	Zou	PMC co-delivery with EPI only vs No PMC	1560	102	22	115
BEN	Donga	PMC co-delivery with EPI only vs No PMC	673	42	10	49
BEN	Plateau	PMC co-delivery with EPI only vs No PMC	509	42	9	40
BEN	Alibori	PMC co-delivery with EPI only vs No PMC	571	44	10	45

BEN: Ranked prioritisation of options (page 2)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Financial cost of SP and administration consumables	Cumulative cost of SP and administration consumables	Additional economic cost savings to public providers from reduced treatment	Cumulative economic cost savings to public providers from reduced treatment
BEN	Atakora	PMC co-delivery with EPI only vs No PMC	19656	19656	-60214	-60214
BEN	Borgou	PMC co-delivery with EPI only vs No PMC	24045	43701	-22768	-82982
BEN	Atlantique	PMC co-delivery with EPI only vs No PMC	46988	90689	-23414	-106396
BEN	Collines	PMC co-delivery with EPI only vs No PMC	18249	108938	-14907	-121303
BEN	Littoral	PMC co-delivery with EPI only vs No PMC	0	108938	-3423	-124726
BEN	Oueme	PMC co-delivery with EPI only vs No PMC	34765	143703	-17076	-141802
BEN	Kouffo	PMC co-delivery with EPI only vs No PMC	16083	159786	-10073	-151875
BEN	Mono	PMC co-delivery with EPI only vs No PMC	14364	174150	-5715	-157590
BEN	Zou	PMC co-delivery with EPI only vs No PMC	24760	198910	-7672	-165262
BEN	Donga	PMC co-delivery with EPI only vs No PMC	14015	212925	-3216	-168478
BEN	Plateau	PMC co-delivery with EPI only vs No PMC	12768	225693	-2913	-171391
BEN	Alibori	PMC co-delivery with EPI only vs No PMC	17913	243606	-3125	-174516

BEN: Ranked prioritisation of options (page 3)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional net economic costs of PMC implementation and treatment	Cumulative net costs of PMC implementation and treatment	Incremental economic cost per DALY averted vs. next higher option in ranking	Cost-effective? (lower country-specific threshold)
BEN	Atakora	PMC co-delivery with EPI only vs No PMC	498349	498349	438	no
BEN	Borgou	PMC co-delivery with EPI only vs No PMC	417403	915752	1125	no
BEN	Atlantique	PMC co-delivery with EPI only vs No PMC	423620	1339372	1272	no
BEN	Collines	PMC co-delivery with EPI only vs No PMC	324279	1663651	1386	no
BEN	Littoral	PMC co-delivery with EPI only vs No PMC	65732	1729383	1399	no
BEN	Oueme	PMC co-delivery with EPI only vs No PMC	472080	2201463	1823	no
BEN	Kouffo	PMC co-delivery with EPI only vs No PMC	325194	2526657	2007	no
BEN	Mono	PMC co-delivery with EPI only vs No PMC	310550	2837207	3654	no
BEN	Zou	PMC co-delivery with EPI only vs No PMC	457595	3294802	3979	no
BEN	Donga	PMC co-delivery with EPI only vs No PMC	251754	3546556	5138	no
BEN	Plateau	PMC co-delivery with EPI only vs No PMC	264970	3811526	6624	no
BEN	Alibori	PMC co-delivery with EPI only vs No PMC	327730	4139256	7283	no

BEN: Ranked prioritisation of options (page 4)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Cost-effective? (higher country-specific threshold)	Cost-effective? (\$250 / DALY averted threshold)	Population (all ages)	Expected PMC doses delivered (age 0-1yr)
BEN	Atakora	PMC co-delivery with EPI only vs No PMC	no	no	1057312	122847
BEN	Borgou	PMC co-delivery with EPI only vs No PMC	no	no	1753244	150283
BEN	Atlantique	PMC co-delivery with EPI only vs No PMC	no	no	2143966	293677
BEN	Collines	PMC co-delivery with EPI only vs No PMC	no	no	875939	114056
BEN	Littoral	PMC co-delivery with EPI only vs No PMC	no	no	729437	NA
BEN	Oueme	PMC co-delivery with EPI only vs No PMC	no	no	1692431	217282
BEN	Kouffo	PMC co-delivery with EPI only vs No PMC	no	no	987359	100516
BEN	Mono	PMC co-delivery with EPI only vs No PMC	no	no	665767	89775
BEN	Zou	PMC co-delivery with EPI only vs No PMC	no	no	1157117	154747
BEN	Donga	PMC co-delivery with EPI only vs No PMC	no	no	731116	87595
BEN	Plateau	PMC co-delivery with EPI only vs No PMC	no	no	843484	79797
BEN	Alibori	PMC co-delivery with EPI only vs No PMC	no	no	1256558	111958

BEN: Ranked prioritisation of options (page 5)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Expected PMC doses delivered (age 1-2yr)	Expected PMC doses delivered (age 2-2.5yr)	Data source for cost modelling	ICER based on regional costs only (no national costs)
BEN	Atakora	PMC co-delivery with EPI only vs No PMC	0	0	Other regions in this country	341
BEN	Borgou	PMC co-delivery with EPI only vs No PMC	0	0	This region	1125
BEN	Atlantique	PMC co-delivery with EPI only vs No PMC	0	0	Other regions in this country	1272
BEN	Collines	PMC co-delivery with EPI only vs No PMC	0	0	Other regions in this country	1386
BEN	Littoral	PMC co-delivery with EPI only vs No PMC	0	0	Other regions in this country	1399
BEN	Oueme	PMC co-delivery with EPI only vs No PMC	0	0	Other regions in this country	1823
BEN	Kouffo	PMC co-delivery with EPI only vs No PMC	0	0	This region	2007
BEN	Mono	PMC co-delivery with EPI only vs No PMC	0	0	Other regions in this country	3654
BEN	Zou	PMC co-delivery with EPI only vs No PMC	0	0	This region	3979
BEN	Donga	PMC co-delivery with EPI only vs No PMC	0	0	Other regions in this country	5138
BEN	Plateau	PMC co-delivery with EPI only vs No PMC	0	0	Other regions in this country	6624
BEN	Alibori	PMC co-delivery with EPI only vs No PMC	0	0	Other regions in this country	7283

BEN: Ranked prioritisation of options (page 6)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	rank
BEN	Atakora	PMC co-delivery with EPI only vs No PMC	1
BEN	Borgou	PMC co-delivery with EPI only vs No PMC	2
BEN	Atlantique	PMC co-delivery with EPI only vs No PMC	3
BEN	Collines	PMC co-delivery with EPI only vs No PMC	4
BEN	Littoral	PMC co-delivery with EPI only vs No PMC	5
BEN	Oueme	PMC co-delivery with EPI only vs No PMC	6
BEN	Kouffo	PMC co-delivery with EPI only vs No PMC	7
BEN	Mono	PMC co-delivery with EPI only vs No PMC	8
BEN	Zou	PMC co-delivery with EPI only vs No PMC	9
BEN	Donga	PMC co-delivery with EPI only vs No PMC	10
BEN	Plateau	PMC co-delivery with EPI only vs No PMC	11
BEN	Alibori	PMC co-delivery with EPI only vs No PMC	12

BEN: Cost assumptions (page 1)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N doses in PMC schedule	Data source for cost modelling	Total cost of PMC implementation (excl national costs)
BEN	Alibori	1256558	No PMC	0	Other regions in this country	0
BEN	Alibori	1256558	PMC co-delivery with EPI only	5	Other regions in this country	330855
BEN	Atakora	1057312	No PMC	0	Other regions in this country	0
BEN	Atakora	1057312	PMC co-delivery with EPI only	5	Other regions in this country	447988
BEN	Atlantique	2143966	No PMC	0	Other regions in this country	0
BEN	Atlantique	2143966	PMC co-delivery with EPI only	5	Other regions in this country	447034
BEN	Borgou	1753244	No PMC	0	This region	0
BEN	Borgou	1753244	PMC co-delivery with EPI only	5	This region	440171
BEN	Collines	875939	No PMC	0	Other regions in this country	0
BEN	Collines	875939	PMC co-delivery with EPI only	5	Other regions in this country	339186
BEN	Donga	731116	No PMC	0	Other regions in this country	0
BEN	Donga	731116	PMC co-delivery with EPI only	5	Other regions in this country	254970
BEN	Kouffo	987359	No PMC	0	This region	0
BEN	Kouffo	987359	PMC co-delivery with EPI only	5	This region	335267
BEN	Littoral	729437	No PMC	0	Other regions in this country	0
BEN	Littoral	729437	PMC co-delivery with EPI only	5	Other regions in this country	69155
BEN	Mono	665767	No PMC	0	Other regions in this country	0
BEN	Mono	665767	PMC co-delivery with EPI only	5	Other regions in this country	316265
BEN	Oueme	1692431	No PMC	0	Other regions in this country	0
BEN	Oueme	1692431	PMC co-delivery with EPI only	5	Other regions in this country	489156
BEN	Plateau	843484	No PMC	0	Other regions in this country	0
BEN	Plateau	843484	PMC co-delivery with EPI only	5	Other regions in this country	267883
BEN	Zou	1157117	No PMC	0	This region	0
BEN	Zou	1157117	PMC co-delivery with EPI only	5	This region	465267

BEN: Cost assumptions (page 2)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Sub–total: Cost of treatment	Total cost of PMC implementation + treatment (excluding national costs)	Total cost of PMC implementation + treatment (including full national costs for every region)
BEN	Alibori	1256558	No PMC	74941	74941	74941
BEN	Alibori	1256558	PMC co–delivery with EPI only	71816	402671	513246
BEN	Atakora	1057312	No PMC	756642	756642	756642
BEN	Atakora	1057312	PMC co–delivery with EPI only	696428	1144416	1254991
BEN	Atlantique	2143966	No PMC	276423	276423	276423
BEN	Atlantique	2143966	PMC co–delivery with EPI only	253009	700043	810618
BEN	Borgou	1753244	No PMC	470814	470814	470814
BEN	Borgou	1753244	PMC co–delivery with EPI only	448046	888217	998792
BEN	Collines	875939	No PMC	207957	207957	207957
BEN	Collines	875939	PMC co–delivery with EPI only	193050	532236	642811
BEN	Donga	731116	No PMC	63262	63262	63262
BEN	Donga	731116	PMC co–delivery with EPI only	60046	315016	425591
BEN	Kouffo	987359	No PMC	201159	201159	201159
BEN	Kouffo	987359	PMC co–delivery with EPI only	191086	526353	636928
BEN	Littoral	729437	No PMC	41169	41169	41169
BEN	Littoral	729437	PMC co–delivery with EPI only	37746	106901	217476
BEN	Mono	665767	No PMC	82159	82159	82159
BEN	Mono	665767	PMC co–delivery with EPI only	76444	392709	503284
BEN	Oueme	1692431	No PMC	208711	208711	208711
BEN	Oueme	1692431	PMC co–delivery with EPI only	191635	680791	791366
BEN	Plateau	843484	No PMC	52662	52662	52662
BEN	Plateau	843484	PMC co–delivery with EPI only	49749	317632	428207
BEN	Zou	1157117	No PMC	111382	111382	111382
BEN	Zou	1157117	PMC co–delivery with EPI only	103710	568977	679552

BEN: Cost assumptions (page 3)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Clinical cases (N, 0–30mo)	Clinical cases for whom care sought	Hospitalisations (N, 0–30mo)
BEN	Alibori	1256558	No PMC	14343	7172	1031
BEN	Alibori	1256558	PMC co–delivery with EPI only	13772	6886	987
BEN	Atakora	1057312	No PMC	276946	138473	5290
BEN	Atakora	1057312	PMC co–delivery with EPI only	258469	129234	4731
BEN	Atlantique	2143966	No PMC	59358	29679	3553
BEN	Atlantique	2143966	PMC co–delivery with EPI only	55080	27540	3223
BEN	Borgou	1753244	No PMC	124987	62494	5126
BEN	Borgou	1753244	PMC co–delivery with EPI only	119592	59796	4853
BEN	Collines	875939	No PMC	53405	26702	2334
BEN	Collines	875939	PMC co–delivery with EPI only	50084	25042	2147
BEN	Donga	731116	No PMC	13382	6691	821
BEN	Donga	731116	PMC co–delivery with EPI only	12709	6354	779
BEN	Kouffo	987359	No PMC	54412	27206	2151
BEN	Kouffo	987359	PMC co–delivery with EPI only	52057	26028	2029
BEN	Littoral	729437	No PMC	7579	3790	578
BEN	Littoral	729437	PMC co–delivery with EPI only	7000	3500	528
BEN	Mono	665767	No PMC	19450	9725	986
BEN	Mono	665767	PMC co–delivery with EPI only	18314	9157	909
BEN	Oueme	1692431	No PMC	49790	24895	2490
BEN	Oueme	1692431	PMC co–delivery with EPI only	46189	23094	2268
BEN	Plateau	843484	No PMC	10481	5240	709
BEN	Plateau	843484	PMC co–delivery with EPI only	9972	4986	667
BEN	Zou	1157117	No PMC	24243	12122	1419
BEN	Zou	1157117	PMC co–delivery with EPI only	22683	11342	1317

BEN: Cost assumptions (page 4)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Deaths (N, 0–30mo)	Total DALYs	DALYs from clinical cases
BEN	Alibori	1256558	No PMC	222	1090	731
BEN	Alibori	1256558	PMC co–delivery with EPI only	212	1045	702
BEN	Atakora	1057312	No PMC	1137	15965	14124
BEN	Atakora	1057312	PMC co–delivery with EPI only	1017	14828	13182
BEN	Atlantique	2143966	No PMC	764	4264	3027
BEN	Atlantique	2143966	PMC co–delivery with EPI only	693	3931	2809
BEN	Borgou	1753244	No PMC	1102	8158	6374
BEN	Borgou	1753244	PMC co–delivery with EPI only	1043	7787	6099
BEN	Collines	875939	No PMC	502	3536	2724
BEN	Collines	875939	PMC co–delivery with EPI only	462	3302	2554
BEN	Donga	731116	No PMC	177	968	682
BEN	Donga	731116	PMC co–delivery with EPI only	167	919	648
BEN	Kouffo	987359	No PMC	462	3523	2775
BEN	Kouffo	987359	PMC co–delivery with EPI only	436	3361	2655
BEN	Littoral	729437	No PMC	124	588	387
BEN	Littoral	729437	PMC co–delivery with EPI only	114	541	357
BEN	Mono	665767	No PMC	212	1335	992
BEN	Mono	665767	PMC co–delivery with EPI only	195	1250	934
BEN	Oueme	1692431	No PMC	535	3405	2539
BEN	Oueme	1692431	PMC co–delivery with EPI only	488	3146	2356
BEN	Plateau	843484	No PMC	152	781	535
BEN	Plateau	843484	PMC co–delivery with EPI only	143	741	509
BEN	Zou	1157117	No PMC	305	1730	1236
BEN	Zou	1157117	PMC co–delivery with EPI only	283	1615	1157

BEN: Cost assumptions (page 5)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	DALYs from hospitalisations	DALYs from deaths	PMC cost input: Implementation cost at national level
BEN	Alibori	1256558	No PMC	137	222	0
BEN	Alibori	1256558	PMC co–delivery with EPI only	131	212	110575
BEN	Atakora	1057312	No PMC	704	1137	0
BEN	Atakora	1057312	PMC co–delivery with EPI only	629	1017	110575
BEN	Atlantique	2143966	No PMC	473	764	0
BEN	Atlantique	2143966	PMC co–delivery with EPI only	429	693	110575
BEN	Borgou	1753244	No PMC	682	1102	0
BEN	Borgou	1753244	PMC co–delivery with EPI only	645	1043	110575
BEN	Collines	875939	No PMC	310	502	0
BEN	Collines	875939	PMC co–delivery with EPI only	286	462	110575
BEN	Donga	731116	No PMC	109	177	0
BEN	Donga	731116	PMC co–delivery with EPI only	104	167	110575
BEN	Kouffo	987359	No PMC	286	462	0
BEN	Kouffo	987359	PMC co–delivery with EPI only	270	436	110575
BEN	Littoral	729437	No PMC	77	124	0
BEN	Littoral	729437	PMC co–delivery with EPI only	70	114	110575
BEN	Mono	665767	No PMC	131	212	0
BEN	Mono	665767	PMC co–delivery with EPI only	121	195	110575
BEN	Oueme	1692431	No PMC	331	535	0
BEN	Oueme	1692431	PMC co–delivery with EPI only	302	488	110575
BEN	Plateau	843484	No PMC	94	152	0
BEN	Plateau	843484	PMC co–delivery with EPI only	89	143	110575
BEN	Zou	1157117	No PMC	189	305	0
BEN	Zou	1157117	PMC co–delivery with EPI only	175	283	110575

BEN: Cost assumptions (page 6)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC cost input: PMC implementation cost per district	PMC cost input: PMC implementation cost per health facility	PMC cost input: Cost of PMC administration consumables per dose
BEN	Alibori	1256558	No PMC	0	0	0.00
BEN	Alibori	1256558	PMC co-delivery with EPI only	43235	810	0.05
BEN	Atakora	1057312	No PMC	0	0	0.00
BEN	Atakora	1057312	PMC co-delivery with EPI only	43235	810	0.05
BEN	Atlantique	2143966	No PMC	0	0	0.00
BEN	Atlantique	2143966	PMC co-delivery with EPI only	43235	810	0.05
BEN	Borgou	1753244	No PMC	0	0	0.00
BEN	Borgou	1753244	PMC co-delivery with EPI only	43235	810	0.05
BEN	Collines	875939	No PMC	0	0	0.00
BEN	Collines	875939	PMC co-delivery with EPI only	43235	810	0.05
BEN	Donga	731116	No PMC	0	0	0.00
BEN	Donga	731116	PMC co-delivery with EPI only	43235	810	0.05
BEN	Kouffo	987359	No PMC	0	0	0.00
BEN	Kouffo	987359	PMC co-delivery with EPI only	43235	810	0.05
BEN	Littoral	729437	No PMC	0	0	0.00
BEN	Littoral	729437	PMC co-delivery with EPI only	43235	810	0.05
BEN	Mono	665767	No PMC	0	0	0.00
BEN	Mono	665767	PMC co-delivery with EPI only	43235	810	0.05
BEN	Oueme	1692431	No PMC	0	0	0.00
BEN	Oueme	1692431	PMC co-delivery with EPI only	43235	810	0.05
BEN	Plateau	843484	No PMC	0	0	0.00
BEN	Plateau	843484	PMC co-delivery with EPI only	43235	810	0.05
BEN	Zou	1157117	No PMC	0	0	0.00
BEN	Zou	1157117	PMC co-delivery with EPI only	43235	810	0.05

BEN: Cost assumptions (page 7)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC Cost input: Cost per SP tablet (includes wastage)	N districts in region	N health facilities in region
BEN	Alibori	1256558	No PMC	0.00	6	73
BEN	Alibori	1256558	PMC co-delivery with EPI only	0.11	6	73
BEN	Atakora	1057312	No PMC	0.00	9	56
BEN	Atakora	1057312	PMC co-delivery with EPI only	0.11	9	56
BEN	Atlantique	2143966	No PMC	0.00	8	85
BEN	Atlantique	2143966	PMC co-delivery with EPI only	0.11	8	85
BEN	Borgou	1753244	No PMC	0.00	8	96
BEN	Borgou	1753244	PMC co-delivery with EPI only	0.11	8	96
BEN	Collines	875939	No PMC	0.00	6	83
BEN	Collines	875939	PMC co-delivery with EPI only	0.11	6	83
BEN	Donga	731116	No PMC	0.00	5	36
BEN	Donga	731116	PMC co-delivery with EPI only	0.11	5	36
BEN	Kouffo	987359	No PMC	0.00	6	80
BEN	Kouffo	987359	PMC co-delivery with EPI only	0.11	6	80
BEN	Littoral	729437	No PMC	0.00	1	32
BEN	Littoral	729437	PMC co-delivery with EPI only	0.11	1	32
BEN	Mono	665767	No PMC	0.00	6	58
BEN	Mono	665767	PMC co-delivery with EPI only	0.11	6	58
BEN	Oueme	1692431	No PMC	0.00	9	94
BEN	Oueme	1692431	PMC co-delivery with EPI only	0.11	9	94
BEN	Plateau	843484	No PMC	0.00	5	53
BEN	Plateau	843484	PMC co-delivery with EPI only	0.11	5	53
BEN	Zou	1157117	No PMC	0.00	9	73
BEN	Zou	1157117	PMC co-delivery with EPI only	0.11	9	73

BEN: Cost assumptions (page 8)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N expected PMC doses delivered (age 0–1yr)	N expected PMC doses delivered (age 1–2yr)	N expected PMC doses delivered (age 2–2.5yr)
BEN	Alibori	1256558	No PMC	0	0	0
BEN	Alibori	1256558	PMC co–delivery with EPI only	111958	0	0
BEN	Atakora	1057312	No PMC	0	0	0
BEN	Atakora	1057312	PMC co–delivery with EPI only	122847	0	0
BEN	Atlantique	2143966	No PMC	0	0	0
BEN	Atlantique	2143966	PMC co–delivery with EPI only	293677	0	0
BEN	Borgou	1753244	No PMC	0	0	0
BEN	Borgou	1753244	PMC co–delivery with EPI only	150283	0	0
BEN	Collines	875939	No PMC	0	0	0
BEN	Collines	875939	PMC co–delivery with EPI only	114056	0	0
BEN	Donga	731116	No PMC	0	0	0
BEN	Donga	731116	PMC co–delivery with EPI only	87595	0	0
BEN	Kouffo	987359	No PMC	0	0	0
BEN	Kouffo	987359	PMC co–delivery with EPI only	100516	0	0
BEN	Littoral	729437	No PMC	0	0	0
BEN	Littoral	729437	PMC co–delivery with EPI only	NA	0	0
BEN	Mono	665767	No PMC	0	0	0
BEN	Mono	665767	PMC co–delivery with EPI only	89775	0	0
BEN	Oueme	1692431	No PMC	0	0	0
BEN	Oueme	1692431	PMC co–delivery with EPI only	217282	0	0
BEN	Plateau	843484	No PMC	0	0	0
BEN	Plateau	843484	PMC co–delivery with EPI only	79797	0	0
BEN	Zou	1157117	No PMC	0	0	0
BEN	Zou	1157117	PMC co–delivery with EPI only	154747	0	0

BEN: Cost assumptions (page 9)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N total expected PMC doses delivered (age 0-2.5yr)	N SP tablets delivered	Sub-total: Cost of PMC implementation at district and HFs
BEN	Alibori	1256558	No PMC	0	0	0
BEN	Alibori	1256558	PMC co-delivery with EPI only	111958	111958	318540
BEN	Atakora	1057312	No PMC	0	0	0
BEN	Atakora	1057312	PMC co-delivery with EPI only	122847	122847	434475
BEN	Atlantique	2143966	No PMC	0	0	0
BEN	Atlantique	2143966	PMC co-delivery with EPI only	293677	293677	414730
BEN	Borgou	1753244	No PMC	0	0	0
BEN	Borgou	1753244	PMC co-delivery with EPI only	150283	150283	423640
BEN	Collines	875939	No PMC	0	0	0
BEN	Collines	875939	PMC co-delivery with EPI only	114056	114056	326640
BEN	Donga	731116	No PMC	0	0	0
BEN	Donga	731116	PMC co-delivery with EPI only	87595	87595	245335
BEN	Kouffo	987359	No PMC	0	0	0
BEN	Kouffo	987359	PMC co-delivery with EPI only	100516	100516	324210
BEN	Littoral	729437	No PMC	0	0	0
BEN	Littoral	729437	PMC co-delivery with EPI only	0	0	69155
BEN	Mono	665767	No PMC	0	0	0
BEN	Mono	665767	PMC co-delivery with EPI only	89775	89775	306390
BEN	Oueme	1692431	No PMC	0	0	0
BEN	Oueme	1692431	PMC co-delivery with EPI only	217282	217282	465255
BEN	Plateau	843484	No PMC	0	0	0
BEN	Plateau	843484	PMC co-delivery with EPI only	79797	79797	259105
BEN	Zou	1157117	No PMC	0	0	0
BEN	Zou	1157117	PMC co-delivery with EPI only	154747	154747	448245

BEN: Cost assumptions (page 10)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Sub–total: Cost of PMC administration (SP+consumables)	Treatment cost per clinical case	Treatment cost per hospitalisation
BEN	Alibori	1256558	No PMC	0	3.66	38.87
BEN	Alibori	1256558	PMC co–delivery with EPI only	17913	3.66	38.87
BEN	Atakora	1057312	No PMC	0	3.66	38.87
BEN	Atakora	1057312	PMC co–delivery with EPI only	19656	3.66	38.87
BEN	Atlantique	2143966	No PMC	0	3.66	38.87
BEN	Atlantique	2143966	PMC co–delivery with EPI only	46988	3.66	38.87
BEN	Borgou	1753244	No PMC	0	3.66	38.87
BEN	Borgou	1753244	PMC co–delivery with EPI only	24045	3.66	38.87
BEN	Collines	875939	No PMC	0	3.66	38.87
BEN	Collines	875939	PMC co–delivery with EPI only	18249	3.66	38.87
BEN	Donga	731116	No PMC	0	3.66	38.87
BEN	Donga	731116	PMC co–delivery with EPI only	14015	3.66	38.87
BEN	Kouffo	987359	No PMC	0	3.66	38.87
BEN	Kouffo	987359	PMC co–delivery with EPI only	16083	3.66	38.87
BEN	Littoral	729437	No PMC	0	3.66	38.87
BEN	Littoral	729437	PMC co–delivery with EPI only	0	3.66	38.87
BEN	Mono	665767	No PMC	0	3.66	38.87
BEN	Mono	665767	PMC co–delivery with EPI only	14364	3.66	38.87
BEN	Oueme	1692431	No PMC	0	3.66	38.87
BEN	Oueme	1692431	PMC co–delivery with EPI only	34765	3.66	38.87
BEN	Plateau	843484	No PMC	0	3.66	38.87
BEN	Plateau	843484	PMC co–delivery with EPI only	12768	3.66	38.87
BEN	Zou	1157117	No PMC	0	3.66	38.87
BEN	Zou	1157117	PMC co–delivery with EPI only	24760	3.66	38.87

BEN: Cost assumptions (page 11)


Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Treatment cost per death
BEN	Alibori	1256558	No PMC	38.87
BEN	Alibori	1256558	PMC co–delivery with EPI only	38.87
BEN	Atakora	1057312	No PMC	38.87
BEN	Atakora	1057312	PMC co–delivery with EPI only	38.87
BEN	Atlantique	2143966	No PMC	38.87
BEN	Atlantique	2143966	PMC co–delivery with EPI only	38.87
BEN	Borgou	1753244	No PMC	38.87
BEN	Borgou	1753244	PMC co–delivery with EPI only	38.87
BEN	Collines	875939	No PMC	38.87
BEN	Collines	875939	PMC co–delivery with EPI only	38.87
BEN	Donga	731116	No PMC	38.87
BEN	Donga	731116	PMC co–delivery with EPI only	38.87
BEN	Kouffo	987359	No PMC	38.87
BEN	Kouffo	987359	PMC co–delivery with EPI only	38.87
BEN	Littoral	729437	No PMC	38.87
BEN	Littoral	729437	PMC co–delivery with EPI only	38.87
BEN	Mono	665767	No PMC	38.87
BEN	Mono	665767	PMC co–delivery with EPI only	38.87
BEN	Oueme	1692431	No PMC	38.87
BEN	Oueme	1692431	PMC co–delivery with EPI only	38.87
BEN	Plateau	843484	No PMC	38.87
BEN	Plateau	843484	PMC co–delivery with EPI only	38.87
BEN	Zou	1157117	No PMC	38.87
BEN	Zou	1157117	PMC co–delivery with EPI only	38.87

BEN: Clinical malaria incidence


Age-specific clinical malaria cases per 1,000 children (0–30 months, with and without PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.




BEN: Clinical malaria incidence (rural and urban)

Age-specific clinical malaria cases per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.




BEN: Malaria hospitalisations

Age-specific new malaria hospitalisations per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.
Raw model outputs have been smoothed to reduce stochastic variation.



BEN: Spatial distribution of clinical malaria without PMC


Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, no PMC).



BEN: Spatial distribution of clinical malaria with PMC

Admin–1 clinical malaria incidence per 1,000 children aged (0–30 months, with PMC).


PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.



BEN: Spatial distribution of averted clinical malaria with PMC

Admin-1 averted clinical malaria incidence per 1,000 children aged (0–30 months, averted with PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



BEN: Clinical malaria burden (page 1)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Abia	362.1	325.8	36.3
Adamawa	379.8	355.7	24.1
Akwa_Ibom	445.1	413.0	32.1
Anambra	247.1	225.2	21.9
Bauchi	474.3	457.9	16.4
Bayelsa	578.6	539.8	38.8
Benue	369.2	343.5	25.8
Borno	1287.6	1233.4	54.3
Cross_River	527.1	486.7	40.4
Delta	333.0	308.1	24.8
Ebonyi	752.8	694.8	58.1
Edo	705.8	650.6	55.2
Ekiti	1165.1	1065.5	99.7
Enugu	380.5	348.1	32.4
Federal_Capital_Territory	323.3	297.5	25.7
Gombe	448.2	431.8	16.4
Imo	260.2	239.5	20.7
Jigawa	1614.4	1517.4	96.9
Kaduna	594.6	570.2	24.4
Kano	826.2	788.8	37.3
Katsina	2178.7	2115.4	63.2
Kebbi	3879.9	3744.2	135.7
Kogi	606.9	568.5	38.5
Kwara	372.3	348.6	23.7
Lagos	123.6	111.7	11.9
Nasarawa	1022.6	952.2	70.4
Niger	1011.6	970.3	41.3
Ogun	412.8	389.4	23.4
Ondo	1074.9	992.2	82.7
Osun	718.5	679.2	39.3

BEN: Clinical malaria burden (page 2)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Oyo	582.4	552.3	30.1
Plateau	786.5	733.0	53.5
Rivers	384.2	352.8	31.4
Sokoto	3696.7	3601.7	95.0
Taraba	563.2	540.4	22.8
Yobe	780.6	737.7	42.9
Zamfara	3789.7	3718.0	71.7

BEN: Severe malaria burden (page 1)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Abia	24.1	21.3	2.8
Adamawa	24.7	23.0	1.8
Akwa_Ibom	26.5	24.3	2.2
Anambra	16.9	15.3	1.7
Bauchi	30.9	29.7	1.2
Bayelsa	32.2	29.7	2.5
Benue	23.2	21.5	1.7
Borno	59.7	56.8	2.9
Cross_River	29.5	26.8	2.7
Delta	21.8	19.9	1.8
Ebonyi	38.3	34.9	3.4
Edo	36.8	33.1	3.7
Ekiti	48.1	42.8	5.4
Enugu	24.7	22.4	2.3
Federal_Capital_Territory	20.4	18.8	1.7
Gombe	27.8	26.6	1.2
Imo	18.4	16.8	1.6
Jigawa	72.6	67.3	5.3
Kaduna	33.2	31.6	1.6
Kano	46.5	44.1	2.3
Katsina	84.0	81.1	2.9
Kebbi	100.5	95.2	5.4
Kogi	33.3	30.6	2.7
Kwara	22.0	20.4	1.6
Lagos	10.4	9.3	1.1
Nasarawa	43.4	39.6	3.8
Niger	43.1	40.7	2.4
Ogun	25.7	23.8	1.9
Ondo	45.6	41.0	4.6
Osun	35.3	32.8	2.5

BEN: Severe malaria burden (page 2)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Oyo	30.9	28.7	2.2
Plateau	39.2	35.9	3.2
Rivers	25.4	22.7	2.6
Sokoto	103.4	99.6	3.8
Taraba	32.3	30.7	1.6
Yobe	46.1	43.2	2.9
Zamfara	102.3	99.4	2.9