

PMC Compass: Modelling Outputs for BFA


Modelling outputs from PMC Compass. Please note, results are preliminary and subject to change following further validation.

Corresponding authors: Ishana Atkinson, Catherine Pitt, Andria Mousa

10 February 2026


BFA: Ranked prioritised order to implement PMC

Order at which to implement PMC in the country based on cost-effectiveness of the PMC delivery strategy.



BFA: Incremental cost-effectiveness ratios of implementing PMC co-delivery with EPI only vs No PMC in each admin-1 unit.

Incremental cost-effectiveness ratios of implementing PMC co-delivery with EPI only vs No PMC in each admin-1 unit. All costs used to calculate these exclude national-level start up costs.



BFA: Ranked prioritisation of options (page 1)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional clinical malaria cases averted	Additional hospitalisations averted	Additional deaths averted	Additional DALYs averted
BFA	Est	PMC co-delivery with EPI only vs No PMC	29745	1005	216	1866
BFA	Centre_Nord	PMC co-delivery with EPI only vs No PMC	22302	910	196	1454
BFA	Nord	PMC co-delivery with EPI only vs No PMC	22555	918	197	1469
BFA	Sahel	PMC co-delivery with EPI only vs No PMC	17531	645	139	1119
BFA	Centre_Ouest	PMC co-delivery with EPI only vs No PMC	18409	790	170	1214
BFA	Centre_Est	PMC co-delivery with EPI only vs No PMC	13759	620	133	918
BFA	Centre	PMC co-delivery with EPI only vs No PMC	11625	702	151	837
BFA	Boucle_du_Mouhoun	PMC co-delivery with EPI only vs No PMC	22067	836	180	1416
BFA	Haut_Bassins	PMC co-delivery with EPI only vs No PMC	11130	581	125	770
BFA	Cascades	PMC co-delivery with EPI only vs No PMC	5363	300	64	378
BFA	Plateau_Central	PMC co-delivery with EPI only vs No PMC	6425	328	70	441
BFA	Centre_Sud	PMC co-delivery with EPI only vs No PMC	4695	264	57	332
BFA	Sud_Ouest	PMC co-delivery with EPI only vs No PMC	5711	285	61	390

BFA: Ranked prioritisation of options (page 2)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Financial cost of SP and administration consumables	Cumulative cost of SP and administration consumables	Additional economic cost savings to public providers from reduced treatment	Cumulative economic cost savings to public providers from reduced treatment
BFA	Est	PMC co-delivery with EPI only vs No PMC	53819	53819	-116504	-116504
BFA	Centre_Nord	PMC co-delivery with EPI only vs No PMC	47304	101123	-96740	-213244
BFA	Nord	PMC co-delivery with EPI only vs No PMC	46724	147847	-97697	-310941
BFA	Sahel	PMC co-delivery with EPI only vs No PMC	32428	180275	-71822	-382763
BFA	Centre_Ouest	PMC co-delivery with EPI only vs No PMC	53500	233775	-82183	-464946
BFA	Centre_Est	PMC co-delivery with EPI only vs No PMC	51881	285656	-63193	-528139
BFA	Centre	PMC co-delivery with EPI only vs No PMC	132918	418574	-64082	-592221
BFA	Boucle_du_Mouhoun	PMC co-delivery with EPI only vs No PMC	53647	472221	-91852	-684073
BFA	Haut_Bassins	PMC co-delivery with EPI only vs No PMC	70303	542524	-55883	-739956
BFA	Cascades	PMC co-delivery with EPI only vs No PMC	34450	576974	-28134	-768090
BFA	Plateau_Central	PMC co-delivery with EPI only vs No PMC	28354	605328	-31820	-799910
BFA	Centre_Sud	PMC co-delivery with EPI only vs No PMC	28529	633857	-24707	-824617
BFA	Sud_Ouest	PMC co-delivery with EPI only vs No PMC	27754	661611	-27891	-852508

BFA: Ranked prioritisation of options (page 3)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional net economic costs of PMC implementation and treatment	Cumulative net costs of PMC implementation and treatment	Incremental economic cost per DALY averted vs. next higher option in ranking	Cost-effective? (lower country-specific threshold)
BFA	Est	PMC co-delivery with EPI only vs No PMC	227785	227785	122	no
BFA	Centre_Nord	PMC co-delivery with EPI only vs No PMC	44117	271902	30	yes
BFA	Nord	PMC co-delivery with EPI only vs No PMC	80016	351918	54	yes
BFA	Sahel	PMC co-delivery with EPI only vs No PMC	75025	426943	67	yes
BFA	Centre_Ouest	PMC co-delivery with EPI only vs No PMC	99009	525952	82	no
BFA	Centre_Est	PMC co-delivery with EPI only vs No PMC	82941	608893	90	no
BFA	Centre	PMC co-delivery with EPI only vs No PMC	86220	695113	103	no
BFA	Boucle_du_Mouhoun	PMC co-delivery with EPI only vs No PMC	149245	844358	105	no
BFA	Haut_Bassins	PMC co-delivery with EPI only vs No PMC	109650	954008	142	no
BFA	Cascades	PMC co-delivery with EPI only vs No PMC	66421	1020429	176	no
BFA	Plateau_Central	PMC co-delivery with EPI only vs No PMC	94374	1114803	214	no
BFA	Centre_Sud	PMC co-delivery with EPI only vs No PMC	97870	1212673	295	no
BFA	Sud_Ouest	PMC co-delivery with EPI only vs No PMC	118569	1331242	304	no

BFA: Ranked prioritisation of options (page 4)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Cost-effective? (higher country-specific threshold)	Cost-effective? (\$250 / DALY averted threshold)	Population (all ages)	Expected PMC doses delivered (age 0-1yr)
BFA	Est	PMC co-delivery with EPI only vs No PMC	yes	yes	2039123	268786
BFA	Centre_Nord	PMC co-delivery with EPI only vs No PMC	yes	yes	1760516	235291
BFA	Nord	PMC co-delivery with EPI only vs No PMC	yes	yes	1614256	229953
BFA	Sahel	PMC co-delivery with EPI only vs No PMC	yes	yes	1500182	167376
BFA	Centre_Ouest	PMC co-delivery with EPI only vs No PMC	yes	yes	1735443	259056
BFA	Centre_Est	PMC co-delivery with EPI only vs No PMC	yes	yes	1760967	250742
BFA	Centre	PMC co-delivery with EPI only vs No PMC	yes	yes	4693011	669799
BFA	Boucle_du_Mouhoun	PMC co-delivery with EPI only vs No PMC	yes	yes	1945160	256991
BFA	Haut_Bassins	PMC co-delivery with EPI only vs No PMC	yes	yes	2597412	350363
BFA	Cascades	PMC co-delivery with EPI only vs No PMC	yes	yes	1147949	166990
BFA	Plateau_Central	PMC co-delivery with EPI only vs No PMC	yes	yes	930914	136115
BFA	Centre_Sud	PMC co-delivery with EPI only vs No PMC	yes	no	890002	137790
BFA	Sud_Ouest	PMC co-delivery with EPI only vs No PMC	yes	no	928195	141679

BFA: Ranked prioritisation of options (page 5)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Expected PMC doses delivered (age 1-2yr)	Expected PMC doses delivered (age 2-2.5yr)	Data source for cost modelling	ICER based on regional costs only (no national costs)
BFA	Est	PMC co-delivery with EPI only vs No PMC	40049	0	Plus Project countries	44
BFA	Centre_Nord	PMC co-delivery with EPI only vs No PMC	35770	0	Plus Project countries	30
BFA	Nord	PMC co-delivery with EPI only vs No PMC	36784	0	Plus Project countries	54
BFA	Sahel	PMC co-delivery with EPI only vs No PMC	20920	0	Plus Project countries	67
BFA	Centre_Ouest	PMC co-delivery with EPI only vs No PMC	44632	0	Plus Project countries	82
BFA	Centre_Est	PMC co-delivery with EPI only vs No PMC	43563	0	Plus Project countries	90
BFA	Centre	PMC co-delivery with EPI only vs No PMC	95370	0	Plus Project countries	103
BFA	Boucle_du_Mouhoun	PMC co-delivery with EPI only vs No PMC	46401	0	Plus Project countries	105
BFA	Haut_Bassins	PMC co-delivery with EPI only vs No PMC	52758	0	Plus Project countries	142
BFA	Cascades	PMC co-delivery with EPI only vs No PMC	28636	0	Plus Project countries	176
BFA	Plateau_Central	PMC co-delivery with EPI only vs No PMC	24353	0	Plus Project countries	214
BFA	Centre_Sud	PMC co-delivery with EPI only vs No PMC	24009	0	Plus Project countries	295
BFA	Sud_Ouest	PMC co-delivery with EPI only vs No PMC	18836	0	Plus Project countries	304

BFA: Ranked prioritisation of options (page 6)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	rank
BFA	Est	PMC co-delivery with EPI only vs No PMC	1
BFA	Centre_Nord	PMC co-delivery with EPI only vs No PMC	2
BFA	Nord	PMC co-delivery with EPI only vs No PMC	3
BFA	Sahel	PMC co-delivery with EPI only vs No PMC	4
BFA	Centre_Ouest	PMC co-delivery with EPI only vs No PMC	5
BFA	Centre_Est	PMC co-delivery with EPI only vs No PMC	6
BFA	Centre	PMC co-delivery with EPI only vs No PMC	7
BFA	Boucle_du_Mouhoun	PMC co-delivery with EPI only vs No PMC	8
BFA	Haut_Bassins	PMC co-delivery with EPI only vs No PMC	9
BFA	Cascades	PMC co-delivery with EPI only vs No PMC	10
BFA	Plateau_Central	PMC co-delivery with EPI only vs No PMC	11
BFA	Centre_Sud	PMC co-delivery with EPI only vs No PMC	12
BFA	Sud_Ouest	PMC co-delivery with EPI only vs No PMC	13

BFA: Cost assumptions (page 1)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N doses in PMC schedule	Data source for cost modelling	Total cost of PMC implementation (excl national costs)
BFA	Boucle_du_Mouhoun	1945160	No PMC	0	Plus Project countries	0
BFA	Boucle_du_Mouhoun	1945160	PMC co-delivery with EPI only	6	Plus Project countries	241097
BFA	Cascades	1147949	No PMC	0	Plus Project countries	0
BFA	Cascades	1147949	PMC co-delivery with EPI only	6	Plus Project countries	94555
BFA	Centre	4693011	No PMC	0	Plus Project countries	0
BFA	Centre	4693011	PMC co-delivery with EPI only	6	Plus Project countries	150302
BFA	Centre_Est	1760967	No PMC	0	Plus Project countries	0
BFA	Centre_Est	1760967	PMC co-delivery with EPI only	6	Plus Project countries	146134
BFA	Centre_Nord	1760516	No PMC	0	Plus Project countries	0
BFA	Centre_Nord	1760516	PMC co-delivery with EPI only	6	Plus Project countries	140857
BFA	Centre_Ouest	1735443	No PMC	0	Plus Project countries	0
BFA	Centre_Ouest	1735443	PMC co-delivery with EPI only	6	Plus Project countries	181192
BFA	Centre_Sud	890002	No PMC	0	Plus Project countries	0
BFA	Centre_Sud	890002	PMC co-delivery with EPI only	6	Plus Project countries	122577
BFA	Est	2039123	No PMC	0	Plus Project countries	0
BFA	Est	2039123	PMC co-delivery with EPI only	6	Plus Project countries	198395
BFA	Haut_Bassins	2597412	No PMC	0	Plus Project countries	0
BFA	Haut_Bassins	2597412	PMC co-delivery with EPI only	6	Plus Project countries	165533
BFA	Nord	1614256	No PMC	0	Plus Project countries	0
BFA	Nord	1614256	PMC co-delivery with EPI only	6	Plus Project countries	177713
BFA	Plateau_Central	930914	No PMC	0	Plus Project countries	0
BFA	Plateau_Central	930914	PMC co-delivery with EPI only	6	Plus Project countries	126194
BFA	Sahel	1500182	No PMC	0	Plus Project countries	0
BFA	Sahel	1500182	PMC co-delivery with EPI only	6	Plus Project countries	146847
BFA	Sud_Ouest	928195	No PMC	0	Plus Project countries	0
BFA	Sud_Ouest	928195	PMC co-delivery with EPI only	6	Plus Project countries	146460

BFA: Cost assumptions (page 2)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Sub-total: Cost of treatment	Total cost of PMC implementation + treatment (excluding national costs)	Total cost of PMC implementation + treatment (including full national costs for every region)
BFA	Boucle_du_Mouhoun	1945160	No PMC	906473	906473	906473
BFA	Boucle_du_Mouhoun	1945160	PMC co-delivery with EPI only	814621	1055718	1201612
BFA	Cascades	1147949	No PMC	258019	258019	258019
BFA	Cascades	1147949	PMC co-delivery with EPI only	229885	324440	470334
BFA	Centre	4693011	No PMC	677343	677343	677343
BFA	Centre	4693011	PMC co-delivery with EPI only	613261	763563	909457
BFA	Centre_Est	1760967	No PMC	603455	603455	603455
BFA	Centre_Est	1760967	PMC co-delivery with EPI only	540262	686396	832290
BFA	Centre_Nord	1760516	No PMC	898722	898722	898722
BFA	Centre_Nord	1760516	PMC co-delivery with EPI only	801982	942839	1088733
BFA	Centre_Ouest	1735443	No PMC	707570	707570	707570
BFA	Centre_Ouest	1735443	PMC co-delivery with EPI only	625387	806579	952473
BFA	Centre_Sud	890002	No PMC	207192	207192	207192
BFA	Centre_Sud	890002	PMC co-delivery with EPI only	182485	305062	450956
BFA	Est	2039123	No PMC	1191106	1191106	1191106
BFA	Est	2039123	PMC co-delivery with EPI only	1074602	1272997	1418891
BFA	Haut_Bassins	2597412	No PMC	556201	556201	556201
BFA	Haut_Bassins	2597412	PMC co-delivery with EPI only	500318	665851	811745
BFA	Nord	1614256	No PMC	824705	824705	824705
BFA	Nord	1614256	PMC co-delivery with EPI only	727008	904721	1050615
BFA	Plateau_Central	930914	No PMC	274600	274600	274600
BFA	Plateau_Central	930914	PMC co-delivery with EPI only	242780	368974	514868
BFA	Sahel	1500182	No PMC	889338	889338	889338
BFA	Sahel	1500182	PMC co-delivery with EPI only	817516	964363	1110257
BFA	Sud_Ouest	928195	No PMC	265770	265770	265770
BFA	Sud_Ouest	928195	PMC co-delivery with EPI only	237879	384339	530233

BFA: Cost assumptions (page 3)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Clinical cases (N, 0-30mo)	Clinical cases for whom care sought	Hospitalisations (N, 0-30mo)
BFA	Boucle_du_Mouhoun	1945160	No PMC	250945	125472	7205
BFA	Boucle_du_Mouhoun	1945160	PMC co-delivery with EPI only	228878	114439	6369
BFA	Cascades	1147949	No PMC	56348	28174	2526
BFA	Cascades	1147949	PMC co-delivery with EPI only	50985	25492	2226
BFA	Centre	4693011	No PMC	120919	60460	7482
BFA	Centre	4693011	PMC co-delivery with EPI only	109294	54647	6780
BFA	Centre_Est	1760967	No PMC	144001	72000	5523
BFA	Centre_Est	1760967	PMC co-delivery with EPI only	130242	65121	4903
BFA	Centre_Nord	1760516	No PMC	240431	120216	7407
BFA	Centre_Nord	1760516	PMC co-delivery with EPI only	218129	109064	6497
BFA	Centre_Ouest	1735443	No PMC	178902	89451	6159
BFA	Centre_Ouest	1735443	PMC co-delivery with EPI only	160493	80246	5369
BFA	Centre_Sud	890002	No PMC	43230	21615	2092
BFA	Centre_Sud	890002	PMC co-delivery with EPI only	38535	19268	1828
BFA	Est	2039123	No PMC	352603	176302	8747
BFA	Est	2039123	PMC co-delivery with EPI only	322858	161429	7742
BFA	Haut_Bassins	2597412	No PMC	123601	61800	5378
BFA	Haut_Bassins	2597412	PMC co-delivery with EPI only	112471	56236	4797
BFA	Nord	1614256	No PMC	224216	112108	6684
BFA	Nord	1614256	PMC co-delivery with EPI only	201661	100830	5766
BFA	Plateau_Central	930914	No PMC	61122	30561	2652
BFA	Plateau_Central	930914	PMC co-delivery with EPI only	54697	27348	2324
BFA	Sahel	1500182	No PMC	252986	126493	6855
BFA	Sahel	1500182	PMC co-delivery with EPI only	235455	117728	6210
BFA	Sud_Ouest	928195	No PMC	61083	30542	2506
BFA	Sud_Ouest	928195	PMC co-delivery with EPI only	55372	27686	2221

BFA: Cost assumptions (page 4)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Deaths (N, 0–30mo)	Total DALYs	DALYs from clinical cases
BFA	Boucle_du_Mouhoun	1945160	No PMC	1549	15305	12798
BFA	Boucle_du_Mouhoun	1945160	PMC co–delivery with EPI only	1369	13889	11673
BFA	Cascades	1147949	No PMC	543	3753	2874
BFA	Cascades	1147949	PMC co–delivery with EPI only	479	3375	2600
BFA	Centre	4693011	No PMC	1609	8771	6167
BFA	Centre	4693011	PMC co–delivery with EPI only	1458	7934	5574
BFA	Centre_Est	1760967	No PMC	1187	9266	7344
BFA	Centre_Est	1760967	PMC co–delivery with EPI only	1054	8348	6642
BFA	Centre_Nord	1760516	No PMC	1593	14840	12262
BFA	Centre_Nord	1760516	PMC co–delivery with EPI only	1397	13386	11125
BFA	Centre_Ouest	1735443	No PMC	1324	11267	9124
BFA	Centre_Ouest	1735443	PMC co–delivery with EPI only	1154	10053	8185
BFA	Centre_Sud	890002	No PMC	450	2933	2205
BFA	Centre_Sud	890002	PMC co–delivery with EPI only	393	2601	1965
BFA	Est	2039123	No PMC	1881	21027	17983
BFA	Est	2039123	PMC co–delivery with EPI only	1665	19161	16466
BFA	Haut_Bassins	2597412	No PMC	1156	8175	6304
BFA	Haut_Bassins	2597412	PMC co–delivery with EPI only	1031	7405	5736
BFA	Nord	1614256	No PMC	1437	13761	11435
BFA	Nord	1614256	PMC co–delivery with EPI only	1240	12292	10285
BFA	Plateau_Central	930914	No PMC	570	4040	3117
BFA	Plateau_Central	930914	PMC co–delivery with EPI only	500	3599	2790
BFA	Sahel	1500182	No PMC	1474	15288	12902
BFA	Sahel	1500182	PMC co–delivery with EPI only	1335	14169	12008
BFA	Sud_Ouest	928195	No PMC	539	3987	3115
BFA	Sud_Ouest	928195	PMC co–delivery with EPI only	478	3597	2824

BFA: Cost assumptions (page 5)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	DALYs from hospitalisations	DALYs from deaths	PMC cost input: Implementation cost at national level
BFA	Boucle_du_Mouhoun	1945160	No PMC	958	1549	0
BFA	Boucle_du_Mouhoun	1945160	PMC co-delivery with EPI only	847	1369	145894
BFA	Cascades	1147949	No PMC	336	543	0
BFA	Cascades	1147949	PMC co-delivery with EPI only	296	479	145894
BFA	Centre	4693011	No PMC	995	1609	0
BFA	Centre	4693011	PMC co-delivery with EPI only	902	1458	145894
BFA	Centre_Est	1760967	No PMC	735	1187	0
BFA	Centre_Est	1760967	PMC co-delivery with EPI only	652	1054	145894
BFA	Centre_Nord	1760516	No PMC	985	1593	0
BFA	Centre_Nord	1760516	PMC co-delivery with EPI only	864	1397	145894
BFA	Centre_Ouest	1735443	No PMC	819	1324	0
BFA	Centre_Ouest	1735443	PMC co-delivery with EPI only	714	1154	145894
BFA	Centre_Sud	890002	No PMC	278	450	0
BFA	Centre_Sud	890002	PMC co-delivery with EPI only	243	393	145894
BFA	Est	2039123	No PMC	1163	1881	0
BFA	Est	2039123	PMC co-delivery with EPI only	1030	1665	145894
BFA	Haut_Bassins	2597412	No PMC	715	1156	0
BFA	Haut_Bassins	2597412	PMC co-delivery with EPI only	638	1031	145894
BFA	Nord	1614256	No PMC	889	1437	0
BFA	Nord	1614256	PMC co-delivery with EPI only	767	1240	145894
BFA	Plateau_Central	930914	No PMC	353	570	0
BFA	Plateau_Central	930914	PMC co-delivery with EPI only	309	500	145894
BFA	Sahel	1500182	No PMC	912	1474	0
BFA	Sahel	1500182	PMC co-delivery with EPI only	826	1335	145894
BFA	Sud_Ouest	928195	No PMC	333	539	0
BFA	Sud_Ouest	928195	PMC co-delivery with EPI only	295	478	145894

BFA: Cost assumptions (page 6)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC cost input: PMC implementation cost per district	PMC cost input: PMC implementation cost per health facility	PMC cost input: Cost of PMC administration consumables per dose
BFA	Boucle_du_Mouhoun	1945160	No PMC	0	0	0.00
BFA	Boucle_du_Mouhoun	1945160	PMC co-delivery with EPI only	26870	207	0.05
BFA	Cascades	1147949	No PMC	0	0	0.00
BFA	Cascades	1147949	PMC co-delivery with EPI only	26870	207	0.05
BFA	Centre	4693011	No PMC	0	0	0.00
BFA	Centre	4693011	PMC co-delivery with EPI only	26870	207	0.05
BFA	Centre_Est	1760967	No PMC	0	0	0.00
BFA	Centre_Est	1760967	PMC co-delivery with EPI only	26870	207	0.05
BFA	Centre_Nord	1760516	No PMC	0	0	0.00
BFA	Centre_Nord	1760516	PMC co-delivery with EPI only	26870	207	0.05
BFA	Centre_Ouest	1735443	No PMC	0	0	0.00
BFA	Centre_Ouest	1735443	PMC co-delivery with EPI only	26870	207	0.05
BFA	Centre_Sud	890002	No PMC	0	0	0.00
BFA	Centre_Sud	890002	PMC co-delivery with EPI only	26870	207	0.05
BFA	Est	2039123	No PMC	0	0	0.00
BFA	Est	2039123	PMC co-delivery with EPI only	26870	207	0.05
BFA	Haut_Bassins	2597412	No PMC	0	0	0.00
BFA	Haut_Bassins	2597412	PMC co-delivery with EPI only	26870	207	0.05
BFA	Nord	1614256	No PMC	0	0	0.00
BFA	Nord	1614256	PMC co-delivery with EPI only	26870	207	0.05
BFA	Plateau_Central	930914	No PMC	0	0	0.00
BFA	Plateau_Central	930914	PMC co-delivery with EPI only	26870	207	0.05
BFA	Sahel	1500182	No PMC	0	0	0.00
BFA	Sahel	1500182	PMC co-delivery with EPI only	26870	207	0.05
BFA	Sud_Ouest	928195	No PMC	0	0	0.00
BFA	Sud_Ouest	928195	PMC co-delivery with EPI only	26870	207	0.05

BFA: Cost assumptions (page 7)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC Cost input: Cost per SP tablet (includes wastage)	N districts in region	N health facilities in region
BFA	Boucle_du_Mouhoun	1945160	No PMC	0.00	6	200
BFA	Boucle_du_Mouhoun	1945160	PMC co-delivery with EPI only	0.11	6	200
BFA	Cascades	1147949	No PMC	0.00	2	78
BFA	Cascades	1147949	PMC co-delivery with EPI only	0.11	2	78
BFA	Centre	4693011	No PMC	0.00	1	139
BFA	Centre	4693011	PMC co-delivery with EPI only	0.11	1	139
BFA	Centre_Est	1760967	No PMC	0.00	3	137
BFA	Centre_Est	1760967	PMC co-delivery with EPI only	0.11	3	137
BFA	Centre_Nord	1760516	No PMC	0.00	3	128
BFA	Centre_Nord	1760516	PMC co-delivery with EPI only	0.11	3	128
BFA	Centre_Ouest	1735443	No PMC	0.00	4	171
BFA	Centre_Ouest	1735443	PMC co-delivery with EPI only	0.11	4	171
BFA	Centre_Sud	890002	No PMC	0.00	3	104
BFA	Centre_Sud	890002	PMC co-delivery with EPI only	0.11	3	104
BFA	Est	2039123	No PMC	0.00	5	124
BFA	Est	2039123	PMC co-delivery with EPI only	0.11	5	124
BFA	Haut_Bassins	2597412	No PMC	0.00	3	168
BFA	Haut_Bassins	2597412	PMC co-delivery with EPI only	0.11	3	168
BFA	Nord	1614256	No PMC	0.00	4	178
BFA	Nord	1614256	PMC co-delivery with EPI only	0.11	4	178
BFA	Plateau_Central	930914	No PMC	0.00	3	122
BFA	Plateau_Central	930914	PMC co-delivery with EPI only	0.11	3	122
BFA	Sahel	1500182	No PMC	0.00	4	79
BFA	Sahel	1500182	PMC co-delivery with EPI only	0.11	4	79
BFA	Sud_Ouest	928195	No PMC	0.00	4	93
BFA	Sud_Ouest	928195	PMC co-delivery with EPI only	0.11	4	93

BFA: Cost assumptions (page 8)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N expected PMC doses delivered (age 0-1yr)	N expected PMC doses delivered (age 1-2yr)	N expected PMC doses delivered (age 2-2.5yr)
BFA	Boucle_du_Mouhoun	1945160	No PMC	0	0	0
BFA	Boucle_du_Mouhoun	1945160	PMC co-delivery with EPI only	256991	46401	0
BFA	Cascades	1147949	No PMC	0	0	0
BFA	Cascades	1147949	PMC co-delivery with EPI only	166990	28636	0
BFA	Centre	4693011	No PMC	0	0	0
BFA	Centre	4693011	PMC co-delivery with EPI only	669799	95370	0
BFA	Centre_Est	1760967	No PMC	0	0	0
BFA	Centre_Est	1760967	PMC co-delivery with EPI only	250742	43563	0
BFA	Centre_Nord	1760516	No PMC	0	0	0
BFA	Centre_Nord	1760516	PMC co-delivery with EPI only	235291	35770	0
BFA	Centre_Ouest	1735443	No PMC	0	0	0
BFA	Centre_Ouest	1735443	PMC co-delivery with EPI only	259056	44632	0
BFA	Centre_Sud	890002	No PMC	0	0	0
BFA	Centre_Sud	890002	PMC co-delivery with EPI only	137790	24009	0
BFA	Est	2039123	No PMC	0	0	0
BFA	Est	2039123	PMC co-delivery with EPI only	268786	40049	0
BFA	Haut_Bassins	2597412	No PMC	0	0	0
BFA	Haut_Bassins	2597412	PMC co-delivery with EPI only	350363	52758	0
BFA	Nord	1614256	No PMC	0	0	0
BFA	Nord	1614256	PMC co-delivery with EPI only	229953	36784	0
BFA	Plateau_Central	930914	No PMC	0	0	0
BFA	Plateau_Central	930914	PMC co-delivery with EPI only	136115	24353	0
BFA	Sahel	1500182	No PMC	0	0	0
BFA	Sahel	1500182	PMC co-delivery with EPI only	167376	20920	0
BFA	Sud_Ouest	928195	No PMC	0	0	0
BFA	Sud_Ouest	928195	PMC co-delivery with EPI only	141679	18836	0

BFA: Cost assumptions (page 9)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N total expected PMC doses delivered (age 0-2.5yr)	N SP tablets delivered	Sub-total: Cost of PMC implementation at district and HFs
BFA	Boucle_du_Mouhoun	1945160	No PMC	0	0	0
BFA	Boucle_du_Mouhoun	1945160	PMC co-delivery with EPI only	303392	349792	202620
BFA	Cascades	1147949	No PMC	0	0	0
BFA	Cascades	1147949	PMC co-delivery with EPI only	195626	224262	69886
BFA	Centre	4693011	No PMC	0	0	0
BFA	Centre	4693011	PMC co-delivery with EPI only	765169	860539	55643
BFA	Centre_Est	1760967	No PMC	0	0	0
BFA	Centre_Est	1760967	PMC co-delivery with EPI only	294304	337867	108969
BFA	Centre_Nord	1760516	No PMC	0	0	0
BFA	Centre_Nord	1760516	PMC co-delivery with EPI only	271061	306831	107106
BFA	Centre_Ouest	1735443	No PMC	0	0	0
BFA	Centre_Ouest	1735443	PMC co-delivery with EPI only	303688	348320	142877
BFA	Centre_Sud	890002	No PMC	0	0	0
BFA	Centre_Sud	890002	PMC co-delivery with EPI only	161799	185808	102138
BFA	Est	2039123	No PMC	0	0	0
BFA	Est	2039123	PMC co-delivery with EPI only	308835	348884	160018
BFA	Haut_Bassins	2597412	No PMC	0	0	0
BFA	Haut_Bassins	2597412	PMC co-delivery with EPI only	403122	455880	115386
BFA	Nord	1614256	No PMC	0	0	0
BFA	Nord	1614256	PMC co-delivery with EPI only	266737	303522	144326
BFA	Plateau_Central	930914	No PMC	0	0	0
BFA	Plateau_Central	930914	PMC co-delivery with EPI only	160469	184822	105864
BFA	Sahel	1500182	No PMC	0	0	0
BFA	Sahel	1500182	PMC co-delivery with EPI only	188296	209215	123833
BFA	Sud_Ouest	928195	No PMC	0	0	0
BFA	Sud_Ouest	928195	PMC co-delivery with EPI only	160514	179350	126731

BFA: Cost assumptions (page 10)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Sub–total: Cost of PMC administration (SP+consumables)	Treatment cost per clinical case	Treatment cost per hospitalisation
BFA	Boucle_du_Mouhoun	1945160	No PMC	0	3.78	49.37
BFA	Boucle_du_Mouhoun	1945160	PMC co–delivery with EPI only	53647	3.78	49.37
BFA	Cascades	1147949	No PMC	0	3.78	49.37
BFA	Cascades	1147949	PMC co–delivery with EPI only	34450	3.78	49.37
BFA	Centre	4693011	No PMC	0	3.78	49.37
BFA	Centre	4693011	PMC co–delivery with EPI only	132918	3.78	49.37
BFA	Centre_Est	1760967	No PMC	0	3.78	49.37
BFA	Centre_Est	1760967	PMC co–delivery with EPI only	51881	3.78	49.37
BFA	Centre_Nord	1760516	No PMC	0	3.78	49.37
BFA	Centre_Nord	1760516	PMC co–delivery with EPI only	47304	3.78	49.37
BFA	Centre_Ouest	1735443	No PMC	0	3.78	49.37
BFA	Centre_Ouest	1735443	PMC co–delivery with EPI only	53500	3.78	49.37
BFA	Centre_Sud	890002	No PMC	0	3.78	49.37
BFA	Centre_Sud	890002	PMC co–delivery with EPI only	28529	3.78	49.37
BFA	Est	2039123	No PMC	0	3.78	49.37
BFA	Est	2039123	PMC co–delivery with EPI only	53819	3.78	49.37
BFA	Haut_Bassins	2597412	No PMC	0	3.78	49.37
BFA	Haut_Bassins	2597412	PMC co–delivery with EPI only	70303	3.78	49.37
BFA	Nord	1614256	No PMC	0	3.78	49.37
BFA	Nord	1614256	PMC co–delivery with EPI only	46724	3.78	49.37
BFA	Plateau_Central	930914	No PMC	0	3.78	49.37
BFA	Plateau_Central	930914	PMC co–delivery with EPI only	28354	3.78	49.37
BFA	Sahel	1500182	No PMC	0	3.78	49.37
BFA	Sahel	1500182	PMC co–delivery with EPI only	32428	3.78	49.37
BFA	Sud_Ouest	928195	No PMC	0	3.78	49.37
BFA	Sud_Ouest	928195	PMC co–delivery with EPI only	27754	3.78	49.37

BFA: Cost assumptions (page 11)


Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Treatment cost per death
BFA	Boucle_du_Mouhoun	1945160	No PMC	49.37
BFA	Boucle_du_Mouhoun	1945160	PMC co–delivery with EPI only	49.37
BFA	Cascades	1147949	No PMC	49.37
BFA	Cascades	1147949	PMC co–delivery with EPI only	49.37
BFA	Centre	4693011	No PMC	49.37
BFA	Centre	4693011	PMC co–delivery with EPI only	49.37
BFA	Centre_Est	1760967	No PMC	49.37
BFA	Centre_Est	1760967	PMC co–delivery with EPI only	49.37
BFA	Centre_Nord	1760516	No PMC	49.37
BFA	Centre_Nord	1760516	PMC co–delivery with EPI only	49.37
BFA	Centre_Ouest	1735443	No PMC	49.37
BFA	Centre_Ouest	1735443	PMC co–delivery with EPI only	49.37
BFA	Centre_Sud	890002	No PMC	49.37
BFA	Centre_Sud	890002	PMC co–delivery with EPI only	49.37
BFA	Est	2039123	No PMC	49.37
BFA	Est	2039123	PMC co–delivery with EPI only	49.37
BFA	Haut_Bassins	2597412	No PMC	49.37
BFA	Haut_Bassins	2597412	PMC co–delivery with EPI only	49.37
BFA	Nord	1614256	No PMC	49.37
BFA	Nord	1614256	PMC co–delivery with EPI only	49.37
BFA	Plateau_Central	930914	No PMC	49.37
BFA	Plateau_Central	930914	PMC co–delivery with EPI only	49.37
BFA	Sahel	1500182	No PMC	49.37
BFA	Sahel	1500182	PMC co–delivery with EPI only	49.37
BFA	Sud_Ouest	928195	No PMC	49.37
BFA	Sud_Ouest	928195	PMC co–delivery with EPI only	49.37

BFA: Clinical malaria incidence


Age-specific clinical malaria cases per 1,000 children (0–30 months, with and without PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.




BFA: Clinical malaria incidence (rural and urban)

Age-specific clinical malaria cases per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.




BFA: Malaria hospitalisations

Age-specific new malaria hospitalisations per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.
Raw model outputs have been smoothed to reduce stochastic variation.



BFA: Spatial distribution of clinical malaria without PMC


Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, no PMC).



BFA: Spatial distribution of clinical malaria with PMC

Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, with PMC).


PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



BFA: Spatial distribution of averted clinical malaria with PMC

Admin-1 averted clinical malaria incidence per 1,000 children aged (0–30 months, averted with PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



BFA: Clinical malaria burden (page 1)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Abia	362.1	325.8	36.3
Adamawa	379.8	355.7	24.1
Akwa_Ibom	445.1	413.0	32.1
Anambra	247.1	225.2	21.9
Bauchi	474.3	457.9	16.4
Bayelsa	578.6	539.8	38.8
Benue	369.2	343.5	25.8
Borno	1287.6	1233.4	54.3
Cross_River	527.1	486.7	40.4
Delta	333.0	308.1	24.8
Ebonyi	752.8	694.8	58.1
Edo	705.8	650.6	55.2
Ekiti	1165.1	1065.5	99.7
Enugu	380.5	348.1	32.4
Federal_Capital_Territory	323.3	297.5	25.7
Gombe	448.2	431.8	16.4
Imo	260.2	239.5	20.7
Jigawa	1614.4	1517.4	96.9
Kaduna	594.6	570.2	24.4
Kano	826.2	788.8	37.3
Katsina	2178.7	2115.4	63.2
Kebbi	3879.9	3744.2	135.7
Kogi	606.9	568.5	38.5
Kwara	372.3	348.6	23.7
Lagos	123.6	111.7	11.9
Nasarawa	1022.6	952.2	70.4
Niger	1011.6	970.3	41.3
Ogun	412.8	389.4	23.4
Ondo	1074.9	992.2	82.7
Osun	718.5	679.2	39.3

BFA: Clinical malaria burden (page 2)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Oyo	582.4	552.3	30.1
Plateau	786.5	733.0	53.5
Rivers	384.2	352.8	31.4
Sokoto	3696.7	3601.7	95.0
Taraba	563.2	540.4	22.8
Yobe	780.6	737.7	42.9
Zamfara	3789.7	3718.0	71.7

BFA: Severe malaria burden (page 1)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Abia	24.1	21.3	2.8
Adamawa	24.7	23.0	1.8
Akwa_Ibom	26.5	24.3	2.2
Anambra	16.9	15.3	1.7
Bauchi	30.9	29.7	1.2
Bayelsa	32.2	29.7	2.5
Benue	23.2	21.5	1.7
Borno	59.7	56.8	2.9
Cross_River	29.5	26.8	2.7
Delta	21.8	19.9	1.8
Ebonyi	38.3	34.9	3.4
Edo	36.8	33.1	3.7
Ekiti	48.1	42.8	5.4
Enugu	24.7	22.4	2.3
Federal_Capital_Territory	20.4	18.8	1.7
Gombe	27.8	26.6	1.2
Imo	18.4	16.8	1.6
Jigawa	72.6	67.3	5.3
Kaduna	33.2	31.6	1.6
Kano	46.5	44.1	2.3
Katsina	84.0	81.1	2.9
Kebbi	100.5	95.2	5.4
Kogi	33.3	30.6	2.7
Kwara	22.0	20.4	1.6
Lagos	10.4	9.3	1.1
Nasarawa	43.4	39.6	3.8
Niger	43.1	40.7	2.4
Ogun	25.7	23.8	1.9
Ondo	45.6	41.0	4.6
Osun	35.3	32.8	2.5

BFA: Severe malaria burden (page 2)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Oyo	30.9	28.7	2.2
Plateau	39.2	35.9	3.2
Rivers	25.4	22.7	2.6
Sokoto	103.4	99.6	3.8
Taraba	32.3	30.7	1.6
Yobe	46.1	43.2	2.9
Zamfara	102.3	99.4	2.9