

PMC Compass: Modelling Outputs for SSD


Modelling outputs from PMC Compass. Please note, results are preliminary and subject to change following further validation.

Corresponding authors: Ishana Atkinson, Catherine Pitt, Andria Mousa

10 February 2026


SSD: Ranked prioritised order to implement PMC

Order at which to implement PMC in the country based on cost-effectiveness of the PMC delivery strategy.



SSD: Incremental cost-effectiveness ratios of implementing PMC co-delivery with EPI only vs No PMC in each admin-1 unit.

Incremental cost-effectiveness ratios of implementing PMC co-delivery with EPI only vs No PMC in each admin-1 unit. All costs used to calculate these exclude national-level start up costs.



SSD: Ranked prioritisation of options (page 1)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional clinical malaria cases averted	Additional hospitalisations averted	Additional deaths averted	Additional DALYs averted
SSD	Eastern_Equatoria	PMC co-delivery with EPI only vs No PMC	14749	724	156	1005
SSD	Central_Equatoria	PMC co-delivery with EPI only vs No PMC	2304	142	30	166
SSD	West_Equatoria	PMC co-delivery with EPI only vs No PMC	1674	86	19	116
SSD	West_Bahr_al_Ghazal	PMC co-delivery with EPI only vs No PMC	260	21	4	19
SSD	Jungoli	PMC co-delivery with EPI only vs No PMC	600	60	13	52
SSD	North_Bahr_al_Ghazal	PMC co-delivery with EPI only vs No PMC	358	30	7	29
SSD	Lakes	PMC co-delivery with EPI only vs No PMC	328	34	7	28
SSD	Warap	PMC co-delivery with EPI only vs No PMC	291	20	4	22
SSD	Upper_Nile	PMC co-delivery with EPI only vs No PMC	364	37	8	32
SSD	Unity	PMC co-delivery with EPI only vs No PMC	157	15	3	13

SSD: Ranked prioritisation of options (page 2)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Financial cost of SP and administration consumables	Cumulative cost of SP and administration consumables	Additional economic cost savings to public providers from reduced treatment	Cumulative economic cost savings to public providers from reduced treatment
SSD	Eastern_Equatoria	PMC co-delivery with EPI only vs No PMC	99059	99059	-53729	-53729
SSD	Central_Equatoria	PMC co-delivery with EPI only vs No PMC	28657	127716	-9825	-63554
SSD	West_Equatoria	PMC co-delivery with EPI only vs No PMC	13827	141543	-6285	-69839
SSD	West_Bahr_al_Ghazal	PMC co-delivery with EPI only vs No PMC	0	141543	-1355	-71194
SSD	Jungoli	PMC co-delivery with EPI only vs No PMC	30151	171694	-3699	-74893
SSD	North_Bahr_al_Ghazal	PMC co-delivery with EPI only vs No PMC	12583	184277	-1922	-76815
SSD	Lakes	PMC co-delivery with EPI only vs No PMC	13133	197410	-2082	-78897
SSD	Warap	PMC co-delivery with EPI only vs No PMC	15283	212693	-1344	-80241
SSD	Upper_Nile	PMC co-delivery with EPI only vs No PMC	23202	235895	-2275	-82516
SSD	Unity	PMC co-delivery with EPI only vs No PMC	13940	249835	-935	-83451

SSD: Ranked prioritisation of options (page 3)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional net economic costs of PMC implementation and treatment	Cumulative net costs of PMC implementation and treatment	Incremental economic cost per DALY averted vs. next higher option in ranking	Cost-effective? (lower country-specific threshold)
SSD	Eastern_Equatoria	PMC co-delivery with EPI only vs No PMC	266236	266236	265	no
SSD	Central_Equatoria	PMC co-delivery with EPI only vs No PMC	122366	388602	737	no
SSD	West_Equatoria	PMC co-delivery with EPI only vs No PMC	104832	493434	904	no
SSD	West_Bahr_al_Ghazal	PMC co-delivery with EPI only vs No PMC	49509	542943	2606	no
SSD	Jungoli	PMC co-delivery with EPI only vs No PMC	176299	719242	3390	no
SSD	North_Bahr_al_Ghazal	PMC co-delivery with EPI only vs No PMC	100460	819702	3464	no
SSD	Lakes	PMC co-delivery with EPI only vs No PMC	100216	919918	3579	no
SSD	Warap	PMC co-delivery with EPI only vs No PMC	103301	1023219	4696	no
SSD	Upper_Nile	PMC co-delivery with EPI only vs No PMC	192437	1215656	6014	no
SSD	Unity	PMC co-delivery with EPI only vs No PMC	101943	1317599	7842	no

SSD: Ranked prioritisation of options (page 4)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Cost-effective? (higher country-specific threshold)	Cost-effective? (\$250 / DALY averted threshold)	Population (all ages)	Expected PMC doses delivered (age 0-1yr)
SSD	Eastern_Equatoria	PMC co-delivery with EPI only vs No PMC	no	no	4199095	461763
SSD	Central_Equatoria	PMC co-delivery with EPI only vs No PMC	no	no	1265818	133895
SSD	West_Equatoria	PMC co-delivery with EPI only vs No PMC	no	no	624134	64682
SSD	West_Bahr_al_Ghazal	PMC co-delivery with EPI only vs No PMC	no	no	222158	NA
SSD	Jungoli	PMC co-delivery with EPI only vs No PMC	no	no	1359663	141057
SSD	North_Bahr_al_Ghazal	PMC co-delivery with EPI only vs No PMC	no	no	567552	58865
SSD	Lakes	PMC co-delivery with EPI only vs No PMC	no	no	592882	61437
SSD	Warap	PMC co-delivery with EPI only vs No PMC	no	no	691793	71497
SSD	Upper_Nile	PMC co-delivery with EPI only vs No PMC	no	no	1029403	108438
SSD	Unity	PMC co-delivery with EPI only vs No PMC	no	no	628301	65209

SSD: Ranked prioritisation of options (page 5)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Expected PMC doses delivered (age 1-2yr)	Expected PMC doses delivered (age 2-2.5yr)	Data source for cost modelling	ICER based on regional costs only (no national costs)
SSD	Eastern_Equatoria	PMC co-delivery with EPI only vs No PMC	93248	0	Plus Project countries	122
SSD	Central_Equatoria	PMC co-delivery with EPI only vs No PMC	26792	0	Plus Project countries	737
SSD	West_Equatoria	PMC co-delivery with EPI only vs No PMC	12881	0	Plus Project countries	904
SSD	West_Bahr_al_Ghazal	PMC co-delivery with EPI only vs No PMC	NA	0	Plus Project countries	2606
SSD	Jungoli	PMC co-delivery with EPI only vs No PMC	28081	0	Plus Project countries	3390
SSD	North_Bahr_al_Ghazal	PMC co-delivery with EPI only vs No PMC	11721	0	Plus Project countries	3464
SSD	Lakes	PMC co-delivery with EPI only vs No PMC	12235	0	Plus Project countries	3579
SSD	Warap	PMC co-delivery with EPI only vs No PMC	14236	0	Plus Project countries	4696
SSD	Upper_Nile	PMC co-delivery with EPI only vs No PMC	21672	0	Plus Project countries	6014
SSD	Unity	PMC co-delivery with EPI only vs No PMC	12986	0	Plus Project countries	7842

SSD: Ranked prioritisation of options (page 6)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	rank
SSD	Eastern_Equatoria	PMC co-delivery with EPI only vs No PMC	1
SSD	Central_Equatoria	PMC co-delivery with EPI only vs No PMC	2
SSD	West_Equatoria	PMC co-delivery with EPI only vs No PMC	3
SSD	West_Bahr_al_Ghazal	PMC co-delivery with EPI only vs No PMC	4
SSD	Jungoli	PMC co-delivery with EPI only vs No PMC	5
SSD	North_Bahr_al_Ghazal	PMC co-delivery with EPI only vs No PMC	6
SSD	Lakes	PMC co-delivery with EPI only vs No PMC	7
SSD	Warap	PMC co-delivery with EPI only vs No PMC	8
SSD	Upper_Nile	PMC co-delivery with EPI only vs No PMC	9
SSD	Unity	PMC co-delivery with EPI only vs No PMC	10

SSD: Cost assumptions (page 1)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N doses in PMC schedule	Data source for cost modelling	Total cost of PMC implementation (excl national costs)
SSD	Central_Equatoria	1265818	No PMC	0	Plus Project countries	0
SSD	Central_Equatoria	1265818	PMC co–delivery with EPI only	6	Plus Project countries	132191
SSD	Eastern_Equatoria	4199095	No PMC	0	Plus Project countries	0
SSD	Eastern_Equatoria	4199095	PMC co–delivery with EPI only	6	Plus Project countries	175916
SSD	Jungoli	1359663	No PMC	0	Plus Project countries	0
SSD	Jungoli	1359663	PMC co–delivery with EPI only	6	Plus Project countries	179998
SSD	Lakes	592882	No PMC	0	Plus Project countries	0
SSD	Lakes	592882	PMC co–delivery with EPI only	6	Plus Project countries	102298
SSD	North_Bahr_al_Ghazal	567552	No PMC	0	Plus Project countries	0
SSD	North_Bahr_al_Ghazal	567552	PMC co–delivery with EPI only	6	Plus Project countries	102382
SSD	Unity	628301	No PMC	0	Plus Project countries	0
SSD	Unity	628301	PMC co–delivery with EPI only	6	Plus Project countries	102878
SSD	Upper_Nile	1029403	No PMC	0	Plus Project countries	0
SSD	Upper_Nile	1029403	PMC co–delivery with EPI only	6	Plus Project countries	194712
SSD	Warap	691793	No PMC	0	Plus Project countries	0
SSD	Warap	691793	PMC co–delivery with EPI only	6	Plus Project countries	104645
SSD	West_Bahr_al_Ghazal	222158	No PMC	0	Plus Project countries	0
SSD	West_Bahr_al_Ghazal	222158	PMC co–delivery with EPI only	6	Plus Project countries	50864
SSD	West_Equatoria	624134	No PMC	0	Plus Project countries	0
SSD	West_Equatoria	624134	PMC co–delivery with EPI only	6	Plus Project countries	111117

SSD: Cost assumptions (page 2)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Sub-total: Cost of treatment	Total cost of PMC implementation + treatment (excluding national costs)	Total cost of PMC implementation + treatment (including full national costs for every region)
SSD	Central_Equatoria	1265818	No PMC	136553	136553	136553
SSD	Central_Equatoria	1265818	PMC co-delivery with EPI only	126728	258919	402968
SSD	Eastern_Equatoria	4199095	No PMC	687704	687704	687704
SSD	Eastern_Equatoria	4199095	PMC co-delivery with EPI only	633975	809891	953940
SSD	Jungoli	1359663	No PMC	37457	37457	37457
SSD	Jungoli	1359663	PMC co-delivery with EPI only	33758	213756	357805
SSD	Lakes	592882	No PMC	24604	24604	24604
SSD	Lakes	592882	PMC co-delivery with EPI only	22522	124820	268869
SSD	North_Bahr_al_Ghazal	567552	No PMC	22433	22433	22433
SSD	North_Bahr_al_Ghazal	567552	PMC co-delivery with EPI only	20511	122893	266942
SSD	Unity	628301	No PMC	10987	10987	10987
SSD	Unity	628301	PMC co-delivery with EPI only	10052	112930	256979
SSD	Upper_Nile	1029403	No PMC	21541	21541	21541
SSD	Upper_Nile	1029403	PMC co-delivery with EPI only	19266	213978	358027
SSD	Warap	691793	No PMC	16442	16442	16442
SSD	Warap	691793	PMC co-delivery with EPI only	15098	119743	263792
SSD	West_Bahr_al_Ghazal	222158	No PMC	15220	15220	15220
SSD	West_Bahr_al_Ghazal	222158	PMC co-delivery with EPI only	13865	64729	208778
SSD	West_Equatoria	624134	No PMC	90760	90760	90760
SSD	West_Equatoria	624134	PMC co-delivery with EPI only	84475	195592	339641

SSD: Cost assumptions (page 3)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Clinical cases (N, 0–30mo)	Clinical cases for whom care sought	Hospitalisations (N, 0–30mo)
SSD	Central_Equatoria	1265818	No PMC	35851	17926	1880
SSD	Central_Equatoria	1265818	PMC co–delivery with EPI only	33547	16774	1738
SSD	Eastern_Equatoria	4199095	No PMC	215819	107910	8607
SSD	Eastern_Equatoria	4199095	PMC co–delivery with EPI only	201070	100535	7883
SSD	Jungoli	1359663	No PMC	7528	3764	572
SSD	Jungoli	1359663	PMC co–delivery with EPI only	6928	3464	512
SSD	Lakes	592882	No PMC	4525	2262	386
SSD	Lakes	592882	PMC co–delivery with EPI only	4197	2098	352
SSD	North_Bahr_al_Ghazal	567552	No PMC	4531	2266	342
SSD	North_Bahr_al_Ghazal	567552	PMC co–delivery with EPI only	4173	2086	312
SSD	Unity	628301	No PMC	1994	997	173
SSD	Unity	628301	PMC co–delivery with EPI only	1837	918	158
SSD	Upper_Nile	1029403	No PMC	4040	2020	336
SSD	Upper_Nile	1029403	PMC co–delivery with EPI only	3676	1838	299
SSD	Warap	691793	No PMC	3471	1736	247
SSD	Warap	691793	PMC co–delivery with EPI only	3180	1590	227
SSD	West_Bahr_al_Ghazal	222158	No PMC	3241	1620	228
SSD	West_Bahr_al_Ghazal	222158	PMC co–delivery with EPI only	2981	1490	207
SSD	West_Equatoria	624134	No PMC	26105	13052	1194
SSD	West_Equatoria	624134	PMC co–delivery with EPI only	24431	12216	1108

SSD: Cost assumptions (page 4)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Deaths (N, 0–30mo)	Total DALYs	DALYs from clinical cases
SSD	Central_Equatoria	1265818	No PMC	404	2482	1828
SSD	Central_Equatoria	1265818	PMC co–delivery with EPI only	374	2316	1711
SSD	Eastern_Equatoria	4199095	No PMC	1851	14003	11007
SSD	Eastern_Equatoria	4199095	PMC co–delivery with EPI only	1695	12998	10255
SSD	Jungoli	1359663	No PMC	123	583	384
SSD	Jungoli	1359663	PMC co–delivery with EPI only	110	531	353
SSD	Lakes	592882	No PMC	83	365	231
SSD	Lakes	592882	PMC co–delivery with EPI only	76	337	214
SSD	North_Bahr_al_Ghazal	567552	No PMC	74	350	231
SSD	North_Bahr_al_Ghazal	567552	PMC co–delivery with EPI only	67	321	213
SSD	Unity	628301	No PMC	37	162	102
SSD	Unity	628301	PMC co–delivery with EPI only	34	149	94
SSD	Upper_Nile	1029403	No PMC	72	323	206
SSD	Upper_Nile	1029403	PMC co–delivery with EPI only	64	291	187
SSD	Warap	691793	No PMC	53	263	177
SSD	Warap	691793	PMC co–delivery with EPI only	49	241	162
SSD	West_Bahr_al_Ghazal	222158	No PMC	49	244	165
SSD	West_Bahr_al_Ghazal	222158	PMC co–delivery with EPI only	45	225	152
SSD	West_Equatoria	624134	No PMC	257	1747	1331
SSD	West_Equatoria	624134	PMC co–delivery with EPI only	238	1631	1246

SSD: Cost assumptions (page 5)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	DALYs from hospitalisations	DALYs from deaths	PMC cost input: Implementation cost at national level
SSD	Central_Equatoria	1265818	No PMC	250	404	0
SSD	Central_Equatoria	1265818	PMC co–delivery with EPI only	231	374	144049
SSD	Eastern_Equatoria	4199095	No PMC	1145	1851	0
SSD	Eastern_Equatoria	4199095	PMC co–delivery with EPI only	1048	1695	144049
SSD	Jungoli	1359663	No PMC	76	123	0
SSD	Jungoli	1359663	PMC co–delivery with EPI only	68	110	144049
SSD	Lakes	592882	No PMC	51	83	0
SSD	Lakes	592882	PMC co–delivery with EPI only	47	76	144049
SSD	North_Bahr_al_Ghazal	567552	No PMC	45	74	0
SSD	North_Bahr_al_Ghazal	567552	PMC co–delivery with EPI only	41	67	144049
SSD	Unity	628301	No PMC	23	37	0
SSD	Unity	628301	PMC co–delivery with EPI only	21	34	144049
SSD	Upper_Nile	1029403	No PMC	45	72	0
SSD	Upper_Nile	1029403	PMC co–delivery with EPI only	40	64	144049
SSD	Warap	691793	No PMC	33	53	0
SSD	Warap	691793	PMC co–delivery with EPI only	30	49	144049
SSD	West_Bahr_al_Ghazal	222158	No PMC	30	49	0
SSD	West_Bahr_al_Ghazal	222158	PMC co–delivery with EPI only	28	45	144049
SSD	West_Equatoria	624134	No PMC	159	257	0
SSD	West_Equatoria	624134	PMC co–delivery with EPI only	147	238	144049

SSD: Cost assumptions (page 6)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	PMC cost input: PMC implementation cost per district	PMC cost input: PMC implementation cost per health facility	PMC cost input: Cost of PMC administration consumables per dose
SSD	Central_Equatoria	1265818	No PMC	0	0	0.00
SSD	Central_Equatoria	1265818	PMC co–delivery with EPI only	20832	80	0.05
SSD	Eastern_Equatoria	4199095	No PMC	0	0	0.00
SSD	Eastern_Equatoria	4199095	PMC co–delivery with EPI only	20832	80	0.05
SSD	Jungoli	1359663	No PMC	0	0	0.00
SSD	Jungoli	1359663	PMC co–delivery with EPI only	20832	80	0.05
SSD	Lakes	592882	No PMC	0	0	0.00
SSD	Lakes	592882	PMC co–delivery with EPI only	20832	80	0.05
SSD	North_Bahr_al_Ghazal	567552	No PMC	0	0	0.00
SSD	North_Bahr_al_Ghazal	567552	PMC co–delivery with EPI only	20832	80	0.05
SSD	Unity	628301	No PMC	0	0	0.00
SSD	Unity	628301	PMC co–delivery with EPI only	20832	80	0.05
SSD	Upper_Nile	1029403	No PMC	0	0	0.00
SSD	Upper_Nile	1029403	PMC co–delivery with EPI only	20832	80	0.05
SSD	Warap	691793	No PMC	0	0	0.00
SSD	Warap	691793	PMC co–delivery with EPI only	20832	80	0.05
SSD	West_Bahr_al_Ghazal	222158	No PMC	0	0	0.00
SSD	West_Bahr_al_Ghazal	222158	PMC co–delivery with EPI only	20832	80	0.05
SSD	West_Equatoria	624134	No PMC	0	0	0.00
SSD	West_Equatoria	624134	PMC co–delivery with EPI only	20832	80	0.05

SSD: Cost assumptions (page 7)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	PMC Cost input: Cost per SP tablet (includes wastage)	N districts in region	N health facilities in region
SSD	Central_Equatoria	1265818	No PMC	0.00	4	353
SSD	Central_Equatoria	1265818	PMC co–delivery with EPI only	0.11	4	353
SSD	Eastern_Equatoria	4199095	No PMC	0.00	4	266
SSD	Eastern_Equatoria	4199095	PMC co–delivery with EPI only	0.11	4	266
SSD	Jungoli	1359663	No PMC	0.00	7	156
SSD	Jungoli	1359663	PMC co–delivery with EPI only	0.11	7	156
SSD	Lakes	592882	No PMC	0.00	4	119
SSD	Lakes	592882	PMC co–delivery with EPI only	0.11	4	119
SSD	North_Bahr_al_Ghazal	567552	No PMC	0.00	4	125
SSD	North_Bahr_al_Ghazal	567552	PMC co–delivery with EPI only	0.11	4	125
SSD	Unity	628301	No PMC	0.00	4	119
SSD	Unity	628301	PMC co–delivery with EPI only	0.11	4	119
SSD	Upper_Nile	1029403	No PMC	0.00	8	142
SSD	Upper_Nile	1029403	PMC co–delivery with EPI only	0.11	8	142
SSD	Warap	691793	No PMC	0.00	4	129
SSD	Warap	691793	PMC co–delivery with EPI only	0.11	4	129
SSD	West_Bahr_al_Ghazal	222158	No PMC	0.00	2	115
SSD	West_Bahr_al_Ghazal	222158	PMC co–delivery with EPI only	0.11	2	115
SSD	West_Equatoria	624134	No PMC	0.00	4	223
SSD	West_Equatoria	624134	PMC co–delivery with EPI only	0.11	4	223

SSD: Cost assumptions (page 8)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N expected PMC doses delivered (age 0–1yr)	N expected PMC doses delivered (age 1–2yr)	N expected PMC doses delivered (age 2–2.5yr)
SSD	Central_Equatoria	1265818	No PMC	0	0	0
SSD	Central_Equatoria	1265818	PMC co–delivery with EPI only	133895	26792	0
SSD	Eastern_Equatoria	4199095	No PMC	0	0	0
SSD	Eastern_Equatoria	4199095	PMC co–delivery with EPI only	461763	93248	0
SSD	Jungoli	1359663	No PMC	0	0	0
SSD	Jungoli	1359663	PMC co–delivery with EPI only	141057	28081	0
SSD	Lakes	592882	No PMC	0	0	0
SSD	Lakes	592882	PMC co–delivery with EPI only	61437	12235	0
SSD	North_Bahr_al_Ghazal	567552	No PMC	0	0	0
SSD	North_Bahr_al_Ghazal	567552	PMC co–delivery with EPI only	58865	11721	0
SSD	Unity	628301	No PMC	0	0	0
SSD	Unity	628301	PMC co–delivery with EPI only	65209	12986	0
SSD	Upper_Nile	1029403	No PMC	0	0	0
SSD	Upper_Nile	1029403	PMC co–delivery with EPI only	108438	21672	0
SSD	Warap	691793	No PMC	0	0	0
SSD	Warap	691793	PMC co–delivery with EPI only	71497	14236	0
SSD	West_Bahr_al_Ghazal	222158	No PMC	0	0	0
SSD	West_Bahr_al_Ghazal	222158	PMC co–delivery with EPI only	NA	NA	0
SSD	West_Equatoria	624134	No PMC	0	0	0
SSD	West_Equatoria	624134	PMC co–delivery with EPI only	64682	12881	0

SSD: Cost assumptions (page 9)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N total expected PMC doses delivered (age 0-2.5yr)	N SP tablets delivered	Sub-total: Cost of PMC implementation at district and HFs
SSD	Central_Equatoria	1265818	No PMC	0	0	0
SSD	Central_Equatoria	1265818	PMC co-delivery with EPI only	160687	187478	111568
SSD	Eastern_Equatoria	4199095	No PMC	0	0	0
SSD	Eastern_Equatoria	4199095	PMC co-delivery with EPI only	555010	648258	104608
SSD	Jungoli	1359663	No PMC	0	0	0
SSD	Jungoli	1359663	PMC co-delivery with EPI only	169138	197220	158304
SSD	Lakes	592882	No PMC	0	0	0
SSD	Lakes	592882	PMC co-delivery with EPI only	73672	85907	92848
SSD	North_Bahr_al_Ghazal	567552	No PMC	0	0	0
SSD	North_Bahr_al_Ghazal	567552	PMC co-delivery with EPI only	70587	82308	93328
SSD	Unity	628301	No PMC	0	0	0
SSD	Unity	628301	PMC co-delivery with EPI only	78195	91181	92848
SSD	Upper_Nile	1029403	No PMC	0	0	0
SSD	Upper_Nile	1029403	PMC co-delivery with EPI only	130110	151782	178016
SSD	Warap	691793	No PMC	0	0	0
SSD	Warap	691793	PMC co-delivery with EPI only	85733	99970	93648
SSD	West_Bahr_al_Ghazal	222158	No PMC	0	0	0
SSD	West_Bahr_al_Ghazal	222158	PMC co-delivery with EPI only	0	0	50864
SSD	West_Equatoria	624134	No PMC	0	0	0
SSD	West_Equatoria	624134	PMC co-delivery with EPI only	77563	90444	101168

SSD: Cost assumptions (page 10)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Sub-total: Cost of PMC administration (SP+consumables)	Treatment cost per clinical case	Treatment cost per hospitalisation
SSD	Central_Equatoria	1265818	No PMC	0	2.42	40.79
SSD	Central_Equatoria	1265818	PMC co-delivery with EPI only	28657	2.42	40.79
SSD	Eastern_Equatoria	4199095	No PMC	0	2.42	40.79
SSD	Eastern_Equatoria	4199095	PMC co-delivery with EPI only	99059	2.42	40.79
SSD	Jungoli	1359663	No PMC	0	2.42	40.79
SSD	Jungoli	1359663	PMC co-delivery with EPI only	30151	2.42	40.79
SSD	Lakes	592882	No PMC	0	2.42	40.79
SSD	Lakes	592882	PMC co-delivery with EPI only	13133	2.42	40.79
SSD	North_Bahr_al_Ghazal	567552	No PMC	0	2.42	40.79
SSD	North_Bahr_al_Ghazal	567552	PMC co-delivery with EPI only	12583	2.42	40.79
SSD	Unity	628301	No PMC	0	2.42	40.79
SSD	Unity	628301	PMC co-delivery with EPI only	13940	2.42	40.79
SSD	Upper_Nile	1029403	No PMC	0	2.42	40.79
SSD	Upper_Nile	1029403	PMC co-delivery with EPI only	23202	2.42	40.79
SSD	Warap	691793	No PMC	0	2.42	40.79
SSD	Warap	691793	PMC co-delivery with EPI only	15283	2.42	40.79
SSD	West_Bahr_al_Ghazal	222158	No PMC	0	2.42	40.79
SSD	West_Bahr_al_Ghazal	222158	PMC co-delivery with EPI only	0	2.42	40.79
SSD	West_Equatoria	624134	No PMC	0	2.42	40.79
SSD	West_Equatoria	624134	PMC co-delivery with EPI only	13827	2.42	40.79

SSD: Cost assumptions (page 11)


Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Treatment cost per death
SSD	Central_Equatoria	1265818	No PMC	40.79
SSD	Central_Equatoria	1265818	PMC co–delivery with EPI only	40.79
SSD	Eastern_Equatoria	4199095	No PMC	40.79
SSD	Eastern_Equatoria	4199095	PMC co–delivery with EPI only	40.79
SSD	Jungoli	1359663	No PMC	40.79
SSD	Jungoli	1359663	PMC co–delivery with EPI only	40.79
SSD	Lakes	592882	No PMC	40.79
SSD	Lakes	592882	PMC co–delivery with EPI only	40.79
SSD	North_Bahr_al_Ghazal	567552	No PMC	40.79
SSD	North_Bahr_al_Ghazal	567552	PMC co–delivery with EPI only	40.79
SSD	Unity	628301	No PMC	40.79
SSD	Unity	628301	PMC co–delivery with EPI only	40.79
SSD	Upper_Nile	1029403	No PMC	40.79
SSD	Upper_Nile	1029403	PMC co–delivery with EPI only	40.79
SSD	Warap	691793	No PMC	40.79
SSD	Warap	691793	PMC co–delivery with EPI only	40.79
SSD	West_Bahr_al_Ghazal	222158	No PMC	40.79
SSD	West_Bahr_al_Ghazal	222158	PMC co–delivery with EPI only	40.79
SSD	West_Equatoria	624134	No PMC	40.79
SSD	West_Equatoria	624134	PMC co–delivery with EPI only	40.79

SSD: Clinical malaria incidence


Age-specific clinical malaria cases per 1,000 children (0–30 months, with and without PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.




SSD: Clinical malaria incidence (rural and urban)

Age-specific clinical malaria cases per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.




SSD: Malaria hospitalisations

Age-specific new malaria hospitalisations per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.
Raw model outputs have been smoothed to reduce stochastic variation.



SSD: Spatial distribution of clinical malaria without PMC


Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, no PMC).



SSD: Spatial distribution of clinical malaria with PMC

Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, with PMC).


PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



SSD: Spatial distribution of averted clinical malaria with PMC

Admin-1 averted clinical malaria incidence per 1,000 children aged (0–30 months, averted with PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



SSD: Clinical malaria burden (page 1)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Abia	362.1	325.8	36.3
Adamawa	379.8	355.7	24.1
Akwa_Ibom	445.1	413.0	32.1
Anambra	247.1	225.2	21.9
Bauchi	474.3	457.9	16.4
Bayelsa	578.6	539.8	38.8
Benue	369.2	343.5	25.8
Borno	1287.6	1233.4	54.3
Cross_River	527.1	486.7	40.4
Delta	333.0	308.1	24.8
Ebonyi	752.8	694.8	58.1
Edo	705.8	650.6	55.2
Ekiti	1165.1	1065.5	99.7
Enugu	380.5	348.1	32.4
Federal_Capital_Territory	323.3	297.5	25.7
Gombe	448.2	431.8	16.4
Imo	260.2	239.5	20.7
Jigawa	1614.4	1517.4	96.9
Kaduna	594.6	570.2	24.4
Kano	826.2	788.8	37.3
Katsina	2178.7	2115.4	63.2
Kebbi	3879.9	3744.2	135.7
Kogi	606.9	568.5	38.5
Kwara	372.3	348.6	23.7
Lagos	123.6	111.7	11.9
Nasarawa	1022.6	952.2	70.4
Niger	1011.6	970.3	41.3
Ogun	412.8	389.4	23.4
Ondo	1074.9	992.2	82.7
Osun	718.5	679.2	39.3

SSD: Clinical malaria burden (page 2)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Oyo	582.4	552.3	30.1
Plateau	786.5	733.0	53.5
Rivers	384.2	352.8	31.4
Sokoto	3696.7	3601.7	95.0
Taraba	563.2	540.4	22.8
Yobe	780.6	737.7	42.9
Zamfara	3789.7	3718.0	71.7

SSD: Severe malaria burden (page 1)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Abia	24.1	21.3	2.8
Adamawa	24.7	23.0	1.8
Akwa_Ibom	26.5	24.3	2.2
Anambra	16.9	15.3	1.7
Bauchi	30.9	29.7	1.2
Bayelsa	32.2	29.7	2.5
Benue	23.2	21.5	1.7
Borno	59.7	56.8	2.9
Cross_River	29.5	26.8	2.7
Delta	21.8	19.9	1.8
Ebonyi	38.3	34.9	3.4
Edo	36.8	33.1	3.7
Ekiti	48.1	42.8	5.4
Enugu	24.7	22.4	2.3
Federal_Capital_Territory	20.4	18.8	1.7
Gombe	27.8	26.6	1.2
Imo	18.4	16.8	1.6
Jigawa	72.6	67.3	5.3
Kaduna	33.2	31.6	1.6
Kano	46.5	44.1	2.3
Katsina	84.0	81.1	2.9
Kebbi	100.5	95.2	5.4
Kogi	33.3	30.6	2.7
Kwara	22.0	20.4	1.6
Lagos	10.4	9.3	1.1
Nasarawa	43.4	39.6	3.8
Niger	43.1	40.7	2.4
Ogun	25.7	23.8	1.9
Ondo	45.6	41.0	4.6
Osun	35.3	32.8	2.5

SSD: Severe malaria burden (page 2)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Oyo	30.9	28.7	2.2
Plateau	39.2	35.9	3.2
Rivers	25.4	22.7	2.6
Sokoto	103.4	99.6	3.8
Taraba	32.3	30.7	1.6
Yobe	46.1	43.2	2.9
Zamfara	102.3	99.4	2.9