

PMC Compass: Modelling Outputs for TCD


Modelling outputs from PMC Compass. Please note, results are preliminary and subject to change following further validation.

Corresponding authors: Ishana Atkinson, Catherine Pitt, Andria Mousa

10 February 2026


TCD: Ranked prioritised order to implement PMC

Order at which to implement PMC in the country based on cost-effectiveness of the PMC delivery strategy.



TCD: Incremental cost-effectiveness ratios of implementing PMC co-delivery with EPI only vs No PMC in each admin-1 unit.

Incremental cost-effectiveness ratios of implementing PMC co-delivery with EPI only vs No PMC in each admin-1 unit. All costs used to calculate these exclude national-level start up costs.



TCD: Ranked prioritisation of options (page 1)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional clinical malaria cases averted	Additional hospitalisations averted	Additional deaths averted	Additional DALYs averted
TCD	Mandoul	PMC co-delivery with EPI only vs No PMC	2788	175	38	204
TCD	Ville_de_N'Djamena	PMC co-delivery with EPI only vs No PMC	1170	82	18	88
TCD	Mayo_Kebbi_Ouest	PMC co-delivery with EPI only vs No PMC	1222	94	20	95
TCD	Logone_Oriental	PMC co-delivery with EPI only vs No PMC	1990	134	29	148
TCD	Moyen_Chari	PMC co-delivery with EPI only vs No PMC	1289	95	20	98
TCD	Hadjer_Lamis	PMC co-delivery with EPI only vs No PMC	1199	88	19	92
TCD	Tandjile	PMC co-delivery with EPI only vs No PMC	1202	89	19	91
TCD	Logone_Occidental	PMC co-delivery with EPI only vs No PMC	1111	80	17	84
TCD	Barh_el_Ghazel	PMC co-delivery with EPI only vs No PMC	355	24	5	26
TCD	Guera	PMC co-delivery with EPI only vs No PMC	1086	87	19	85
TCD	Chari_Baguirmi	PMC co-delivery with EPI only vs No PMC	901	54	12	65
TCD	Salamat	PMC co-delivery with EPI only vs No PMC	715	51	10	52
TCD	Mayo_Kebbi_Est	PMC co-delivery with EPI only vs No PMC	827	67	14	65
TCD	Sila	PMC co-delivery with EPI only vs No PMC	499	36	8	37
TCD	Lac	PMC co-delivery with EPI only vs No PMC	479	38	9	39
TCD	Ouaddai	PMC co-delivery with EPI only vs No PMC	479	43	9	39
TCD	Kanem	PMC co-delivery with EPI only vs No PMC	334	26	5	26
TCD	Batha	PMC co-delivery with EPI only vs No PMC	268	20	5	21
TCD	Wadi_Fira	PMC co-delivery with EPI only vs No PMC	219	15	3	17
TCD	Ennedi_Est	PMC co-delivery with EPI only vs No PMC	41	4	1	3
TCD	Borkou	PMC co-delivery with EPI only vs No PMC	34	2	0	2
TCD	Ennedi_Ouest	PMC co-delivery with EPI only vs No PMC	16	2	1	2
TCD	Tibesti	PMC co-delivery with EPI only vs No PMC	5	0	0	1

TCD: Ranked prioritisation of options (page 2)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Financial cost of SP and administration consumables	Cumulative cost of SP and administration consumables	Additional economic cost savings to public providers from reduced treatment	Cumulative economic cost savings to public providers from reduced treatment
TCD	Mandoul	PMC co-delivery with EPI only vs No PMC	20593	20593	-15970	-15970
TCD	Ville_de_N'Djamena	PMC co-delivery with EPI only vs No PMC	24475	45068	-7220	-23190
TCD	Mayo_Kebbi_Ouest	PMC co-delivery with EPI only vs No PMC	17254	62322	-8047	-31237
TCD	Logone_Oriental	PMC co-delivery with EPI only vs No PMC	24187	86509	-11953	-43190
TCD	Moyen_Chari	PMC co-delivery with EPI only vs No PMC	16119	102628	-8238	-51428
TCD	Hadjer_Lamis	PMC co-delivery with EPI only vs No PMC	13070	115698	-7641	-59069
TCD	Tandjile	PMC co-delivery with EPI only vs No PMC	19482	135180	-7705	-66774
TCD	Logone_Occidental	PMC co-delivery with EPI only vs No PMC	17288	152468	-6987	-73761
TCD	Barh_el_Ghazel	PMC co-delivery with EPI only vs No PMC	4686	157154	-2135	-75896
TCD	Guera	PMC co-delivery with EPI only vs No PMC	13544	170698	-7360	-83256
TCD	Chari_Baguirmi	PMC co-delivery with EPI only vs No PMC	13835	184533	-5008	-88264
TCD	Salamat	PMC co-delivery with EPI only vs No PMC	5914	190447	-4464	-92728
TCD	Mayo_Kebbi_Est	PMC co-delivery with EPI only vs No PMC	24034	214481	-5648	-98376
TCD	Sila	PMC co-delivery with EPI only vs No PMC	6821	221302	-3144	-101520
TCD	Lac	PMC co-delivery with EPI only vs No PMC	8818	230120	-3222	-104742
TCD	Ouaddai	PMC co-delivery with EPI only vs No PMC	11210	241330	-3525	-108267
TCD	Kanem	PMC co-delivery with EPI only vs No PMC	6744	248074	-2218	-110485
TCD	Batha	PMC co-delivery with EPI only vs No PMC	4649	252723	-1727	-112212
TCD	Wadi_Fira	PMC co-delivery with EPI only vs No PMC	9387	262110	-1332	-113544
TCD	Ennedi_Est	PMC co-delivery with EPI only vs No PMC	0	262110	-319	-113863
TCD	Borkou	PMC co-delivery with EPI only vs No PMC	0	262110	-187	-114050
TCD	Ennedi_Ouest	PMC co-delivery with EPI only vs No PMC	0	262110	-152	-114202
TCD	Tibesti	PMC co-delivery with EPI only vs No PMC	0	262110	-7	-114209

TCD: Ranked prioritisation of options (page 3)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional net economic costs of PMC implementation and treatment	Cumulative net costs of PMC implementation and treatment	Incremental economic cost per DALY averted vs. next higher option in ranking	Cost-effective? (lower country-specific threshold)
TCD	Mandoul	PMC co-delivery with EPI only vs No PMC	238453	238453	1169	no
TCD	Ville_de_N'Djamena	PMC co-delivery with EPI only vs No PMC	49532	287985	563	no
TCD	Mayo_Kebbi_Ouest	PMC co-delivery with EPI only vs No PMC	77401	365386	815	no
TCD	Logone_Oriental	PMC co-delivery with EPI only vs No PMC	137375	502761	928	no
TCD	Moyen_Chari	PMC co-delivery with EPI only vs No PMC	97995	600756	1000	no
TCD	Hadjer_Lamis	PMC co-delivery with EPI only vs No PMC	100167	700923	1089	no
TCD	Tandjile	PMC co-delivery with EPI only vs No PMC	103864	804787	1141	no
TCD	Logone_Occidental	PMC co-delivery with EPI only vs No PMC	97026	901813	1155	no
TCD	Barh_el_Ghazel	PMC co-delivery with EPI only vs No PMC	35179	936992	1353	no
TCD	Guera	PMC co-delivery with EPI only vs No PMC	121476	1058468	1429	no
TCD	Chari_Baguirmi	PMC co-delivery with EPI only vs No PMC	95550	1154018	1470	no
TCD	Salamat	PMC co-delivery with EPI only vs No PMC	88705	1242723	1706	no
TCD	Mayo_Kebbi_Est	PMC co-delivery with EPI only vs No PMC	111210	1353933	1711	no
TCD	Sila	PMC co-delivery with EPI only vs No PMC	63684	1417617	1721	no
TCD	Lac	PMC co-delivery with EPI only vs No PMC	71243	1488860	1827	no
TCD	Ouaddai	PMC co-delivery with EPI only vs No PMC	100197	1589057	2569	no
TCD	Kanem	PMC co-delivery with EPI only vs No PMC	79029	1668086	3040	no
TCD	Batha	PMC co-delivery with EPI only vs No PMC	96188	1764274	4580	no
TCD	Wadi_Fira	PMC co-delivery with EPI only vs No PMC	101136	1865410	5949	no
TCD	Ennedi_Est	PMC co-delivery with EPI only vs No PMC	29238	1894648	9746	no
TCD	Borkou	PMC co-delivery with EPI only vs No PMC	28938	1923586	14469	no
TCD	Ennedi_Ouest	PMC co-delivery with EPI only vs No PMC	29837	1953423	14918	no
TCD	Tibesti	PMC co-delivery with EPI only vs No PMC	30630	1984053	30630	no

TCD: Ranked prioritisation of options (page 4)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Cost-effective? (higher country-specific threshold)	Cost-effective? (\$250 / DALY averted threshold)	Population (all ages)	Expected PMC doses delivered (age 0-1yr)
TCD	Mandoul	PMC co-delivery with EPI only vs No PMC	no	no	979049	128706
TCD	Ville_de_N'Djamena	PMC co-delivery with EPI only vs No PMC	no	no	1443934	152971
TCD	Mayo_Kebbi_Ouest	PMC co-delivery with EPI only vs No PMC	no	no	859257	107840
TCD	Logone_Oriental	PMC co-delivery with EPI only vs No PMC	no	no	1423196	151167
TCD	Moyen_Chari	PMC co-delivery with EPI only vs No PMC	no	no	919210	100743
TCD	Hadjer_Lamis	PMC co-delivery with EPI only vs No PMC	no	no	885704	81685
TCD	Tandjile	PMC co-delivery with EPI only vs No PMC	no	no	973191	121763
TCD	Logone_Occidental	PMC co-delivery with EPI only vs No PMC	no	no	961812	108051
TCD	Barh_el_Ghazel	PMC co-delivery with EPI only vs No PMC	no	no	487344	29286
TCD	Guera	PMC co-delivery with EPI only vs No PMC	no	no	878716	84652
TCD	Chari_Baguirmi	PMC co-delivery with EPI only vs No PMC	no	no	1047551	86468
TCD	Salamat	PMC co-delivery with EPI only vs No PMC	no	no	471351	36963
TCD	Mayo_Kebbi_Est	PMC co-delivery with EPI only vs No PMC	no	no	1216862	150210
TCD	Sila	PMC co-delivery with EPI only vs No PMC	no	no	703033	42633
TCD	Lac	PMC co-delivery with EPI only vs No PMC	no	no	702010	55114
TCD	Ouaddai	PMC co-delivery with EPI only vs No PMC	no	no	1298504	70064
TCD	Kanem	PMC co-delivery with EPI only vs No PMC	no	no	601382	42151
TCD	Batha	PMC co-delivery with EPI only vs No PMC	no	no	772635	29058
TCD	Wadi_Fira	PMC co-delivery with EPI only vs No PMC	no	no	1150254	58667
TCD	Ennedi_Est	PMC co-delivery with EPI only vs No PMC	no	no	315216	NA
TCD	Borkou	PMC co-delivery with EPI only vs No PMC	no	no	290864	NA
TCD	Ennedi_Ouest	PMC co-delivery with EPI only vs No PMC	no	no	126304	NA
TCD	Tibesti	PMC co-delivery with EPI only vs No PMC	no	no	52011	NA

TCD: Ranked prioritisation of options (page 5)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Expected PMC doses delivered (age 1-2yr)	Expected PMC doses delivered (age 2-2.5yr)	Data source for cost modelling	ICER based on regional costs only (no national costs)
TCD	Mandoul	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	453
TCD	Ville_de_N'Djamena	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	563
TCD	Mayo_Kebbi_Ouest	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	815
TCD	Logone_Oriental	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	928
TCD	Moyen_Chari	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	1000
TCD	Hadjer_Lamis	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	1089
TCD	Tandjile	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	1141
TCD	Logone_Occidental	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	1155
TCD	Barh_el_Ghazel	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	1353
TCD	Guera	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	1429
TCD	Chari_Baguirmi	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	1470
TCD	Salamat	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	1706
TCD	Mayo_Kebbi_Est	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	1711
TCD	Sila	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	1721
TCD	Lac	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	1827
TCD	Ouaddai	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	2569
TCD	Kanem	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	3040
TCD	Batha	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	4580
TCD	Wadi_Fira	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	5949
TCD	Ennedi_Est	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	9746
TCD	Borkou	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	14469
TCD	Ennedi_Ouest	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	14918
TCD	Tibesti	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	30630

TCD: Ranked prioritisation of options (page 6)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	rank
TCD	Mandoul	PMC co-delivery with EPI only vs No PMC	1
TCD	Ville_de_N'Djamena	PMC co-delivery with EPI only vs No PMC	2
TCD	Mayo_Kebbi_Ouest	PMC co-delivery with EPI only vs No PMC	3
TCD	Logone_Oriental	PMC co-delivery with EPI only vs No PMC	4
TCD	Moyen_Chari	PMC co-delivery with EPI only vs No PMC	5
TCD	Hadjer_Lamis	PMC co-delivery with EPI only vs No PMC	6
TCD	Tandjile	PMC co-delivery with EPI only vs No PMC	7
TCD	Logone_Occidental	PMC co-delivery with EPI only vs No PMC	8
TCD	Barh_el_Ghazel	PMC co-delivery with EPI only vs No PMC	9
TCD	Guera	PMC co-delivery with EPI only vs No PMC	10
TCD	Chari_Baguirmi	PMC co-delivery with EPI only vs No PMC	11
TCD	Salamat	PMC co-delivery with EPI only vs No PMC	12
TCD	Mayo_Kebbi_Est	PMC co-delivery with EPI only vs No PMC	13
TCD	Sila	PMC co-delivery with EPI only vs No PMC	14
TCD	Lac	PMC co-delivery with EPI only vs No PMC	15
TCD	Ouaddai	PMC co-delivery with EPI only vs No PMC	16
TCD	Kanem	PMC co-delivery with EPI only vs No PMC	17
TCD	Batha	PMC co-delivery with EPI only vs No PMC	18
TCD	Wadi_Fira	PMC co-delivery with EPI only vs No PMC	19
TCD	Ennedi_Est	PMC co-delivery with EPI only vs No PMC	20
TCD	Borkou	PMC co-delivery with EPI only vs No PMC	21
TCD	Ennedi_Ouest	PMC co-delivery with EPI only vs No PMC	22
TCD	Tibesti	PMC co-delivery with EPI only vs No PMC	23

TCD: Cost assumptions (page 1)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N doses in PMC schedule	Data source for cost modelling	Total cost of PMC implementation (excl national costs)
TCD	Barh_el_Ghazel	487344	No PMC	0	Plus Project countries	0
TCD	Barh_el_Ghazel	487344	PMC co-delivery with EPI only	4	Plus Project countries	37314
TCD	Batha	772635	No PMC	0	Plus Project countries	0
TCD	Batha	772635	PMC co-delivery with EPI only	4	Plus Project countries	97915
TCD	Borkou	290864	No PMC	0	Plus Project countries	0
TCD	Borkou	290864	PMC co-delivery with EPI only	4	Plus Project countries	29125
TCD	Chari_Baguirmi	1047551	No PMC	0	Plus Project countries	0
TCD	Chari_Baguirmi	1047551	PMC co-delivery with EPI only	4	Plus Project countries	100558
TCD	Ennedi_Est	315216	No PMC	0	Plus Project countries	0
TCD	Ennedi_Est	315216	PMC co-delivery with EPI only	4	Plus Project countries	29557
TCD	Ennedi_Ouest	126304	No PMC	0	Plus Project countries	0
TCD	Ennedi_Ouest	126304	PMC co-delivery with EPI only	4	Plus Project countries	29989
TCD	Guera	878716	No PMC	0	Plus Project countries	0
TCD	Guera	878716	PMC co-delivery with EPI only	4	Plus Project countries	128836
TCD	Hadjer_Lamis	885704	No PMC	0	Plus Project countries	0
TCD	Hadjer_Lamis	885704	PMC co-delivery with EPI only	4	Plus Project countries	107808
TCD	Kanem	601382	No PMC	0	Plus Project countries	0
TCD	Kanem	601382	PMC co-delivery with EPI only	4	Plus Project countries	81247
TCD	Lac	702010	No PMC	0	Plus Project countries	0
TCD	Lac	702010	PMC co-delivery with EPI only	4	Plus Project countries	74465
TCD	Logone_Occidental	961812	No PMC	0	Plus Project countries	0
TCD	Logone_Occidental	961812	PMC co-delivery with EPI only	4	Plus Project countries	104013
TCD	Logone_Oriental	1423196	No PMC	0	Plus Project countries	0
TCD	Logone_Oriental	1423196	PMC co-delivery with EPI only	4	Plus Project countries	149328
TCD	Mandoul	979049	No PMC	0	Plus Project countries	0
TCD	Mandoul	979049	PMC co-delivery with EPI only	4	Plus Project countries	108445
TCD	Mayo_Kebbi_Est	1216862	No PMC	0	Plus Project countries	0
TCD	Mayo_Kebbi_Est	1216862	PMC co-delivery with EPI only	4	Plus Project countries	116858
TCD	Mayo_Kebbi_Ouest	859257	No PMC	0	Plus Project countries	0
TCD	Mayo_Kebbi_Ouest	859257	PMC co-delivery with EPI only	4	Plus Project countries	85448

TCD: Cost assumptions (page 2)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N doses in PMC schedule	Data source for cost modelling	Total cost of PMC implementation (excl national costs)
TCD	Moyen_Chari	919210	No PMC	0	Plus Project countries	0
TCD	Moyen_Chari	919210	PMC co–delivery with EPI only	4	Plus Project countries	106233
TCD	Ouaddai	1298504	No PMC	0	Plus Project countries	0
TCD	Ouaddai	1298504	PMC co–delivery with EPI only	4	Plus Project countries	103722
TCD	Salamat	471351	No PMC	0	Plus Project countries	0
TCD	Salamat	471351	PMC co–delivery with EPI only	4	Plus Project countries	93169
TCD	Sila	703033	No PMC	0	Plus Project countries	0
TCD	Sila	703033	PMC co–delivery with EPI only	4	Plus Project countries	66828
TCD	Tandjile	973191	No PMC	0	Plus Project countries	0
TCD	Tandjile	973191	PMC co–delivery with EPI only	4	Plus Project countries	111569
TCD	Tibesti	52011	No PMC	0	Plus Project countries	0
TCD	Tibesti	52011	PMC co–delivery with EPI only	4	Plus Project countries	30637
TCD	Ville_de_N'Djamena	1443934	No PMC	0	Plus Project countries	0
TCD	Ville_de_N'Djamena	1443934	PMC co–delivery with EPI only	4	Plus Project countries	56752
TCD	Wadi_Fira	1150254	No PMC	0	Plus Project countries	0
TCD	Wadi_Fira	1150254	PMC co–delivery with EPI only	4	Plus Project countries	102468

TCD: Cost assumptions (page 3)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Sub-total: Cost of treatment	Total cost of PMC implementation + treatment (excluding national costs)	Total cost of PMC implementation + treatment (including full national costs for every region)
TCD	Barh_el_Ghazel	487344	No PMC	78998	78998	78998
TCD	Barh_el_Ghazel	487344	PMC co-delivery with EPI only	76863	114177	260155
TCD	Batha	772635	No PMC	95920	95920	95920
TCD	Batha	772635	PMC co-delivery with EPI only	94193	192108	338086
TCD	Borkou	290864	No PMC	12672	12672	12672
TCD	Borkou	290864	PMC co-delivery with EPI only	12485	41610	187588
TCD	Chari_Baguirmi	1047551	No PMC	142365	142365	142365
TCD	Chari_Baguirmi	1047551	PMC co-delivery with EPI only	137357	237915	383893
TCD	Ennedi_Est	315216	No PMC	11317	11317	11317
TCD	Ennedi_Est	315216	PMC co-delivery with EPI only	10998	40555	186533
TCD	Ennedi_Ouest	126304	No PMC	4541	4541	4541
TCD	Ennedi_Ouest	126304	PMC co-delivery with EPI only	4389	34378	180356
TCD	Guera	878716	No PMC	153111	153111	153111
TCD	Guera	878716	PMC co-delivery with EPI only	145751	274587	420565
TCD	Hadjer_Lamis	885704	No PMC	159999	159999	159999
TCD	Hadjer_Lamis	885704	PMC co-delivery with EPI only	152358	260166	406144
TCD	Kanem	601382	No PMC	65099	65099	65099
TCD	Kanem	601382	PMC co-delivery with EPI only	62881	144128	290106
TCD	Lac	702010	No PMC	82425	82425	82425
TCD	Lac	702010	PMC co-delivery with EPI only	79203	153668	299646
TCD	Logone_Occidental	961812	No PMC	118782	118782	118782
TCD	Logone_Occidental	961812	PMC co-delivery with EPI only	111795	215808	361786
TCD	Logone_Oriental	1423196	No PMC	223821	223821	223821
TCD	Logone_Oriental	1423196	PMC co-delivery with EPI only	211868	361196	507174
TCD	Mandoul	979049	No PMC	232575	232575	232575
TCD	Mandoul	979049	PMC co-delivery with EPI only	216605	325050	471028
TCD	Mayo_Kebbi_Est	1216862	No PMC	91289	91289	91289
TCD	Mayo_Kebbi_Est	1216862	PMC co-delivery with EPI only	85641	202499	348477
TCD	Mayo_Kebbi_Ouest	859257	No PMC	125307	125307	125307
TCD	Mayo_Kebbi_Ouest	859257	PMC co-delivery with EPI only	117260	202708	348686

TCD: Cost assumptions (page 4)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Sub-total: Cost of treatment	Total cost of PMC implementation + treatment (excluding national costs)	Total cost of PMC implementation + treatment (including full national costs for every region)
TCD	Moyen_Chari	919210	No PMC	137281	137281	137281
TCD	Moyen_Chari	919210	PMC co-delivery with EPI only	129043	235276	381254
TCD	Ouaddai	1298504	No PMC	120386	120386	120386
TCD	Ouaddai	1298504	PMC co-delivery with EPI only	116861	220583	366561
TCD	Salamat	471351	No PMC	117111	117111	117111
TCD	Salamat	471351	PMC co-delivery with EPI only	112647	205816	351794
TCD	Sila	703033	No PMC	107305	107305	107305
TCD	Sila	703033	PMC co-delivery with EPI only	104161	170989	316967
TCD	Tandjile	973191	No PMC	117353	117353	117353
TCD	Tandjile	973191	PMC co-delivery with EPI only	109648	221217	367195
TCD	Tibesti	52011	No PMC	1879	1879	1879
TCD	Tibesti	52011	PMC co-delivery with EPI only	1872	32509	178487
TCD	Ville_de_N'Djamena	1443934	No PMC	145643	145643	145643
TCD	Ville_de_N'Djamena	1443934	PMC co-delivery with EPI only	138423	195175	341153
TCD	Wadi_Fira	1150254	No PMC	59946	59946	59946
TCD	Wadi_Fira	1150254	PMC co-delivery with EPI only	58614	161082	307060

TCD: Cost assumptions (page 5)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Clinical cases (N, 0-30mo)	Clinical cases for whom care sought	Hospitalisations (N, 0-30mo)
TCD	Barh_el_Ghazel	487344	No PMC	12905	6452	894
TCD	Barh_el_Ghazel	487344	PMC co-delivery with EPI only	12550	6275	870
TCD	Batha	772635	No PMC	15495	7748	1091
TCD	Batha	772635	PMC co-delivery with EPI only	15227	7614	1071
TCD	Borkou	290864	No PMC	2020	1010	145
TCD	Borkou	290864	PMC co-delivery with EPI only	1986	993	143
TCD	Chari_Baguirmi	1047551	No PMC	23759	11880	1595
TCD	Chari_Baguirmi	1047551	PMC co-delivery with EPI only	22858	11429	1541
TCD	Ennedi_Est	315216	No PMC	1601	800	136
TCD	Ennedi_Est	315216	PMC co-delivery with EPI only	1560	780	132
TCD	Ennedi_Ouest	126304	No PMC	659	330	54
TCD	Ennedi_Ouest	126304	PMC co-delivery with EPI only	643	322	52
TCD	Guera	878716	No PMC	25064	12532	1731
TCD	Guera	878716	PMC co-delivery with EPI only	23978	11989	1644
TCD	Hadjer_Lamis	885704	No PMC	27315	13658	1773
TCD	Hadjer_Lamis	885704	PMC co-delivery with EPI only	26116	13058	1685
TCD	Kanem	601382	No PMC	9778	4889	764
TCD	Kanem	601382	PMC co-delivery with EPI only	9444	4722	738
TCD	Lac	702010	No PMC	13018	6509	947
TCD	Lac	702010	PMC co-delivery with EPI only	12539	6270	909
TCD	Logone_Occidental	961812	No PMC	20256	10128	1317
TCD	Logone_Occidental	961812	PMC co-delivery with EPI only	19145	9572	1237
TCD	Logone_Oriental	1423196	No PMC	40319	20160	2413
TCD	Logone_Oriental	1423196	PMC co-delivery with EPI only	38329	19164	2279
TCD	Mandoul	979049	No PMC	45608	22804	2389
TCD	Mandoul	979049	PMC co-delivery with EPI only	42820	21410	2214
TCD	Mayo_Kebbi_Est	1216862	No PMC	13410	6705	1081
TCD	Mayo_Kebbi_Est	1216862	PMC co-delivery with EPI only	12583	6292	1014
TCD	Mayo_Kebbi_Ouest	859257	No PMC	20000	10000	1433
TCD	Mayo_Kebbi_Ouest	859257	PMC co-delivery with EPI only	18778	9389	1339

TCD: Cost assumptions (page 6)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Clinical cases (N, 0–30mo)	Clinical cases for whom care sought	Hospitalisations (N, 0–30mo)
TCD	Moyen_Chari	919210	No PMC	24574	12287	1485
TCD	Moyen_Chari	919210	PMC co–delivery with EPI only	23285	11642	1390
TCD	Ouaddai	1298504	No PMC	18141	9070	1411
TCD	Ouaddai	1298504	PMC co–delivery with EPI only	17662	8831	1368
TCD	Salamat	471351	No PMC	21241	10620	1258
TCD	Salamat	471351	PMC co–delivery with EPI only	20526	10263	1207
TCD	Sila	703033	No PMC	18040	9020	1198
TCD	Sila	703033	PMC co–delivery with EPI only	17541	8770	1162
TCD	Tandjile	973191	No PMC	19202	9601	1327
TCD	Tandjile	973191	PMC co–delivery with EPI only	18000	9000	1238
TCD	Tibesti	52011	No PMC	285	142	22
TCD	Tibesti	52011	PMC co–delivery with EPI only	280	140	22
TCD	Ville_de_N'Djamena	1443934	No PMC	21790	10895	1712
TCD	Ville_de_N'Djamena	1443934	PMC co–delivery with EPI only	20620	10310	1630
TCD	Wadi_Fira	1150254	No PMC	9051	4526	702
TCD	Wadi_Fira	1150254	PMC co–delivery with EPI only	8832	4416	687

TCD: Cost assumptions (page 7)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Deaths (N, 0–30mo)	Total DALYs	DALYs from clinical cases
TCD	Barh_el_Ghazel	487344	No PMC	192	969	658
TCD	Barh_el_Ghazel	487344	PMC co–delivery with EPI only	187	943	640
TCD	Batha	772635	No PMC	235	1170	790
TCD	Batha	772635	PMC co–delivery with EPI only	230	1149	777
TCD	Borkou	290864	No PMC	31	153	103
TCD	Borkou	290864	PMC co–delivery with EPI only	31	151	101
TCD	Chari_Baguirmi	1047551	No PMC	343	1767	1212
TCD	Chari_Baguirmi	1047551	PMC co–delivery with EPI only	331	1702	1166
TCD	Ennedi_Est	315216	No PMC	29	129	82
TCD	Ennedi_Est	315216	PMC co–delivery with EPI only	28	126	80
TCD	Ennedi_Ouest	126304	No PMC	12	53	34
TCD	Ennedi_Ouest	126304	PMC co–delivery with EPI only	11	51	33
TCD	Guera	878716	No PMC	372	1880	1278
TCD	Guera	878716	PMC co–delivery with EPI only	353	1795	1223
TCD	Hadjer_Lamis	885704	No PMC	381	2010	1393
TCD	Hadjer_Lamis	885704	PMC co–delivery with EPI only	362	1918	1332
TCD	Kanem	601382	No PMC	164	765	499
TCD	Kanem	601382	PMC co–delivery with EPI only	159	739	482
TCD	Lac	702010	No PMC	204	994	664
TCD	Lac	702010	PMC co–delivery with EPI only	195	955	639
TCD	Logone_Occidental	961812	No PMC	283	1491	1033
TCD	Logone_Occidental	961812	PMC co–delivery with EPI only	266	1407	976
TCD	Logone_Oriental	1423196	No PMC	519	2896	2056
TCD	Logone_Oriental	1423196	PMC co–delivery with EPI only	490	2748	1955
TCD	Mandoul	979049	No PMC	514	3158	2326
TCD	Mandoul	979049	PMC co–delivery with EPI only	476	2954	2184
TCD	Mayo_Kebbi_Est	1216862	No PMC	232	1060	684
TCD	Mayo_Kebbi_Est	1216862	PMC co–delivery with EPI only	218	995	642
TCD	Mayo_Kebbi_Ouest	859257	No PMC	308	1519	1020
TCD	Mayo_Kebbi_Ouest	859257	PMC co–delivery with EPI only	288	1424	958

TCD: Cost assumptions (page 8)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Deaths (N, 0–30mo)	Total DALYs	DALYs from clinical cases
TCD	Moyen_Chari	919210	No PMC	319	1770	1253
TCD	Moyen_Chari	919210	PMC co–delivery with EPI only	299	1672	1188
TCD	Ouaddai	1298504	No PMC	303	1416	925
TCD	Ouaddai	1298504	PMC co–delivery with EPI only	294	1377	901
TCD	Salamat	471351	No PMC	270	1520	1083
TCD	Salamat	471351	PMC co–delivery with EPI only	260	1468	1047
TCD	Sila	703033	No PMC	258	1337	920
TCD	Sila	703033	PMC co–delivery with EPI only	250	1300	895
TCD	Tandjile	973191	No PMC	285	1440	979
TCD	Tandjile	973191	PMC co–delivery with EPI only	266	1349	918
TCD	Tibesti	52011	No PMC	5	23	15
TCD	Tibesti	52011	PMC co–delivery with EPI only	5	22	14
TCD	Ville_de_N'Djamena	1443934	No PMC	368	1707	1111
TCD	Ville_de_N'Djamena	1443934	PMC co–delivery with EPI only	350	1619	1052
TCD	Wadi_Fira	1150254	No PMC	151	706	462
TCD	Wadi_Fira	1150254	PMC co–delivery with EPI only	148	689	450

TCD: Cost assumptions (page 9)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	DALYs from hospitalisations	DALYs from deaths	PMC cost input: Implementation cost at national level
TCD	Barh_el_Ghazel	487344	No PMC	119	192	0
TCD	Barh_el_Ghazel	487344	PMC co-delivery with EPI only	116	187	145978
TCD	Batha	772635	No PMC	145	235	0
TCD	Batha	772635	PMC co-delivery with EPI only	142	230	145978
TCD	Borkou	290864	No PMC	19	31	0
TCD	Borkou	290864	PMC co-delivery with EPI only	19	31	145978
TCD	Chari_Baguirmi	1047551	No PMC	212	343	0
TCD	Chari_Baguirmi	1047551	PMC co-delivery with EPI only	205	331	145978
TCD	Ennedi_Est	315216	No PMC	18	29	0
TCD	Ennedi_Est	315216	PMC co-delivery with EPI only	18	28	145978
TCD	Ennedi_Ouest	126304	No PMC	7	12	0
TCD	Ennedi_Ouest	126304	PMC co-delivery with EPI only	7	11	145978
TCD	Guera	878716	No PMC	230	372	0
TCD	Guera	878716	PMC co-delivery with EPI only	219	353	145978
TCD	Hadjer_Lamis	885704	No PMC	236	381	0
TCD	Hadjer_Lamis	885704	PMC co-delivery with EPI only	224	362	145978
TCD	Kanem	601382	No PMC	102	164	0
TCD	Kanem	601382	PMC co-delivery with EPI only	98	159	145978
TCD	Lac	702010	No PMC	126	204	0
TCD	Lac	702010	PMC co-delivery with EPI only	121	195	145978
TCD	Logone_Occidental	961812	No PMC	175	283	0
TCD	Logone_Occidental	961812	PMC co-delivery with EPI only	165	266	145978
TCD	Logone_Oriental	1423196	No PMC	321	519	0
TCD	Logone_Oriental	1423196	PMC co-delivery with EPI only	303	490	145978
TCD	Mandoul	979049	No PMC	318	514	0
TCD	Mandoul	979049	PMC co-delivery with EPI only	294	476	145978
TCD	Mayo_Kebbi_Est	1216862	No PMC	144	232	0
TCD	Mayo_Kebbi_Est	1216862	PMC co-delivery with EPI only	135	218	145978
TCD	Mayo_Kebbi_Ouest	859257	No PMC	191	308	0
TCD	Mayo_Kebbi_Ouest	859257	PMC co-delivery with EPI only	178	288	145978

TCD: Cost assumptions (page 10)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	DALYs from hospitalisations	DALYs from deaths	PMC cost input: Implementation cost at national level
TCD	Moyen_Chari	919210	No PMC	198	319	0
TCD	Moyen_Chari	919210	PMC co–delivery with EPI only	185	299	145978
TCD	Ouaddai	1298504	No PMC	188	303	0
TCD	Ouaddai	1298504	PMC co–delivery with EPI only	182	294	145978
TCD	Salamat	471351	No PMC	167	270	0
TCD	Salamat	471351	PMC co–delivery with EPI only	161	260	145978
TCD	Sila	703033	No PMC	159	258	0
TCD	Sila	703033	PMC co–delivery with EPI only	155	250	145978
TCD	Tandjile	973191	No PMC	176	285	0
TCD	Tandjile	973191	PMC co–delivery with EPI only	165	266	145978
TCD	Tibesti	52011	No PMC	3	5	0
TCD	Tibesti	52011	PMC co–delivery with EPI only	3	5	145978
TCD	Ville_de_N'Djamena	1443934	No PMC	228	368	0
TCD	Ville_de_N'Djamena	1443934	PMC co–delivery with EPI only	217	350	145978
TCD	Wadi_Fira	1150254	No PMC	93	151	0
TCD	Wadi_Fira	1150254	PMC co–delivery with EPI only	91	148	145978

TCD: Cost assumptions (page 11)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC cost input: PMC implementation cost per district	PMC cost input: PMC implementation cost per health facility	PMC cost input: Cost of PMC administration consumables per dose
TCD	Barh_el_Ghazel	487344	No PMC	0	0	0.00
TCD	Barh_el_Ghazel	487344	PMC co-delivery with EPI only	27181	216	0.05
TCD	Batha	772635	No PMC	0	0	0.00
TCD	Batha	772635	PMC co-delivery with EPI only	27181	216	0.05
TCD	Borkou	290864	No PMC	0	0	0.00
TCD	Borkou	290864	PMC co-delivery with EPI only	27181	216	0.05
TCD	Chari_Baguirmi	1047551	No PMC	0	0	0.00
TCD	Chari_Baguirmi	1047551	PMC co-delivery with EPI only	27181	216	0.05
TCD	Ennedi_Est	315216	No PMC	0	0	0.00
TCD	Ennedi_Est	315216	PMC co-delivery with EPI only	27181	216	0.05
TCD	Ennedi_Ouest	126304	No PMC	0	0	0.00
TCD	Ennedi_Ouest	126304	PMC co-delivery with EPI only	27181	216	0.05
TCD	Guera	878716	No PMC	0	0	0.00
TCD	Guera	878716	PMC co-delivery with EPI only	27181	216	0.05
TCD	Hadjer_Lamis	885704	No PMC	0	0	0.00
TCD	Hadjer_Lamis	885704	PMC co-delivery with EPI only	27181	216	0.05
TCD	Kanem	601382	No PMC	0	0	0.00
TCD	Kanem	601382	PMC co-delivery with EPI only	27181	216	0.05
TCD	Lac	702010	No PMC	0	0	0.00
TCD	Lac	702010	PMC co-delivery with EPI only	27181	216	0.05
TCD	Logone_Occidental	961812	No PMC	0	0	0.00
TCD	Logone_Occidental	961812	PMC co-delivery with EPI only	27181	216	0.05
TCD	Logone_Oriental	1423196	No PMC	0	0	0.00
TCD	Logone_Oriental	1423196	PMC co-delivery with EPI only	27181	216	0.05
TCD	Mandoul	979049	No PMC	0	0	0.00
TCD	Mandoul	979049	PMC co-delivery with EPI only	27181	216	0.05
TCD	Mayo_Kebbi_Est	1216862	No PMC	0	0	0.00
TCD	Mayo_Kebbi_Est	1216862	PMC co-delivery with EPI only	27181	216	0.05
TCD	Mayo_Kebbi_Ouest	859257	No PMC	0	0	0.00
TCD	Mayo_Kebbi_Ouest	859257	PMC co-delivery with EPI only	27181	216	0.05

TCD: Cost assumptions (page 12)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	PMC cost input: PMC implementation cost per district	PMC cost input: PMC implementation cost per health facility	PMC cost input: Cost of PMC administration consumables per dose
TCD	Moyen_Chari	919210	No PMC	0	0	0.00
TCD	Moyen_Chari	919210	PMC co–delivery with EPI only	27181	216	0.05
TCD	Ouaddai	1298504	No PMC	0	0	0.00
TCD	Ouaddai	1298504	PMC co–delivery with EPI only	27181	216	0.05
TCD	Salamat	471351	No PMC	0	0	0.00
TCD	Salamat	471351	PMC co–delivery with EPI only	27181	216	0.05
TCD	Sila	703033	No PMC	0	0	0.00
TCD	Sila	703033	PMC co–delivery with EPI only	27181	216	0.05
TCD	Tandjile	973191	No PMC	0	0	0.00
TCD	Tandjile	973191	PMC co–delivery with EPI only	27181	216	0.05
TCD	Tibesti	52011	No PMC	0	0	0.00
TCD	Tibesti	52011	PMC co–delivery with EPI only	27181	216	0.05
TCD	Ville_de_N'Djamena	1443934	No PMC	0	0	0.00
TCD	Ville_de_N'Djamena	1443934	PMC co–delivery with EPI only	27181	216	0.05
TCD	Wadi_Fira	1150254	No PMC	0	0	0.00
TCD	Wadi_Fira	1150254	PMC co–delivery with EPI only	27181	216	0.05

TCD: Cost assumptions (page 13)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC Cost input: Cost per SP tablet (includes wastage)	N districts in region	N health facilities in region
TCD	Barh_el_Ghazel	487344	No PMC	0.00	1	32
TCD	Barh_el_Ghazel	487344	PMC co-delivery with EPI only	0.11	1	32
TCD	Batha	772635	No PMC	0.00	3	61
TCD	Batha	772635	PMC co-delivery with EPI only	0.11	3	61
TCD	Borkou	290864	No PMC	0.00	1	9
TCD	Borkou	290864	PMC co-delivery with EPI only	0.11	1	9
TCD	Chari_Baguirmi	1047551	No PMC	0.00	3	44
TCD	Chari_Baguirmi	1047551	PMC co-delivery with EPI only	0.11	3	44
TCD	Ennedi_Est	315216	No PMC	0.00	1	11
TCD	Ennedi_Est	315216	PMC co-delivery with EPI only	0.11	1	11
TCD	Ennedi_Ouest	126304	No PMC	0.00	1	13
TCD	Ennedi_Ouest	126304	PMC co-delivery with EPI only	0.11	1	13
TCD	Guera	878716	No PMC	0.00	4	50
TCD	Guera	878716	PMC co-delivery with EPI only	0.11	4	50
TCD	Hadjer_Lamis	885704	No PMC	0.00	3	80
TCD	Hadjer_Lamis	885704	PMC co-delivery with EPI only	0.11	3	80
TCD	Kanem	601382	No PMC	0.00	2	103
TCD	Kanem	601382	PMC co-delivery with EPI only	0.11	2	103
TCD	Lac	702010	No PMC	0.00	2	65
TCD	Lac	702010	PMC co-delivery with EPI only	0.11	2	65
TCD	Logone_Occidental	961812	No PMC	0.00	3	49
TCD	Logone_Occidental	961812	PMC co-delivery with EPI only	0.11	3	49
TCD	Logone_Oriental	1423196	No PMC	0.00	4	111
TCD	Logone_Oriental	1423196	PMC co-delivery with EPI only	0.11	4	111
TCD	Mandoul	979049	No PMC	0.00	3	59
TCD	Mandoul	979049	PMC co-delivery with EPI only	0.11	3	59
TCD	Mayo_Kebbi_Est	1216862	No PMC	0.00	3	87
TCD	Mayo_Kebbi_Est	1216862	PMC co-delivery with EPI only	0.11	3	87
TCD	Mayo_Kebbi_Ouest	859257	No PMC	0.00	2	89
TCD	Mayo_Kebbi_Ouest	859257	PMC co-delivery with EPI only	0.11	2	89

TCD: Cost assumptions (page 14)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	PMC Cost input: Cost per SP tablet (includes wastage)	N districts in region	N health facilities in region
TCD	Moyen_Chari	919210	No PMC	0.00	3	63
TCD	Moyen_Chari	919210	PMC co–delivery with EPI only	0.11	3	63
TCD	Ouaddai	1298504	No PMC	0.00	3	67
TCD	Ouaddai	1298504	PMC co–delivery with EPI only	0.11	3	67
TCD	Salamat	471351	No PMC	0.00	3	35
TCD	Salamat	471351	PMC co–delivery with EPI only	0.11	3	35
TCD	Sila	703033	No PMC	0.00	2	36
TCD	Sila	703033	PMC co–delivery with EPI only	0.11	2	36
TCD	Tandjile	973191	No PMC	0.00	3	77
TCD	Tandjile	973191	PMC co–delivery with EPI only	0.11	3	77
TCD	Tibesti	52011	No PMC	0.00	1	16
TCD	Tibesti	52011	PMC co–delivery with EPI only	0.11	1	16
TCD	Ville_de_N'Djamena	1443934	No PMC	0.00	1	59
TCD	Ville_de_N'Djamena	1443934	PMC co–delivery with EPI only	0.11	1	59
TCD	Wadi_Fira	1150254	No PMC	0.00	3	67
TCD	Wadi_Fira	1150254	PMC co–delivery with EPI only	0.11	3	67

TCD: Cost assumptions (page 15)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N expected PMC doses delivered (age 0-1yr)	N expected PMC doses delivered (age 1-2yr)	N expected PMC doses delivered (age 2-2.5yr)
TCD	Barh_el_Ghazel	487344	No PMC	0	0	0
TCD	Barh_el_Ghazel	487344	PMC co-delivery with EPI only	29286	0	0
TCD	Batha	772635	No PMC	0	0	0
TCD	Batha	772635	PMC co-delivery with EPI only	29058	0	0
TCD	Borkou	290864	No PMC	0	0	0
TCD	Borkou	290864	PMC co-delivery with EPI only	NA	0	0
TCD	Chari_Baguirmi	1047551	No PMC	0	0	0
TCD	Chari_Baguirmi	1047551	PMC co-delivery with EPI only	86468	0	0
TCD	Ennedi_Est	315216	No PMC	0	0	0
TCD	Ennedi_Est	315216	PMC co-delivery with EPI only	NA	0	0
TCD	Ennedi_Ouest	126304	No PMC	0	0	0
TCD	Ennedi_Ouest	126304	PMC co-delivery with EPI only	NA	0	0
TCD	Guera	878716	No PMC	0	0	0
TCD	Guera	878716	PMC co-delivery with EPI only	84652	0	0
TCD	Hadjer_Lamis	885704	No PMC	0	0	0
TCD	Hadjer_Lamis	885704	PMC co-delivery with EPI only	81685	0	0
TCD	Kanem	601382	No PMC	0	0	0
TCD	Kanem	601382	PMC co-delivery with EPI only	42151	0	0
TCD	Lac	702010	No PMC	0	0	0
TCD	Lac	702010	PMC co-delivery with EPI only	55114	0	0
TCD	Logone_Occidental	961812	No PMC	0	0	0
TCD	Logone_Occidental	961812	PMC co-delivery with EPI only	108051	0	0
TCD	Logone_Oriental	1423196	No PMC	0	0	0
TCD	Logone_Oriental	1423196	PMC co-delivery with EPI only	151167	0	0
TCD	Mandoul	979049	No PMC	0	0	0
TCD	Mandoul	979049	PMC co-delivery with EPI only	128706	0	0
TCD	Mayo_Kebbi_Est	1216862	No PMC	0	0	0
TCD	Mayo_Kebbi_Est	1216862	PMC co-delivery with EPI only	150210	0	0
TCD	Mayo_Kebbi_Ouest	859257	No PMC	0	0	0
TCD	Mayo_Kebbi_Ouest	859257	PMC co-delivery with EPI only	107840	0	0

TCD: Cost assumptions (page 16)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N expected PMC doses delivered (age 0–1yr)	N expected PMC doses delivered (age 1–2yr)	N expected PMC doses delivered (age 2–2.5yr)
TCD	Moyen_Chari	919210	No PMC	0	0	0
TCD	Moyen_Chari	919210	PMC co–delivery with EPI only	100743	0	0
TCD	Ouaddai	1298504	No PMC	0	0	0
TCD	Ouaddai	1298504	PMC co–delivery with EPI only	70064	0	0
TCD	Salamat	471351	No PMC	0	0	0
TCD	Salamat	471351	PMC co–delivery with EPI only	36963	0	0
TCD	Sila	703033	No PMC	0	0	0
TCD	Sila	703033	PMC co–delivery with EPI only	42633	0	0
TCD	Tandjile	973191	No PMC	0	0	0
TCD	Tandjile	973191	PMC co–delivery with EPI only	121763	0	0
TCD	Tibesti	52011	No PMC	0	0	0
TCD	Tibesti	52011	PMC co–delivery with EPI only	NA	0	0
TCD	Ville_de_N'Djamena	1443934	No PMC	0	0	0
TCD	Ville_de_N'Djamena	1443934	PMC co–delivery with EPI only	152971	0	0
TCD	Wadi_Fira	1150254	No PMC	0	0	0
TCD	Wadi_Fira	1150254	PMC co–delivery with EPI only	58667	0	0

TCD: Cost assumptions (page 17)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N total expected PMC doses delivered (age 0-2.5yr)	N SP tablets delivered	Sub-total: Cost of PMC implementation at district and HFs
TCD	Barh_el_Ghazel	487344	No PMC	0	0	0
TCD	Barh_el_Ghazel	487344	PMC co-delivery with EPI only	29286	29286	34093
TCD	Batha	772635	No PMC	0	0	0
TCD	Batha	772635	PMC co-delivery with EPI only	29058	29058	94719
TCD	Borkou	290864	No PMC	0	0	0
TCD	Borkou	290864	PMC co-delivery with EPI only	0	0	29125
TCD	Chari_Baguirmi	1047551	No PMC	0	0	0
TCD	Chari_Baguirmi	1047551	PMC co-delivery with EPI only	86468	86468	91047
TCD	Ennedi_Est	315216	No PMC	0	0	0
TCD	Ennedi_Est	315216	PMC co-delivery with EPI only	0	0	29557
TCD	Ennedi_Ouest	126304	No PMC	0	0	0
TCD	Ennedi_Ouest	126304	PMC co-delivery with EPI only	0	0	29989
TCD	Guera	878716	No PMC	0	0	0
TCD	Guera	878716	PMC co-delivery with EPI only	84652	84652	119524
TCD	Hadjer_Lamis	885704	No PMC	0	0	0
TCD	Hadjer_Lamis	885704	PMC co-delivery with EPI only	81685	81685	98823
TCD	Kanem	601382	No PMC	0	0	0
TCD	Kanem	601382	PMC co-delivery with EPI only	42151	42151	76610
TCD	Lac	702010	No PMC	0	0	0
TCD	Lac	702010	PMC co-delivery with EPI only	55114	55114	68402
TCD	Logone_Occidental	961812	No PMC	0	0	0
TCD	Logone_Occidental	961812	PMC co-delivery with EPI only	108051	108051	92127
TCD	Logone_Oriental	1423196	No PMC	0	0	0
TCD	Logone_Oriental	1423196	PMC co-delivery with EPI only	151167	151167	132700
TCD	Mandoul	979049	No PMC	0	0	0
TCD	Mandoul	979049	PMC co-delivery with EPI only	128706	128706	94287
TCD	Mayo_Kebbi_Est	1216862	No PMC	0	0	0
TCD	Mayo_Kebbi_Est	1216862	PMC co-delivery with EPI only	150210	150210	100335
TCD	Mayo_Kebbi_Ouest	859257	No PMC	0	0	0
TCD	Mayo_Kebbi_Ouest	859257	PMC co-delivery with EPI only	107840	107840	73586

TCD: Cost assumptions (page 18)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N total expected PMC doses delivered (age 0-2.5yr)	N SP tablets delivered	Sub-total: Cost of PMC implementation at district and HFs
TCD	Moyen_Chari	919210	No PMC	0	0	0
TCD	Moyen_Chari	919210	PMC co-delivery with EPI only	100743	100743	95151
TCD	Ouaddai	1298504	No PMC	0	0	0
TCD	Ouaddai	1298504	PMC co-delivery with EPI only	70064	70064	96015
TCD	Salamat	471351	No PMC	0	0	0
TCD	Salamat	471351	PMC co-delivery with EPI only	36963	36963	89103
TCD	Sila	703033	No PMC	0	0	0
TCD	Sila	703033	PMC co-delivery with EPI only	42633	42633	62138
TCD	Tandjile	973191	No PMC	0	0	0
TCD	Tandjile	973191	PMC co-delivery with EPI only	121763	121763	98175
TCD	Tibesti	52011	No PMC	0	0	0
TCD	Tibesti	52011	PMC co-delivery with EPI only	0	0	30637
TCD	Ville_de_N'Djamena	1443934	No PMC	0	0	0
TCD	Ville_de_N'Djamena	1443934	PMC co-delivery with EPI only	152971	152971	39925
TCD	Wadi_Fira	1150254	No PMC	0	0	0
TCD	Wadi_Fira	1150254	PMC co-delivery with EPI only	58667	58667	96015

TCD: Cost assumptions (page 19)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Sub-total: Cost of PMC administration (SP+consumables)	Treatment cost per clinical case	Treatment cost per hospitalisation
TCD	Barh_el_Ghazel	487344	No PMC	0	3.86	49.8
TCD	Barh_el_Ghazel	487344	PMC co-delivery with EPI only	4686	3.86	49.8
TCD	Batha	772635	No PMC	0	3.86	49.8
TCD	Batha	772635	PMC co-delivery with EPI only	4649	3.86	49.8
TCD	Borkou	290864	No PMC	0	3.86	49.8
TCD	Borkou	290864	PMC co-delivery with EPI only	0	3.86	49.8
TCD	Chari_Baguirmi	1047551	No PMC	0	3.86	49.8
TCD	Chari_Baguirmi	1047551	PMC co-delivery with EPI only	13835	3.86	49.8
TCD	Ennedi_Est	315216	No PMC	0	3.86	49.8
TCD	Ennedi_Est	315216	PMC co-delivery with EPI only	0	3.86	49.8
TCD	Ennedi_Ouest	126304	No PMC	0	3.86	49.8
TCD	Ennedi_Ouest	126304	PMC co-delivery with EPI only	0	3.86	49.8
TCD	Guera	878716	No PMC	0	3.86	49.8
TCD	Guera	878716	PMC co-delivery with EPI only	13544	3.86	49.8
TCD	Hadjer_Lamis	885704	No PMC	0	3.86	49.8
TCD	Hadjer_Lamis	885704	PMC co-delivery with EPI only	13070	3.86	49.8
TCD	Kanem	601382	No PMC	0	3.86	49.8
TCD	Kanem	601382	PMC co-delivery with EPI only	6744	3.86	49.8
TCD	Lac	702010	No PMC	0	3.86	49.8
TCD	Lac	702010	PMC co-delivery with EPI only	8818	3.86	49.8
TCD	Logone_Occidental	961812	No PMC	0	3.86	49.8
TCD	Logone_Occidental	961812	PMC co-delivery with EPI only	17288	3.86	49.8
TCD	Logone_Oriental	1423196	No PMC	0	3.86	49.8
TCD	Logone_Oriental	1423196	PMC co-delivery with EPI only	24187	3.86	49.8
TCD	Mandoul	979049	No PMC	0	3.86	49.8
TCD	Mandoul	979049	PMC co-delivery with EPI only	20593	3.86	49.8
TCD	Mayo_Kebbi_Est	1216862	No PMC	0	3.86	49.8
TCD	Mayo_Kebbi_Est	1216862	PMC co-delivery with EPI only	24034	3.86	49.8
TCD	Mayo_Kebbi_Ouest	859257	No PMC	0	3.86	49.8
TCD	Mayo_Kebbi_Ouest	859257	PMC co-delivery with EPI only	17254	3.86	49.8

TCD: Cost assumptions (page 20)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Sub–total: Cost of PMC administration (SP+consumables)	Treatment cost per clinical case	Treatment cost per hospitalisation
TCD	Moyen_Chari	919210	No PMC	0	3.86	49.8
TCD	Moyen_Chari	919210	PMC co–delivery with EPI only	16119	3.86	49.8
TCD	Ouaddai	1298504	No PMC	0	3.86	49.8
TCD	Ouaddai	1298504	PMC co–delivery with EPI only	11210	3.86	49.8
TCD	Salamat	471351	No PMC	0	3.86	49.8
TCD	Salamat	471351	PMC co–delivery with EPI only	5914	3.86	49.8
TCD	Sila	703033	No PMC	0	3.86	49.8
TCD	Sila	703033	PMC co–delivery with EPI only	6821	3.86	49.8
TCD	Tandjile	973191	No PMC	0	3.86	49.8
TCD	Tandjile	973191	PMC co–delivery with EPI only	19482	3.86	49.8
TCD	Tibesti	52011	No PMC	0	3.86	49.8
TCD	Tibesti	52011	PMC co–delivery with EPI only	0	3.86	49.8
TCD	Ville_de_N'Djamena	1443934	No PMC	0	3.86	49.8
TCD	Ville_de_N'Djamena	1443934	PMC co–delivery with EPI only	24475	3.86	49.8
TCD	Wadi_Fira	1150254	No PMC	0	3.86	49.8
TCD	Wadi_Fira	1150254	PMC co–delivery with EPI only	9387	3.86	49.8

TCD: Cost assumptions (page 21)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Treatment cost per death
TCD	Barh_el_Ghazel	487344	No PMC	49.8
TCD	Barh_el_Ghazel	487344	PMC co–delivery with EPI only	49.8
TCD	Batha	772635	No PMC	49.8
TCD	Batha	772635	PMC co–delivery with EPI only	49.8
TCD	Borkou	290864	No PMC	49.8
TCD	Borkou	290864	PMC co–delivery with EPI only	49.8
TCD	Chari_Baguirmi	1047551	No PMC	49.8
TCD	Chari_Baguirmi	1047551	PMC co–delivery with EPI only	49.8
TCD	Ennedi_Est	315216	No PMC	49.8
TCD	Ennedi_Est	315216	PMC co–delivery with EPI only	49.8
TCD	Ennedi_Ouest	126304	No PMC	49.8
TCD	Ennedi_Ouest	126304	PMC co–delivery with EPI only	49.8
TCD	Guera	878716	No PMC	49.8
TCD	Guera	878716	PMC co–delivery with EPI only	49.8
TCD	Hadjer_Lamis	885704	No PMC	49.8
TCD	Hadjer_Lamis	885704	PMC co–delivery with EPI only	49.8
TCD	Kanem	601382	No PMC	49.8
TCD	Kanem	601382	PMC co–delivery with EPI only	49.8
TCD	Lac	702010	No PMC	49.8
TCD	Lac	702010	PMC co–delivery with EPI only	49.8
TCD	Logone_Occidental	961812	No PMC	49.8
TCD	Logone_Occidental	961812	PMC co–delivery with EPI only	49.8
TCD	Logone_Oriental	1423196	No PMC	49.8
TCD	Logone_Oriental	1423196	PMC co–delivery with EPI only	49.8
TCD	Mandoul	979049	No PMC	49.8
TCD	Mandoul	979049	PMC co–delivery with EPI only	49.8
TCD	Mayo_Kebbi_Est	1216862	No PMC	49.8
TCD	Mayo_Kebbi_Est	1216862	PMC co–delivery with EPI only	49.8
TCD	Mayo_Kebbi_Ouest	859257	No PMC	49.8
TCD	Mayo_Kebbi_Ouest	859257	PMC co–delivery with EPI only	49.8

TCD: Cost assumptions (page 22)


Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Treatment cost per death
TCD	Moyen_Chari	919210	No PMC	49.8
TCD	Moyen_Chari	919210	PMC co–delivery with EPI only	49.8
TCD	Ouaddai	1298504	No PMC	49.8
TCD	Ouaddai	1298504	PMC co–delivery with EPI only	49.8
TCD	Salamat	471351	No PMC	49.8
TCD	Salamat	471351	PMC co–delivery with EPI only	49.8
TCD	Sila	703033	No PMC	49.8
TCD	Sila	703033	PMC co–delivery with EPI only	49.8
TCD	Tandjile	973191	No PMC	49.8
TCD	Tandjile	973191	PMC co–delivery with EPI only	49.8
TCD	Tibesti	52011	No PMC	49.8
TCD	Tibesti	52011	PMC co–delivery with EPI only	49.8
TCD	Ville_de_N'Djamena	1443934	No PMC	49.8
TCD	Ville_de_N'Djamena	1443934	PMC co–delivery with EPI only	49.8
TCD	Wadi_Fira	1150254	No PMC	49.8
TCD	Wadi_Fira	1150254	PMC co–delivery with EPI only	49.8

TCD: Clinical malaria incidence


Age-specific clinical malaria cases per 1,000 children (0–30 months, with and without PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.




TCD: Clinical malaria incidence (rural and urban)

Age-specific clinical malaria cases per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.




TCD: Malaria hospitalisations

Age-specific new malaria hospitalisations per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.
Raw model outputs have been smoothed to reduce stochastic variation.



TCD: Spatial distribution of clinical malaria without PMC


Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, no PMC).



TCD: Spatial distribution of clinical malaria with PMC

Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, with PMC).


PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



TCD: Spatial distribution of averted clinical malaria with PMC

Admin-1 averted clinical malaria incidence per 1,000 children aged (0–30 months, averted with PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



TCD: Clinical malaria burden (page 1)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Abia	362.1	325.8	36.3
Adamawa	379.8	355.7	24.1
Akwa_Ibom	445.1	413.0	32.1
Anambra	247.1	225.2	21.9
Bauchi	474.3	457.9	16.4
Bayelsa	578.6	539.8	38.8
Benue	369.2	343.5	25.8
Borno	1287.6	1233.4	54.3
Cross_River	527.1	486.7	40.4
Delta	333.0	308.1	24.8
Ebonyi	752.8	694.8	58.1
Edo	705.8	650.6	55.2
Ekiti	1165.1	1065.5	99.7
Enugu	380.5	348.1	32.4
Federal_Capital_Territory	323.3	297.5	25.7
Gombe	448.2	431.8	16.4
Imo	260.2	239.5	20.7
Jigawa	1614.4	1517.4	96.9
Kaduna	594.6	570.2	24.4
Kano	826.2	788.8	37.3
Katsina	2178.7	2115.4	63.2
Kebbi	3879.9	3744.2	135.7
Kogi	606.9	568.5	38.5
Kwara	372.3	348.6	23.7
Lagos	123.6	111.7	11.9
Nasarawa	1022.6	952.2	70.4
Niger	1011.6	970.3	41.3
Ogun	412.8	389.4	23.4
Ondo	1074.9	992.2	82.7
Osun	718.5	679.2	39.3

TCD: Clinical malaria burden (page 2)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Oyo	582.4	552.3	30.1
Plateau	786.5	733.0	53.5
Rivers	384.2	352.8	31.4
Sokoto	3696.7	3601.7	95.0
Taraba	563.2	540.4	22.8
Yobe	780.6	737.7	42.9
Zamfara	3789.7	3718.0	71.7

TCD: Severe malaria burden (page 1)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Abia	24.1	21.3	2.8
Adamawa	24.7	23.0	1.8
Akwa_Ibom	26.5	24.3	2.2
Anambra	16.9	15.3	1.7
Bauchi	30.9	29.7	1.2
Bayelsa	32.2	29.7	2.5
Benue	23.2	21.5	1.7
Borno	59.7	56.8	2.9
Cross_River	29.5	26.8	2.7
Delta	21.8	19.9	1.8
Ebonyi	38.3	34.9	3.4
Edo	36.8	33.1	3.7
Ekiti	48.1	42.8	5.4
Enugu	24.7	22.4	2.3
Federal_Capital_Territory	20.4	18.8	1.7
Gombe	27.8	26.6	1.2
Imo	18.4	16.8	1.6
Jigawa	72.6	67.3	5.3
Kaduna	33.2	31.6	1.6
Kano	46.5	44.1	2.3
Katsina	84.0	81.1	2.9
Kebbi	100.5	95.2	5.4
Kogi	33.3	30.6	2.7
Kwara	22.0	20.4	1.6
Lagos	10.4	9.3	1.1
Nasarawa	43.4	39.6	3.8
Niger	43.1	40.7	2.4
Ogun	25.7	23.8	1.9
Ondo	45.6	41.0	4.6
Osun	35.3	32.8	2.5

TCD: Severe malaria burden (page 2)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Oyo	30.9	28.7	2.2
Plateau	39.2	35.9	3.2
Rivers	25.4	22.7	2.6
Sokoto	103.4	99.6	3.8
Taraba	32.3	30.7	1.6
Yobe	46.1	43.2	2.9
Zamfara	102.3	99.4	2.9