

PMC Compass: Modelling Outputs for CMR


Modelling outputs from PMC Compass. Please note, results are preliminary and subject to change following further validation.

Corresponding authors: Ishana Atkinson, Catherine Pitt, Andria Mousa

10 February 2026


CMR: Ranked prioritised order to implement PMC

Order at which to implement PMC in the country based on cost-effectiveness of the PMC delivery strategy.



CMR: Incremental cost-effectiveness ratios of implementing PMC co-delivery with EPI only vs No PMC in each admin-1 unit.

Incremental cost-effectiveness ratios of implementing PMC co-delivery with EPI only vs No PMC in each admin-1 unit. All costs used to calculate these exclude national-level start up costs.



CMR: Ranked prioritisation of options (page 1)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional clinical malaria cases averted	Additional hospitalisations averted	Additional deaths averted	Additional DALYs averted
CMR	Centre	PMC co-delivery with EPI only vs No PMC	23648	1496	322	1727
CMR	Littoral	PMC co-delivery with EPI only vs No PMC	10213	751	162	783
CMR	Sud_Ouest	PMC co-delivery with EPI only vs No PMC	7135	432	93	514
CMR	Nord	PMC co-delivery with EPI only vs No PMC	4636	295	63	339
CMR	Est	PMC co-delivery with EPI only vs No PMC	3842	209	45	269
CMR	Adamaoua	PMC co-delivery with EPI only vs No PMC	3453	215	47	251
CMR	Sud	PMC co-delivery with EPI only vs No PMC	3561	185	40	246
CMR	Extreme_Nord	PMC co-delivery with EPI only vs No PMC	4275	330	71	333
CMR	Nord_Ouest	PMC co-delivery with EPI only vs No PMC	4195	287	62	314
CMR	Ouest	PMC co-delivery with EPI only vs No PMC	5039	322	70	370

CMR: Ranked prioritisation of options (page 2)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Financial cost of SP and administration consumables	Cumulative cost of SP and administration consumables	Additional economic cost savings to public providers from reduced treatment	Cumulative economic cost savings to public providers from reduced treatment
CMR	Centre	PMC co-delivery with EPI only vs No PMC	132598	132598	-168508	-168508
CMR	Littoral	PMC co-delivery with EPI only vs No PMC	101229	233827	-78601	-247109
CMR	Sud_Ouest	PMC co-delivery with EPI only vs No PMC	51446	285273	-49762	-296871
CMR	Nord	PMC co-delivery with EPI only vs No PMC	51821	337094	-33130	-330001
CMR	Est	PMC co-delivery with EPI only vs No PMC	18159	355253	-25485	-355486
CMR	Adamaoua	PMC co-delivery with EPI only vs No PMC	21229	376482	-24418	-379904
CMR	Sud	PMC co-delivery with EPI only vs No PMC	18502	394984	-23132	-403036
CMR	Extreme_Nord	PMC co-delivery with EPI only vs No PMC	84496	479480	-33776	-436812
CMR	Nord_Ouest	PMC co-delivery with EPI only vs No PMC	59528	539008	-31097	-467909
CMR	Ouest	PMC co-delivery with EPI only vs No PMC	48701	587709	-36082	-503991

CMR: Ranked prioritisation of options (page 3)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional net economic costs of PMC implementation and treatment	Cumulative net costs of PMC implementation and treatment	Incremental economic cost per DALY averted vs. next higher option in ranking	Cost-effective? (lower country-specific threshold)
CMR	Centre	PMC co-delivery with EPI only vs No PMC	642887	642887	372	no
CMR	Littoral	PMC co-delivery with EPI only vs No PMC	242626	885513	310	no
CMR	Sud_Ouest	PMC co-delivery with EPI only vs No PMC	265859	1151372	517	no
CMR	Nord	PMC co-delivery with EPI only vs No PMC	235517	1386889	695	no
CMR	Est	PMC co-delivery with EPI only vs No PMC	192618	1579507	716	no
CMR	Adamaoua	PMC co-delivery with EPI only vs No PMC	198215	1777722	790	no
CMR	Sud	PMC co-delivery with EPI only vs No PMC	232431	2010153	945	no
CMR	Extreme_Nord	PMC co-delivery with EPI only vs No PMC	359886	2370039	1081	no
CMR	Nord_Ouest	PMC co-delivery with EPI only vs No PMC	358675	2728714	1142	no
CMR	Ouest	PMC co-delivery with EPI only vs No PMC	461372	3190086	1247	no

CMR: Ranked prioritisation of options (page 4)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Cost-effective? (higher country-specific threshold)	Cost-effective? (\$250 / DALY averted threshold)	Population (all ages)	Expected PMC doses delivered (age 0-1yr)
CMR	Centre	PMC co-delivery with EPI only vs No PMC	yes	no	6078512	828740
CMR	Littoral	PMC co-delivery with EPI only vs No PMC	yes	no	4719720	632681
CMR	Sud_Ouest	PMC co-delivery with EPI only vs No PMC	no	no	2073051	321538
CMR	Nord	PMC co-delivery with EPI only vs No PMC	no	no	3168041	323882
CMR	Est	PMC co-delivery with EPI only vs No PMC	no	no	1051357	113493
CMR	Adamaoua	PMC co-delivery with EPI only vs No PMC	no	no	1441801	132684
CMR	Sud	PMC co-delivery with EPI only vs No PMC	no	no	952895	115637
CMR	Extreme_Nord	PMC co-delivery with EPI only vs No PMC	no	no	4891046	528103
CMR	Nord_Ouest	PMC co-delivery with EPI only vs No PMC	no	no	2421426	372050
CMR	Ouest	PMC co-delivery with EPI only vs No PMC	no	no	2219542	304380

CMR: Ranked prioritisation of options (page 5)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Expected PMC doses delivered (age 1-2yr)	Expected PMC doses delivered (age 2-2.5yr)	Data source for cost modelling	ICER based on regional costs only (no national costs)
CMR	Centre	PMC co-delivery with EPI only vs No PMC	0	0	This region	281
CMR	Littoral	PMC co-delivery with EPI only vs No PMC	0	0	Other regions in this country	310
CMR	Sud_Ouest	PMC co-delivery with EPI only vs No PMC	0	0	Other regions in this country	517
CMR	Nord	PMC co-delivery with EPI only vs No PMC	0	0	Other regions in this country	695
CMR	Est	PMC co-delivery with EPI only vs No PMC	0	0	Other regions in this country	716
CMR	Adamaoua	PMC co-delivery with EPI only vs No PMC	0	0	Other regions in this country	790
CMR	Sud	PMC co-delivery with EPI only vs No PMC	0	0	Other regions in this country	945
CMR	Extreme_Nord	PMC co-delivery with EPI only vs No PMC	0	0	Other regions in this country	1081
CMR	Nord_Ouest	PMC co-delivery with EPI only vs No PMC	0	0	Other regions in this country	1142
CMR	Ouest	PMC co-delivery with EPI only vs No PMC	0	0	Other regions in this country	1247

CMR: Ranked prioritisation of options (page 6)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	rank
CMR	Centre	PMC co-delivery with EPI only vs No PMC	1
CMR	Littoral	PMC co-delivery with EPI only vs No PMC	2
CMR	Sud_Ouest	PMC co-delivery with EPI only vs No PMC	3
CMR	Nord	PMC co-delivery with EPI only vs No PMC	4
CMR	Est	PMC co-delivery with EPI only vs No PMC	5
CMR	Adamaoua	PMC co-delivery with EPI only vs No PMC	6
CMR	Sud	PMC co-delivery with EPI only vs No PMC	7
CMR	Extreme_Nord	PMC co-delivery with EPI only vs No PMC	8
CMR	Nord_Ouest	PMC co-delivery with EPI only vs No PMC	9
CMR	Ouest	PMC co-delivery with EPI only vs No PMC	10

CMR: Cost assumptions (page 1)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N doses in PMC schedule	Data source for cost modelling	Total cost of PMC implementation (excl national costs)
CMR	Adamaoua	1441801	No PMC	0	Other regions in this country	0
CMR	Adamaoua	1441801	PMC co–delivery with EPI only	5	Other regions in this country	222633
CMR	Centre	6078512	No PMC	0	This region	0
CMR	Centre	6078512	PMC co–delivery with EPI only	5	This region	653548
CMR	Est	1051357	No PMC	0	Other regions in this country	0
CMR	Est	1051357	PMC co–delivery with EPI only	5	Other regions in this country	218103
CMR	Extreme_Nord	4891046	No PMC	0	Other regions in this country	0
CMR	Extreme_Nord	4891046	PMC co–delivery with EPI only	5	Other regions in this country	393662
CMR	Littoral	4719720	No PMC	0	Other regions in this country	0
CMR	Littoral	4719720	PMC co–delivery with EPI only	5	Other regions in this country	321227
CMR	Nord	3168041	No PMC	0	Other regions in this country	0
CMR	Nord	3168041	PMC co–delivery with EPI only	5	Other regions in this country	268647
CMR	Nord_Ouest	2421426	No PMC	0	Other regions in this country	0
CMR	Nord_Ouest	2421426	PMC co–delivery with EPI only	5	Other regions in this country	389772
CMR	Ouest	2219542	No PMC	0	Other regions in this country	0
CMR	Ouest	2219542	PMC co–delivery with EPI only	5	Other regions in this country	497454
CMR	Sud	952895	No PMC	0	Other regions in this country	0
CMR	Sud	952895	PMC co–delivery with EPI only	5	Other regions in this country	255563
CMR	Sud_Ouest	2073051	No PMC	0	Other regions in this country	0
CMR	Sud_Ouest	2073051	PMC co–delivery with EPI only	5	Other regions in this country	315621

CMR: Cost assumptions (page 2)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Sub-total: Cost of treatment	Total cost of PMC implementation + treatment (excluding national costs)	Total cost of PMC implementation + treatment (including full national costs for every region)
CMR	Adamaoua	1441801	No PMC	375353	375353	375353
CMR	Adamaoua	1441801	PMC co-delivery with EPI only	350935	573568	731415
CMR	Centre	6078512	No PMC	1788472	1788472	1788472
CMR	Centre	6078512	PMC co-delivery with EPI only	1619964	2273512	2431359
CMR	Est	1051357	No PMC	350850	350850	350850
CMR	Est	1051357	PMC co-delivery with EPI only	325365	543468	701315
CMR	Extreme_Nord	4891046	No PMC	588361	588361	588361
CMR	Extreme_Nord	4891046	PMC co-delivery with EPI only	554585	948247	1106094
CMR	Littoral	4719720	No PMC	889067	889067	889067
CMR	Littoral	4719720	PMC co-delivery with EPI only	810466	1131693	1289540
CMR	Nord	3168041	No PMC	564871	564871	564871
CMR	Nord	3168041	PMC co-delivery with EPI only	531741	800388	958235
CMR	Nord_Ouest	2421426	No PMC	319371	319371	319371
CMR	Nord_Ouest	2421426	PMC co-delivery with EPI only	288274	678046	835894
CMR	Ouest	2219542	No PMC	393503	393503	393503
CMR	Ouest	2219542	PMC co-delivery with EPI only	357421	854875	1012722
CMR	Sud	952895	No PMC	300423	300423	300423
CMR	Sud	952895	PMC co-delivery with EPI only	277291	532854	690701
CMR	Sud_Ouest	2073051	No PMC	529740	529740	529740
CMR	Sud_Ouest	2073051	PMC co-delivery with EPI only	479978	795599	953446

CMR: Cost assumptions (page 3)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Clinical cases (N, 0–30mo)	Clinical cases for whom care sought	Hospitalisations (N, 0–30mo)
CMR	Adamaoua	1441801	No PMC	60547	30274	2821
CMR	Adamaoua	1441801	PMC co–delivery with EPI only	57094	28547	2606
CMR	Centre	6078512	No PMC	301019	150510	12628
CMR	Centre	6078512	PMC co–delivery with EPI only	277371	138686	11132
CMR	Est	1051357	No PMC	61858	30929	2295
CMR	Est	1051357	PMC co–delivery with EPI only	58016	29008	2086
CMR	Extreme_Nord	4891046	No PMC	76663	38332	5607
CMR	Extreme_Nord	4891046	PMC co–delivery with EPI only	72388	36194	5277
CMR	Littoral	4719720	No PMC	134085	67042	7288
CMR	Littoral	4719720	PMC co–delivery with EPI only	123872	61936	6537
CMR	Nord	3168041	No PMC	81781	40890	4852
CMR	Nord	3168041	PMC co–delivery with EPI only	77145	38572	4557
CMR	Nord_Ouest	2421426	No PMC	46072	23036	2754
CMR	Nord_Ouest	2421426	PMC co–delivery with EPI only	41877	20938	2467
CMR	Ouest	2219542	No PMC	60634	30317	3142
CMR	Ouest	2219542	PMC co–delivery with EPI only	55595	27798	2820
CMR	Sud	952895	No PMC	51892	25946	2035
CMR	Sud	952895	PMC co–delivery with EPI only	48331	24166	1850
CMR	Sud_Ouest	2073051	No PMC	86597	43298	3907
CMR	Sud_Ouest	2073051	PMC co–delivery with EPI only	79462	39731	3475

CMR: Cost assumptions (page 4)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Deaths (N, 0–30mo)	Total DALYs	DALYs from clinical cases
CMR	Adamaoua	1441801	No PMC	607	4070	3088
CMR	Adamaoua	1441801	PMC co–delivery with EPI only	560	3819	2912
CMR	Centre	6078512	No PMC	2715	19747	15352
CMR	Centre	6078512	PMC co–delivery with EPI only	2393	18020	14146
CMR	Est	1051357	No PMC	493	3953	3155
CMR	Est	1051357	PMC co–delivery with EPI only	448	3684	2959
CMR	Extreme_Nord	4891046	No PMC	1206	5862	3910
CMR	Extreme_Nord	4891046	PMC co–delivery with EPI only	1135	5529	3692
CMR	Littoral	4719720	No PMC	1567	9374	6838
CMR	Littoral	4719720	PMC co–delivery with EPI only	1405	8591	6317
CMR	Nord	3168041	No PMC	1043	5859	4171
CMR	Nord	3168041	PMC co–delivery with EPI only	980	5520	3934
CMR	Nord_Ouest	2421426	No PMC	592	3308	2350
CMR	Nord_Ouest	2421426	PMC co–delivery with EPI only	530	2994	2136
CMR	Ouest	2219542	No PMC	676	4186	3092
CMR	Ouest	2219542	PMC co–delivery with EPI only	606	3816	2835
CMR	Sud	952895	No PMC	438	3355	2646
CMR	Sud	952895	PMC co–delivery with EPI only	398	3109	2465
CMR	Sud_Ouest	2073051	No PMC	840	5776	4416
CMR	Sud_Ouest	2073051	PMC co–delivery with EPI only	747	5262	4053

CMR: Cost assumptions (page 5)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	DALYs from hospitalisations	DALYs from deaths	PMC cost input: Implementation cost at national level
CMR	Adamaoua	1441801	No PMC	375	607	0
CMR	Adamaoua	1441801	PMC co–delivery with EPI only	347	560	157847
CMR	Centre	6078512	No PMC	1680	2715	0
CMR	Centre	6078512	PMC co–delivery with EPI only	1481	2393	157847
CMR	Est	1051357	No PMC	305	493	0
CMR	Est	1051357	PMC co–delivery with EPI only	277	448	157847
CMR	Extreme_Nord	4891046	No PMC	746	1206	0
CMR	Extreme_Nord	4891046	PMC co–delivery with EPI only	702	1135	157847
CMR	Littoral	4719720	No PMC	969	1567	0
CMR	Littoral	4719720	PMC co–delivery with EPI only	869	1405	157847
CMR	Nord	3168041	No PMC	645	1043	0
CMR	Nord	3168041	PMC co–delivery with EPI only	606	980	157847
CMR	Nord_Ouest	2421426	No PMC	366	592	0
CMR	Nord_Ouest	2421426	PMC co–delivery with EPI only	328	530	157847
CMR	Ouest	2219542	No PMC	418	676	0
CMR	Ouest	2219542	PMC co–delivery with EPI only	375	606	157847
CMR	Sud	952895	No PMC	271	438	0
CMR	Sud	952895	PMC co–delivery with EPI only	246	398	157847
CMR	Sud_Ouest	2073051	No PMC	520	840	0
CMR	Sud_Ouest	2073051	PMC co–delivery with EPI only	462	747	157847

CMR: Cost assumptions (page 6)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC cost input: PMC implementation cost per district	PMC cost input: PMC implementation cost per health facility	PMC cost input: Cost of PMC administration consumables per dose
CMR	Adamaoua	1441801	No PMC	0	0	0.00
CMR	Adamaoua	1441801	PMC co-delivery with EPI only	26718	517	0.05
CMR	Centre	6078512	No PMC	0	0	0.00
CMR	Centre	6078512	PMC co-delivery with EPI only	26718	517	0.05
CMR	Est	1051357	No PMC	0	0	0.00
CMR	Est	1051357	PMC co-delivery with EPI only	26718	517	0.05
CMR	Extreme_Nord	4891046	No PMC	0	0	0.00
CMR	Extreme_Nord	4891046	PMC co-delivery with EPI only	26718	517	0.05
CMR	Littoral	4719720	No PMC	0	0	0.00
CMR	Littoral	4719720	PMC co-delivery with EPI only	26718	517	0.05
CMR	Nord	3168041	No PMC	0	0	0.00
CMR	Nord	3168041	PMC co-delivery with EPI only	26718	517	0.05
CMR	Nord_Ouest	2421426	No PMC	0	0	0.00
CMR	Nord_Ouest	2421426	PMC co-delivery with EPI only	26718	517	0.05
CMR	Ouest	2219542	No PMC	0	0	0.00
CMR	Ouest	2219542	PMC co-delivery with EPI only	26718	517	0.05
CMR	Sud	952895	No PMC	0	0	0.00
CMR	Sud	952895	PMC co-delivery with EPI only	26718	517	0.05
CMR	Sud_Ouest	2073051	No PMC	0	0	0.00
CMR	Sud_Ouest	2073051	PMC co-delivery with EPI only	26718	517	0.05

CMR: Cost assumptions (page 7)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	PMC Cost input: Cost per SP tablet (includes wastage)	N districts in region	N health facilities in region
CMR	Adamaoua	1441801	No PMC	0.00	5	144
CMR	Adamaoua	1441801	PMC co–delivery with EPI only	0.11	5	144
CMR	Centre	6078512	No PMC	0.00	10	571
CMR	Centre	6078512	PMC co–delivery with EPI only	0.11	10	571
CMR	Est	1051357	No PMC	0.00	4	191
CMR	Est	1051357	PMC co–delivery with EPI only	0.11	4	191
CMR	Extreme_Nord	4891046	No PMC	0.00	6	339
CMR	Extreme_Nord	4891046	PMC co–delivery with EPI only	0.11	6	339
CMR	Littoral	4719720	No PMC	0.00	4	280
CMR	Littoral	4719720	PMC co–delivery with EPI only	0.11	4	280
CMR	Nord	3168041	No PMC	0.00	4	244
CMR	Nord	3168041	PMC co–delivery with EPI only	0.11	4	244
CMR	Nord_Ouest	2421426	No PMC	0.00	7	313
CMR	Nord_Ouest	2421426	PMC co–delivery with EPI only	0.11	7	313
CMR	Ouest	2219542	No PMC	0.00	8	484
CMR	Ouest	2219542	PMC co–delivery with EPI only	0.11	8	484
CMR	Sud	952895	No PMC	0.00	4	263
CMR	Sud	952895	PMC co–delivery with EPI only	0.11	4	263
CMR	Sud_Ouest	2073051	No PMC	0.00	6	232
CMR	Sud_Ouest	2073051	PMC co–delivery with EPI only	0.11	6	232

CMR: Cost assumptions (page 8)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N expected PMC doses delivered (age 0–1yr)	N expected PMC doses delivered (age 1–2yr)	N expected PMC doses delivered (age 2–2.5yr)
CMR	Adamaoua	1441801	No PMC	0	0	0
CMR	Adamaoua	1441801	PMC co–delivery with EPI only	132684	0	0
CMR	Centre	6078512	No PMC	0	0	0
CMR	Centre	6078512	PMC co–delivery with EPI only	828740	0	0
CMR	Est	1051357	No PMC	0	0	0
CMR	Est	1051357	PMC co–delivery with EPI only	113493	0	0
CMR	Extreme_Nord	4891046	No PMC	0	0	0
CMR	Extreme_Nord	4891046	PMC co–delivery with EPI only	528103	0	0
CMR	Littoral	4719720	No PMC	0	0	0
CMR	Littoral	4719720	PMC co–delivery with EPI only	632681	0	0
CMR	Nord	3168041	No PMC	0	0	0
CMR	Nord	3168041	PMC co–delivery with EPI only	323882	0	0
CMR	Nord_Ouest	2421426	No PMC	0	0	0
CMR	Nord_Ouest	2421426	PMC co–delivery with EPI only	372050	0	0
CMR	Ouest	2219542	No PMC	0	0	0
CMR	Ouest	2219542	PMC co–delivery with EPI only	304380	0	0
CMR	Sud	952895	No PMC	0	0	0
CMR	Sud	952895	PMC co–delivery with EPI only	115637	0	0
CMR	Sud_Ouest	2073051	No PMC	0	0	0
CMR	Sud_Ouest	2073051	PMC co–delivery with EPI only	321538	0	0

CMR: Cost assumptions (page 9)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N total expected PMC doses delivered (age 0-2.5yr)	N SP tablets delivered	Sub-total: Cost of PMC implementation at district and HFs
CMR	Adamaoua	1441801	No PMC	0	0	0
CMR	Adamaoua	1441801	PMC co-delivery with EPI only	132684	132684	208038
CMR	Centre	6078512	No PMC	0	0	0
CMR	Centre	6078512	PMC co-delivery with EPI only	828740	828740	562387
CMR	Est	1051357	No PMC	0	0	0
CMR	Est	1051357	PMC co-delivery with EPI only	113493	113493	205619
CMR	Extreme_Nord	4891046	No PMC	0	0	0
CMR	Extreme_Nord	4891046	PMC co-delivery with EPI only	528103	528103	335571
CMR	Littoral	4719720	No PMC	0	0	0
CMR	Littoral	4719720	PMC co-delivery with EPI only	632681	632681	251632
CMR	Nord	3168041	No PMC	0	0	0
CMR	Nord	3168041	PMC co-delivery with EPI only	323882	323882	233020
CMR	Nord_Ouest	2421426	No PMC	0	0	0
CMR	Nord_Ouest	2421426	PMC co-delivery with EPI only	372050	372050	348847
CMR	Ouest	2219542	No PMC	0	0	0
CMR	Ouest	2219542	PMC co-delivery with EPI only	304380	304380	463972
CMR	Sud	952895	No PMC	0	0	0
CMR	Sud	952895	PMC co-delivery with EPI only	115637	115637	242843
CMR	Sud_Ouest	2073051	No PMC	0	0	0
CMR	Sud_Ouest	2073051	PMC co-delivery with EPI only	321538	321538	280252

CMR: Cost assumptions (page 10)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Sub–total: Cost of PMC administration (SP+consumables)	Treatment cost per clinical case	Treatment cost per hospitalisation
CMR	Adamaoua	1441801	No PMC	0	7.22	45.74
CMR	Adamaoua	1441801	PMC co–delivery with EPI only	21229	7.22	45.74
CMR	Centre	6078512	No PMC	0	7.22	45.74
CMR	Centre	6078512	PMC co–delivery with EPI only	132598	7.22	45.74
CMR	Est	1051357	No PMC	0	7.22	45.74
CMR	Est	1051357	PMC co–delivery with EPI only	18159	7.22	45.74
CMR	Extreme_Nord	4891046	No PMC	0	7.22	45.74
CMR	Extreme_Nord	4891046	PMC co–delivery with EPI only	84496	7.22	45.74
CMR	Littoral	4719720	No PMC	0	7.22	45.74
CMR	Littoral	4719720	PMC co–delivery with EPI only	101229	7.22	45.74
CMR	Nord	3168041	No PMC	0	7.22	45.74
CMR	Nord	3168041	PMC co–delivery with EPI only	51821	7.22	45.74
CMR	Nord_Ouest	2421426	No PMC	0	7.22	45.74
CMR	Nord_Ouest	2421426	PMC co–delivery with EPI only	59528	7.22	45.74
CMR	Ouest	2219542	No PMC	0	7.22	45.74
CMR	Ouest	2219542	PMC co–delivery with EPI only	48701	7.22	45.74
CMR	Sud	952895	No PMC	0	7.22	45.74
CMR	Sud	952895	PMC co–delivery with EPI only	18502	7.22	45.74
CMR	Sud_Ouest	2073051	No PMC	0	7.22	45.74
CMR	Sud_Ouest	2073051	PMC co–delivery with EPI only	51446	7.22	45.74

CMR: Cost assumptions (page 11)


Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Treatment cost per death
CMR	Adamaoua	1441801	No PMC	45.74
CMR	Adamaoua	1441801	PMC co–delivery with EPI only	45.74
CMR	Centre	6078512	No PMC	45.74
CMR	Centre	6078512	PMC co–delivery with EPI only	45.74
CMR	Est	1051357	No PMC	45.74
CMR	Est	1051357	PMC co–delivery with EPI only	45.74
CMR	Extreme_Nord	4891046	No PMC	45.74
CMR	Extreme_Nord	4891046	PMC co–delivery with EPI only	45.74
CMR	Littoral	4719720	No PMC	45.74
CMR	Littoral	4719720	PMC co–delivery with EPI only	45.74
CMR	Nord	3168041	No PMC	45.74
CMR	Nord	3168041	PMC co–delivery with EPI only	45.74
CMR	Nord_Ouest	2421426	No PMC	45.74
CMR	Nord_Ouest	2421426	PMC co–delivery with EPI only	45.74
CMR	Ouest	2219542	No PMC	45.74
CMR	Ouest	2219542	PMC co–delivery with EPI only	45.74
CMR	Sud	952895	No PMC	45.74
CMR	Sud	952895	PMC co–delivery with EPI only	45.74
CMR	Sud_Ouest	2073051	No PMC	45.74
CMR	Sud_Ouest	2073051	PMC co–delivery with EPI only	45.74

CMR: Clinical malaria incidence


Age-specific clinical malaria cases per 1,000 children (0–30 months, with and without PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.




CMR: Clinical malaria incidence (rural and urban)

Age-specific clinical malaria cases per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.




CMR: Malaria hospitalisations

Age-specific new malaria hospitalisations per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.
Raw model outputs have been smoothed to reduce stochastic variation.



CMR: Spatial distribution of clinical malaria without PMC


Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, no PMC).



CMR: Spatial distribution of clinical malaria with PMC

Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, with PMC).


PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



CMR: Spatial distribution of averted clinical malaria with PMC

Admin-1 averted clinical malaria incidence per 1,000 children aged (0–30 months, averted with PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



CMR: Clinical malaria burden (page 1)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Abia	362.1	325.8	36.3
Adamawa	379.8	355.7	24.1
Akwa_Ibom	445.1	413.0	32.1
Anambra	247.1	225.2	21.9
Bauchi	474.3	457.9	16.4
Bayelsa	578.6	539.8	38.8
Benue	369.2	343.5	25.8
Borno	1287.6	1233.4	54.3
Cross_River	527.1	486.7	40.4
Delta	333.0	308.1	24.8
Ebonyi	752.8	694.8	58.1
Edo	705.8	650.6	55.2
Ekiti	1165.1	1065.5	99.7
Enugu	380.5	348.1	32.4
Federal_Capital_Territory	323.3	297.5	25.7
Gombe	448.2	431.8	16.4
Imo	260.2	239.5	20.7
Jigawa	1614.4	1517.4	96.9
Kaduna	594.6	570.2	24.4
Kano	826.2	788.8	37.3
Katsina	2178.7	2115.4	63.2
Kebbi	3879.9	3744.2	135.7
Kogi	606.9	568.5	38.5
Kwara	372.3	348.6	23.7
Lagos	123.6	111.7	11.9
Nasarawa	1022.6	952.2	70.4
Niger	1011.6	970.3	41.3
Ogun	412.8	389.4	23.4
Ondo	1074.9	992.2	82.7
Osun	718.5	679.2	39.3

CMR: Clinical malaria burden (page 2)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Oyo	582.4	552.3	30.1
Plateau	786.5	733.0	53.5
Rivers	384.2	352.8	31.4
Sokoto	3696.7	3601.7	95.0
Taraba	563.2	540.4	22.8
Yobe	780.6	737.7	42.9
Zamfara	3789.7	3718.0	71.7

CMR: Severe malaria burden (page 1)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Abia	24.1	21.3	2.8
Adamawa	24.7	23.0	1.8
Akwa_Ibom	26.5	24.3	2.2
Anambra	16.9	15.3	1.7
Bauchi	30.9	29.7	1.2
Bayelsa	32.2	29.7	2.5
Benue	23.2	21.5	1.7
Borno	59.7	56.8	2.9
Cross_River	29.5	26.8	2.7
Delta	21.8	19.9	1.8
Ebonyi	38.3	34.9	3.4
Edo	36.8	33.1	3.7
Ekiti	48.1	42.8	5.4
Enugu	24.7	22.4	2.3
Federal_Capital_Territory	20.4	18.8	1.7
Gombe	27.8	26.6	1.2
Imo	18.4	16.8	1.6
Jigawa	72.6	67.3	5.3
Kaduna	33.2	31.6	1.6
Kano	46.5	44.1	2.3
Katsina	84.0	81.1	2.9
Kebbi	100.5	95.2	5.4
Kogi	33.3	30.6	2.7
Kwara	22.0	20.4	1.6
Lagos	10.4	9.3	1.1
Nasarawa	43.4	39.6	3.8
Niger	43.1	40.7	2.4
Ogun	25.7	23.8	1.9
Ondo	45.6	41.0	4.6
Osun	35.3	32.8	2.5

CMR: Severe malaria burden (page 2)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Oyo	30.9	28.7	2.2
Plateau	39.2	35.9	3.2
Rivers	25.4	22.7	2.6
Sokoto	103.4	99.6	3.8
Taraba	32.3	30.7	1.6
Yobe	46.1	43.2	2.9
Zamfara	102.3	99.4	2.9