

PMC Compass: Modelling Outputs for COD


Modelling outputs from PMC Compass. Please note, results are preliminary and subject to change following further validation.

Corresponding authors: Ishana Atkinson, Catherine Pitt, Andria Mousa

10 February 2026



COD: Ranked prioritised order to implement PMC

Order at which to implement PMC in the country based on cost-effectiveness of the PMC delivery strategy.



COD: Incremental cost-effectiveness ratios of implementing PMC co-delivery with EPI only vs No PMC in each admin-1 unit.

Incremental cost-effectiveness ratios of implementing PMC co-delivery with EPI only vs No PMC in each admin-1 unit. All costs used to calculate these exclude national-level start up costs.



COD: Ranked prioritisation of options (page 1)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional clinical malaria cases averted	Additional hospitalisations averted	Additional deaths averted	Additional DALYs averted
COD	Haut_Lomami	PMC co-delivery with EPI only vs No PMC	24343	1433	309	1740
COD	Lualaba	PMC co-delivery with EPI only vs No PMC	18734	862	185	1256
COD	Haut_Katanga	PMC co-delivery with EPI only vs No PMC	40613	2330	501	2883
COD	Kinshasa	PMC co-delivery with EPI only vs No PMC	19401	1327	286	1453
COD	Nord_Ubangi	PMC co-delivery with EPI only vs No PMC	10328	466	100	688
COD	Sud_Ubangi	PMC co-delivery with EPI only vs No PMC	8427	473	102	595
COD	Tanganyika	PMC co-delivery with EPI only vs No PMC	14147	807	173	1001
COD	Ituri	PMC co-delivery with EPI only vs No PMC	15368	802	172	1062
COD	Mongala	PMC co-delivery with EPI only vs No PMC	5718	379	82	425
COD	Kwango	PMC co-delivery with EPI only vs No PMC	10307	549	118	717
COD	Tshopo	PMC co-delivery with EPI only vs No PMC	13694	624	134	915
COD	Kasai_Central	PMC co-delivery with EPI only vs No PMC	9031	654	141	688
COD	Kwilu	PMC co-delivery with EPI only vs No PMC	17453	946	203	1219
COD	Lomami	PMC co-delivery with EPI only vs No PMC	7798	479	103	564
COD	Kongo_Central	PMC co-delivery with EPI only vs No PMC	16373	864	186	1136
COD	Equateur	PMC co-delivery with EPI only vs No PMC	5339	319	69	385
COD	Bas_Uele	PMC co-delivery with EPI only vs No PMC	5938	282	61	402
COD	Kasai	PMC co-delivery with EPI only vs No PMC	6180	460	99	475
COD	Haut_Uele	PMC co-delivery with EPI only vs No PMC	5918	310	66	409
COD	Mai_Ndombe	PMC co-delivery with EPI only vs No PMC	6553	353	76	458
COD	Tshuapa	PMC co-delivery with EPI only vs No PMC	3081	208	45	230
COD	Nord_Kivu	PMC co-delivery with EPI only vs No PMC	6220	497	107	490
COD	Sud_Kivu	PMC co-delivery with EPI only vs No PMC	5503	398	85	419
COD	Kasai_Oriental	PMC co-delivery with EPI only vs No PMC	3440	272	58	270
COD	Maniema	PMC co-delivery with EPI only vs No PMC	2504	157	33	182
COD	Sankuru	PMC co-delivery with EPI only vs No PMC	41	3	1	4

COD: Ranked prioritisation of options (page 2)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Financial cost of SP and administration consumables	Cumulative cost of SP and administration consumables	Additional economic cost savings to public providers from reduced treatment	Cumulative economic cost savings to public providers from reduced treatment
COD	Haut_Lomami	PMC co-delivery with EPI only vs No PMC	147795	147795	-113887	-113887
COD	Lualaba	PMC co-delivery with EPI only vs No PMC	67921	215716	-74601	-188488
COD	Haut_Katanga	PMC co-delivery with EPI only vs No PMC	219525	435241	-186716	-375204
COD	Kinshasa	PMC co-delivery with EPI only vs No PMC	204658	639899	-100783	-475987
COD	Nord_Ubangi	PMC co-delivery with EPI only vs No PMC	27708	667607	-40630	-516617
COD	Sud_Ubangi	PMC co-delivery with EPI only vs No PMC	53938	721545	-38177	-554794
COD	Tanganyika	PMC co-delivery with EPI only vs No PMC	96200	817745	-64789	-619583
COD	Ituri	PMC co-delivery with EPI only vs No PMC	117609	935354	-66338	-685921
COD	Mongala	PMC co-delivery with EPI only vs No PMC	39780	975134	-29051	-714972
COD	Kwango	PMC co-delivery with EPI only vs No PMC	45041	1020175	-45092	-760064
COD	Tshopo	PMC co-delivery with EPI only vs No PMC	62934	1083109	-54200	-814264
COD	Kasai_Central	PMC co-delivery with EPI only vs No PMC	149502	1232611	-48881	-863145
COD	Kwilu	PMC co-delivery with EPI only vs No PMC	89387	1321998	-77244	-940389
COD	Lomami	PMC co-delivery with EPI only vs No PMC	74002	1396000	-37564	-977953
COD	Kongo_Central	PMC co-delivery with EPI only vs No PMC	67536	1463536	-71196	-1049149
COD	Equateur	PMC co-delivery with EPI only vs No PMC	42804	1506340	-25232	-1074381
COD	Bas_Uele	PMC co-delivery with EPI only vs No PMC	25912	1532252	-24122	-1098503
COD	Kasai	PMC co-delivery with EPI only vs No PMC	127001	1659253	-34124	-1132627
COD	Haut_Uele	PMC co-delivery with EPI only vs No PMC	36808	1696061	-25612	-1158239
COD	Mai_Ndombe	PMC co-delivery with EPI only vs No PMC	34087	1730148	-28885	-1187124
COD	Tshuapa	PMC co-delivery with EPI only vs No PMC	28719	1758867	-15858	-1202982
COD	Nord_Kivu	PMC co-delivery with EPI only vs No PMC	231772	1990639	-36188	-1239170
COD	Sud_Kivu	PMC co-delivery with EPI only vs No PMC	141291	2131930	-29759	-1268929
COD	Kasai_Oriental	PMC co-delivery with EPI only vs No PMC	122208	2254138	-19859	-1288788
COD	Maniema	PMC co-delivery with EPI only vs No PMC	50195	2304333	-12235	-1301023
COD	Sankuru	PMC co-delivery with EPI only vs No PMC	3191	2307524	-225	-1301248

COD: Ranked prioritisation of options (page 3)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional net economic costs of PMC implementation and treatment	Cumulative net costs of PMC implementation and treatment	Incremental economic cost per DALY averted vs. next higher option in ranking	Cost-effective? (lower country-specific threshold)
COD	Haut_Lomami	PMC co-delivery with EPI only vs No PMC	294431	294431	169	no
COD	Lualaba	PMC co-delivery with EPI only vs No PMC	162437	456868	129	no
COD	Haut_Katanga	PMC co-delivery with EPI only vs No PMC	388574	845442	135	no
COD	Kinshasa	PMC co-delivery with EPI only vs No PMC	229781	1075223	158	no
COD	Nord_Ubangi	PMC co-delivery with EPI only vs No PMC	141711	1216934	206	no
COD	Sud_Ubangi	PMC co-delivery with EPI only vs No PMC	154633	1371567	260	no
COD	Tanganyika	PMC co-delivery with EPI only vs No PMC	269741	1641308	269	no
COD	Ituri	PMC co-delivery with EPI only vs No PMC	329428	1970736	310	no
COD	Mongala	PMC co-delivery with EPI only vs No PMC	135780	2106516	319	no
COD	Kwango	PMC co-delivery with EPI only vs No PMC	240590	2347106	336	no
COD	Tshopo	PMC co-delivery with EPI only vs No PMC	324065	2671171	354	no
COD	Kasai_Central	PMC co-delivery with EPI only vs No PMC	253171	2924342	368	no
COD	Kwilu	PMC co-delivery with EPI only vs No PMC	486891	3411233	399	no
COD	Lomami	PMC co-delivery with EPI only vs No PMC	272387	3683620	483	no
COD	Kongo_Central	PMC co-delivery with EPI only vs No PMC	620501	4304121	546	no
COD	Equateur	PMC co-delivery with EPI only vs No PMC	239090	4543211	621	no
COD	Bas_Uele	PMC co-delivery with EPI only vs No PMC	250800	4794011	624	no
COD	Kasai	PMC co-delivery with EPI only vs No PMC	302945	5096956	638	no
COD	Haut_Uele	PMC co-delivery with EPI only vs No PMC	312124	5409080	763	no
COD	Mai_Ndombe	PMC co-delivery with EPI only vs No PMC	351868	5760948	768	no
COD	Tshuapa	PMC co-delivery with EPI only vs No PMC	183317	5944265	797	no
COD	Nord_Kivu	PMC co-delivery with EPI only vs No PMC	460634	6404899	940	no
COD	Sud_Kivu	PMC co-delivery with EPI only vs No PMC	482517	6887416	1152	no
COD	Kasai_Oriental	PMC co-delivery with EPI only vs No PMC	316165	7203581	1171	no
COD	Maniema	PMC co-delivery with EPI only vs No PMC	399840	7603421	2197	no
COD	Sankuru	PMC co-delivery with EPI only vs No PMC	264285	7867706	66071	no

COD: Ranked prioritisation of options (page 4)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Cost-effective? (higher country-specific threshold)	Cost-effective? (\$250 / DALY averted threshold)	Population (all ages)	Expected PMC doses delivered (age 0-1yr)
COD	Haut_Lomami	PMC co-delivery with EPI only vs No PMC	no	yes	7190843	923721
COD	Lualaba	PMC co-delivery with EPI only vs No PMC	yes	yes	3537982	424506
COD	Haut_Katanga	PMC co-delivery with EPI only vs No PMC	yes	yes	9904745	1372034
COD	Kinshasa	PMC co-delivery with EPI only vs No PMC	no	yes	7483362	1279112
COD	Nord_Ubangi	PMC co-delivery with EPI only vs No PMC	no	yes	1388069	173172
COD	Sud_Ubangi	PMC co-delivery with EPI only vs No PMC	no	no	2684843	337110
COD	Tanganyika	PMC co-delivery with EPI only vs No PMC	no	no	4921947	601251
COD	Ituri	PMC co-delivery with EPI only vs No PMC	no	no	5746866	735057
COD	Mongala	PMC co-delivery with EPI only vs No PMC	no	no	2013959	248628
COD	Kwango	PMC co-delivery with EPI only vs No PMC	no	no	2053735	281506
COD	Tshopo	PMC co-delivery with EPI only vs No PMC	no	no	3160094	393337
COD	Kasai_Central	PMC co-delivery with EPI only vs No PMC	no	no	6612929	934386
COD	Kwilu	PMC co-delivery with EPI only vs No PMC	no	no	3960186	558667
COD	Lomami	PMC co-delivery with EPI only vs No PMC	no	no	3729180	462515
COD	Kongo_Central	PMC co-delivery with EPI only vs No PMC	no	no	2713334	422101
COD	Equateur	PMC co-delivery with EPI only vs No PMC	no	no	2127945	267527
COD	Bas_Uele	PMC co-delivery with EPI only vs No PMC	no	no	1326990	161948
COD	Kasai	PMC co-delivery with EPI only vs No PMC	no	no	5639221	793758
COD	Haut_Uele	PMC co-delivery with EPI only vs No PMC	no	no	1873125	230053
COD	Mai_Ndombe	PMC co-delivery with EPI only vs No PMC	no	no	1556054	213045
COD	Tshuapa	PMC co-delivery with EPI only vs No PMC	no	no	1465118	179496
COD	Nord_Kivu	PMC co-delivery with EPI only vs No PMC	no	no	8758144	1448578
COD	Sud_Kivu	PMC co-delivery with EPI only vs No PMC	no	no	5797869	883070
COD	Kasai_Oriental	PMC co-delivery with EPI only vs No PMC	no	no	5380073	763800
COD	Maniema	PMC co-delivery with EPI only vs No PMC	no	no	2715498	313720
COD	Sankuru	PMC co-delivery with EPI only vs No PMC	no	no	176890	19943

COD: Ranked prioritisation of options (page 5)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Expected PMC doses delivered (age 1-2yr)	Expected PMC doses delivered (age 2-2.5yr)	Data source for cost modelling	ICER based on regional costs only (no national costs)
COD	Haut_Lomami	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	86
COD	Lualaba	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	129
COD	Haut_Katanga	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	135
COD	Kinshasa	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	158
COD	Nord_Ubangi	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	206
COD	Sud_Ubangi	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	260
COD	Tanganyika	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	269
COD	Ituri	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	310
COD	Mongala	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	319
COD	Kwango	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	336
COD	Tshopo	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	354
COD	Kasai_Central	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	368
COD	Kwilu	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	399
COD	Lomami	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	483
COD	Kongo_Central	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	546
COD	Equateur	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	621
COD	Bas_Uele	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	624
COD	Kasai	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	638
COD	Haut_Uele	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	763
COD	Mai_Ndombe	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	768
COD	Tshuapa	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	797
COD	Nord_Kivu	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	940
COD	Sud_Kivu	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	1152
COD	Kasai_Oriental	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	1171
COD	Maniema	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	2197
COD	Sankuru	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	66071

COD: Ranked prioritisation of options (page 6)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	rank
COD	Haut_Lomami	PMC co-delivery with EPI only vs No PMC	1
COD	Lualaba	PMC co-delivery with EPI only vs No PMC	2
COD	Haut_Katanga	PMC co-delivery with EPI only vs No PMC	3
COD	Kinshasa	PMC co-delivery with EPI only vs No PMC	4
COD	Nord_Ubangi	PMC co-delivery with EPI only vs No PMC	5
COD	Sud_Ubangi	PMC co-delivery with EPI only vs No PMC	6
COD	Tanganyika	PMC co-delivery with EPI only vs No PMC	7
COD	Ituri	PMC co-delivery with EPI only vs No PMC	8
COD	Mongala	PMC co-delivery with EPI only vs No PMC	9
COD	Kwango	PMC co-delivery with EPI only vs No PMC	10
COD	Tshopo	PMC co-delivery with EPI only vs No PMC	11
COD	Kasai_Central	PMC co-delivery with EPI only vs No PMC	12
COD	Kwilu	PMC co-delivery with EPI only vs No PMC	13
COD	Lomami	PMC co-delivery with EPI only vs No PMC	14
COD	Kongo_Central	PMC co-delivery with EPI only vs No PMC	15
COD	Equateur	PMC co-delivery with EPI only vs No PMC	16
COD	Bas_Uele	PMC co-delivery with EPI only vs No PMC	17
COD	Kasai	PMC co-delivery with EPI only vs No PMC	18
COD	Haut_Uele	PMC co-delivery with EPI only vs No PMC	19
COD	Mai_Ndombe	PMC co-delivery with EPI only vs No PMC	20
COD	Tshuapa	PMC co-delivery with EPI only vs No PMC	21
COD	Nord_Kivu	PMC co-delivery with EPI only vs No PMC	22
COD	Sud_Kivu	PMC co-delivery with EPI only vs No PMC	23
COD	Kasai_Oriental	PMC co-delivery with EPI only vs No PMC	24
COD	Maniema	PMC co-delivery with EPI only vs No PMC	25
COD	Sankuru	PMC co-delivery with EPI only vs No PMC	26

COD: Cost assumptions (page 1)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N doses in PMC schedule	Data source for cost modelling	Total cost of PMC implementation (excl national costs)
COD	Bas_Uele	1326990	No PMC	0	Plus Project countries	0
COD	Bas_Uele	1326990	PMC co-delivery with EPI only	5	Plus Project countries	274922
COD	Equateur	2127945	No PMC	0	Plus Project countries	0
COD	Equateur	2127945	PMC co-delivery with EPI only	5	Plus Project countries	264322
COD	Haut_Katanga	9904745	No PMC	0	Plus Project countries	0
COD	Haut_Katanga	9904745	PMC co-delivery with EPI only	5	Plus Project countries	575290
COD	Haut_Lomami	7190843	No PMC	0	Plus Project countries	0
COD	Haut_Lomami	7190843	PMC co-delivery with EPI only	5	Plus Project countries	263413
COD	Haut_Uele	1873125	No PMC	0	Plus Project countries	0
COD	Haut_Uele	1873125	PMC co-delivery with EPI only	5	Plus Project countries	337736
COD	Ituri	5746866	No PMC	0	Plus Project countries	0
COD	Ituri	5746866	PMC co-delivery with EPI only	5	Plus Project countries	395766
COD	Kasai	5639221	No PMC	0	Plus Project countries	0
COD	Kasai	5639221	PMC co-delivery with EPI only	5	Plus Project countries	337069
COD	Kasai_Central	6612929	No PMC	0	Plus Project countries	0
COD	Kasai_Central	6612929	PMC co-delivery with EPI only	5	Plus Project countries	302052
COD	Kasai_Oriental	5380073	No PMC	0	Plus Project countries	0
COD	Kasai_Oriental	5380073	PMC co-delivery with EPI only	5	Plus Project countries	336024
COD	Kinshasa	7483362	No PMC	0	Plus Project countries	0
COD	Kinshasa	7483362	PMC co-delivery with EPI only	5	Plus Project countries	330564
COD	Kongo_Central	2713334	No PMC	0	Plus Project countries	0
COD	Kongo_Central	2713334	PMC co-delivery with EPI only	5	Plus Project countries	691697
COD	Kwango	2053735	No PMC	0	Plus Project countries	0
COD	Kwango	2053735	PMC co-delivery with EPI only	5	Plus Project countries	285682
COD	Kwilu	3960186	No PMC	0	Plus Project countries	0
COD	Kwilu	3960186	PMC co-delivery with EPI only	5	Plus Project countries	564135
COD	Lomami	3729180	No PMC	0	Plus Project countries	0
COD	Lomami	3729180	PMC co-delivery with EPI only	5	Plus Project countries	309951
COD	Lualaba	3537982	No PMC	0	Plus Project countries	0
COD	Lualaba	3537982	PMC co-delivery with EPI only	5	Plus Project countries	237038

COD: Cost assumptions (page 2)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N doses in PMC schedule	Data source for cost modelling	Total cost of PMC implementation (excl national costs)
COD	Mai_Ndombe	1556054	No PMC	0	Plus Project countries	0
COD	Mai_Ndombe	1556054	PMC co–delivery with EPI only	5	Plus Project countries	380753
COD	Maniema	2715498	No PMC	0	Plus Project countries	0
COD	Maniema	2715498	PMC co–delivery with EPI only	5	Plus Project countries	412075
COD	Mongala	2013959	No PMC	0	Plus Project countries	0
COD	Mongala	2013959	PMC co–delivery with EPI only	5	Plus Project countries	164831
COD	Nord_Kivu	8758144	No PMC	0	Plus Project countries	0
COD	Nord_Kivu	8758144	PMC co–delivery with EPI only	5	Plus Project countries	496822
COD	Nord_Ubangi	1388069	No PMC	0	Plus Project countries	0
COD	Nord_Ubangi	1388069	PMC co–delivery with EPI only	5	Plus Project countries	182341
COD	Sankuru	176890	No PMC	0	Plus Project countries	0
COD	Sankuru	176890	PMC co–delivery with EPI only	5	Plus Project countries	264510
COD	Sud_Kivu	5797869	No PMC	0	Plus Project countries	0
COD	Sud_Kivu	5797869	PMC co–delivery with EPI only	5	Plus Project countries	512276
COD	Sud_Ubangi	2684843	No PMC	0	Plus Project countries	0
COD	Sud_Ubangi	2684843	PMC co–delivery with EPI only	5	Plus Project countries	192810
COD	Tanganyika	4921947	No PMC	0	Plus Project countries	0
COD	Tanganyika	4921947	PMC co–delivery with EPI only	5	Plus Project countries	334530
COD	Tshopo	3160094	No PMC	0	Plus Project countries	0
COD	Tshopo	3160094	PMC co–delivery with EPI only	5	Plus Project countries	378265
COD	Tshuapa	1465118	No PMC	0	Plus Project countries	0
COD	Tshuapa	1465118	PMC co–delivery with EPI only	5	Plus Project countries	199175

COD: Cost assumptions (page 3)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Sub-total: Cost of treatment	Total cost of PMC implementation + treatment (excluding national costs)	Total cost of PMC implementation + treatment (including full national costs for every region)
COD	Bas_Uele	1326990	No PMC	391792	391792	391792
COD	Bas_Uele	1326990	PMC co-delivery with EPI only	367670	642592	787497
COD	Equateur	2127945	No PMC	454558	454558	454558
COD	Equateur	2127945	PMC co-delivery with EPI only	429326	693648	838553
COD	Haut_Katanga	9904745	No PMC	2538645	2538645	2538645
COD	Haut_Katanga	9904745	PMC co-delivery with EPI only	2351929	2927219	3072124
COD	Haut_Lomami	7190843	No PMC	1690591	1690591	1690591
COD	Haut_Lomami	7190843	PMC co-delivery with EPI only	1576704	1840117	1985022
COD	Haut_Uele	1873125	No PMC	472005	472005	472005
COD	Haut_Uele	1873125	PMC co-delivery with EPI only	446393	784129	929034
COD	Ituri	5746866	No PMC	1300611	1300611	1300611
COD	Ituri	5746866	PMC co-delivery with EPI only	1234273	1630039	1774944
COD	Kasai	5639221	No PMC	491704	491704	491704
COD	Kasai	5639221	PMC co-delivery with EPI only	457580	794649	939554
COD	Kasai_Central	6612929	No PMC	709838	709838	709838
COD	Kasai_Central	6612929	PMC co-delivery with EPI only	660957	963009	1107914
COD	Kasai_Oriental	5380073	No PMC	285029	285029	285029
COD	Kasai_Oriental	5380073	PMC co-delivery with EPI only	265170	601194	746099
COD	Kinshasa	7483362	No PMC	1073872	1073872	1073872
COD	Kinshasa	7483362	PMC co-delivery with EPI only	973089	1303653	1448558
COD	Kongo_Central	2713334	No PMC	790946	790946	790946
COD	Kongo_Central	2713334	PMC co-delivery with EPI only	719750	1411447	1556352
COD	Kwango	2053735	No PMC	518056	518056	518056
COD	Kwango	2053735	PMC co-delivery with EPI only	472964	758646	903551
COD	Kwilu	3960186	No PMC	992148	992148	992148
COD	Kwilu	3960186	PMC co-delivery with EPI only	914904	1479039	1623944
COD	Lomami	3729180	No PMC	658675	658675	658675
COD	Lomami	3729180	PMC co-delivery with EPI only	621111	931062	1075967
COD	Lualaba	3537982	No PMC	1171534	1171534	1171534
COD	Lualaba	3537982	PMC co-delivery with EPI only	1096933	1333971	1478876

COD: Cost assumptions (page 4)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Sub-total: Cost of treatment	Total cost of PMC implementation + treatment (excluding national costs)	Total cost of PMC implementation + treatment (including full national costs for every region)
COD	Mai_Ndombe	1556054	No PMC	375929	375929	375929
COD	Mai_Ndombe	1556054	PMC co-delivery with EPI only	347044	727797	872702
COD	Maniema	2715498	No PMC	381782	381782	381782
COD	Maniema	2715498	PMC co-delivery with EPI only	369547	781622	926527
COD	Mongala	2013959	No PMC	397527	397527	397527
COD	Mongala	2013959	PMC co-delivery with EPI only	368476	533307	678212
COD	Nord_Kivu	8758144	No PMC	744140	744140	744140
COD	Nord_Kivu	8758144	PMC co-delivery with EPI only	707952	1204774	1349679
COD	Nord_Ubangi	1388069	No PMC	460888	460888	460888
COD	Nord_Ubangi	1388069	PMC co-delivery with EPI only	420258	602599	747504
COD	Sankuru	176890	No PMC	5037	5037	5037
COD	Sankuru	176890	PMC co-delivery with EPI only	4812	269322	414227
COD	Sud_Kivu	5797869	No PMC	423181	423181	423181
COD	Sud_Kivu	5797869	PMC co-delivery with EPI only	393422	905698	1050603
COD	Sud_Ubangi	2684843	No PMC	558379	558379	558379
COD	Sud_Ubangi	2684843	PMC co-delivery with EPI only	520202	713012	857917
COD	Tanganyika	4921947	No PMC	1158325	1158325	1158325
COD	Tanganyika	4921947	PMC co-delivery with EPI only	1093536	1428066	1572971
COD	Tshopo	3160094	No PMC	996539	996539	996539
COD	Tshopo	3160094	PMC co-delivery with EPI only	942339	1320604	1465509
COD	Tshuapa	1465118	No PMC	259041	259041	259041
COD	Tshuapa	1465118	PMC co-delivery with EPI only	243183	442358	587263

COD: Cost assumptions (page 5)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Clinical cases (N, 0-30mo)	Clinical cases for whom care sought	Hospitalisations (N, 0-30mo)
COD	Bas_Uele	1326990	No PMC	116012	58006	4042
COD	Bas_Uele	1326990	PMC co-delivery with EPI only	110074	55037	3760
COD	Equateur	2127945	No PMC	114878	57439	5232
COD	Equateur	2127945	PMC co-delivery with EPI only	109539	54770	4913
COD	Haut_Katanga	9904745	No PMC	694580	347290	27762
COD	Haut_Katanga	9904745	PMC co-delivery with EPI only	653967	326984	25432
COD	Haut_Lomami	7190843	No PMC	432338	216169	19319
COD	Haut_Lomami	7190843	PMC co-delivery with EPI only	407995	203998	17886
COD	Haut_Uele	1873125	No PMC	128731	64366	5173
COD	Haut_Uele	1873125	PMC co-delivery with EPI only	122813	61406	4863
COD	Ituri	5746866	No PMC	347495	173748	14453
COD	Ituri	5746866	PMC co-delivery with EPI only	332127	166064	13651
COD	Kasai	5639221	No PMC	97022	48511	6409
COD	Kasai	5639221	PMC co-delivery with EPI only	90842	45421	5949
COD	Kasai_Central	6612929	No PMC	145088	72544	9114
COD	Kasai_Central	6612929	PMC co-delivery with EPI only	136057	68028	8460
COD	Kasai_Oriental	5380073	No PMC	53957	26978	3778
COD	Kasai_Oriental	5380073	PMC co-delivery with EPI only	50517	25258	3506
COD	Kinshasa	7483362	No PMC	233128	116564	13413
COD	Kinshasa	7483362	PMC co-delivery with EPI only	213727	106864	12086
COD	Kongo_Central	2713334	No PMC	226714	113357	8366
COD	Kongo_Central	2713334	PMC co-delivery with EPI only	210341	105170	7502
COD	Kwango	2053735	No PMC	139101	69550	5738
COD	Kwango	2053735	PMC co-delivery with EPI only	128794	64397	5189
COD	Kwilu	3960186	No PMC	260908	130454	11140
COD	Kwilu	3960186	PMC co-delivery with EPI only	243455	121728	10194
COD	Lomami	3729180	No PMC	159644	79822	7769
COD	Lomami	3729180	PMC co-delivery with EPI only	151846	75923	7290
COD	Lualaba	3537982	No PMC	384465	192232	11053
COD	Lualaba	3537982	PMC co-delivery with EPI only	365731	182866	10191

COD: Cost assumptions (page 6)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Clinical cases (N, 0-30mo)	Clinical cases for whom care sought	Hospitalisations (N, 0-30mo)
COD	Mai_Ndombe	1556054	No PMC	97914	48957	4247
COD	Mai_Ndombe	1556054	PMC co-delivery with EPI only	91361	45680	3894
COD	Maniema	2715498	No PMC	88429	44214	4616
COD	Maniema	2715498	PMC co-delivery with EPI only	85925	42962	4459
COD	Mongala	2013959	No PMC	98231	49116	4637
COD	Mongala	2013959	PMC co-delivery with EPI only	92513	46256	4258
COD	Nord_Kivu	8758144	No PMC	140336	70168	9878
COD	Nord_Kivu	8758144	PMC co-delivery with EPI only	134116	67058	9381
COD	Nord_Ubangi	1388069	No PMC	143263	71632	4568
COD	Nord_Ubangi	1388069	PMC co-delivery with EPI only	132935	66468	4102
COD	Sankuru	176890	No PMC	835	418	70
COD	Sankuru	176890	PMC co-delivery with EPI only	794	397	67
COD	Sud_Kivu	5797869	No PMC	81060	40530	5583
COD	Sud_Kivu	5797869	PMC co-delivery with EPI only	75557	37778	5185
COD	Sud_Ubangi	2684843	No PMC	144824	72412	6325
COD	Sud_Ubangi	2684843	PMC co-delivery with EPI only	136397	68198	5852
COD	Tanganyika	4921947	No PMC	306966	153483	12941
COD	Tanganyika	4921947	PMC co-delivery with EPI only	292819	146410	12134
COD	Tshopo	3160094	No PMC	311005	155502	9843
COD	Tshopo	3160094	PMC co-delivery with EPI only	297311	148656	9219
COD	Tshuapa	1465118	No PMC	61634	30817	3087
COD	Tshuapa	1465118	PMC co-delivery with EPI only	58553	29276	2879

COD: Cost assumptions (page 7)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Deaths (N, 0–30mo)	Total DALYs	DALYs from clinical cases
COD	Bas_Uele	1326990	No PMC	869	7324	5917
COD	Bas_Uele	1326990	PMC co–delivery with EPI only	808	6922	5614
COD	Equateur	2127945	No PMC	1125	7680	5859
COD	Equateur	2127945	PMC co–delivery with EPI only	1056	7295	5586
COD	Haut_Katanga	9904745	No PMC	5969	45085	35424
COD	Haut_Katanga	9904745	PMC co–delivery with EPI only	5468	42202	33352
COD	Haut_Lomami	7190843	No PMC	4154	28772	22049
COD	Haut_Lomami	7190843	PMC co–delivery with EPI only	3845	27032	20808
COD	Haut_Uele	1873125	No PMC	1112	8365	6565
COD	Haut_Uele	1873125	PMC co–delivery with EPI only	1046	7956	6263
COD	Ituri	5746866	No PMC	3107	22751	17722
COD	Ituri	5746866	PMC co–delivery with EPI only	2935	21689	16938
COD	Kasai	5639221	No PMC	1378	7178	4948
COD	Kasai	5639221	PMC co–delivery with EPI only	1279	6703	4633
COD	Kasai_Central	6612929	No PMC	1960	10571	7399
COD	Kasai_Central	6612929	PMC co–delivery with EPI only	1819	9883	6939
COD	Kasai_Oriental	5380073	No PMC	812	4066	2752
COD	Kasai_Oriental	5380073	PMC co–delivery with EPI only	754	3796	2576
COD	Kinshasa	7483362	No PMC	2884	16558	11890
COD	Kinshasa	7483362	PMC co–delivery with EPI only	2598	15105	10900
COD	Kongo_Central	2713334	No PMC	1799	14474	11562
COD	Kongo_Central	2713334	PMC co–delivery with EPI only	1613	13338	10727
COD	Kwango	2053735	No PMC	1234	9091	7094
COD	Kwango	2053735	PMC co–delivery with EPI only	1116	8374	6568
COD	Kwilu	3960186	No PMC	2395	17183	13306
COD	Kwilu	3960186	PMC co–delivery with EPI only	2192	15964	12416
COD	Lomami	3729180	No PMC	1670	10845	8142
COD	Lomami	3729180	PMC co–delivery with EPI only	1567	10281	7744
COD	Lualaba	3537982	No PMC	2376	23454	19608
COD	Lualaba	3537982	PMC co–delivery with EPI only	2191	22198	18652

COD: Cost assumptions (page 8)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Deaths (N, 0–30mo)	Total DALYs	DALYs from clinical cases
COD	Mai_Ndombe	1556054	No PMC	913	6472	4994
COD	Mai_Ndombe	1556054	PMC co–delivery with EPI only	837	6014	4659
COD	Maniema	2715498	No PMC	992	6116	4510
COD	Maniema	2715498	PMC co–delivery with EPI only	959	5934	4382
COD	Mongala	2013959	No PMC	997	6624	5010
COD	Mongala	2013959	PMC co–delivery with EPI only	915	6199	4718
COD	Nord_Kivu	8758144	No PMC	2124	10595	7157
COD	Nord_Kivu	8758144	PMC co–delivery with EPI only	2017	10105	6840
COD	Nord_Ubangi	1388069	No PMC	982	8896	7306
COD	Nord_Ubangi	1388069	PMC co–delivery with EPI only	882	8208	6780
COD	Sankuru	176890	No PMC	15	67	43
COD	Sankuru	176890	PMC co–delivery with EPI only	14	63	40
COD	Sud_Kivu	5797869	No PMC	1200	6077	4134
COD	Sud_Kivu	5797869	PMC co–delivery with EPI only	1115	5658	3853
COD	Sud_Ubangi	2684843	No PMC	1360	9587	7386
COD	Sud_Ubangi	2684843	PMC co–delivery with EPI only	1258	8992	6956
COD	Tanganyika	4921947	No PMC	2782	20158	15655
COD	Tanganyika	4921947	PMC co–delivery with EPI only	2609	19157	14934
COD	Tshopo	3160094	No PMC	2116	19286	15861
COD	Tshopo	3160094	PMC co–delivery with EPI only	1982	18371	15163
COD	Tshuapa	1465118	No PMC	664	4218	3143
COD	Tshuapa	1465118	PMC co–delivery with EPI only	619	3988	2986

COD: Cost assumptions (page 9)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	DALYs from hospitalisations	DALYs from deaths	PMC cost input: Implementation cost at national level
COD	Bas_Uele	1326990	No PMC	538	869	0
COD	Bas_Uele	1326990	PMC co-delivery with EPI only	500	808	144905
COD	Equateur	2127945	No PMC	696	1125	0
COD	Equateur	2127945	PMC co-delivery with EPI only	653	1056	144905
COD	Haut_Katanga	9904745	No PMC	3692	5969	0
COD	Haut_Katanga	9904745	PMC co-delivery with EPI only	3382	5468	144905
COD	Haut_Lomami	7190843	No PMC	2569	4154	0
COD	Haut_Lomami	7190843	PMC co-delivery with EPI only	2379	3845	144905
COD	Haut_Uele	1873125	No PMC	688	1112	0
COD	Haut_Uele	1873125	PMC co-delivery with EPI only	647	1046	144905
COD	Ituri	5746866	No PMC	1922	3107	0
COD	Ituri	5746866	PMC co-delivery with EPI only	1816	2935	144905
COD	Kasai	5639221	No PMC	852	1378	0
COD	Kasai	5639221	PMC co-delivery with EPI only	791	1279	144905
COD	Kasai_Central	6612929	No PMC	1212	1960	0
COD	Kasai_Central	6612929	PMC co-delivery with EPI only	1125	1819	144905
COD	Kasai_Oriental	5380073	No PMC	502	812	0
COD	Kasai_Oriental	5380073	PMC co-delivery with EPI only	466	754	144905
COD	Kinshasa	7483362	No PMC	1784	2884	0
COD	Kinshasa	7483362	PMC co-delivery with EPI only	1607	2598	144905
COD	Kongo_Central	2713334	No PMC	1113	1799	0
COD	Kongo_Central	2713334	PMC co-delivery with EPI only	998	1613	144905
COD	Kwango	2053735	No PMC	763	1234	0
COD	Kwango	2053735	PMC co-delivery with EPI only	690	1116	144905
COD	Kwilu	3960186	No PMC	1482	2395	0
COD	Kwilu	3960186	PMC co-delivery with EPI only	1356	2192	144905
COD	Lomami	3729180	No PMC	1033	1670	0
COD	Lomami	3729180	PMC co-delivery with EPI only	970	1567	144905
COD	Lualaba	3537982	No PMC	1470	2376	0
COD	Lualaba	3537982	PMC co-delivery with EPI only	1355	2191	144905

COD: Cost assumptions (page 10)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	DALYs from hospitalisations	DALYs from deaths	PMC cost input: Implementation cost at national level
COD	Mai_Ndombe	1556054	No PMC	565	913	0
COD	Mai_Ndombe	1556054	PMC co–delivery with EPI only	518	837	144905
COD	Maniema	2715498	No PMC	614	992	0
COD	Maniema	2715498	PMC co–delivery with EPI only	593	959	144905
COD	Mongala	2013959	No PMC	617	997	0
COD	Mongala	2013959	PMC co–delivery with EPI only	566	915	144905
COD	Nord_Kivu	8758144	No PMC	1314	2124	0
COD	Nord_Kivu	8758144	PMC co–delivery with EPI only	1248	2017	144905
COD	Nord_Ubangi	1388069	No PMC	608	982	0
COD	Nord_Ubangi	1388069	PMC co–delivery with EPI only	546	882	144905
COD	Sankuru	176890	No PMC	9	15	0
COD	Sankuru	176890	PMC co–delivery with EPI only	9	14	144905
COD	Sud_Kivu	5797869	No PMC	743	1200	0
COD	Sud_Kivu	5797869	PMC co–delivery with EPI only	690	1115	144905
COD	Sud_Ubangi	2684843	No PMC	841	1360	0
COD	Sud_Ubangi	2684843	PMC co–delivery with EPI only	778	1258	144905
COD	Tanganyika	4921947	No PMC	1721	2782	0
COD	Tanganyika	4921947	PMC co–delivery with EPI only	1614	2609	144905
COD	Tshopo	3160094	No PMC	1309	2116	0
COD	Tshopo	3160094	PMC co–delivery with EPI only	1226	1982	144905
COD	Tshuapa	1465118	No PMC	411	664	0
COD	Tshuapa	1465118	PMC co–delivery with EPI only	383	619	144905

COD: Cost assumptions (page 11)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC cost input: PMC implementation cost per district	PMC cost input: PMC implementation cost per health facility	PMC cost input: Cost of PMC administration consumables per dose
COD	Bas_Uele	1326990	No PMC	0	0	0.00
COD	Bas_Uele	1326990	PMC co-delivery with EPI only	23454	124	0.05
COD	Equateur	2127945	No PMC	0	0	0.00
COD	Equateur	2127945	PMC co-delivery with EPI only	23454	124	0.05
COD	Haut_Katanga	9904745	No PMC	0	0	0.00
COD	Haut_Katanga	9904745	PMC co-delivery with EPI only	23454	124	0.05
COD	Haut_Lomami	7190843	No PMC	0	0	0.00
COD	Haut_Lomami	7190843	PMC co-delivery with EPI only	23454	124	0.05
COD	Haut_Uele	1873125	No PMC	0	0	0.00
COD	Haut_Uele	1873125	PMC co-delivery with EPI only	23454	124	0.05
COD	Ituri	5746866	No PMC	0	0	0.00
COD	Ituri	5746866	PMC co-delivery with EPI only	23454	124	0.05
COD	Kasai	5639221	No PMC	0	0	0.00
COD	Kasai	5639221	PMC co-delivery with EPI only	23454	124	0.05
COD	Kasai_Central	6612929	No PMC	0	0	0.00
COD	Kasai_Central	6612929	PMC co-delivery with EPI only	23454	124	0.05
COD	Kasai_Oriental	5380073	No PMC	0	0	0.00
COD	Kasai_Oriental	5380073	PMC co-delivery with EPI only	23454	124	0.05
COD	Kinshasa	7483362	No PMC	0	0	0.00
COD	Kinshasa	7483362	PMC co-delivery with EPI only	23454	124	0.05
COD	Kongo_Central	2713334	No PMC	0	0	0.00
COD	Kongo_Central	2713334	PMC co-delivery with EPI only	23454	124	0.05
COD	Kwango	2053735	No PMC	0	0	0.00
COD	Kwango	2053735	PMC co-delivery with EPI only	23454	124	0.05
COD	Kwilu	3960186	No PMC	0	0	0.00
COD	Kwilu	3960186	PMC co-delivery with EPI only	23454	124	0.05
COD	Lomami	3729180	No PMC	0	0	0.00
COD	Lomami	3729180	PMC co-delivery with EPI only	23454	124	0.05
COD	Lualaba	3537982	No PMC	0	0	0.00
COD	Lualaba	3537982	PMC co-delivery with EPI only	23454	124	0.05

COD: Cost assumptions (page 12)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	PMC cost input: PMC implementation cost per district	PMC cost input: PMC implementation cost per health facility	PMC cost input: Cost of PMC administration consumables per dose
COD	Mai_Ndombe	1556054	No PMC	0	0	0.00
COD	Mai_Ndombe	1556054	PMC co–delivery with EPI only	23454	124	0.05
COD	Maniema	2715498	No PMC	0	0	0.00
COD	Maniema	2715498	PMC co–delivery with EPI only	23454	124	0.05
COD	Mongala	2013959	No PMC	0	0	0.00
COD	Mongala	2013959	PMC co–delivery with EPI only	23454	124	0.05
COD	Nord_Kivu	8758144	No PMC	0	0	0.00
COD	Nord_Kivu	8758144	PMC co–delivery with EPI only	23454	124	0.05
COD	Nord_Ubangi	1388069	No PMC	0	0	0.00
COD	Nord_Ubangi	1388069	PMC co–delivery with EPI only	23454	124	0.05
COD	Sankuru	176890	No PMC	0	0	0.00
COD	Sankuru	176890	PMC co–delivery with EPI only	23454	124	0.05
COD	Sud_Kivu	5797869	No PMC	0	0	0.00
COD	Sud_Kivu	5797869	PMC co–delivery with EPI only	23454	124	0.05
COD	Sud_Ubangi	2684843	No PMC	0	0	0.00
COD	Sud_Ubangi	2684843	PMC co–delivery with EPI only	23454	124	0.05
COD	Tanganyika	4921947	No PMC	0	0	0.00
COD	Tanganyika	4921947	PMC co–delivery with EPI only	23454	124	0.05
COD	Tshopo	3160094	No PMC	0	0	0.00
COD	Tshopo	3160094	PMC co–delivery with EPI only	23454	124	0.05
COD	Tshuapa	1465118	No PMC	0	0	0.00
COD	Tshuapa	1465118	PMC co–delivery with EPI only	23454	124	0.05

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.						
Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC Cost input: Cost per SP tablet (includes wastage)	N districts in region	N health facilities in region
COD	Bas_Uele	1326990	No PMC	0.00	10	182
COD	Bas_Uele	1326990	PMC co-delivery with EPI only	0.11	10	182
COD	Equateur	2127945	No PMC	0.00	9	192
COD	Equateur	2127945	PMC co-delivery with EPI only	0.11	9	192
COD	Haut_Katanga	9904745	No PMC	0.00	9	1720
COD	Haut_Katanga	9904745	PMC co-delivery with EPI only	0.11	9	1720
COD	Haut_Lomami	7190843	No PMC	0.00	6	170
COD	Haut_Lomami	7190843	PMC co-delivery with EPI only	0.11	6	170
COD	Haut_Uele	1873125	No PMC	0.00	11	439
COD	Haut_Uele	1873125	PMC co-delivery with EPI only	0.11	11	439
COD	Ituri	5746866	No PMC	0.00	11	459
COD	Ituri	5746866	PMC co-delivery with EPI only	0.11	11	459
COD	Kasai	5639221	No PMC	0.00	8	501
COD	Kasai	5639221	PMC co-delivery with EPI only	0.11	8	501
COD	Kasai_Central	6612929	No PMC	0.00	7	283
COD	Kasai_Central	6612929	PMC co-delivery with EPI only	0.11	7	283
COD	Kasai_Oriental	5380073	No PMC	0.00	9	330
COD	Kasai_Oriental	5380073	PMC co-delivery with EPI only	0.11	9	330
COD	Kinshasa	7483362	No PMC	0.00	1	1342
COD	Kinshasa	7483362	PMC co-delivery with EPI only	0.11	1	1342
COD	Kongo_Central	2713334	No PMC	0.00	19	1610
COD	Kongo_Central	2713334	PMC co-delivery with EPI only	0.11	19	1610
COD	Kwango	2053735	No PMC	0.00	8	541
COD	Kwango	2053735	PMC co-delivery with EPI only	0.11	8	541
COD	Kwilu	3960186	No PMC	0.00	13	1595
COD	Kwilu	3960186	PMC co-delivery with EPI only	0.11	13	1595
COD	Lomami	3729180	No PMC	0.00	9	387
COD	Lomami	3729180	PMC co-delivery with EPI only	0.11	9	387
COD	Lualaba	3537982	No PMC	0.00	7	211
COD	Lualaba	3537982	PMC co-delivery with EPI only	0.11	7	211

COD: Cost assumptions (page 14)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC Cost input: Cost per SP tablet (includes wastage)	N districts in region	N health facilities in region
COD	Mai_Ndombe	1556054	No PMC	0.00	11	801
COD	Mai_Ndombe	1556054	PMC co-delivery with EPI only	0.11	11	801
COD	Maniema	2715498	No PMC	0.00	13	586
COD	Maniema	2715498	PMC co-delivery with EPI only	0.11	13	586
COD	Mongala	2013959	No PMC	0.00	5	163
COD	Mongala	2013959	PMC co-delivery with EPI only	0.11	5	163
COD	Nord_Kivu	8758144	No PMC	0.00	11	641
COD	Nord_Kivu	8758144	PMC co-delivery with EPI only	0.11	11	641
COD	Nord_Ubangi	1388069	No PMC	0.00	6	182
COD	Nord_Ubangi	1388069	PMC co-delivery with EPI only	0.11	6	182
COD	Sankuru	176890	No PMC	0.00	10	224
COD	Sankuru	176890	PMC co-delivery with EPI only	0.11	10	224
COD	Sud_Kivu	5797869	No PMC	0.00	13	889
COD	Sud_Kivu	5797869	PMC co-delivery with EPI only	0.11	13	889
COD	Sud_Ubangi	2684843	No PMC	0.00	6	121
COD	Sud_Ubangi	2684843	PMC co-delivery with EPI only	0.11	6	121
COD	Tanganyika	4921947	No PMC	0.00	10	273
COD	Tanganyika	4921947	PMC co-delivery with EPI only	0.11	10	273
COD	Tshopo	3160094	No PMC	0.00	11	621
COD	Tshopo	3160094	PMC co-delivery with EPI only	0.11	11	621
COD	Tshuapa	1465118	No PMC	0.00	7	123
COD	Tshuapa	1465118	PMC co-delivery with EPI only	0.11	7	123

COD: Cost assumptions (page 15)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N expected PMC doses delivered (age 0-1yr)	N expected PMC doses delivered (age 1-2yr)	N expected PMC doses delivered (age 2-2.5yr)
COD	Bas_Uele	1326990	No PMC	0	0	0
COD	Bas_Uele	1326990	PMC co-delivery with EPI only	161948	0	0
COD	Equateur	2127945	No PMC	0	0	0
COD	Equateur	2127945	PMC co-delivery with EPI only	267527	0	0
COD	Haut_Katanga	9904745	No PMC	0	0	0
COD	Haut_Katanga	9904745	PMC co-delivery with EPI only	1372034	0	0
COD	Haut_Lomami	7190843	No PMC	0	0	0
COD	Haut_Lomami	7190843	PMC co-delivery with EPI only	923721	0	0
COD	Haut_Uele	1873125	No PMC	0	0	0
COD	Haut_Uele	1873125	PMC co-delivery with EPI only	230053	0	0
COD	Ituri	5746866	No PMC	0	0	0
COD	Ituri	5746866	PMC co-delivery with EPI only	735057	0	0
COD	Kasai	5639221	No PMC	0	0	0
COD	Kasai	5639221	PMC co-delivery with EPI only	793758	0	0
COD	Kasai_Central	6612929	No PMC	0	0	0
COD	Kasai_Central	6612929	PMC co-delivery with EPI only	934386	0	0
COD	Kasai_Oriental	5380073	No PMC	0	0	0
COD	Kasai_Oriental	5380073	PMC co-delivery with EPI only	763800	0	0
COD	Kinshasa	7483362	No PMC	0	0	0
COD	Kinshasa	7483362	PMC co-delivery with EPI only	1279112	0	0
COD	Kongo_Central	2713334	No PMC	0	0	0
COD	Kongo_Central	2713334	PMC co-delivery with EPI only	422101	0	0
COD	Kwango	2053735	No PMC	0	0	0
COD	Kwango	2053735	PMC co-delivery with EPI only	281506	0	0
COD	Kwilu	3960186	No PMC	0	0	0
COD	Kwilu	3960186	PMC co-delivery with EPI only	558667	0	0
COD	Lomami	3729180	No PMC	0	0	0
COD	Lomami	3729180	PMC co-delivery with EPI only	462515	0	0
COD	Lualaba	3537982	No PMC	0	0	0
COD	Lualaba	3537982	PMC co-delivery with EPI only	424506	0	0

COD: Cost assumptions (page 16)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N expected PMC doses delivered (age 0–1yr)	N expected PMC doses delivered (age 1–2yr)	N expected PMC doses delivered (age 2–2.5yr)
COD	Mai_Ndombe	1556054	No PMC	0	0	0
COD	Mai_Ndombe	1556054	PMC co–delivery with EPI only	213045	0	0
COD	Maniema	2715498	No PMC	0	0	0
COD	Maniema	2715498	PMC co–delivery with EPI only	313720	0	0
COD	Mongala	2013959	No PMC	0	0	0
COD	Mongala	2013959	PMC co–delivery with EPI only	248628	0	0
COD	Nord_Kivu	8758144	No PMC	0	0	0
COD	Nord_Kivu	8758144	PMC co–delivery with EPI only	1448578	0	0
COD	Nord_Ubangi	1388069	No PMC	0	0	0
COD	Nord_Ubangi	1388069	PMC co–delivery with EPI only	173172	0	0
COD	Sankuru	176890	No PMC	0	0	0
COD	Sankuru	176890	PMC co–delivery with EPI only	19943	0	0
COD	Sud_Kivu	5797869	No PMC	0	0	0
COD	Sud_Kivu	5797869	PMC co–delivery with EPI only	883070	0	0
COD	Sud_Ubangi	2684843	No PMC	0	0	0
COD	Sud_Ubangi	2684843	PMC co–delivery with EPI only	337110	0	0
COD	Tanganyika	4921947	No PMC	0	0	0
COD	Tanganyika	4921947	PMC co–delivery with EPI only	601251	0	0
COD	Tshopo	3160094	No PMC	0	0	0
COD	Tshopo	3160094	PMC co–delivery with EPI only	393337	0	0
COD	Tshuapa	1465118	No PMC	0	0	0
COD	Tshuapa	1465118	PMC co–delivery with EPI only	179496	0	0

COD: Cost assumptions (page 17)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N total expected PMC doses delivered (age 0-2.5yr)	N SP tablets delivered	Sub-total: Cost of PMC implementation at district and HFs
COD	Bas_Uele	1326990	No PMC	0	0	0
COD	Bas_Uele	1326990	PMC co-delivery with EPI only	161948	161948	257108
COD	Equateur	2127945	No PMC	0	0	0
COD	Equateur	2127945	PMC co-delivery with EPI only	267527	267527	234894
COD	Haut_Katanga	9904745	No PMC	0	0	0
COD	Haut_Katanga	9904745	PMC co-delivery with EPI only	1372034	1372034	424366
COD	Haut_Lomami	7190843	No PMC	0	0	0
COD	Haut_Lomami	7190843	PMC co-delivery with EPI only	923721	923721	161804
COD	Haut_Uele	1873125	No PMC	0	0	0
COD	Haut_Uele	1873125	PMC co-delivery with EPI only	230053	230053	312430
COD	Ituri	5746866	No PMC	0	0	0
COD	Ituri	5746866	PMC co-delivery with EPI only	735057	735057	314910
COD	Kasai	5639221	No PMC	0	0	0
COD	Kasai	5639221	PMC co-delivery with EPI only	793758	793758	249756
COD	Kasai_Central	6612929	No PMC	0	0	0
COD	Kasai_Central	6612929	PMC co-delivery with EPI only	934386	934386	199270
COD	Kasai_Oriental	5380073	No PMC	0	0	0
COD	Kasai_Oriental	5380073	PMC co-delivery with EPI only	763800	763800	252006
COD	Kinshasa	7483362	No PMC	0	0	0
COD	Kinshasa	7483362	PMC co-delivery with EPI only	1279112	1279112	189862
COD	Kongo_Central	2713334	No PMC	0	0	0
COD	Kongo_Central	2713334	PMC co-delivery with EPI only	422101	422101	645266
COD	Kwango	2053735	No PMC	0	0	0
COD	Kwango	2053735	PMC co-delivery with EPI only	281506	281506	254716
COD	Kwilu	3960186	No PMC	0	0	0
COD	Kwilu	3960186	PMC co-delivery with EPI only	558667	558667	502682
COD	Lomami	3729180	No PMC	0	0	0
COD	Lomami	3729180	PMC co-delivery with EPI only	462515	462515	259074
COD	Lualaba	3537982	No PMC	0	0	0
COD	Lualaba	3537982	PMC co-delivery with EPI only	424506	424506	190342

COD: Cost assumptions (page 18)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N total expected PMC doses delivered (age 0-2.5yr)	N SP tablets delivered	Sub-total: Cost of PMC implementation at district and HFs
COD	Mai_Ndombe	1556054	No PMC	0	0	0
COD	Mai_Ndombe	1556054	PMC co-delivery with EPI only	213045	213045	357318
COD	Maniema	2715498	No PMC	0	0	0
COD	Maniema	2715498	PMC co-delivery with EPI only	313720	313720	377566
COD	Mongala	2013959	No PMC	0	0	0
COD	Mongala	2013959	PMC co-delivery with EPI only	248628	248628	137482
COD	Nord_Kivu	8758144	No PMC	0	0	0
COD	Nord_Kivu	8758144	PMC co-delivery with EPI only	1448578	1448578	337478
COD	Nord_Ubangi	1388069	No PMC	0	0	0
COD	Nord_Ubangi	1388069	PMC co-delivery with EPI only	173172	173172	163292
COD	Sankuru	176890	No PMC	0	0	0
COD	Sankuru	176890	PMC co-delivery with EPI only	19943	19943	262316
COD	Sud_Kivu	5797869	No PMC	0	0	0
COD	Sud_Kivu	5797869	PMC co-delivery with EPI only	883070	883070	415138
COD	Sud_Ubangi	2684843	No PMC	0	0	0
COD	Sud_Ubangi	2684843	PMC co-delivery with EPI only	337110	337110	155728
COD	Tanganyika	4921947	No PMC	0	0	0
COD	Tanganyika	4921947	PMC co-delivery with EPI only	601251	601251	268392
COD	Tshopo	3160094	No PMC	0	0	0
COD	Tshopo	3160094	PMC co-delivery with EPI only	393337	393337	334998
COD	Tshuapa	1465118	No PMC	0	0	0
COD	Tshuapa	1465118	PMC co-delivery with EPI only	179496	179496	179430

COD: Cost assumptions (page 19)						
Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.						
Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Sub-total: Cost of PMC administration (SP+consumables)	Treatment cost per clinical case	Treatment cost per hospitalisation
COD	Bas_Uele	1326990	No PMC	0	2.98	44.58
COD	Bas_Uele	1326990	PMC co-delivery with EPI only	25912	2.98	44.58
COD	Equateur	2127945	No PMC	0	2.98	44.58
COD	Equateur	2127945	PMC co-delivery with EPI only	42804	2.98	44.58
COD	Haut_Katanga	9904745	No PMC	0	2.98	44.58
COD	Haut_Katanga	9904745	PMC co-delivery with EPI only	219525	2.98	44.58
COD	Haut_Lomami	7190843	No PMC	0	2.98	44.58
COD	Haut_Lomami	7190843	PMC co-delivery with EPI only	147795	2.98	44.58
COD	Haut_Uele	1873125	No PMC	0	2.98	44.58
COD	Haut_Uele	1873125	PMC co-delivery with EPI only	36808	2.98	44.58
COD	Ituri	5746866	No PMC	0	2.98	44.58
COD	Ituri	5746866	PMC co-delivery with EPI only	117609	2.98	44.58
COD	Kasai	5639221	No PMC	0	2.98	44.58
COD	Kasai	5639221	PMC co-delivery with EPI only	127001	2.98	44.58
COD	Kasai_Central	6612929	No PMC	0	2.98	44.58
COD	Kasai_Central	6612929	PMC co-delivery with EPI only	149502	2.98	44.58
COD	Kasai_Oriental	5380073	No PMC	0	2.98	44.58
COD	Kasai_Oriental	5380073	PMC co-delivery with EPI only	122208	2.98	44.58
COD	Kinshasa	7483362	No PMC	0	2.98	44.58
COD	Kinshasa	7483362	PMC co-delivery with EPI only	204658	2.98	44.58
COD	Kongo_Central	2713334	No PMC	0	2.98	44.58
COD	Kongo_Central	2713334	PMC co-delivery with EPI only	67536	2.98	44.58
COD	Kwango	2053735	No PMC	0	2.98	44.58
COD	Kwango	2053735	PMC co-delivery with EPI only	45041	2.98	44.58
COD	Kwilu	3960186	No PMC	0	2.98	44.58
COD	Kwilu	3960186	PMC co-delivery with EPI only	89387	2.98	44.58
COD	Lomami	3729180	No PMC	0	2.98	44.58
COD	Lomami	3729180	PMC co-delivery with EPI only	74002	2.98	44.58
COD	Lualaba	3537982	No PMC	0	2.98	44.58
COD	Lualaba	3537982	PMC co-delivery with EPI only	67921	2.98	44.58

COD: Cost assumptions (page 20)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Sub–total: Cost of PMC administration (SP+consumables)	Treatment cost per clinical case	Treatment cost per hospitalisation
COD	Mai_Ndombe	1556054	No PMC	0	2.98	44.58
COD	Mai_Ndombe	1556054	PMC co–delivery with EPI only	34087	2.98	44.58
COD	Maniema	2715498	No PMC	0	2.98	44.58
COD	Maniema	2715498	PMC co–delivery with EPI only	50195	2.98	44.58
COD	Mongala	2013959	No PMC	0	2.98	44.58
COD	Mongala	2013959	PMC co–delivery with EPI only	39780	2.98	44.58
COD	Nord_Kivu	8758144	No PMC	0	2.98	44.58
COD	Nord_Kivu	8758144	PMC co–delivery with EPI only	231772	2.98	44.58
COD	Nord_Ubangi	1388069	No PMC	0	2.98	44.58
COD	Nord_Ubangi	1388069	PMC co–delivery with EPI only	27708	2.98	44.58
COD	Sankuru	176890	No PMC	0	2.98	44.58
COD	Sankuru	176890	PMC co–delivery with EPI only	3191	2.98	44.58
COD	Sud_Kivu	5797869	No PMC	0	2.98	44.58
COD	Sud_Kivu	5797869	PMC co–delivery with EPI only	141291	2.98	44.58
COD	Sud_Ubangi	2684843	No PMC	0	2.98	44.58
COD	Sud_Ubangi	2684843	PMC co–delivery with EPI only	53938	2.98	44.58
COD	Tanganyika	4921947	No PMC	0	2.98	44.58
COD	Tanganyika	4921947	PMC co–delivery with EPI only	96200	2.98	44.58
COD	Tshopo	3160094	No PMC	0	2.98	44.58
COD	Tshopo	3160094	PMC co–delivery with EPI only	62934	2.98	44.58
COD	Tshuapa	1465118	No PMC	0	2.98	44.58
COD	Tshuapa	1465118	PMC co–delivery with EPI only	28719	2.98	44.58

COD: Cost assumptions (page 21)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Treatment cost per death
COD	Bas_Uele	1326990	No PMC	44.58
COD	Bas_Uele	1326990	PMC co–delivery with EPI only	44.58
COD	Equateur	2127945	No PMC	44.58
COD	Equateur	2127945	PMC co–delivery with EPI only	44.58
COD	Haut_Katanga	9904745	No PMC	44.58
COD	Haut_Katanga	9904745	PMC co–delivery with EPI only	44.58
COD	Haut_Lomami	7190843	No PMC	44.58
COD	Haut_Lomami	7190843	PMC co–delivery with EPI only	44.58
COD	Haut_Uele	1873125	No PMC	44.58
COD	Haut_Uele	1873125	PMC co–delivery with EPI only	44.58
COD	Ituri	5746866	No PMC	44.58
COD	Ituri	5746866	PMC co–delivery with EPI only	44.58
COD	Kasai	5639221	No PMC	44.58
COD	Kasai	5639221	PMC co–delivery with EPI only	44.58
COD	Kasai_Central	6612929	No PMC	44.58
COD	Kasai_Central	6612929	PMC co–delivery with EPI only	44.58
COD	Kasai_Oriental	5380073	No PMC	44.58
COD	Kasai_Oriental	5380073	PMC co–delivery with EPI only	44.58
COD	Kinshasa	7483362	No PMC	44.58
COD	Kinshasa	7483362	PMC co–delivery with EPI only	44.58
COD	Kongo_Central	2713334	No PMC	44.58
COD	Kongo_Central	2713334	PMC co–delivery with EPI only	44.58
COD	Kwango	2053735	No PMC	44.58
COD	Kwango	2053735	PMC co–delivery with EPI only	44.58
COD	Kwilu	3960186	No PMC	44.58
COD	Kwilu	3960186	PMC co–delivery with EPI only	44.58
COD	Lomami	3729180	No PMC	44.58
COD	Lomami	3729180	PMC co–delivery with EPI only	44.58
COD	Lualaba	3537982	No PMC	44.58
COD	Lualaba	3537982	PMC co–delivery with EPI only	44.58

COD: Cost assumptions (page 22)


Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Treatment cost per death
COD	Mai_Ndombe	1556054	No PMC	44.58
COD	Mai_Ndombe	1556054	PMC co–delivery with EPI only	44.58
COD	Maniema	2715498	No PMC	44.58
COD	Maniema	2715498	PMC co–delivery with EPI only	44.58
COD	Mongala	2013959	No PMC	44.58
COD	Mongala	2013959	PMC co–delivery with EPI only	44.58
COD	Nord_Kivu	8758144	No PMC	44.58
COD	Nord_Kivu	8758144	PMC co–delivery with EPI only	44.58
COD	Nord_Ubangi	1388069	No PMC	44.58
COD	Nord_Ubangi	1388069	PMC co–delivery with EPI only	44.58
COD	Sankuru	176890	No PMC	44.58
COD	Sankuru	176890	PMC co–delivery with EPI only	44.58
COD	Sud_Kivu	5797869	No PMC	44.58
COD	Sud_Kivu	5797869	PMC co–delivery with EPI only	44.58
COD	Sud_Ubangi	2684843	No PMC	44.58
COD	Sud_Ubangi	2684843	PMC co–delivery with EPI only	44.58
COD	Tanganyika	4921947	No PMC	44.58
COD	Tanganyika	4921947	PMC co–delivery with EPI only	44.58
COD	Tshopo	3160094	No PMC	44.58
COD	Tshopo	3160094	PMC co–delivery with EPI only	44.58
COD	Tshuapa	1465118	No PMC	44.58
COD	Tshuapa	1465118	PMC co–delivery with EPI only	44.58

COD: Clinical malaria incidence


Age-specific clinical malaria cases per 1,000 children (0–30 months, with and without PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.




COD: Clinical malaria incidence (rural and urban)

Age-specific clinical malaria cases per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.




COD: Malaria hospitalisations

Age-specific new malaria hospitalisations per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.
Raw model outputs have been smoothed to reduce stochastic variation.



COD: Spatial distribution of clinical malaria without PMC


Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, no PMC).



COD: Spatial distribution of clinical malaria with PMC

Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, with PMC).


PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



COD: Spatial distribution of averted clinical malaria with PMC

Admin-1 averted clinical malaria incidence per 1,000 children aged (0–30 months, averted with PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



COD: Clinical malaria burden (page 1)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Abia	362.1	325.8	36.3
Adamawa	379.8	355.7	24.1
Akwa_Ibom	445.1	413.0	32.1
Anambra	247.1	225.2	21.9
Bauchi	474.3	457.9	16.4
Bayelsa	578.6	539.8	38.8
Benue	369.2	343.5	25.8
Borno	1287.6	1233.4	54.3
Cross_River	527.1	486.7	40.4
Delta	333.0	308.1	24.8
Ebonyi	752.8	694.8	58.1
Edo	705.8	650.6	55.2
Ekiti	1165.1	1065.5	99.7
Enugu	380.5	348.1	32.4
Federal_Capital_Territory	323.3	297.5	25.7
Gombe	448.2	431.8	16.4
Imo	260.2	239.5	20.7
Jigawa	1614.4	1517.4	96.9
Kaduna	594.6	570.2	24.4
Kano	826.2	788.8	37.3
Katsina	2178.7	2115.4	63.2
Kebbi	3879.9	3744.2	135.7
Kogi	606.9	568.5	38.5
Kwara	372.3	348.6	23.7
Lagos	123.6	111.7	11.9
Nasarawa	1022.6	952.2	70.4
Niger	1011.6	970.3	41.3
Ogun	412.8	389.4	23.4
Ondo	1074.9	992.2	82.7
Osun	718.5	679.2	39.3

COD: Clinical malaria burden (page 2)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Oyo	582.4	552.3	30.1
Plateau	786.5	733.0	53.5
Rivers	384.2	352.8	31.4
Sokoto	3696.7	3601.7	95.0
Taraba	563.2	540.4	22.8
Yobe	780.6	737.7	42.9
Zamfara	3789.7	3718.0	71.7

COD: Severe malaria burden (page 1)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Abia	24.1	21.3	2.8
Adamawa	24.7	23.0	1.8
Akwa_Ibom	26.5	24.3	2.2
Anambra	16.9	15.3	1.7
Bauchi	30.9	29.7	1.2
Bayelsa	32.2	29.7	2.5
Benue	23.2	21.5	1.7
Borno	59.7	56.8	2.9
Cross_River	29.5	26.8	2.7
Delta	21.8	19.9	1.8
Ebonyi	38.3	34.9	3.4
Edo	36.8	33.1	3.7
Ekiti	48.1	42.8	5.4
Enugu	24.7	22.4	2.3
Federal_Capital_Territory	20.4	18.8	1.7
Gombe	27.8	26.6	1.2
Imo	18.4	16.8	1.6
Jigawa	72.6	67.3	5.3
Kaduna	33.2	31.6	1.6
Kano	46.5	44.1	2.3
Katsina	84.0	81.1	2.9
Kebbi	100.5	95.2	5.4
Kogi	33.3	30.6	2.7
Kwara	22.0	20.4	1.6
Lagos	10.4	9.3	1.1
Nasarawa	43.4	39.6	3.8
Niger	43.1	40.7	2.4
Ogun	25.7	23.8	1.9
Ondo	45.6	41.0	4.6
Osun	35.3	32.8	2.5

COD: Severe malaria burden (page 2)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Oyo	30.9	28.7	2.2
Plateau	39.2	35.9	3.2
Rivers	25.4	22.7	2.6
Sokoto	103.4	99.6	3.8
Taraba	32.3	30.7	1.6
Yobe	46.1	43.2	2.9
Zamfara	102.3	99.4	2.9