

PMC Compass: Modelling Outputs for CAF


Modelling outputs from PMC Compass. Please note, results are preliminary and subject to change following further validation.

Corresponding authors: Ishana Atkinson, Catherine Pitt, Andria Mousa

10 February 2026


CAF: Ranked prioritised order to implement PMC

Order at which to implement PMC in the country based on cost-effectiveness of the PMC delivery strategy.



CAF: Incremental cost-effectiveness ratios of implementing PMC co-delivery with EPI only vs No PMC in each admin-1 unit.

Incremental cost-effectiveness ratios of implementing PMC co-delivery with EPI only vs No PMC in each admin-1 unit. All costs used to calculate these exclude national-level start up costs.



CAF: Ranked prioritisation of options (page 1)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional clinical malaria cases averted	Additional hospitalisations averted	Additional deaths averted	Additional DALYs averted
CAF	Ombella_M'Poko	PMC co-delivery with EPI only vs No PMC	1143	77	17	86
CAF	Bangui	PMC co-delivery with EPI only vs No PMC	519	32	7	37
CAF	Kemo	PMC co-delivery with EPI only vs No PMC	300	17	4	21
CAF	Ouham_Pende	PMC co-delivery with EPI only vs No PMC	392	25	5	28
CAF	Basse_Kotto	PMC co-delivery with EPI only vs No PMC	467	26	6	33
CAF	Lobaye	PMC co-delivery with EPI only vs No PMC	345	22	4	25
CAF	Nana_Grebizi	PMC co-delivery with EPI only vs No PMC	163	12	3	13
CAF	Ouaka	PMC co-delivery with EPI only vs No PMC	334	20	5	25
CAF	Mbomou	PMC co-delivery with EPI only vs No PMC	277	16	4	20
CAF	Mambere_Kadei	PMC co-delivery with EPI only vs No PMC	169	10	2	12
CAF	Ouham	PMC co-delivery with EPI only vs No PMC	225	18	3	16
CAF	Nana_Mambere	PMC co-delivery with EPI only vs No PMC	105	8	2	8
CAF	Haute_Kotto	PMC co-delivery with EPI only vs No PMC	64	5	1	6
CAF	Sangha_Mbaere	PMC co-delivery with EPI only vs No PMC	45	4	1	3
CAF	Haut_Mbomou	PMC co-delivery with EPI only vs No PMC	43	3	0	3
CAF	Bamingui_Bangoran	PMC co-delivery with EPI only vs No PMC	16	1	1	2
CAF	Vakaga	PMC co-delivery with EPI only vs No PMC	11	1	0	1

CAF: Ranked prioritisation of options (page 2)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Financial cost of SP and administration consumables	Cumulative cost of SP and administration consumables	Additional economic cost savings to public providers from reduced treatment	Cumulative economic cost savings to public providers from reduced treatment
CAF	Ombella_M'Poko	PMC co-delivery with EPI only vs No PMC	16338	16338	-5563	-5563
CAF	Bangui	PMC co-delivery with EPI only vs No PMC	0	16338	-2373	-7936
CAF	Kemo	PMC co-delivery with EPI only vs No PMC	2825	19163	-1293	-9229
CAF	Ouham_Pende	PMC co-delivery with EPI only vs No PMC	9685	28848	-1835	-11064
CAF	Basse_Kotto	PMC co-delivery with EPI only vs No PMC	5493	34341	-1991	-13055
CAF	Lobaye	PMC co-delivery with EPI only vs No PMC	5929	40270	-1613	-14668
CAF	Nana_Grebizi	PMC co-delivery with EPI only vs No PMC	2815	43085	-845	-15513
CAF	Ouaka	PMC co-delivery with EPI only vs No PMC	6218	49303	-1499	-17012
CAF	Mbomou	PMC co-delivery with EPI only vs No PMC	3689	52992	-1211	-18223
CAF	Mambere_Kadei	PMC co-delivery with EPI only vs No PMC	3325	56317	-752	-18975
CAF	Ouham	PMC co-delivery with EPI only vs No PMC	8426	64743	-1242	-20217
CAF	Nana_Mambere	PMC co-delivery with EPI only vs No PMC	2055	66798	-558	-20775
CAF	Haute_Kotto	PMC co-delivery with EPI only vs No PMC	1941	68739	-347	-21122
CAF	Sangha_Mbaere	PMC co-delivery with EPI only vs No PMC	951	69690	-271	-21393
CAF	Haut_Mbomou	PMC co-delivery with EPI only vs No PMC	1246	70936	-213	-21606
CAF	Bamingui_Bangoran	PMC co-delivery with EPI only vs No PMC	930	71866	-74	-21680
CAF	Vakaga	PMC co-delivery with EPI only vs No PMC	0	71866	-69	-21749

CAF: Ranked prioritisation of options (page 3)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional net economic costs of PMC implementation and treatment	Cumulative net costs of PMC implementation and treatment	Incremental economic cost per DALY averted vs. next higher option in ranking	Cost-effective? (lower country-specific threshold)
CAF	Ombella_M'Poko	PMC co-delivery with EPI only vs No PMC	246252	246252	2863	no
CAF	Bangui	PMC co-delivery with EPI only vs No PMC	22228	268480	601	no
CAF	Kemo	PMC co-delivery with EPI only vs No PMC	52197	320677	2486	no
CAF	Ouham_Pende	PMC co-delivery with EPI only vs No PMC	78626	399303	2808	no
CAF	Basse_Kotto	PMC co-delivery with EPI only vs No PMC	97844	497147	2965	no
CAF	Lobaye	PMC co-delivery with EPI only vs No PMC	76266	573413	3051	no
CAF	Nana_Grebizi	PMC co-delivery with EPI only vs No PMC	52639	626052	4049	no
CAF	Ouaka	PMC co-delivery with EPI only vs No PMC	121089	747141	4844	no
CAF	Mbomou	PMC co-delivery with EPI only vs No PMC	97383	844524	4869	no
CAF	Mambere_Kadei	PMC co-delivery with EPI only vs No PMC	75337	919861	6278	no
CAF	Ouham	PMC co-delivery with EPI only vs No PMC	122864	1042725	7679	no
CAF	Nana_Mambere	PMC co-delivery with EPI only vs No PMC	74658	1117383	9332	no
CAF	Haute_Kotto	PMC co-delivery with EPI only vs No PMC	74790	1192173	12465	no
CAF	Sangha_Mbaere	PMC co-delivery with EPI only vs No PMC	51931	1244104	17310	no
CAF	Haut_Mbomou	PMC co-delivery with EPI only vs No PMC	74447	1318551	24816	no
CAF	Bamingui_Bangoran	PMC co-delivery with EPI only vs No PMC	52113	1370664	26056	no
CAF	Vakaga	PMC co-delivery with EPI only vs No PMC	51479	1422143	51479	no

CAF: Ranked prioritisation of options (page 4)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Cost-effective? (higher country-specific threshold)	Cost-effective? (\$250 / DALY averted threshold)	Population (all ages)	Expected PMC doses delivered (age 0-1yr)
CAF	Ombella_M'Poko	PMC co-delivery with EPI only vs No PMC	no	no	900243	102111
CAF	Bangui	PMC co-delivery with EPI only vs No PMC	no	no	638488	NA
CAF	Kemo	PMC co-delivery with EPI only vs No PMC	no	no	173567	17655
CAF	Ouham_Pende	PMC co-delivery with EPI only vs No PMC	no	no	636446	60530
CAF	Basse_Kotto	PMC co-delivery with EPI only vs No PMC	no	no	358862	34332
CAF	Lobaye	PMC co-delivery with EPI only vs No PMC	no	no	363550	37055
CAF	Nana_Grebizi	PMC co-delivery with EPI only vs No PMC	no	no	173447	17596
CAF	Ouaka	PMC co-delivery with EPI only vs No PMC	no	no	404986	38862
CAF	Mbomou	PMC co-delivery with EPI only vs No PMC	no	no	237448	23059
CAF	Mambere_Kadei	PMC co-delivery with EPI only vs No PMC	no	no	535060	20784
CAF	Ouham	PMC co-delivery with EPI only vs No PMC	no	no	551644	52664
CAF	Nana_Mambere	PMC co-delivery with EPI only vs No PMC	no	no	340125	12844
CAF	Haute_Kotto	PMC co-delivery with EPI only vs No PMC	no	no	132440	12129
CAF	Sangha_Mbaere	PMC co-delivery with EPI only vs No PMC	no	no	153355	5942
CAF	Haut_Mbomou	PMC co-delivery with EPI only vs No PMC	no	no	83687	7789
CAF	Bamingui_Bangoran	PMC co-delivery with EPI only vs No PMC	no	no	64505	5811
CAF	Vakaga	PMC co-delivery with EPI only vs No PMC	no	no	78776	NA

CAF: Ranked prioritisation of options (page 5)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Expected PMC doses delivered (age 1-2yr)	Expected PMC doses delivered (age 2-2.5yr)	Data source for cost modelling	ICER based on regional costs only (no national costs)
CAF	Ombella_M'Poko	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	1183
CAF	Bangui	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	601
CAF	Kemo	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	2486
CAF	Ouham_Pende	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	2808
CAF	Basse_Kotto	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	2965
CAF	Lobaye	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	3051
CAF	Nana_Grebizi	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	4049
CAF	Ouaka	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	4844
CAF	Mbomou	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	4869
CAF	Mambere_Kadei	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	6278
CAF	Ouham	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	7679
CAF	Nana_Mambere	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	9332
CAF	Haute_Kotto	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	12465
CAF	Sangha_Mbaere	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	17310
CAF	Haut_Mbomou	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	24816
CAF	Bamingui_Bangoran	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	26056
CAF	Vakaga	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	51479

CAF: Ranked prioritisation of options (page 6)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	rank
CAF	Ombella_M'Poko	PMC co-delivery with EPI only vs No PMC	1
CAF	Bangui	PMC co-delivery with EPI only vs No PMC	2
CAF	Kemo	PMC co-delivery with EPI only vs No PMC	3
CAF	Ouham_Pende	PMC co-delivery with EPI only vs No PMC	4
CAF	Basse_Kotto	PMC co-delivery with EPI only vs No PMC	5
CAF	Lobaye	PMC co-delivery with EPI only vs No PMC	6
CAF	Nana_Grebizi	PMC co-delivery with EPI only vs No PMC	7
CAF	Ouaka	PMC co-delivery with EPI only vs No PMC	8
CAF	Mbomou	PMC co-delivery with EPI only vs No PMC	9
CAF	Mambere_Kadei	PMC co-delivery with EPI only vs No PMC	10
CAF	Ouham	PMC co-delivery with EPI only vs No PMC	11
CAF	Nana_Mambere	PMC co-delivery with EPI only vs No PMC	12
CAF	Haute_Kotto	PMC co-delivery with EPI only vs No PMC	13
CAF	Sangha_Mbaere	PMC co-delivery with EPI only vs No PMC	14
CAF	Haut_Mbomou	PMC co-delivery with EPI only vs No PMC	15
CAF	Bamingui_Bangoran	PMC co-delivery with EPI only vs No PMC	16
CAF	Vakaga	PMC co-delivery with EPI only vs No PMC	17

CAF: Cost assumptions (page 1)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N doses in PMC schedule	Data source for cost modelling	Total cost of PMC implementation (excl national costs)
CAF	Bamingui_Bangoran	64505	No PMC	0	Plus Project countries	0
CAF	Bamingui_Bangoran	64505	PMC co-delivery with EPI only	4	Plus Project countries	52187
CAF	Bangui	638488	No PMC	0	Plus Project countries	0
CAF	Bangui	638488	PMC co-delivery with EPI only	4	Plus Project countries	24601
CAF	Basse_Kotto	358862	No PMC	0	Plus Project countries	0
CAF	Basse_Kotto	358862	PMC co-delivery with EPI only	4	Plus Project countries	99835
CAF	Haut_Mbomou	83687	No PMC	0	Plus Project countries	0
CAF	Haut_Mbomou	83687	PMC co-delivery with EPI only	4	Plus Project countries	74660
CAF	Haute_Kotto	132440	No PMC	0	Plus Project countries	0
CAF	Haute_Kotto	132440	PMC co-delivery with EPI only	4	Plus Project countries	75137
CAF	Kemo	173567	No PMC	0	Plus Project countries	0
CAF	Kemo	173567	PMC co-delivery with EPI only	4	Plus Project countries	53490
CAF	Lobaye	363550	No PMC	0	Plus Project countries	0
CAF	Lobaye	363550	PMC co-delivery with EPI only	4	Plus Project countries	77879
CAF	Mambere_Kadei	535060	No PMC	0	Plus Project countries	0
CAF	Mambere_Kadei	535060	PMC co-delivery with EPI only	2	Plus Project countries	76089
CAF	Mbomou	237448	No PMC	0	Plus Project countries	0
CAF	Mbomou	237448	PMC co-delivery with EPI only	4	Plus Project countries	98594
CAF	Nana_Grebizi	173447	No PMC	0	Plus Project countries	0
CAF	Nana_Grebizi	173447	PMC co-delivery with EPI only	4	Plus Project countries	53484
CAF	Nana_Mambere	340125	No PMC	0	Plus Project countries	0
CAF	Nana_Mambere	340125	PMC co-delivery with EPI only	2	Plus Project countries	75216
CAF	Ombella_M'Poko	900243	No PMC	0	Plus Project countries	0
CAF	Ombella_M'Poko	900243	PMC co-delivery with EPI only	4	Plus Project countries	107290
CAF	Ouaka	404986	No PMC	0	Plus Project countries	0
CAF	Ouaka	404986	PMC co-delivery with EPI only	4	Plus Project countries	122588
CAF	Ouham	551644	No PMC	0	Plus Project countries	0
CAF	Ouham	551644	PMC co-delivery with EPI only	4	Plus Project countries	124106
CAF	Ouham_Pende	636446	No PMC	0	Plus Project countries	0
CAF	Ouham_Pende	636446	PMC co-delivery with EPI only	4	Plus Project countries	80461

CAF: Cost assumptions (page 2)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N doses in PMC schedule	Data source for cost modelling	Total cost of PMC implementation (excl national costs)
CAF	Sangha_Mbaere	153355	No PMC	0	Plus Project countries	0
CAF	Sangha_Mbaere	153355	PMC co–delivery with EPI only	2	Plus Project countries	52202
CAF	Vakaga	78776	No PMC	0	Plus Project countries	0
CAF	Vakaga	78776	PMC co–delivery with EPI only	4	Plus Project countries	51548

CAF: Cost assumptions (page 3)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Sub-total: Cost of treatment	Total cost of PMC implementation + treatment (excluding national costs)	Total cost of PMC implementation + treatment (including full national costs for every region)
CAF	Bamingui_Bangoran	64505	No PMC	1811	1811	1811
CAF	Bamingui_Bangoran	64505	PMC co-delivery with EPI only	1737	53924	198449
CAF	Bangui	638488	No PMC	50070	50070	50070
CAF	Bangui	638488	PMC co-delivery with EPI only	47697	72298	216823
CAF	Basse_Kotto	358862	No PMC	44284	44284	44284
CAF	Basse_Kotto	358862	PMC co-delivery with EPI only	42293	142128	286653
CAF	Haut_Mbomou	83687	No PMC	5177	5177	5177
CAF	Haut_Mbomou	83687	PMC co-delivery with EPI only	4964	79624	224149
CAF	Haute_Kotto	132440	No PMC	6933	6933	6933
CAF	Haute_Kotto	132440	PMC co-delivery with EPI only	6586	81723	226248
CAF	Kemo	173567	No PMC	24501	24501	24501
CAF	Kemo	173567	PMC co-delivery with EPI only	23208	76698	221223
CAF	Lobaye	363550	No PMC	33747	33747	33747
CAF	Lobaye	363550	PMC co-delivery with EPI only	32134	110013	254538
CAF	Mambere_Kadei	535060	No PMC	56710	56710	56710
CAF	Mambere_Kadei	535060	PMC co-delivery with EPI only	55958	132047	276572
CAF	Mbomou	237448	No PMC	27541	27541	27541
CAF	Mbomou	237448	PMC co-delivery with EPI only	26330	124924	269449
CAF	Nana_Grebizi	173447	No PMC	15458	15458	15458
CAF	Nana_Grebizi	173447	PMC co-delivery with EPI only	14613	68097	212622
CAF	Nana_Mambere	340125	No PMC	36685	36685	36685
CAF	Nana_Mambere	340125	PMC co-delivery with EPI only	36127	111343	255868
CAF	Ombella_M'Poko	900243	No PMC	94938	94938	94938
CAF	Ombella_M'Poko	900243	PMC co-delivery with EPI only	89375	196665	341190
CAF	Ouaka	404986	No PMC	34216	34216	34216
CAF	Ouaka	404986	PMC co-delivery with EPI only	32717	155305	299830
CAF	Ouham	551644	No PMC	23719	23719	23719
CAF	Ouham	551644	PMC co-delivery with EPI only	22477	146583	291108
CAF	Ouham_Pende	636446	No PMC	38833	38833	38833
CAF	Ouham_Pende	636446	PMC co-delivery with EPI only	36998	117459	261984

CAF: Cost assumptions (page 4)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Sub–total: Cost of treatment	Total cost of PMC implementation + treatment (excluding national costs)	Total cost of PMC implementation + treatment (including full national costs for every region)
CAF	Sangha_Mbaere	153355	No PMC	15955	15955	15955
CAF	Sangha_Mbaere	153355	PMC co–delivery with EPI only	15684	67886	212411
CAF	Vakaga	78776	No PMC	1352	1352	1352
CAF	Vakaga	78776	PMC co–delivery with EPI only	1283	52831	197356

CAF: Cost assumptions (page 5)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Clinical cases (N, 0-30mo)	Clinical cases for whom care sought	Hospitalisations (N, 0-30mo)
CAF	Bamingui_Bangoran	64505	No PMC	336	168	26
CAF	Bamingui_Bangoran	64505	PMC co-delivery with EPI only	320	160	25
CAF	Bangui	638488	No PMC	11200	5600	669
CAF	Bangui	638488	PMC co-delivery with EPI only	10681	5340	637
CAF	Basse_Kotto	358862	No PMC	11540	5770	549
CAF	Basse_Kotto	358862	PMC co-delivery with EPI only	11073	5536	523
CAF	Haut_Mbomou	83687	No PMC	1089	544	71
CAF	Haut_Mbomou	83687	PMC co-delivery with EPI only	1046	523	68
CAF	Haute_Kotto	132440	No PMC	1422	711	96
CAF	Haute_Kotto	132440	PMC co-delivery with EPI only	1358	679	91
CAF	Kemo	173567	No PMC	6452	3226	302
CAF	Kemo	173567	PMC co-delivery with EPI only	6152	3076	285
CAF	Lobaye	363550	No PMC	7661	3830	448
CAF	Lobaye	363550	PMC co-delivery with EPI only	7316	3658	426
CAF	Mambere_Kadei	535060	No PMC	13171	6586	745
CAF	Mambere_Kadei	535060	PMC co-delivery with EPI only	13002	6501	735
CAF	Mbomou	237448	No PMC	6963	3482	347
CAF	Mbomou	237448	PMC co-delivery with EPI only	6686	3343	331
CAF	Nana_Grebizi	173447	No PMC	3441	1720	207
CAF	Nana_Grebizi	173447	PMC co-delivery with EPI only	3278	1639	195
CAF	Nana_Mambere	340125	No PMC	8480	4240	483
CAF	Nana_Mambere	340125	PMC co-delivery with EPI only	8375	4188	475
CAF	Ombella_M'Poko	900243	No PMC	22673	11336	1231
CAF	Ombella_M'Poko	900243	PMC co-delivery with EPI only	21530	10765	1154
CAF	Ouaka	404986	No PMC	7927	3964	450
CAF	Ouaka	404986	PMC co-delivery with EPI only	7593	3796	430
CAF	Ouham	551644	No PMC	4728	2364	332
CAF	Ouham	551644	PMC co-delivery with EPI only	4503	2252	314
CAF	Ouham_Pende	636446	No PMC	7992	3996	537
CAF	Ouham_Pende	636446	PMC co-delivery with EPI only	7600	3800	512

CAF: Cost assumptions (page 6)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Clinical cases (N, 0–30mo)	Clinical cases for whom care sought	Hospitalisations (N, 0–30mo)
CAF	Sangha_Mbaere	153355	No PMC	3843	1922	206
CAF	Sangha_Mbaere	153355	PMC co–delivery with EPI only	3798	1899	202
CAF	Vakaga	78776	No PMC	227	114	20
CAF	Vakaga	78776	PMC co–delivery with EPI only	216	108	19

CAF: Cost assumptions (page 7)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Deaths (N, 0–30mo)	Total DALYs	DALYs from clinical cases
CAF	Bamingui_Bangoran	64505	No PMC	6	26	17
CAF	Bamingui_Bangoran	64505	PMC co–delivery with EPI only	5	24	16
CAF	Bangui	638488	No PMC	144	804	571
CAF	Bangui	638488	PMC co–delivery with EPI only	137	767	545
CAF	Basse_Kotto	358862	No PMC	118	780	589
CAF	Basse_Kotto	358862	PMC co–delivery with EPI only	112	747	565
CAF	Haut_Mbomou	83687	No PMC	15	80	56
CAF	Haut_Mbomou	83687	PMC co–delivery with EPI only	15	77	53
CAF	Haute_Kotto	132440	No PMC	21	107	73
CAF	Haute_Kotto	132440	PMC co–delivery with EPI only	20	101	69
CAF	Kemo	173567	No PMC	65	434	329
CAF	Kemo	173567	PMC co–delivery with EPI only	61	413	314
CAF	Lobaye	363550	No PMC	96	547	391
CAF	Lobaye	363550	PMC co–delivery with EPI only	92	522	373
CAF	Mambere_Kadei	535060	No PMC	160	931	672
CAF	Mambere_Kadei	535060	PMC co–delivery with EPI only	158	919	663
CAF	Mbomou	237448	No PMC	75	476	355
CAF	Mbomou	237448	PMC co–delivery with EPI only	71	456	341
CAF	Nana_Grebizi	173447	No PMC	45	248	175
CAF	Nana_Grebizi	173447	PMC co–delivery with EPI only	42	235	167
CAF	Nana_Mambere	340125	No PMC	104	600	432
CAF	Nana_Mambere	340125	PMC co–delivery with EPI only	102	592	427
CAF	Ombella_M'Poko	900243	No PMC	265	1585	1156
CAF	Ombella_M'Poko	900243	PMC co–delivery with EPI only	248	1499	1098
CAF	Ouaka	404986	No PMC	97	561	404
CAF	Ouaka	404986	PMC co–delivery with EPI only	92	536	387
CAF	Ouham	551644	No PMC	71	356	241
CAF	Ouham	551644	PMC co–delivery with EPI only	68	340	230
CAF	Ouham_Pende	636446	No PMC	115	594	408
CAF	Ouham_Pende	636446	PMC co–delivery with EPI only	110	566	388

CAF: Cost assumptions (page 8)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Deaths (N, 0–30mo)	Total DALYs	DALYs from clinical cases
CAF	Sangha_Mbaere	153355	No PMC	44	267	196
CAF	Sangha_Mbaere	153355	PMC co–delivery with EPI only	43	264	194
CAF	Vakaga	78776	No PMC	4	19	12
CAF	Vakaga	78776	PMC co–delivery with EPI only	4	18	11

CAF: Cost assumptions (page 9)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	DALYs from hospitalisations	DALYs from deaths	PMC cost input: Implementation cost at national level
CAF	Bamingui_Bangoran	64505	No PMC	3	6	0
CAF	Bamingui_Bangoran	64505	PMC co-delivery with EPI only	3	5	144525
CAF	Bangui	638488	No PMC	89	144	0
CAF	Bangui	638488	PMC co-delivery with EPI only	85	137	144525
CAF	Basse_Kotto	358862	No PMC	73	118	0
CAF	Basse_Kotto	358862	PMC co-delivery with EPI only	70	112	144525
CAF	Haut_Mbomou	83687	No PMC	9	15	0
CAF	Haut_Mbomou	83687	PMC co-delivery with EPI only	9	15	144525
CAF	Haute_Kotto	132440	No PMC	13	21	0
CAF	Haute_Kotto	132440	PMC co-delivery with EPI only	12	20	144525
CAF	Kemo	173567	No PMC	40	65	0
CAF	Kemo	173567	PMC co-delivery with EPI only	38	61	144525
CAF	Lobaye	363550	No PMC	60	96	0
CAF	Lobaye	363550	PMC co-delivery with EPI only	57	92	144525
CAF	Mambere_Kadei	535060	No PMC	99	160	0
CAF	Mambere_Kadei	535060	PMC co-delivery with EPI only	98	158	144525
CAF	Mbomou	237448	No PMC	46	75	0
CAF	Mbomou	237448	PMC co-delivery with EPI only	44	71	144525
CAF	Nana_Grebizi	173447	No PMC	28	45	0
CAF	Nana_Grebizi	173447	PMC co-delivery with EPI only	26	42	144525
CAF	Nana_Mambere	340125	No PMC	64	104	0
CAF	Nana_Mambere	340125	PMC co-delivery with EPI only	63	102	144525
CAF	Ombella_M'Poko	900243	No PMC	164	265	0
CAF	Ombella_M'Poko	900243	PMC co-delivery with EPI only	153	248	144525
CAF	Ouaka	404986	No PMC	60	97	0
CAF	Ouaka	404986	PMC co-delivery with EPI only	57	92	144525
CAF	Ouham	551644	No PMC	44	71	0
CAF	Ouham	551644	PMC co-delivery with EPI only	42	68	144525
CAF	Ouham_Pende	636446	No PMC	71	115	0
CAF	Ouham_Pende	636446	PMC co-delivery with EPI only	68	110	144525

CAF: Cost assumptions (page 10)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	DALYs from hospitalisations	DALYs from deaths	PMC cost input: Implementation cost at national level
CAF	Sangha_Mbaere	153355	No PMC	27	44	0
CAF	Sangha_Mbaere	153355	PMC co–delivery with EPI only	27	43	144525
CAF	Vakaga	78776	No PMC	3	4	0
CAF	Vakaga	78776	PMC co–delivery with EPI only	3	4	144525

CAF: Cost assumptions (page 11)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC cost input: PMC implementation cost per district	PMC cost input: PMC implementation cost per health facility	PMC cost input: Cost of PMC administration consumables per dose
CAF	Bamingui_Bangoran	64505	No PMC	0	0	0.00
CAF	Bamingui_Bangoran	64505	PMC co-delivery with EPI only	22255	102	0.05
CAF	Bangui	638488	No PMC	0	0	0.00
CAF	Bangui	638488	PMC co-delivery with EPI only	22255	102	0.05
CAF	Basse_Kotto	358862	No PMC	0	0	0.00
CAF	Basse_Kotto	358862	PMC co-delivery with EPI only	22255	102	0.05
CAF	Haut_Mbomou	83687	No PMC	0	0	0.00
CAF	Haut_Mbomou	83687	PMC co-delivery with EPI only	22255	102	0.05
CAF	Haute_Kotto	132440	No PMC	0	0	0.00
CAF	Haute_Kotto	132440	PMC co-delivery with EPI only	22255	102	0.05
CAF	Kemo	173567	No PMC	0	0	0.00
CAF	Kemo	173567	PMC co-delivery with EPI only	22255	102	0.05
CAF	Lobaye	363550	No PMC	0	0	0.00
CAF	Lobaye	363550	PMC co-delivery with EPI only	22255	102	0.05
CAF	Mambere_Kadei	535060	No PMC	0	0	0.00
CAF	Mambere_Kadei	535060	PMC co-delivery with EPI only	22255	102	0.05
CAF	Mbomou	237448	No PMC	0	0	0.00
CAF	Mbomou	237448	PMC co-delivery with EPI only	22255	102	0.05
CAF	Nana_Grebizi	173447	No PMC	0	0	0.00
CAF	Nana_Grebizi	173447	PMC co-delivery with EPI only	22255	102	0.05
CAF	Nana_Mambere	340125	No PMC	0	0	0.00
CAF	Nana_Mambere	340125	PMC co-delivery with EPI only	22255	102	0.05
CAF	Ombella_M'Poko	900243	No PMC	0	0	0.00
CAF	Ombella_M'Poko	900243	PMC co-delivery with EPI only	22255	102	0.05
CAF	Ouaka	404986	No PMC	0	0	0.00
CAF	Ouaka	404986	PMC co-delivery with EPI only	22255	102	0.05
CAF	Ouham	551644	No PMC	0	0	0.00
CAF	Ouham	551644	PMC co-delivery with EPI only	22255	102	0.05
CAF	Ouham_Pende	636446	No PMC	0	0	0.00
CAF	Ouham_Pende	636446	PMC co-delivery with EPI only	22255	102	0.05

CAF: Cost assumptions (page 12)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	PMC cost input: PMC implementation cost per district	PMC cost input: PMC implementation cost per health facility	PMC cost input: Cost of PMC administration consumables per dose
CAF	Sangha_Mbaere	153355	No PMC	0	0	0.00
CAF	Sangha_Mbaere	153355	PMC co–delivery with EPI only	22255	102	0.05
CAF	Vakaga	78776	No PMC	0	0	0.00
CAF	Vakaga	78776	PMC co–delivery with EPI only	22255	102	0.05

CAF: Cost assumptions (page 13)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC Cost input: Cost per SP tablet (includes wastage)	N districts in region	N health facilities in region
CAF	Bamingui_Bangoran	64505	No PMC	0.00	2	69
CAF	Bamingui_Bangoran	64505	PMC co-delivery with EPI only	0.11	2	69
CAF	Bangui	638488	No PMC	0.00	1	23
CAF	Bangui	638488	PMC co-delivery with EPI only	0.11	1	23
CAF	Basse_Kotto	358862	No PMC	0.00	4	69
CAF	Basse_Kotto	358862	PMC co-delivery with EPI only	0.11	4	69
CAF	Haut_Mbomou	83687	No PMC	0.00	3	69
CAF	Haut_Mbomou	83687	PMC co-delivery with EPI only	0.11	3	69
CAF	Haute_Kotto	132440	No PMC	0.00	3	69
CAF	Haute_Kotto	132440	PMC co-delivery with EPI only	0.11	3	69
CAF	Kemo	173567	No PMC	0.00	2	69
CAF	Kemo	173567	PMC co-delivery with EPI only	0.11	2	69
CAF	Lobaye	363550	No PMC	0.00	3	69
CAF	Lobaye	363550	PMC co-delivery with EPI only	0.11	3	69
CAF	Mambere_Kadei	535060	No PMC	0.00	3	69
CAF	Mambere_Kadei	535060	PMC co-delivery with EPI only	0.11	3	69
CAF	Mbomou	237448	No PMC	0.00	4	69
CAF	Mbomou	237448	PMC co-delivery with EPI only	0.11	4	69
CAF	Nana_Grebizi	173447	No PMC	0.00	2	69
CAF	Nana_Grebizi	173447	PMC co-delivery with EPI only	0.11	2	69
CAF	Nana_Mambere	340125	No PMC	0.00	3	69
CAF	Nana_Mambere	340125	PMC co-delivery with EPI only	0.11	3	69
CAF	Ombella_M'Poko	900243	No PMC	0.00	4	69
CAF	Ombella_M'Poko	900243	PMC co-delivery with EPI only	0.11	4	69
CAF	Ouaka	404986	No PMC	0.00	5	69
CAF	Ouaka	404986	PMC co-delivery with EPI only	0.11	5	69
CAF	Ouham	551644	No PMC	0.00	5	69
CAF	Ouham	551644	PMC co-delivery with EPI only	0.11	5	69
CAF	Ouham_Pende	636446	No PMC	0.00	3	69
CAF	Ouham_Pende	636446	PMC co-delivery with EPI only	0.11	3	69

CAF: Cost assumptions (page 14)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	PMC Cost input: Cost per SP tablet (includes wastage)	N districts in region	N health facilities in region
CAF	Sangha_Mbaere	153355	No PMC	0.00	2	69
CAF	Sangha_Mbaere	153355	PMC co–delivery with EPI only	0.11	2	69
CAF	Vakaga	78776	No PMC	0.00	2	69
CAF	Vakaga	78776	PMC co–delivery with EPI only	0.11	2	69

CAF: Cost assumptions (page 15)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N expected PMC doses delivered (age 0-1yr)	N expected PMC doses delivered (age 1-2yr)	N expected PMC doses delivered (age 2-2.5yr)
CAF	Bamingui_Bangoran	64505	No PMC	0	0	0
CAF	Bamingui_Bangoran	64505	PMC co-delivery with EPI only	5811	0	0
CAF	Bangui	638488	No PMC	0	0	0
CAF	Bangui	638488	PMC co-delivery with EPI only	NA	0	0
CAF	Basse_Kotto	358862	No PMC	0	0	0
CAF	Basse_Kotto	358862	PMC co-delivery with EPI only	34332	0	0
CAF	Haut_Mbomou	83687	No PMC	0	0	0
CAF	Haut_Mbomou	83687	PMC co-delivery with EPI only	7789	0	0
CAF	Haute_Kotto	132440	No PMC	0	0	0
CAF	Haute_Kotto	132440	PMC co-delivery with EPI only	12129	0	0
CAF	Kemo	173567	No PMC	0	0	0
CAF	Kemo	173567	PMC co-delivery with EPI only	17655	0	0
CAF	Lobaye	363550	No PMC	0	0	0
CAF	Lobaye	363550	PMC co-delivery with EPI only	37055	0	0
CAF	Mambere_Kadei	535060	No PMC	0	0	0
CAF	Mambere_Kadei	535060	PMC co-delivery with EPI only	20784	0	0
CAF	Mbomou	237448	No PMC	0	0	0
CAF	Mbomou	237448	PMC co-delivery with EPI only	23059	0	0
CAF	Nana_Grebizi	173447	No PMC	0	0	0
CAF	Nana_Grebizi	173447	PMC co-delivery with EPI only	17596	0	0
CAF	Nana_Mambere	340125	No PMC	0	0	0
CAF	Nana_Mambere	340125	PMC co-delivery with EPI only	12844	0	0
CAF	Ombella_M'Poko	900243	No PMC	0	0	0
CAF	Ombella_M'Poko	900243	PMC co-delivery with EPI only	102111	0	0
CAF	Ouaka	404986	No PMC	0	0	0
CAF	Ouaka	404986	PMC co-delivery with EPI only	38862	0	0
CAF	Ouham	551644	No PMC	0	0	0
CAF	Ouham	551644	PMC co-delivery with EPI only	52664	0	0
CAF	Ouham_Pende	636446	No PMC	0	0	0
CAF	Ouham_Pende	636446	PMC co-delivery with EPI only	60530	0	0

CAF: Cost assumptions (page 16)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N expected PMC doses delivered (age 0–1yr)	N expected PMC doses delivered (age 1–2yr)	N expected PMC doses delivered (age 2–2.5yr)
CAF	Sangha_Mbaere	153355	No PMC	0	0	0
CAF	Sangha_Mbaere	153355	PMC co–delivery with EPI only	5942	0	0
CAF	Vakaga	78776	No PMC	0	0	0
CAF	Vakaga	78776	PMC co–delivery with EPI only	NA	0	0

CAF: Cost assumptions (page 17)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N total expected PMC doses delivered (age 0-2.5yr)	N SP tablets delivered	Sub-total: Cost of PMC implementation at district and HFs
CAF	Bamingui_Bangoran	64505	No PMC	0	0	0
CAF	Bamingui_Bangoran	64505	PMC co-delivery with EPI only	5811	5811	51548
CAF	Bangui	638488	No PMC	0	0	0
CAF	Bangui	638488	PMC co-delivery with EPI only	0	0	24601
CAF	Basse_Kotto	358862	No PMC	0	0	0
CAF	Basse_Kotto	358862	PMC co-delivery with EPI only	34332	34332	96058
CAF	Haut_Mbomou	83687	No PMC	0	0	0
CAF	Haut_Mbomou	83687	PMC co-delivery with EPI only	7789	7789	73803
CAF	Haute_Kotto	132440	No PMC	0	0	0
CAF	Haute_Kotto	132440	PMC co-delivery with EPI only	12129	12129	73803
CAF	Kemo	173567	No PMC	0	0	0
CAF	Kemo	173567	PMC co-delivery with EPI only	17655	17655	51548
CAF	Lobaye	363550	No PMC	0	0	0
CAF	Lobaye	363550	PMC co-delivery with EPI only	37055	37055	73803
CAF	Mambere_Kadei	535060	No PMC	0	0	0
CAF	Mambere_Kadei	535060	PMC co-delivery with EPI only	20784	20784	73803
CAF	Mbomou	237448	No PMC	0	0	0
CAF	Mbomou	237448	PMC co-delivery with EPI only	23059	23059	96058
CAF	Nana_Grebizi	173447	No PMC	0	0	0
CAF	Nana_Grebizi	173447	PMC co-delivery with EPI only	17596	17596	51548
CAF	Nana_Mambere	340125	No PMC	0	0	0
CAF	Nana_Mambere	340125	PMC co-delivery with EPI only	12844	12844	73803
CAF	Ombella_M'Poko	900243	No PMC	0	0	0
CAF	Ombella_M'Poko	900243	PMC co-delivery with EPI only	102111	102111	96058
CAF	Ouaka	404986	No PMC	0	0	0
CAF	Ouaka	404986	PMC co-delivery with EPI only	38862	38862	118313
CAF	Ouham	551644	No PMC	0	0	0
CAF	Ouham	551644	PMC co-delivery with EPI only	52664	52664	118313
CAF	Ouham_Pende	636446	No PMC	0	0	0
CAF	Ouham_Pende	636446	PMC co-delivery with EPI only	60530	60530	73803

CAF: Cost assumptions (page 18)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N total expected PMC doses delivered (age 0–2.5yr)	N SP tablets delivered	Sub–total: Cost of PMC implementation at district and HFs
CAF	Sangha_Mbaere	153355	No PMC	0	0	0
CAF	Sangha_Mbaere	153355	PMC co–delivery with EPI only	5942	5942	51548
CAF	Vakaga	78776	No PMC	0	0	0
CAF	Vakaga	78776	PMC co–delivery with EPI only	0	0	51548

CAF: Cost assumptions (page 19)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Sub-total: Cost of PMC administration (SP+consumables)	Treatment cost per clinical case	Treatment cost per hospitalisation
CAF	Bamingui_Bangoran	64505	No PMC	0	2.72	42.86
CAF	Bamingui_Bangoran	64505	PMC co-delivery with EPI only	930	2.72	42.86
CAF	Bangui	638488	No PMC	0	2.72	42.86
CAF	Bangui	638488	PMC co-delivery with EPI only	0	2.72	42.86
CAF	Basse_Kotto	358862	No PMC	0	2.72	42.86
CAF	Basse_Kotto	358862	PMC co-delivery with EPI only	5493	2.72	42.86
CAF	Haut_Mbomou	83687	No PMC	0	2.72	42.86
CAF	Haut_Mbomou	83687	PMC co-delivery with EPI only	1246	2.72	42.86
CAF	Haute_Kotto	132440	No PMC	0	2.72	42.86
CAF	Haute_Kotto	132440	PMC co-delivery with EPI only	1941	2.72	42.86
CAF	Kemo	173567	No PMC	0	2.72	42.86
CAF	Kemo	173567	PMC co-delivery with EPI only	2825	2.72	42.86
CAF	Lobaye	363550	No PMC	0	2.72	42.86
CAF	Lobaye	363550	PMC co-delivery with EPI only	5929	2.72	42.86
CAF	Mambere_Kadei	535060	No PMC	0	2.72	42.86
CAF	Mambere_Kadei	535060	PMC co-delivery with EPI only	3325	2.72	42.86
CAF	Mbomou	237448	No PMC	0	2.72	42.86
CAF	Mbomou	237448	PMC co-delivery with EPI only	3689	2.72	42.86
CAF	Nana_Grebizi	173447	No PMC	0	2.72	42.86
CAF	Nana_Grebizi	173447	PMC co-delivery with EPI only	2815	2.72	42.86
CAF	Nana_Mambere	340125	No PMC	0	2.72	42.86
CAF	Nana_Mambere	340125	PMC co-delivery with EPI only	2055	2.72	42.86
CAF	Ombella_M'Poko	900243	No PMC	0	2.72	42.86
CAF	Ombella_M'Poko	900243	PMC co-delivery with EPI only	16338	2.72	42.86
CAF	Ouaka	404986	No PMC	0	2.72	42.86
CAF	Ouaka	404986	PMC co-delivery with EPI only	6218	2.72	42.86
CAF	Ouham	551644	No PMC	0	2.72	42.86
CAF	Ouham	551644	PMC co-delivery with EPI only	8426	2.72	42.86
CAF	Ouham_Pende	636446	No PMC	0	2.72	42.86
CAF	Ouham_Pende	636446	PMC co-delivery with EPI only	9685	2.72	42.86

CAF: Cost assumptions (page 20)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Sub–total: Cost of PMC administration (SP+consumables)	Treatment cost per clinical case	Treatment cost per hospitalisation
CAF	Sangha_Mbaere	153355	No PMC	0	2.72	42.86
CAF	Sangha_Mbaere	153355	PMC co–delivery with EPI only	951	2.72	42.86
CAF	Vakaga	78776	No PMC	0	2.72	42.86
CAF	Vakaga	78776	PMC co–delivery with EPI only	0	2.72	42.86

CAF: Cost assumptions (page 21)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Treatment cost per death
CAF	Bamingui_Bangoran	64505	No PMC	42.86
CAF	Bamingui_Bangoran	64505	PMC co–delivery with EPI only	42.86
CAF	Bangui	638488	No PMC	42.86
CAF	Bangui	638488	PMC co–delivery with EPI only	42.86
CAF	Basse_Kotto	358862	No PMC	42.86
CAF	Basse_Kotto	358862	PMC co–delivery with EPI only	42.86
CAF	Haut_Mbomou	83687	No PMC	42.86
CAF	Haut_Mbomou	83687	PMC co–delivery with EPI only	42.86
CAF	Haute_Kotto	132440	No PMC	42.86
CAF	Haute_Kotto	132440	PMC co–delivery with EPI only	42.86
CAF	Kemo	173567	No PMC	42.86
CAF	Kemo	173567	PMC co–delivery with EPI only	42.86
CAF	Lobaye	363550	No PMC	42.86
CAF	Lobaye	363550	PMC co–delivery with EPI only	42.86
CAF	Mambere_Kadei	535060	No PMC	42.86
CAF	Mambere_Kadei	535060	PMC co–delivery with EPI only	42.86
CAF	Mbomou	237448	No PMC	42.86
CAF	Mbomou	237448	PMC co–delivery with EPI only	42.86
CAF	Nana_Grebizi	173447	No PMC	42.86
CAF	Nana_Grebizi	173447	PMC co–delivery with EPI only	42.86
CAF	Nana_Mambere	340125	No PMC	42.86
CAF	Nana_Mambere	340125	PMC co–delivery with EPI only	42.86
CAF	Ombella_M'Poko	900243	No PMC	42.86
CAF	Ombella_M'Poko	900243	PMC co–delivery with EPI only	42.86
CAF	Ouaka	404986	No PMC	42.86
CAF	Ouaka	404986	PMC co–delivery with EPI only	42.86
CAF	Ouham	551644	No PMC	42.86
CAF	Ouham	551644	PMC co–delivery with EPI only	42.86
CAF	Ouham_Pende	636446	No PMC	42.86
CAF	Ouham_Pende	636446	PMC co–delivery with EPI only	42.86

CAF: Cost assumptions (page 22)


Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Treatment cost per death
CAF	Sangha_Mbaere	153355	No PMC	42.86
CAF	Sangha_Mbaere	153355	PMC co–delivery with EPI only	42.86
CAF	Vakaga	78776	No PMC	42.86
CAF	Vakaga	78776	PMC co–delivery with EPI only	42.86

CAF: Clinical malaria incidence


Age-specific clinical malaria cases per 1,000 children (0–30 months, with and without PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.




CAF: Clinical malaria incidence (rural and urban)

Age-specific clinical malaria cases per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.




CAF: Malaria hospitalisations

Age-specific new malaria hospitalisations per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.
Raw model outputs have been smoothed to reduce stochastic variation.



CAF: Spatial distribution of clinical malaria without PMC


Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, no PMC).



CAF: Spatial distribution of clinical malaria with PMC

Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, with PMC).


PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



CAF: Spatial distribution of averted clinical malaria with PMC

Admin-1 averted clinical malaria incidence per 1,000 children aged (0–30 months, averted with PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



CAF: Clinical malaria burden (page 1)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Abia	362.1	325.8	36.3
Adamawa	379.8	355.7	24.1
Akwa_Ibom	445.1	413.0	32.1
Anambra	247.1	225.2	21.9
Bauchi	474.3	457.9	16.4
Bayelsa	578.6	539.8	38.8
Benue	369.2	343.5	25.8
Borno	1287.6	1233.4	54.3
Cross_River	527.1	486.7	40.4
Delta	333.0	308.1	24.8
Ebonyi	752.8	694.8	58.1
Edo	705.8	650.6	55.2
Ekiti	1165.1	1065.5	99.7
Enugu	380.5	348.1	32.4
Federal_Capital_Territory	323.3	297.5	25.7
Gombe	448.2	431.8	16.4
Imo	260.2	239.5	20.7
Jigawa	1614.4	1517.4	96.9
Kaduna	594.6	570.2	24.4
Kano	826.2	788.8	37.3
Katsina	2178.7	2115.4	63.2
Kebbi	3879.9	3744.2	135.7
Kogi	606.9	568.5	38.5
Kwara	372.3	348.6	23.7
Lagos	123.6	111.7	11.9
Nasarawa	1022.6	952.2	70.4
Niger	1011.6	970.3	41.3
Ogun	412.8	389.4	23.4
Ondo	1074.9	992.2	82.7
Osun	718.5	679.2	39.3

CAF: Clinical malaria burden (page 2)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Oyo	582.4	552.3	30.1
Plateau	786.5	733.0	53.5
Rivers	384.2	352.8	31.4
Sokoto	3696.7	3601.7	95.0
Taraba	563.2	540.4	22.8
Yobe	780.6	737.7	42.9
Zamfara	3789.7	3718.0	71.7

CAF: Severe malaria burden (page 1)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Abia	24.1	21.3	2.8
Adamawa	24.7	23.0	1.8
Akwa_Ibom	26.5	24.3	2.2
Anambra	16.9	15.3	1.7
Bauchi	30.9	29.7	1.2
Bayelsa	32.2	29.7	2.5
Benue	23.2	21.5	1.7
Borno	59.7	56.8	2.9
Cross_River	29.5	26.8	2.7
Delta	21.8	19.9	1.8
Ebonyi	38.3	34.9	3.4
Edo	36.8	33.1	3.7
Ekiti	48.1	42.8	5.4
Enugu	24.7	22.4	2.3
Federal_Capital_Territory	20.4	18.8	1.7
Gombe	27.8	26.6	1.2
Imo	18.4	16.8	1.6
Jigawa	72.6	67.3	5.3
Kaduna	33.2	31.6	1.6
Kano	46.5	44.1	2.3
Katsina	84.0	81.1	2.9
Kebbi	100.5	95.2	5.4
Kogi	33.3	30.6	2.7
Kwara	22.0	20.4	1.6
Lagos	10.4	9.3	1.1
Nasarawa	43.4	39.6	3.8
Niger	43.1	40.7	2.4
Ogun	25.7	23.8	1.9
Ondo	45.6	41.0	4.6
Osun	35.3	32.8	2.5

CAF: Severe malaria burden (page 2)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Oyo	30.9	28.7	2.2
Plateau	39.2	35.9	3.2
Rivers	25.4	22.7	2.6
Sokoto	103.4	99.6	3.8
Taraba	32.3	30.7	1.6
Yobe	46.1	43.2	2.9
Zamfara	102.3	99.4	2.9