

PMC Compass: Modelling Outputs for AGO


Modelling outputs from PMC Compass. Please note, results are preliminary and subject to change following further validation.

Corresponding authors: Ishana Atkinson, Catherine Pitt, Andria Mousa

10 February 2026


AGO: Ranked prioritised order to implement PMC

Order at which to implement PMC in the country based on cost-effectiveness of the PMC delivery strategy.



AGO: Incremental cost-effectiveness ratios of implementing PMC co-delivery with EPI only vs No PMC in each admin-1 unit.

Incremental cost-effectiveness ratios of implementing PMC co-delivery with EPI only vs No PMC in each admin-1 unit. All costs used to calculate these exclude national-level start up costs.



AGO: Ranked prioritisation of options (page 1)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional clinical malaria cases averted	Additional hospitalisations averted	Additional deaths averted	Additional DALYs averted
AGO	Luanda	PMC co-delivery with EPI only vs No PMC	6059	540	116	497
AGO	Cabinda	PMC co-delivery with EPI only vs No PMC	1824	119	26	134
AGO	Bie	PMC co-delivery with EPI only vs No PMC	1778	103	22	126
AGO	Cuanza_Sul	PMC co-delivery with EPI only vs No PMC	3217	205	44	235
AGO	Zaire	PMC co-delivery with EPI only vs No PMC	1227	79	17	91
AGO	Huambo	PMC co-delivery with EPI only vs No PMC	1762	134	29	137
AGO	Malanje	PMC co-delivery with EPI only vs No PMC	1740	102	22	125
AGO	Lunda_Sul	PMC co-delivery with EPI only vs No PMC	386	28	6	28
AGO	Cunene	PMC co-delivery with EPI only vs No PMC	518	44	10	42
AGO	Huila	PMC co-delivery with EPI only vs No PMC	1535	120	26	120
AGO	Cuando_Cubango	PMC co-delivery with EPI only vs No PMC	648	33	7	44
AGO	Uige	PMC co-delivery with EPI only vs No PMC	1348	82	18	97
AGO	Cuanza_Norte	PMC co-delivery with EPI only vs No PMC	919	50	11	65
AGO	Lunda_Norte	PMC co-delivery with EPI only vs No PMC	495	33	8	37
AGO	Benguela	PMC co-delivery with EPI only vs No PMC	751	56	12	57
AGO	Moxico	PMC co-delivery with EPI only vs No PMC	429	28	6	32
AGO	Bengo	PMC co-delivery with EPI only vs No PMC	226	17	4	18
AGO	Namibe	PMC co-delivery with EPI only vs No PMC	149	11	2	11

AGO: Ranked prioritisation of options (page 2)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Financial cost of SP and administration consumables	Cumulative cost of SP and administration consumables	Additional economic cost savings to public providers from reduced treatment	Cumulative economic cost savings to public providers from reduced treatment
AGO	Luanda	PMC co-delivery with EPI only vs No PMC	385617	385617	-70879	-70879
AGO	Cabinda	PMC co-delivery with EPI only vs No PMC	26279	411896	-17666	-88545
AGO	Bie	PMC co-delivery with EPI only vs No PMC	9167	421063	-16116	-104661
AGO	Cuanza_Sul	PMC co-delivery with EPI only vs No PMC	23426	444489	-30742	-135403
AGO	Zaire	PMC co-delivery with EPI only vs No PMC	13611	458100	-11800	-147203
AGO	Huambo	PMC co-delivery with EPI only vs No PMC	27393	485493	-18671	-165874
AGO	Malanje	PMC co-delivery with EPI only vs No PMC	15596	501089	-15881	-181755
AGO	Lunda_Sul	PMC co-delivery with EPI only vs No PMC	5986	507075	-3968	-185723
AGO	Cunene	PMC co-delivery with EPI only vs No PMC	22355	529430	-5877	-191600
AGO	Huila	PMC co-delivery with EPI only vs No PMC	45250	574680	-16536	-208136
AGO	Cuando_Cubango	PMC co-delivery with EPI only vs No PMC	2931	577611	-5494	-213630
AGO	Uige	PMC co-delivery with EPI only vs No PMC	11331	588942	-12555	-226185
AGO	Cuanza_Norte	PMC co-delivery with EPI only vs No PMC	5247	594189	-8057	-234242
AGO	Lunda_Norte	PMC co-delivery with EPI only vs No PMC	4725	598914	-4849	-239091
AGO	Benguela	PMC co-delivery with EPI only vs No PMC	29281	628195	-7860	-246951
AGO	Moxico	PMC co-delivery with EPI only vs No PMC	3398	631593	-4152	-251103
AGO	Bengo	PMC co-delivery with EPI only vs No PMC	7683	639276	-2371	-253474
AGO	Namibe	PMC co-delivery with EPI only vs No PMC	8100	647376	-1547	-255021

AGO: Ranked prioritisation of options (page 3)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional net economic costs of PMC implementation and treatment	Cumulative net costs of PMC implementation and treatment	Incremental economic cost per DALY averted vs. next higher option in ranking	Cost-effective? (lower country-specific threshold)
AGO	Luanda	PMC co-delivery with EPI only vs No PMC	744149	744149	1497	no
AGO	Cabinda	PMC co-delivery with EPI only vs No PMC	175606	919755	1310	no
AGO	Bie	PMC co-delivery with EPI only vs No PMC	381207	1300962	3025	no
AGO	Cuanza_Sul	PMC co-delivery with EPI only vs No PMC	735126	2036088	3128	no
AGO	Zaire	PMC co-delivery with EPI only vs No PMC	357046	2393134	3924	no
AGO	Huambo	PMC co-delivery with EPI only vs No PMC	700667	3093801	5114	no
AGO	Malanje	PMC co-delivery with EPI only vs No PMC	737153	3830954	5897	no
AGO	Lunda_Sul	PMC co-delivery with EPI only vs No PMC	170609	4001563	6093	no
AGO	Cunene	PMC co-delivery with EPI only vs No PMC	272893	4274456	6497	no
AGO	Huila	PMC co-delivery with EPI only vs No PMC	905813	5180269	7548	no
AGO	Cuando_Cubango	PMC co-delivery with EPI only vs No PMC	379621	5559890	8628	no
AGO	Uige	PMC co-delivery with EPI only vs No PMC	970599	6530489	10006	no
AGO	Cuanza_Norte	PMC co-delivery with EPI only vs No PMC	663578	7194067	10209	no
AGO	Lunda_Norte	PMC co-delivery with EPI only vs No PMC	383744	7577811	10371	no
AGO	Benguela	PMC co-delivery with EPI only vs No PMC	631705	8209516	11083	no
AGO	Moxico	PMC co-delivery with EPI only vs No PMC	380105	8589621	11878	no
AGO	Bengo	PMC co-delivery with EPI only vs No PMC	224828	8814449	12490	no
AGO	Namibe	PMC co-delivery with EPI only vs No PMC	221388	9035837	20126	no

AGO: Ranked prioritisation of options (page 4)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Cost-effective? (higher country-specific threshold)	Cost-effective? (\$250 / DALY averted threshold)	Population (all ages)	Expected PMC doses delivered (age 0-1yr)
AGO	Luanda	PMC co-delivery with EPI only vs No PMC	no	no	17695963	1932842
AGO	Cabinda	PMC co-delivery with EPI only vs No PMC	no	no	1463474	148778
AGO	Bie	PMC co-delivery with EPI only vs No PMC	no	no	1038817	53847
AGO	Cuanza_Sul	PMC co-delivery with EPI only vs No PMC	no	no	1878910	118862
AGO	Zaire	PMC co-delivery with EPI only vs No PMC	no	no	791151	75404
AGO	Huambo	PMC co-delivery with EPI only vs No PMC	no	no	1674884	150951
AGO	Malanje	PMC co-delivery with EPI only vs No PMC	no	no	951269	80113
AGO	Lunda_Sul	PMC co-delivery with EPI only vs No PMC	no	no	502980	32145
AGO	Cunene	PMC co-delivery with EPI only vs No PMC	no	no	1185524	115214
AGO	Huila	PMC co-delivery with EPI only vs No PMC	no	no	3185157	230045
AGO	Cuando_Cubango	PMC co-delivery with EPI only vs No PMC	no	no	405877	14052
AGO	Uige	PMC co-delivery with EPI only vs No PMC	no	no	904750	58955
AGO	Cuanza_Norte	PMC co-delivery with EPI only vs No PMC	no	no	344196	26605
AGO	Lunda_Norte	PMC co-delivery with EPI only vs No PMC	no	no	862618	26409
AGO	Benguela	PMC co-delivery with EPI only vs No PMC	no	no	1989619	156017
AGO	Moxico	PMC co-delivery with EPI only vs No PMC	no	no	1149573	19168
AGO	Bengo	PMC co-delivery with EPI only vs No PMC	no	no	571174	38904
AGO	Namibe	PMC co-delivery with EPI only vs No PMC	no	no	643567	42213

AGO: Ranked prioritisation of options (page 5)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Expected PMC doses delivered (age 1-2yr)	Expected PMC doses delivered (age 2-2.5yr)	Data source for cost modelling	ICER based on regional costs only (no national costs)
AGO	Luanda	PMC co-delivery with EPI only vs No PMC	282823	0	Plus Project countries	1197
AGO	Cabinda	PMC co-delivery with EPI only vs No PMC	9165	0	Plus Project countries	1310
AGO	Bie	PMC co-delivery with EPI only vs No PMC	2041	0	Plus Project countries	3025
AGO	Cuanza_Sul	PMC co-delivery with EPI only vs No PMC	16324	0	Plus Project countries	3128
AGO	Zaire	PMC co-delivery with EPI only vs No PMC	5726	0	Plus Project countries	3924
AGO	Huambo	PMC co-delivery with EPI only vs No PMC	12003	0	Plus Project countries	5114
AGO	Malanje	PMC co-delivery with EPI only vs No PMC	10287	0	Plus Project countries	5897
AGO	Lunda_Sul	PMC co-delivery with EPI only vs No PMC	3122	0	Plus Project countries	6093
AGO	Cunene	PMC co-delivery with EPI only vs No PMC	14520	0	Plus Project countries	6497
AGO	Huila	PMC co-delivery with EPI only vs No PMC	31268	0	Plus Project countries	7548
AGO	Cuando_Cubango	PMC co-delivery with EPI only vs No PMC	2529	0	Plus Project countries	8628
AGO	Uige	PMC co-delivery with EPI only vs No PMC	7031	0	Plus Project countries	10006
AGO	Cuanza_Norte	PMC co-delivery with EPI only vs No PMC	3668	0	Plus Project countries	10209
AGO	Lunda_Norte	PMC co-delivery with EPI only vs No PMC	1851	0	Plus Project countries	10371
AGO	Benguela	PMC co-delivery with EPI only vs No PMC	15992	0	Plus Project countries	11083
AGO	Moxico	PMC co-delivery with EPI only vs No PMC	1227	0	Plus Project countries	11878
AGO	Bengo	PMC co-delivery with EPI only vs No PMC	5401	0	Plus Project countries	12490
AGO	Namibe	PMC co-delivery with EPI only vs No PMC	4985	0	Plus Project countries	20126

AGO: Ranked prioritisation of options (page 6)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	rank
AGO	Luanda	PMC co-delivery with EPI only vs No PMC	1
AGO	Cabinda	PMC co-delivery with EPI only vs No PMC	2
AGO	Bie	PMC co-delivery with EPI only vs No PMC	3
AGO	Cuanza_Sul	PMC co-delivery with EPI only vs No PMC	4
AGO	Zaire	PMC co-delivery with EPI only vs No PMC	5
AGO	Huambo	PMC co-delivery with EPI only vs No PMC	6
AGO	Malanje	PMC co-delivery with EPI only vs No PMC	7
AGO	Lunda_Sul	PMC co-delivery with EPI only vs No PMC	8
AGO	Cunene	PMC co-delivery with EPI only vs No PMC	9
AGO	Huila	PMC co-delivery with EPI only vs No PMC	10
AGO	Cuando_Cubango	PMC co-delivery with EPI only vs No PMC	11
AGO	Uige	PMC co-delivery with EPI only vs No PMC	12
AGO	Cuanza_Norte	PMC co-delivery with EPI only vs No PMC	13
AGO	Lunda_Norte	PMC co-delivery with EPI only vs No PMC	14
AGO	Benguela	PMC co-delivery with EPI only vs No PMC	15
AGO	Moxico	PMC co-delivery with EPI only vs No PMC	16
AGO	Bengo	PMC co-delivery with EPI only vs No PMC	17
AGO	Namibe	PMC co-delivery with EPI only vs No PMC	18

AGO: Cost assumptions (page 1)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N doses in PMC schedule	Data source for cost modelling	Total cost of PMC implementation (excl national costs)
AGO	Bengo	571174	No PMC	0	Plus Project countries	0
AGO	Bengo	571174	PMC co-delivery with EPI only	5	Plus Project countries	227199
AGO	Benguela	1989619	No PMC	0	Plus Project countries	0
AGO	Benguela	1989619	PMC co-delivery with EPI only	5	Plus Project countries	639565
AGO	Bie	1038817	No PMC	0	Plus Project countries	0
AGO	Bie	1038817	PMC co-delivery with EPI only	5	Plus Project countries	397323
AGO	Cabinda	1463474	No PMC	0	Plus Project countries	0
AGO	Cabinda	1463474	PMC co-delivery with EPI only	5	Plus Project countries	193272
AGO	Cuando_Cubango	405877	No PMC	0	Plus Project countries	0
AGO	Cuando_Cubango	405877	PMC co-delivery with EPI only	5	Plus Project countries	385115
AGO	Cuanza_Norte	344196	No PMC	0	Plus Project countries	0
AGO	Cuanza_Norte	344196	PMC co-delivery with EPI only	5	Plus Project countries	671635
AGO	Cuanza_Sul	1878910	No PMC	0	Plus Project countries	0
AGO	Cuanza_Sul	1878910	PMC co-delivery with EPI only	5	Plus Project countries	765868
AGO	Cunene	1185524	No PMC	0	Plus Project countries	0
AGO	Cunene	1185524	PMC co-delivery with EPI only	5	Plus Project countries	278770
AGO	Huambo	1674884	No PMC	0	Plus Project countries	0
AGO	Huambo	1674884	PMC co-delivery with EPI only	5	Plus Project countries	719338
AGO	Huila	3185157	No PMC	0	Plus Project countries	0
AGO	Huila	3185157	PMC co-delivery with EPI only	5	Plus Project countries	922349
AGO	Luanda	17695963	No PMC	0	Plus Project countries	0
AGO	Luanda	17695963	PMC co-delivery with EPI only	5	Plus Project countries	665785
AGO	Lunda_Norte	862618	No PMC	0	Plus Project countries	0
AGO	Lunda_Norte	862618	PMC co-delivery with EPI only	5	Plus Project countries	388593
AGO	Lunda_Sul	502980	No PMC	0	Plus Project countries	0
AGO	Lunda_Sul	502980	PMC co-delivery with EPI only	5	Plus Project countries	174577
AGO	Malanje	951269	No PMC	0	Plus Project countries	0
AGO	Malanje	951269	PMC co-delivery with EPI only	5	Plus Project countries	753034
AGO	Moxico	1149573	No PMC	0	Plus Project countries	0
AGO	Moxico	1149573	PMC co-delivery with EPI only	5	Plus Project countries	384257

AGO: Cost assumptions (page 2)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N doses in PMC schedule	Data source for cost modelling	Total cost of PMC implementation (excl national costs)
AGO	Namibe	643567	No PMC	0	Plus Project countries	0
AGO	Namibe	643567	PMC co–delivery with EPI only	5	Plus Project countries	222935
AGO	Uige	904750	No PMC	0	Plus Project countries	0
AGO	Uige	904750	PMC co–delivery with EPI only	5	Plus Project countries	983154
AGO	Zaire	791151	No PMC	0	Plus Project countries	0
AGO	Zaire	791151	PMC co–delivery with EPI only	5	Plus Project countries	368846

AGO: Cost assumptions (page 3)						
Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.						
Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Sub-total: Cost of treatment	Total cost of PMC implementation + treatment (excluding national costs)	Total cost of PMC implementation + treatment (including full national costs for every region)
AGO	Bengo	571174	No PMC	50086	50086	50086
AGO	Bengo	571174	PMC co-delivery with EPI only	47715	274914	424157
AGO	Benguela	1989619	No PMC	168297	168297	168297
AGO	Benguela	1989619	PMC co-delivery with EPI only	160437	800002	949245
AGO	Bie	1038817	No PMC	455151	455151	455151
AGO	Bie	1038817	PMC co-delivery with EPI only	439035	836358	985601
AGO	Cabinda	1463474	No PMC	256061	256061	256061
AGO	Cabinda	1463474	PMC co-delivery with EPI only	238395	431667	580910
AGO	Cuando_Cubango	405877	No PMC	169173	169173	169173
AGO	Cuando_Cubango	405877	PMC co-delivery with EPI only	163679	548794	698037
AGO	Cuanza_Norte	344196	No PMC	127994	127994	127994
AGO	Cuanza_Norte	344196	PMC co-delivery with EPI only	119937	791572	940815
AGO	Cuanza_Sul	1878910	No PMC	578289	578289	578289
AGO	Cuanza_Sul	1878910	PMC co-delivery with EPI only	547547	1313415	1462658
AGO	Cunene	1185524	No PMC	72070	72070	72070
AGO	Cunene	1185524	PMC co-delivery with EPI only	66193	344963	494206
AGO	Huambo	1674884	No PMC	253494	253494	253494
AGO	Huambo	1674884	PMC co-delivery with EPI only	234823	954161	1103404
AGO	Huila	3185157	No PMC	288370	288370	288370
AGO	Huila	3185157	PMC co-delivery with EPI only	271834	1194183	1343426
AGO	Luanda	17695963	No PMC	861587	861587	861587
AGO	Luanda	17695963	PMC co-delivery with EPI only	790708	1456493	1605736
AGO	Lunda_Norte	862618	No PMC	234798	234798	234798
AGO	Lunda_Norte	862618	PMC co-delivery with EPI only	229949	618542	767785
AGO	Lunda_Sul	502980	No PMC	83991	83991	83991
AGO	Lunda_Sul	502980	PMC co-delivery with EPI only	80023	254600	403843
AGO	Malanje	951269	No PMC	252441	252441	252441
AGO	Malanje	951269	PMC co-delivery with EPI only	236560	989594	1138837
AGO	Moxico	1149573	No PMC	352179	352179	352179
AGO	Moxico	1149573	PMC co-delivery with EPI only	348027	732284	881527

AGO: Cost assumptions (page 4)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Sub–total: Cost of treatment	Total cost of PMC implementation + treatment (excluding national costs)	Total cost of PMC implementation + treatment (including full national costs for every region)
AGO	Namibe	643567	No PMC	33056	33056	33056
AGO	Namibe	643567	PMC co–delivery with EPI only	31509	254444	403687
AGO	Uige	904750	No PMC	278897	278897	278897
AGO	Uige	904750	PMC co–delivery with EPI only	266342	1249496	1398739
AGO	Zaire	791151	No PMC	182570	182570	182570
AGO	Zaire	791151	PMC co–delivery with EPI only	170770	539616	688859

AGO: Cost assumptions (page 5)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Clinical cases (N, 0-30mo)	Clinical cases for whom care sought	Hospitalisations (N, 0-30mo)
AGO	Bengo	571174	No PMC	4777	2388	357
AGO	Bengo	571174	PMC co-delivery with EPI only	4551	2276	340
AGO	Benguela	1989619	No PMC	16061	8030	1199
AGO	Benguela	1989619	PMC co-delivery with EPI only	15310	7655	1143
AGO	Bie	1038817	No PMC	59765	29882	2432
AGO	Bie	1038817	PMC co-delivery with EPI only	57987	28994	2329
AGO	Cabinda	1463474	No PMC	27200	13600	1687
AGO	Cabinda	1463474	PMC co-delivery with EPI only	25376	12688	1568
AGO	Cuando_Cubango	405877	No PMC	21629	10814	933
AGO	Cuando_Cubango	405877	PMC co-delivery with EPI only	20981	10490	900
AGO	Cuanza_Norte	344196	No PMC	16181	8090	715
AGO	Cuanza_Norte	344196	PMC co-delivery with EPI only	15262	7631	665
AGO	Cuanza_Sul	1878910	No PMC	68196	34098	3474
AGO	Cuanza_Sul	1878910	PMC co-delivery with EPI only	64979	32490	3269
AGO	Cunene	1185524	No PMC	6826	3413	516
AGO	Cunene	1185524	PMC co-delivery with EPI only	6308	3154	472
AGO	Huambo	1674884	No PMC	26506	13253	1691
AGO	Huambo	1674884	PMC co-delivery with EPI only	24744	12372	1557
AGO	Huila	3185157	No PMC	28233	14116	2019
AGO	Huila	3185157	PMC co-delivery with EPI only	26698	13349	1899
AGO	Luanda	17695963	No PMC	73902	36951	6551
AGO	Luanda	17695963	PMC co-delivery with EPI only	67843	33922	6011
AGO	Lunda_Norte	862618	No PMC	27478	13739	1421
AGO	Lunda_Norte	862618	PMC co-delivery with EPI only	26983	13492	1388
AGO	Lunda_Sul	502980	No PMC	8789	4394	560
AGO	Lunda_Sul	502980	PMC co-delivery with EPI only	8403	4202	532
AGO	Malanje	951269	No PMC	30344	15172	1488
AGO	Malanje	951269	PMC co-delivery with EPI only	28604	14302	1386
AGO	Moxico	1149573	No PMC	41425	20712	2121
AGO	Moxico	1149573	PMC co-delivery with EPI only	40996	20498	2093

AGO: Cost assumptions (page 6)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Clinical cases (N, 0–30mo)	Clinical cases for whom care sought	Hospitalisations (N, 0–30mo)
AGO	Namibe	643567	No PMC	3104	1552	238
AGO	Namibe	643567	PMC co–delivery with EPI only	2955	1478	227
AGO	Uige	904750	No PMC	33402	16701	1650
AGO	Uige	904750	PMC co–delivery with EPI only	32054	16027	1568
AGO	Zaire	791151	No PMC	20800	10400	1133
AGO	Zaire	791151	PMC co–delivery with EPI only	19573	9786	1054

AGO: Cost assumptions (page 7)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Deaths (N, 0–30mo)	Total DALYs	DALYs from clinical cases
AGO	Bengo	571174	No PMC	77	368	244
AGO	Bengo	571174	PMC co–delivery with EPI only	73	350	232
AGO	Benguela	1989619	No PMC	258	1236	819
AGO	Benguela	1989619	PMC co–delivery with EPI only	246	1179	781
AGO	Bie	1038817	No PMC	523	3894	3048
AGO	Bie	1038817	PMC co–delivery with EPI only	501	3768	2957
AGO	Cabinda	1463474	No PMC	363	1974	1387
AGO	Cabinda	1463474	PMC co–delivery with EPI only	337	1840	1294
AGO	Cuando_Cubango	405877	No PMC	201	1428	1103
AGO	Cuando_Cubango	405877	PMC co–delivery with EPI only	194	1384	1070
AGO	Cuanza_Norte	344196	No PMC	154	1074	825
AGO	Cuanza_Norte	344196	PMC co–delivery with EPI only	143	1009	778
AGO	Cuanza_Sul	1878910	No PMC	747	4687	3478
AGO	Cuanza_Sul	1878910	PMC co–delivery with EPI only	703	4452	3314
AGO	Cunene	1185524	No PMC	111	528	348
AGO	Cunene	1185524	PMC co–delivery with EPI only	101	486	322
AGO	Huambo	1674884	No PMC	364	1941	1352
AGO	Huambo	1674884	PMC co–delivery with EPI only	335	1804	1262
AGO	Huila	3185157	No PMC	434	2143	1440
AGO	Huila	3185157	PMC co–delivery with EPI only	408	2023	1362
AGO	Luanda	17695963	No PMC	1408	6048	3769
AGO	Luanda	17695963	PMC co–delivery with EPI only	1292	5551	3460
AGO	Lunda_Norte	862618	No PMC	306	1896	1401
AGO	Lunda_Norte	862618	PMC co–delivery with EPI only	298	1859	1376
AGO	Lunda_Sul	502980	No PMC	120	642	448
AGO	Lunda_Sul	502980	PMC co–delivery with EPI only	114	614	429
AGO	Malanje	951269	No PMC	320	2066	1548
AGO	Malanje	951269	PMC co–delivery with EPI only	298	1941	1459
AGO	Moxico	1149573	No PMC	456	2851	2113
AGO	Moxico	1149573	PMC co–delivery with EPI only	450	2819	2091

AGO: Cost assumptions (page 8)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Deaths (N, 0–30mo)	Total DALYs	DALYs from clinical cases
AGO	Namibe	643567	No PMC	51	241	158
AGO	Namibe	643567	PMC co–delivery with EPI only	49	230	151
AGO	Uige	904750	No PMC	355	2278	1704
AGO	Uige	904750	PMC co–delivery with EPI only	337	2181	1635
AGO	Zaire	791151	No PMC	244	1456	1061
AGO	Zaire	791151	PMC co–delivery with EPI only	227	1365	998

AGO: Cost assumptions (page 9)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	DALYs from hospitalisations	DALYs from deaths	PMC cost input: Implementation cost at national level
AGO	Bengo	571174	No PMC	47	77	0
AGO	Bengo	571174	PMC co-delivery with EPI only	45	73	149243
AGO	Benguela	1989619	No PMC	159	258	0
AGO	Benguela	1989619	PMC co-delivery with EPI only	152	246	149243
AGO	Bie	1038817	No PMC	323	523	0
AGO	Bie	1038817	PMC co-delivery with EPI only	310	501	149243
AGO	Cabinda	1463474	No PMC	224	363	0
AGO	Cabinda	1463474	PMC co-delivery with EPI only	209	337	149243
AGO	Cuando_Cubango	405877	No PMC	124	201	0
AGO	Cuando_Cubango	405877	PMC co-delivery with EPI only	120	194	149243
AGO	Cuanza_Norte	344196	No PMC	95	154	0
AGO	Cuanza_Norte	344196	PMC co-delivery with EPI only	88	143	149243
AGO	Cuanza_Sul	1878910	No PMC	462	747	0
AGO	Cuanza_Sul	1878910	PMC co-delivery with EPI only	435	703	149243
AGO	Cunene	1185524	No PMC	69	111	0
AGO	Cunene	1185524	PMC co-delivery with EPI only	63	101	149243
AGO	Huambo	1674884	No PMC	225	364	0
AGO	Huambo	1674884	PMC co-delivery with EPI only	207	335	149243
AGO	Huila	3185157	No PMC	269	434	0
AGO	Huila	3185157	PMC co-delivery with EPI only	253	408	149243
AGO	Luanda	17695963	No PMC	871	1408	0
AGO	Luanda	17695963	PMC co-delivery with EPI only	799	1292	149243
AGO	Lunda_Norte	862618	No PMC	189	306	0
AGO	Lunda_Norte	862618	PMC co-delivery with EPI only	185	298	149243
AGO	Lunda_Sul	502980	No PMC	74	120	0
AGO	Lunda_Sul	502980	PMC co-delivery with EPI only	71	114	149243
AGO	Malanje	951269	No PMC	198	320	0
AGO	Malanje	951269	PMC co-delivery with EPI only	184	298	149243
AGO	Moxico	1149573	No PMC	282	456	0
AGO	Moxico	1149573	PMC co-delivery with EPI only	278	450	149243

AGO: Cost assumptions (page 10)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	DALYs from hospitalisations	DALYs from deaths	PMC cost input: Implementation cost at national level
AGO	Namibe	643567	No PMC	32	51	0
AGO	Namibe	643567	PMC co–delivery with EPI only	30	49	149243
AGO	Uige	904750	No PMC	219	355	0
AGO	Uige	904750	PMC co–delivery with EPI only	209	337	149243
AGO	Zaire	791151	No PMC	151	244	0
AGO	Zaire	791151	PMC co–delivery with EPI only	140	227	149243

AGO: Cost assumptions (page 11)						
Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.						
Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC cost input: PMC implementation cost per district	PMC cost input: PMC implementation cost per health facility	PMC cost input: Cost of PMC administration consumables per dose
AGO	Bengo	571174	No PMC	0	0	0.00
AGO	Bengo	571174	PMC co-delivery with EPI only	42305	1134	0.05
AGO	Benguela	1989619	No PMC	0	0	0.00
AGO	Benguela	1989619	PMC co-delivery with EPI only	42305	1134	0.05
AGO	Bie	1038817	No PMC	0	0	0.00
AGO	Bie	1038817	PMC co-delivery with EPI only	42305	1134	0.05
AGO	Cabinda	1463474	No PMC	0	0	0.00
AGO	Cabinda	1463474	PMC co-delivery with EPI only	42305	1134	0.05
AGO	Cuando_Cubango	405877	No PMC	0	0	0.00
AGO	Cuando_Cubango	405877	PMC co-delivery with EPI only	42305	1134	0.05
AGO	Cuanza_Norte	344196	No PMC	0	0	0.00
AGO	Cuanza_Norte	344196	PMC co-delivery with EPI only	42305	1134	0.05
AGO	Cuanza_Sul	1878910	No PMC	0	0	0.00
AGO	Cuanza_Sul	1878910	PMC co-delivery with EPI only	42305	1134	0.05
AGO	Cunene	1185524	No PMC	0	0	0.00
AGO	Cunene	1185524	PMC co-delivery with EPI only	42305	1134	0.05
AGO	Huambo	1674884	No PMC	0	0	0.00
AGO	Huambo	1674884	PMC co-delivery with EPI only	42305	1134	0.05
AGO	Huila	3185157	No PMC	0	0	0.00
AGO	Huila	3185157	PMC co-delivery with EPI only	42305	1134	0.05
AGO	Luanda	17695963	No PMC	0	0	0.00
AGO	Luanda	17695963	PMC co-delivery with EPI only	42305	1134	0.05
AGO	Lunda_Norte	862618	No PMC	0	0	0.00
AGO	Lunda_Norte	862618	PMC co-delivery with EPI only	42305	1134	0.05
AGO	Lunda_Sul	502980	No PMC	0	0	0.00
AGO	Lunda_Sul	502980	PMC co-delivery with EPI only	42305	1134	0.05
AGO	Malanje	951269	No PMC	0	0	0.00
AGO	Malanje	951269	PMC co-delivery with EPI only	42305	1134	0.05
AGO	Moxico	1149573	No PMC	0	0	0.00
AGO	Moxico	1149573	PMC co-delivery with EPI only	42305	1134	0.05

AGO: Cost assumptions (page 12)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	PMC cost input: PMC implementation cost per district	PMC cost input: PMC implementation cost per health facility	PMC cost input: Cost of PMC administration consumables per dose
AGO	Namibe	643567	No PMC	0	0	0.00
AGO	Namibe	643567	PMC co–delivery with EPI only	42305	1134	0.05
AGO	Uige	904750	No PMC	0	0	0.00
AGO	Uige	904750	PMC co–delivery with EPI only	42305	1134	0.05
AGO	Zaire	791151	No PMC	0	0	0.00
AGO	Zaire	791151	PMC co–delivery with EPI only	42305	1134	0.05

AGO: Cost assumptions (page 13)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC Cost input: Cost per SP tablet (includes wastage)	N districts in region	N health facilities in region
AGO	Bengo	571174	No PMC	0.00	5	9
AGO	Bengo	571174	PMC co-delivery with EPI only	0.11	5	9
AGO	Benguela	1989619	No PMC	0.00	9	210
AGO	Benguela	1989619	PMC co-delivery with EPI only	0.11	9	210
AGO	Bie	1038817	No PMC	0.00	9	9
AGO	Bie	1038817	PMC co-delivery with EPI only	0.11	9	9
AGO	Cabinda	1463474	No PMC	0.00	4	5
AGO	Cabinda	1463474	PMC co-delivery with EPI only	0.11	4	5
AGO	Cuando_Cubango	405877	No PMC	0.00	9	2
AGO	Cuando_Cubango	405877	PMC co-delivery with EPI only	0.11	9	2
AGO	Cuanza_Norte	344196	No PMC	0.00	13	104
AGO	Cuanza_Norte	344196	PMC co-delivery with EPI only	0.11	13	104
AGO	Cuanza_Sul	1878910	No PMC	0.00	12	213
AGO	Cuanza_Sul	1878910	PMC co-delivery with EPI only	0.11	12	213
AGO	Cunene	1185524	No PMC	0.00	6	8
AGO	Cunene	1185524	PMC co-delivery with EPI only	0.11	6	8
AGO	Huambo	1674884	No PMC	0.00	11	207
AGO	Huambo	1674884	PMC co-delivery with EPI only	0.11	11	207
AGO	Huila	3185157	No PMC	0.00	13	300
AGO	Huila	3185157	PMC co-delivery with EPI only	0.11	13	300
AGO	Luanda	17695963	No PMC	0.00	9	9
AGO	Luanda	17695963	PMC co-delivery with EPI only	0.11	9	9
AGO	Lunda_Norte	862618	No PMC	0.00	9	4
AGO	Lunda_Norte	862618	PMC co-delivery with EPI only	0.11	9	4
AGO	Lunda_Sul	502980	No PMC	0.00	4	1
AGO	Lunda_Sul	502980	PMC co-delivery with EPI only	0.11	4	1
AGO	Malanje	951269	No PMC	0.00	14	132
AGO	Malanje	951269	PMC co-delivery with EPI only	0.11	14	132
AGO	Moxico	1149573	No PMC	0.00	9	1
AGO	Moxico	1149573	PMC co-delivery with EPI only	0.11	9	1

AGO: Cost assumptions (page 14)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	PMC Cost input: Cost per SP tablet (includes wastage)	N districts in region	N health facilities in region
AGO	Namibe	643567	No PMC	0.00	5	5
AGO	Namibe	643567	PMC co–delivery with EPI only	0.11	5	5
AGO	Uige	904750	No PMC	0.00	16	263
AGO	Uige	904750	PMC co–delivery with EPI only	0.11	16	263
AGO	Zaire	791151	No PMC	0.00	6	93
AGO	Zaire	791151	PMC co–delivery with EPI only	0.11	6	93

AGO: Cost assumptions (page 15)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N expected PMC doses delivered (age 0-1yr)	N expected PMC doses delivered (age 1-2yr)	N expected PMC doses delivered (age 2-2.5yr)
AGO	Bengo	571174	No PMC	0	0	0
AGO	Bengo	571174	PMC co-delivery with EPI only	38904	5401	0
AGO	Benguela	1989619	No PMC	0	0	0
AGO	Benguela	1989619	PMC co-delivery with EPI only	156017	15992	0
AGO	Bie	1038817	No PMC	0	0	0
AGO	Bie	1038817	PMC co-delivery with EPI only	53847	2041	0
AGO	Cabinda	1463474	No PMC	0	0	0
AGO	Cabinda	1463474	PMC co-delivery with EPI only	148778	9165	0
AGO	Cuando_Cubango	405877	No PMC	0	0	0
AGO	Cuando_Cubango	405877	PMC co-delivery with EPI only	14052	2529	0
AGO	Cuanza_Norte	344196	No PMC	0	0	0
AGO	Cuanza_Norte	344196	PMC co-delivery with EPI only	26605	3668	0
AGO	Cuanza_Sul	1878910	No PMC	0	0	0
AGO	Cuanza_Sul	1878910	PMC co-delivery with EPI only	118862	16324	0
AGO	Cunene	1185524	No PMC	0	0	0
AGO	Cunene	1185524	PMC co-delivery with EPI only	115214	14520	0
AGO	Huambo	1674884	No PMC	0	0	0
AGO	Huambo	1674884	PMC co-delivery with EPI only	150951	12003	0
AGO	Huila	3185157	No PMC	0	0	0
AGO	Huila	3185157	PMC co-delivery with EPI only	230045	31268	0
AGO	Luanda	17695963	No PMC	0	0	0
AGO	Luanda	17695963	PMC co-delivery with EPI only	1932842	282823	0
AGO	Lunda_Norte	862618	No PMC	0	0	0
AGO	Lunda_Norte	862618	PMC co-delivery with EPI only	26409	1851	0
AGO	Lunda_Sul	502980	No PMC	0	0	0
AGO	Lunda_Sul	502980	PMC co-delivery with EPI only	32145	3122	0
AGO	Malanje	951269	No PMC	0	0	0
AGO	Malanje	951269	PMC co-delivery with EPI only	80113	10287	0
AGO	Moxico	1149573	No PMC	0	0	0
AGO	Moxico	1149573	PMC co-delivery with EPI only	19168	1227	0

AGO: Cost assumptions (page 16)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N expected PMC doses delivered (age 0–1yr)	N expected PMC doses delivered (age 1–2yr)	N expected PMC doses delivered (age 2–2.5yr)
AGO	Namibe	643567	No PMC	0	0	0
AGO	Namibe	643567	PMC co–delivery with EPI only	42213	4985	0
AGO	Uige	904750	No PMC	0	0	0
AGO	Uige	904750	PMC co–delivery with EPI only	58955	7031	0
AGO	Zaire	791151	No PMC	0	0	0
AGO	Zaire	791151	PMC co–delivery with EPI only	75404	5726	0

AGO: Cost assumptions (page 17)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N total expected PMC doses delivered (age 0-2.5yr)	N SP tablets delivered	Sub-total: Cost of PMC implementation at district and HFs
AGO	Bengo	571174	No PMC	0	0	0
AGO	Bengo	571174	PMC co-delivery with EPI only	44306	49707	221731
AGO	Benguela	1989619	No PMC	0	0	0
AGO	Benguela	1989619	PMC co-delivery with EPI only	172009	188001	618885
AGO	Bie	1038817	No PMC	0	0	0
AGO	Bie	1038817	PMC co-delivery with EPI only	55888	57929	390951
AGO	Cabinda	1463474	No PMC	0	0	0
AGO	Cabinda	1463474	PMC co-delivery with EPI only	157943	167108	174890
AGO	Cuando_Cubango	405877	No PMC	0	0	0
AGO	Cuando_Cubango	405877	PMC co-delivery with EPI only	16581	19110	383013
AGO	Cuanza_Norte	344196	No PMC	0	0	0
AGO	Cuanza_Norte	344196	PMC co-delivery with EPI only	30273	33941	667901
AGO	Cuanza_Sul	1878910	No PMC	0	0	0
AGO	Cuanza_Sul	1878910	PMC co-delivery with EPI only	135187	151511	749202
AGO	Cunene	1185524	No PMC	0	0	0
AGO	Cunene	1185524	PMC co-delivery with EPI only	129734	144254	262902
AGO	Huambo	1674884	No PMC	0	0	0
AGO	Huambo	1674884	PMC co-delivery with EPI only	162954	174957	700093
AGO	Huila	3185157	No PMC	0	0	0
AGO	Huila	3185157	PMC co-delivery with EPI only	261314	292582	890165
AGO	Luanda	17695963	No PMC	0	0	0
AGO	Luanda	17695963	PMC co-delivery with EPI only	2215665	2498488	390951
AGO	Lunda_Norte	862618	No PMC	0	0	0
AGO	Lunda_Norte	862618	PMC co-delivery with EPI only	28261	30112	385281
AGO	Lunda_Sul	502980	No PMC	0	0	0
AGO	Lunda_Sul	502980	PMC co-delivery with EPI only	35267	38389	170354
AGO	Malanje	951269	No PMC	0	0	0
AGO	Malanje	951269	PMC co-delivery with EPI only	90401	100688	741958
AGO	Moxico	1149573	No PMC	0	0	0
AGO	Moxico	1149573	PMC co-delivery with EPI only	20394	21621	381879

AGO: Cost assumptions (page 18)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N total expected PMC doses delivered (age 0–2.5yr)	N SP tablets delivered	Sub–total: Cost of PMC implementation at district and HFs
AGO	Namibe	643567	No PMC	0	0	0
AGO	Namibe	643567	PMC co–delivery with EPI only	47198	52183	217195
AGO	Uige	904750	No PMC	0	0	0
AGO	Uige	904750	PMC co–delivery with EPI only	65986	73017	975122
AGO	Zaire	791151	No PMC	0	0	0
AGO	Zaire	791151	PMC co–delivery with EPI only	81130	86856	359292

AGO: Cost assumptions (page 19)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Sub-total: Cost of PMC administration (SP+consumables)	Treatment cost per clinical case	Treatment cost per hospitalisation
AGO	Bengo	571174	No PMC	0	8.37	69.39
AGO	Bengo	571174	PMC co-delivery with EPI only	7683	8.37	69.39
AGO	Benguela	1989619	No PMC	0	8.37	69.39
AGO	Benguela	1989619	PMC co-delivery with EPI only	29281	8.37	69.39
AGO	Bie	1038817	No PMC	0	8.37	69.39
AGO	Bie	1038817	PMC co-delivery with EPI only	9167	8.37	69.39
AGO	Cabinda	1463474	No PMC	0	8.37	69.39
AGO	Cabinda	1463474	PMC co-delivery with EPI only	26279	8.37	69.39
AGO	Cuando_Cubango	405877	No PMC	0	8.37	69.39
AGO	Cuando_Cubango	405877	PMC co-delivery with EPI only	2931	8.37	69.39
AGO	Cuanza_Norte	344196	No PMC	0	8.37	69.39
AGO	Cuanza_Norte	344196	PMC co-delivery with EPI only	5247	8.37	69.39
AGO	Cuanza_Sul	1878910	No PMC	0	8.37	69.39
AGO	Cuanza_Sul	1878910	PMC co-delivery with EPI only	23426	8.37	69.39
AGO	Cunene	1185524	No PMC	0	8.37	69.39
AGO	Cunene	1185524	PMC co-delivery with EPI only	22355	8.37	69.39
AGO	Huambo	1674884	No PMC	0	8.37	69.39
AGO	Huambo	1674884	PMC co-delivery with EPI only	27393	8.37	69.39
AGO	Huila	3185157	No PMC	0	8.37	69.39
AGO	Huila	3185157	PMC co-delivery with EPI only	45250	8.37	69.39
AGO	Luanda	17695963	No PMC	0	8.37	69.39
AGO	Luanda	17695963	PMC co-delivery with EPI only	385617	8.37	69.39
AGO	Lunda_Norte	862618	No PMC	0	8.37	69.39
AGO	Lunda_Norte	862618	PMC co-delivery with EPI only	4725	8.37	69.39
AGO	Lunda_Sul	502980	No PMC	0	8.37	69.39
AGO	Lunda_Sul	502980	PMC co-delivery with EPI only	5986	8.37	69.39
AGO	Malanje	951269	No PMC	0	8.37	69.39
AGO	Malanje	951269	PMC co-delivery with EPI only	15596	8.37	69.39
AGO	Moxico	1149573	No PMC	0	8.37	69.39
AGO	Moxico	1149573	PMC co-delivery with EPI only	3398	8.37	69.39

AGO: Cost assumptions (page 20)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Sub–total: Cost of PMC administration (SP+consumables)	Treatment cost per clinical case	Treatment cost per hospitalisation
AGO	Namibe	643567	No PMC	0	8.37	69.39
AGO	Namibe	643567	PMC co–delivery with EPI only	8100	8.37	69.39
AGO	Uige	904750	No PMC	0	8.37	69.39
AGO	Uige	904750	PMC co–delivery with EPI only	11331	8.37	69.39
AGO	Zaire	791151	No PMC	0	8.37	69.39
AGO	Zaire	791151	PMC co–delivery with EPI only	13611	8.37	69.39

AGO: Cost assumptions (page 21)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Treatment cost per death
AGO	Bengo	571174	No PMC	69.39
AGO	Bengo	571174	PMC co–delivery with EPI only	69.39
AGO	Benguela	1989619	No PMC	69.39
AGO	Benguela	1989619	PMC co–delivery with EPI only	69.39
AGO	Bie	1038817	No PMC	69.39
AGO	Bie	1038817	PMC co–delivery with EPI only	69.39
AGO	Cabinda	1463474	No PMC	69.39
AGO	Cabinda	1463474	PMC co–delivery with EPI only	69.39
AGO	Cuando_Cubango	405877	No PMC	69.39
AGO	Cuando_Cubango	405877	PMC co–delivery with EPI only	69.39
AGO	Cuanza_Norte	344196	No PMC	69.39
AGO	Cuanza_Norte	344196	PMC co–delivery with EPI only	69.39
AGO	Cuanza_Sul	1878910	No PMC	69.39
AGO	Cuanza_Sul	1878910	PMC co–delivery with EPI only	69.39
AGO	Cunene	1185524	No PMC	69.39
AGO	Cunene	1185524	PMC co–delivery with EPI only	69.39
AGO	Huambo	1674884	No PMC	69.39
AGO	Huambo	1674884	PMC co–delivery with EPI only	69.39
AGO	Huila	3185157	No PMC	69.39
AGO	Huila	3185157	PMC co–delivery with EPI only	69.39
AGO	Luanda	17695963	No PMC	69.39
AGO	Luanda	17695963	PMC co–delivery with EPI only	69.39
AGO	Lunda_Norte	862618	No PMC	69.39
AGO	Lunda_Norte	862618	PMC co–delivery with EPI only	69.39
AGO	Lunda_Sul	502980	No PMC	69.39
AGO	Lunda_Sul	502980	PMC co–delivery with EPI only	69.39
AGO	Malanje	951269	No PMC	69.39
AGO	Malanje	951269	PMC co–delivery with EPI only	69.39
AGO	Moxico	1149573	No PMC	69.39
AGO	Moxico	1149573	PMC co–delivery with EPI only	69.39

AGO: Cost assumptions (page 22)


Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Treatment cost per death
AGO	Namibe	643567	No PMC	69.39
AGO	Namibe	643567	PMC co–delivery with EPI only	69.39
AGO	Uige	904750	No PMC	69.39
AGO	Uige	904750	PMC co–delivery with EPI only	69.39
AGO	Zaire	791151	No PMC	69.39
AGO	Zaire	791151	PMC co–delivery with EPI only	69.39

AGO: Clinical malaria incidence


Age-specific clinical malaria cases per 1,000 children (0–30 months, with and without PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.




AGO: Clinical malaria incidence (rural and urban)

Age-specific clinical malaria cases per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.




AGO: Malaria hospitalisations

Age-specific new malaria hospitalisations per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.
Raw model outputs have been smoothed to reduce stochastic variation.



AGO: Spatial distribution of clinical malaria without PMC


Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, no PMC).



AGO: Spatial distribution of clinical malaria with PMC

Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, with PMC).


PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



AGO: Spatial distribution of averted clinical malaria with PMC

Admin-1 averted clinical malaria incidence per 1,000 children aged (0–30 months, averted with PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



AGO: Clinical malaria burden (page 1)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Abia	362.1	325.8	36.3
Adamawa	379.8	355.7	24.1
Akwa_Ibom	445.1	413.0	32.1
Anambra	247.1	225.2	21.9
Bauchi	474.3	457.9	16.4
Bayelsa	578.6	539.8	38.8
Benue	369.2	343.5	25.8
Borno	1287.6	1233.4	54.3
Cross_River	527.1	486.7	40.4
Delta	333.0	308.1	24.8
Ebonyi	752.8	694.8	58.1
Edo	705.8	650.6	55.2
Ekiti	1165.1	1065.5	99.7
Enugu	380.5	348.1	32.4
Federal_Capital_Territory	323.3	297.5	25.7
Gombe	448.2	431.8	16.4
Imo	260.2	239.5	20.7
Jigawa	1614.4	1517.4	96.9
Kaduna	594.6	570.2	24.4
Kano	826.2	788.8	37.3
Katsina	2178.7	2115.4	63.2
Kebbi	3879.9	3744.2	135.7
Kogi	606.9	568.5	38.5
Kwara	372.3	348.6	23.7
Lagos	123.6	111.7	11.9
Nasarawa	1022.6	952.2	70.4
Niger	1011.6	970.3	41.3
Ogun	412.8	389.4	23.4
Ondo	1074.9	992.2	82.7
Osun	718.5	679.2	39.3

AGO: Clinical malaria burden (page 2)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Oyo	582.4	552.3	30.1
Plateau	786.5	733.0	53.5
Rivers	384.2	352.8	31.4
Sokoto	3696.7	3601.7	95.0
Taraba	563.2	540.4	22.8
Yobe	780.6	737.7	42.9
Zamfara	3789.7	3718.0	71.7

AGO: Severe malaria burden (page 1)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Abia	24.1	21.3	2.8
Adamawa	24.7	23.0	1.8
Akwa_Ibom	26.5	24.3	2.2
Anambra	16.9	15.3	1.7
Bauchi	30.9	29.7	1.2
Bayelsa	32.2	29.7	2.5
Benue	23.2	21.5	1.7
Borno	59.7	56.8	2.9
Cross_River	29.5	26.8	2.7
Delta	21.8	19.9	1.8
Ebonyi	38.3	34.9	3.4
Edo	36.8	33.1	3.7
Ekiti	48.1	42.8	5.4
Enugu	24.7	22.4	2.3
Federal_Capital_Territory	20.4	18.8	1.7
Gombe	27.8	26.6	1.2
Imo	18.4	16.8	1.6
Jigawa	72.6	67.3	5.3
Kaduna	33.2	31.6	1.6
Kano	46.5	44.1	2.3
Katsina	84.0	81.1	2.9
Kebbi	100.5	95.2	5.4
Kogi	33.3	30.6	2.7
Kwara	22.0	20.4	1.6
Lagos	10.4	9.3	1.1
Nasarawa	43.4	39.6	3.8
Niger	43.1	40.7	2.4
Ogun	25.7	23.8	1.9
Ondo	45.6	41.0	4.6
Osun	35.3	32.8	2.5

AGO: Severe malaria burden (page 2)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Oyo	30.9	28.7	2.2
Plateau	39.2	35.9	3.2
Rivers	25.4	22.7	2.6
Sokoto	103.4	99.6	3.8
Taraba	32.3	30.7	1.6
Yobe	46.1	43.2	2.9
Zamfara	102.3	99.4	2.9