

PMC Compass: Modelling Outputs for GIN


Modelling outputs from PMC Compass. Please note, results are preliminary and subject to change following further validation.

Corresponding authors: Ishana Atkinson, Catherine Pitt, Andria Mousa

10 February 2026


GIN: Ranked prioritised order to implement PMC

Order at which to implement PMC in the country based on cost-effectiveness of the PMC delivery strategy.



GIN: Incremental cost–effectiveness ratios of implementing PMC co–delivery with EPI only vs No PMC in each admin–1 unit.

Incremental cost–effectiveness ratios of implementing PMC co–delivery with EPI only vs No PMC in each admin–1 unit. All costs used to calculate these exclude national–level start up costs.



GIN: Ranked prioritisation of options (page 1)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional clinical malaria cases averted	Additional hospitalisations averted	Additional deaths averted	Additional DALYs averted
GIN	Conakry	PMC co-delivery with EPI only vs No PMC	3437	212	45	248
GIN	Kankan	PMC co-delivery with EPI only vs No PMC	7319	367	79	501
GIN	Faranah	PMC co-delivery with EPI only vs No PMC	4139	158	34	266
GIN	Nzerekore	PMC co-delivery with EPI only vs No PMC	5066	229	49	338
GIN	Kindia	PMC co-delivery with EPI only vs No PMC	3700	217	46	264
GIN	Boke	PMC co-delivery with EPI only vs No PMC	1029	67	15	77
GIN	Mamou	PMC co-delivery with EPI only vs No PMC	678	41	8	47
GIN	Labe	PMC co-delivery with EPI only vs No PMC	522	36	8	39

GIN: Ranked prioritisation of options (page 2)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Financial cost of SP and administration consumables	Cumulative cost of SP and administration consumables	Additional economic cost savings to public providers from reduced treatment	Cumulative economic cost savings to public providers from reduced treatment
GIN	Conakry	PMC co-delivery with EPI only vs No PMC	34213	34213	-26658	-26658
GIN	Kankan	PMC co-delivery with EPI only vs No PMC	34200	68413	-50459	-77117
GIN	Faranah	PMC co-delivery with EPI only vs No PMC	13204	81617	-24831	-101948
GIN	Nzerekore	PMC co-delivery with EPI only vs No PMC	20462	102079	-33049	-134997
GIN	Kindia	PMC co-delivery with EPI only vs No PMC	22814	124893	-27856	-162853
GIN	Boke	PMC co-delivery with EPI only vs No PMC	11035	135928	-8247	-171100
GIN	Mamou	PMC co-delivery with EPI only vs No PMC	7517	143445	-5197	-176297
GIN	Labe	PMC co-delivery with EPI only vs No PMC	9079	152524	-4326	-180623

GIN: Ranked prioritisation of options (page 3)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional net economic costs of PMC implementation and treatment	Cumulative net costs of PMC implementation and treatment	Incremental economic cost per DALY averted vs. next higher option in ranking	Cost-effective? (lower country-specific threshold)
GIN	Conakry	PMC co-delivery with EPI only vs No PMC	219194	219194	884	no
GIN	Kankan	PMC co-delivery with EPI only vs No PMC	334012	553206	667	no
GIN	Faranah	PMC co-delivery with EPI only vs No PMC	243103	796309	914	no
GIN	Nzerekore	PMC co-delivery with EPI only vs No PMC	424305	1220614	1255	no
GIN	Kindia	PMC co-delivery with EPI only vs No PMC	346316	1566930	1312	no
GIN	Boke	PMC co-delivery with EPI only vs No PMC	264508	1831438	3435	no
GIN	Mamou	PMC co-delivery with EPI only vs No PMC	222232	2053670	4728	no
GIN	Labe	PMC co-delivery with EPI only vs No PMC	320851	2374521	8227	no

GIN: Ranked prioritisation of options (page 4)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Cost-effective? (higher country-specific threshold)	Cost-effective? (\$250 / DALY averted threshold)	Population (all ages)	Expected PMC doses delivered (age 0-1yr)
GIN	Conakry	PMC co-delivery with EPI only vs No PMC	no	no	2398277	213829
GIN	Kankan	PMC co-delivery with EPI only vs No PMC	no	no	2893098	213748
GIN	Faranah	PMC co-delivery with EPI only vs No PMC	no	no	1245522	82525
GIN	Nzerekore	PMC co-delivery with EPI only vs No PMC	no	no	1956722	127888
GIN	Kindia	PMC co-delivery with EPI only vs No PMC	no	no	2318736	142589
GIN	Boke	PMC co-delivery with EPI only vs No PMC	no	no	1415051	68968
GIN	Mamou	PMC co-delivery with EPI only vs No PMC	no	no	891772	46982
GIN	Labe	PMC co-delivery with EPI only vs No PMC	no	no	1238167	56744

GIN: Ranked prioritisation of options (page 5)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Expected PMC doses delivered (age 1-2yr)	Expected PMC doses delivered (age 2-2.5yr)	Data source for cost modelling	ICER based on regional costs only (no national costs)
GIN	Conakry	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	287
GIN	Kankan	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	667
GIN	Faranah	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	914
GIN	Nzerekore	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	1255
GIN	Kindia	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	1312
GIN	Boke	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	3435
GIN	Mamou	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	4728
GIN	Labe	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	8227

GIN: Ranked prioritisation of options (page 6)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	rank
GIN	Conakry	PMC co-delivery with EPI only vs No PMC	1
GIN	Kankan	PMC co-delivery with EPI only vs No PMC	2
GIN	Faranah	PMC co-delivery with EPI only vs No PMC	3
GIN	Nzerekore	PMC co-delivery with EPI only vs No PMC	4
GIN	Kindia	PMC co-delivery with EPI only vs No PMC	5
GIN	Boke	PMC co-delivery with EPI only vs No PMC	6
GIN	Mamou	PMC co-delivery with EPI only vs No PMC	7
GIN	Labe	PMC co-delivery with EPI only vs No PMC	8

GIN: Cost assumptions (page 1)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N doses in PMC schedule	Data source for cost modelling	Total cost of PMC implementation (excl national costs)
GIN	Boke	1415051	No PMC	0	Plus Project countries	0
GIN	Boke	1415051	PMC co–delivery with EPI only	4	Plus Project countries	272755
GIN	Conakry	2398277	No PMC	0	Plus Project countries	0
GIN	Conakry	2398277	PMC co–delivery with EPI only	4	Plus Project countries	97814
GIN	Faranah	1245522	No PMC	0	Plus Project countries	0
GIN	Faranah	1245522	PMC co–delivery with EPI only	4	Plus Project countries	267934
GIN	Kankan	2893098	No PMC	0	Plus Project countries	0
GIN	Kankan	2893098	PMC co–delivery with EPI only	4	Plus Project countries	384471
GIN	Kindia	2318736	No PMC	0	Plus Project countries	0
GIN	Kindia	2318736	PMC co–delivery with EPI only	4	Plus Project countries	374172
GIN	Labe	1238167	No PMC	0	Plus Project countries	0
GIN	Labe	1238167	PMC co–delivery with EPI only	4	Plus Project countries	325177
GIN	Mamou	891772	No PMC	0	Plus Project countries	0
GIN	Mamou	891772	PMC co–delivery with EPI only	4	Plus Project countries	227429
GIN	Nzerekore	1956722	No PMC	0	Plus Project countries	0
GIN	Nzerekore	1956722	PMC co–delivery with EPI only	4	Plus Project countries	457354

GIN: Cost assumptions (page 2)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Sub-total: Cost of treatment	Total cost of PMC implementation + treatment (excluding national costs)	Total cost of PMC implementation + treatment (including full national costs for every region)
GIN	Boke	1415051	No PMC	295925	295925	295925
GIN	Boke	1415051	PMC co-delivery with EPI only	287678	560433	708471
GIN	Conakry	2398277	No PMC	487446	487446	487446
GIN	Conakry	2398277	PMC co-delivery with EPI only	460788	558602	706640
GIN	Faranah	1245522	No PMC	854528	854528	854528
GIN	Faranah	1245522	PMC co-delivery with EPI only	829697	1097631	1245669
GIN	Kankan	2893098	No PMC	1289952	1289952	1289952
GIN	Kankan	2893098	PMC co-delivery with EPI only	1239493	1623964	1772002
GIN	Kindia	2318736	No PMC	847268	847268	847268
GIN	Kindia	2318736	PMC co-delivery with EPI only	819412	1193584	1341622
GIN	Labe	1238167	No PMC	189002	189002	189002
GIN	Labe	1238167	PMC co-delivery with EPI only	184676	509853	657891
GIN	Mamou	891772	No PMC	199635	199635	199635
GIN	Mamou	891772	PMC co-delivery with EPI only	194438	421867	569905
GIN	Nzerekore	1956722	No PMC	905108	905108	905108
GIN	Nzerekore	1956722	PMC co-delivery with EPI only	872059	1329413	1477451

GIN: Cost assumptions (page 3)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Clinical cases (N, 0–30mo)	Clinical cases for whom care sought	Hospitalisations (N, 0–30mo)
GIN	Boke	1415051	No PMC	39074	19537	2315
GIN	Boke	1415051	PMC co–delivery with EPI only	38045	19022	2248
GIN	Conakry	2398277	No PMC	68066	34033	3657
GIN	Conakry	2398277	PMC co–delivery with EPI only	64629	32314	3445
GIN	Faranah	1245522	No PMC	164074	82037	4523
GIN	Faranah	1245522	PMC co–delivery with EPI only	159935	79968	4365
GIN	Kankan	2893098	No PMC	214748	107374	8217
GIN	Kankan	2893098	PMC co–delivery with EPI only	207429	103714	7850
GIN	Kindia	2318736	No PMC	140390	70195	5425
GIN	Kindia	2318736	PMC co–delivery with EPI only	136690	68345	5208
GIN	Labe	1238167	No PMC	23761	11880	1529
GIN	Labe	1238167	PMC co–delivery with EPI only	23239	11620	1493
GIN	Mamou	891772	No PMC	26946	13473	1537
GIN	Mamou	891772	PMC co–delivery with EPI only	26268	13134	1496
GIN	Nzerekore	1956722	No PMC	172097	86048	4862
GIN	Nzerekore	1956722	PMC co–delivery with EPI only	167031	83516	4633

GIN: Cost assumptions (page 4)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Deaths (N, 0–30mo)	Total DALYs	DALYs from clinical cases
GIN	Boke	1415051	No PMC	498	2799	1993
GIN	Boke	1415051	PMC co–delivery with EPI only	483	2722	1940
GIN	Conakry	2398277	No PMC	786	4743	3471
GIN	Conakry	2398277	PMC co–delivery with EPI only	741	4495	3296
GIN	Faranah	1245522	No PMC	972	9942	8368
GIN	Faranah	1245522	PMC co–delivery with EPI only	938	9676	8157
GIN	Kankan	2893098	No PMC	1767	13812	10952
GIN	Kankan	2893098	PMC co–delivery with EPI only	1688	13311	10579
GIN	Kindia	2318736	No PMC	1166	9048	7160
GIN	Kindia	2318736	PMC co–delivery with EPI only	1120	8784	6971
GIN	Labe	1238167	No PMC	329	1744	1212
GIN	Labe	1238167	PMC co–delivery with EPI only	321	1705	1185
GIN	Mamou	891772	No PMC	330	1908	1374
GIN	Mamou	891772	PMC co–delivery with EPI only	322	1861	1340
GIN	Nzerekore	1956722	No PMC	1045	10469	8777
GIN	Nzerekore	1956722	PMC co–delivery with EPI only	996	10131	8519

GIN: Cost assumptions (page 5)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	DALYs from hospitalisations	DALYs from deaths	PMC cost input: Implementation cost at national level
GIN	Boke	1415051	No PMC	308	498	0
GIN	Boke	1415051	PMC co–delivery with EPI only	299	483	148038
GIN	Conakry	2398277	No PMC	486	786	0
GIN	Conakry	2398277	PMC co–delivery with EPI only	458	741	148038
GIN	Faranah	1245522	No PMC	602	972	0
GIN	Faranah	1245522	PMC co–delivery with EPI only	581	938	148038
GIN	Kankan	2893098	No PMC	1093	1767	0
GIN	Kankan	2893098	PMC co–delivery with EPI only	1044	1688	148038
GIN	Kindia	2318736	No PMC	722	1166	0
GIN	Kindia	2318736	PMC co–delivery with EPI only	693	1120	148038
GIN	Labe	1238167	No PMC	203	329	0
GIN	Labe	1238167	PMC co–delivery with EPI only	199	321	148038
GIN	Mamou	891772	No PMC	204	330	0
GIN	Mamou	891772	PMC co–delivery with EPI only	199	322	148038
GIN	Nzerekore	1956722	No PMC	647	1045	0
GIN	Nzerekore	1956722	PMC co–delivery with EPI only	616	996	148038

GIN: Cost assumptions (page 6)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	PMC cost input: PMC implementation cost per district	PMC cost input: PMC implementation cost per health facility	PMC cost input: Cost of PMC administration consumables per dose
GIN	Boke	1415051	No PMC	0	0	0.00
GIN	Boke	1415051	PMC co–delivery with EPI only	35977	618	0.05
GIN	Conakry	2398277	No PMC	0	0	0.00
GIN	Conakry	2398277	PMC co–delivery with EPI only	35977	618	0.05
GIN	Faranah	1245522	No PMC	0	0	0.00
GIN	Faranah	1245522	PMC co–delivery with EPI only	35977	618	0.05
GIN	Kankan	2893098	No PMC	0	0	0.00
GIN	Kankan	2893098	PMC co–delivery with EPI only	35977	618	0.05
GIN	Kindia	2318736	No PMC	0	0	0.00
GIN	Kindia	2318736	PMC co–delivery with EPI only	35977	618	0.05
GIN	Labe	1238167	No PMC	0	0	0.00
GIN	Labe	1238167	PMC co–delivery with EPI only	35977	618	0.05
GIN	Mamou	891772	No PMC	0	0	0.00
GIN	Mamou	891772	PMC co–delivery with EPI only	35977	618	0.05
GIN	Nzerekore	1956722	No PMC	0	0	0.00
GIN	Nzerekore	1956722	PMC co–delivery with EPI only	35977	618	0.05

GIN: Cost assumptions (page 7)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	PMC Cost input: Cost per SP tablet (includes wastage)	N districts in region	N health facilities in region
GIN	Boke	1415051	No PMC	0.00	5	138
GIN	Boke	1415051	PMC co–delivery with EPI only	0.11	5	138
GIN	Conakry	2398277	No PMC	0.00	1	62
GIN	Conakry	2398277	PMC co–delivery with EPI only	0.11	1	62
GIN	Faranah	1245522	No PMC	0.00	4	186
GIN	Faranah	1245522	PMC co–delivery with EPI only	0.11	4	186
GIN	Kankan	2893098	No PMC	0.00	5	293
GIN	Kankan	2893098	PMC co–delivery with EPI only	0.11	5	293
GIN	Kindia	2318736	No PMC	0.00	5	289
GIN	Kindia	2318736	PMC co–delivery with EPI only	0.11	5	289
GIN	Labe	1238167	No PMC	0.00	5	225
GIN	Labe	1238167	PMC co–delivery with EPI only	0.11	5	225
GIN	Mamou	891772	No PMC	0.00	3	185
GIN	Mamou	891772	PMC co–delivery with EPI only	0.11	3	185
GIN	Nzerekore	1956722	No PMC	0.00	6	368
GIN	Nzerekore	1956722	PMC co–delivery with EPI only	0.11	6	368

GIN: Cost assumptions (page 8)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N expected PMC doses delivered (age 0-1yr)	N expected PMC doses delivered (age 1-2yr)	N expected PMC doses delivered (age 2-2.5yr)
GIN	Boke	1415051	No PMC	0	0	0
GIN	Boke	1415051	PMC co-delivery with EPI only	68968	0	0
GIN	Conakry	2398277	No PMC	0	0	0
GIN	Conakry	2398277	PMC co-delivery with EPI only	213829	0	0
GIN	Faranah	1245522	No PMC	0	0	0
GIN	Faranah	1245522	PMC co-delivery with EPI only	82525	0	0
GIN	Kankan	2893098	No PMC	0	0	0
GIN	Kankan	2893098	PMC co-delivery with EPI only	213748	0	0
GIN	Kindia	2318736	No PMC	0	0	0
GIN	Kindia	2318736	PMC co-delivery with EPI only	142589	0	0
GIN	Labe	1238167	No PMC	0	0	0
GIN	Labe	1238167	PMC co-delivery with EPI only	56744	0	0
GIN	Mamou	891772	No PMC	0	0	0
GIN	Mamou	891772	PMC co-delivery with EPI only	46982	0	0
GIN	Nzerekore	1956722	No PMC	0	0	0
GIN	Nzerekore	1956722	PMC co-delivery with EPI only	127888	0	0

GIN: Cost assumptions (page 9)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N total expected PMC doses delivered (age 0–2.5yr)	N SP tablets delivered	Sub–total: Cost of PMC implementation at district and HFs
GIN	Boke	1415051	No PMC	0	0	0
GIN	Boke	1415051	PMC co–delivery with EPI only	68968	68968	265169
GIN	Conakry	2398277	No PMC	0	0	0
GIN	Conakry	2398277	PMC co–delivery with EPI only	213829	213829	74293
GIN	Faranah	1245522	No PMC	0	0	0
GIN	Faranah	1245522	PMC co–delivery with EPI only	82525	82525	258856
GIN	Kankan	2893098	No PMC	0	0	0
GIN	Kankan	2893098	PMC co–delivery with EPI only	213748	213748	360959
GIN	Kindia	2318736	No PMC	0	0	0
GIN	Kindia	2318736	PMC co–delivery with EPI only	142589	142589	358487
GIN	Labe	1238167	No PMC	0	0	0
GIN	Labe	1238167	PMC co–delivery with EPI only	56744	56744	318935
GIN	Mamou	891772	No PMC	0	0	0
GIN	Mamou	891772	PMC co–delivery with EPI only	46982	46982	222261
GIN	Nzerekore	1956722	No PMC	0	0	0
GIN	Nzerekore	1956722	PMC co–delivery with EPI only	127888	127888	443286

GIN: Cost assumptions (page 10)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Sub–total: Cost of PMC administration (SP+consumables)	Treatment cost per clinical case	Treatment cost per hospitalisation
GIN	Boke	1415051	No PMC	0	6.3	61.45
GIN	Boke	1415051	PMC co–delivery with EPI only	11035	6.3	61.45
GIN	Conakry	2398277	No PMC	0	6.3	61.45
GIN	Conakry	2398277	PMC co–delivery with EPI only	34213	6.3	61.45
GIN	Faranah	1245522	No PMC	0	6.3	61.45
GIN	Faranah	1245522	PMC co–delivery with EPI only	13204	6.3	61.45
GIN	Kankan	2893098	No PMC	0	6.3	61.45
GIN	Kankan	2893098	PMC co–delivery with EPI only	34200	6.3	61.45
GIN	Kindia	2318736	No PMC	0	6.3	61.45
GIN	Kindia	2318736	PMC co–delivery with EPI only	22814	6.3	61.45
GIN	Labe	1238167	No PMC	0	6.3	61.45
GIN	Labe	1238167	PMC co–delivery with EPI only	9079	6.3	61.45
GIN	Mamou	891772	No PMC	0	6.3	61.45
GIN	Mamou	891772	PMC co–delivery with EPI only	7517	6.3	61.45
GIN	Nzerekore	1956722	No PMC	0	6.3	61.45
GIN	Nzerekore	1956722	PMC co–delivery with EPI only	20462	6.3	61.45

GIN: Cost assumptions (page 11)


Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Treatment cost per death
GIN	Boke	1415051	No PMC	61.45
GIN	Boke	1415051	PMC co–delivery with EPI only	61.45
GIN	Conakry	2398277	No PMC	61.45
GIN	Conakry	2398277	PMC co–delivery with EPI only	61.45
GIN	Faranah	1245522	No PMC	61.45
GIN	Faranah	1245522	PMC co–delivery with EPI only	61.45
GIN	Kankan	2893098	No PMC	61.45
GIN	Kankan	2893098	PMC co–delivery with EPI only	61.45
GIN	Kindia	2318736	No PMC	61.45
GIN	Kindia	2318736	PMC co–delivery with EPI only	61.45
GIN	Labe	1238167	No PMC	61.45
GIN	Labe	1238167	PMC co–delivery with EPI only	61.45
GIN	Mamou	891772	No PMC	61.45
GIN	Mamou	891772	PMC co–delivery with EPI only	61.45
GIN	Nzerekore	1956722	No PMC	61.45
GIN	Nzerekore	1956722	PMC co–delivery with EPI only	61.45

GIN: Clinical malaria incidence


Age-specific clinical malaria cases per 1,000 children (0–30 months, with and without PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.




GIN: Clinical malaria incidence (rural and urban)

Age-specific clinical malaria cases per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.




GIN: Malaria hospitalisations

Age-specific new malaria hospitalisations per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.
Raw model outputs have been smoothed to reduce stochastic variation.



GIN: Spatial distribution of clinical malaria without PMC


Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, no PMC).



GIN: Spatial distribution of clinical malaria with PMC

Admin–1 clinical malaria incidence per 1,000 children aged (0–30 months, with PMC).


PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.



GIN: Spatial distribution of averted clinical malaria with PMC

Admin-1 averted clinical malaria incidence per 1,000 children aged (0–30 months, averted with PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



GIN: Clinical malaria burden (page 1)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Abia	362.1	325.8	36.3
Adamawa	379.8	355.7	24.1
Akwa_Ibom	445.1	413.0	32.1
Anambra	247.1	225.2	21.9
Bauchi	474.3	457.9	16.4
Bayelsa	578.6	539.8	38.8
Benue	369.2	343.5	25.8
Borno	1287.6	1233.4	54.3
Cross_River	527.1	486.7	40.4
Delta	333.0	308.1	24.8
Ebonyi	752.8	694.8	58.1
Edo	705.8	650.6	55.2
Ekiti	1165.1	1065.5	99.7
Enugu	380.5	348.1	32.4
Federal_Capital_Territory	323.3	297.5	25.7
Gombe	448.2	431.8	16.4
Imo	260.2	239.5	20.7
Jigawa	1614.4	1517.4	96.9
Kaduna	594.6	570.2	24.4
Kano	826.2	788.8	37.3
Katsina	2178.7	2115.4	63.2
Kebbi	3879.9	3744.2	135.7
Kogi	606.9	568.5	38.5
Kwara	372.3	348.6	23.7
Lagos	123.6	111.7	11.9
Nasarawa	1022.6	952.2	70.4
Niger	1011.6	970.3	41.3
Ogun	412.8	389.4	23.4
Ondo	1074.9	992.2	82.7
Osun	718.5	679.2	39.3

GIN: Clinical malaria burden (page 2)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Oyo	582.4	552.3	30.1
Plateau	786.5	733.0	53.5
Rivers	384.2	352.8	31.4
Sokoto	3696.7	3601.7	95.0
Taraba	563.2	540.4	22.8
Yobe	780.6	737.7	42.9
Zamfara	3789.7	3718.0	71.7

GIN: Severe malaria burden (page 1)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Abia	24.1	21.3	2.8
Adamawa	24.7	23.0	1.8
Akwa_Ibom	26.5	24.3	2.2
Anambra	16.9	15.3	1.7
Bauchi	30.9	29.7	1.2
Bayelsa	32.2	29.7	2.5
Benue	23.2	21.5	1.7
Borno	59.7	56.8	2.9
Cross_River	29.5	26.8	2.7
Delta	21.8	19.9	1.8
Ebonyi	38.3	34.9	3.4
Edo	36.8	33.1	3.7
Ekiti	48.1	42.8	5.4
Enugu	24.7	22.4	2.3
Federal_Capital_Territory	20.4	18.8	1.7
Gombe	27.8	26.6	1.2
Imo	18.4	16.8	1.6
Jigawa	72.6	67.3	5.3
Kaduna	33.2	31.6	1.6
Kano	46.5	44.1	2.3
Katsina	84.0	81.1	2.9
Kebbi	100.5	95.2	5.4
Kogi	33.3	30.6	2.7
Kwara	22.0	20.4	1.6
Lagos	10.4	9.3	1.1
Nasarawa	43.4	39.6	3.8
Niger	43.1	40.7	2.4
Ogun	25.7	23.8	1.9
Ondo	45.6	41.0	4.6
Osun	35.3	32.8	2.5

GIN: Severe malaria burden (page 2)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Oyo	30.9	28.7	2.2
Plateau	39.2	35.9	3.2
Rivers	25.4	22.7	2.6
Sokoto	103.4	99.6	3.8
Taraba	32.3	30.7	1.6
Yobe	46.1	43.2	2.9
Zamfara	102.3	99.4	2.9