

PMC Compass: Modelling Outputs for GNQ


Modelling outputs from PMC Compass. Please note, results are preliminary and subject to change following further validation.

Corresponding authors: Ishana Atkinson, Catherine Pitt, Andria Mousa

10 February 2026


GNQ: Ranked prioritised order to implement PMC

Order at which to implement PMC in the country based on cost-effectiveness of the PMC delivery strategy.



GNQ: Incremental cost-effectiveness ratios of implementing NA in each admin-1 unit.

Incremental cost-effectiveness ratios of implementing NA in each admin-1 unit. All costs used to calculate these exclude national-level start up costs.



GNQ: Ranked prioritisation of options (page 1)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional clinical malaria cases averted	Additional hospitalisations averted	Additional deaths averted	Additional DALYs averted
GNQ	Bioko_Norte	PMC co-delivery with EPI only vs No PMC	3543	156	33	235
GNQ	Litoral	PMC co-delivery with EPI only vs No PMC	1748	95	20	122
GNQ	Bioko_Sur	PMC co-delivery with EPI only vs No PMC	384	18	4	26
GNQ	Kie_Ntem	PMC co-delivery with EPI only vs No PMC	1040	52	11	71
GNQ	Wele_Nzas	PMC co-delivery with EPI only vs No PMC	1094	49	10	71
GNQ	Centro_Sur	PMC co-delivery with EPI only vs No PMC	676	33	7	45

GNQ: Ranked prioritisation of options (page 2)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Financial cost of SP and administration consumables	Cumulative cost of SP and administration consumables	Additional economic cost savings to public providers from reduced treatment	Cumulative economic cost savings to public providers from reduced treatment
GNQ	Bioko_Norte	PMC co-delivery with EPI only vs No PMC	0	0	-49015	-49015
GNQ	Litoral	PMC co-delivery with EPI only vs No PMC	11188	11188	-26869	-75884
GNQ	Bioko_Sur	PMC co-delivery with EPI only vs No PMC	954	12142	-5476	-81360
GNQ	Kie_Ntem	PMC co-delivery with EPI only vs No PMC	5513	17655	-15313	-96673
GNQ	Wele_Nzas	PMC co-delivery with EPI only vs No PMC	5376	23031	-15275	-111948
GNQ	Centro_Sur	PMC co-delivery with EPI only vs No PMC	3673	26704	-9834	-121782

GNQ: Ranked prioritisation of options (page 3)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional net economic costs of PMC implementation and treatment	Cumulative net costs of PMC implementation and treatment	Incremental economic cost per DALY averted vs. next higher option in ranking	Cost-effective? (lower country-specific threshold)
GNQ	Bioko_Norte	PMC co-delivery with EPI only vs No PMC	327571	327571	1394	no
GNQ	Litoral	PMC co-delivery with EPI only vs No PMC	460511	788082	3775	no
GNQ	Bioko_Sur	PMC co-delivery with EPI only vs No PMC	138834	926916	5340	no
GNQ	Kie_Ntem	PMC co-delivery with EPI only vs No PMC	416609	1343525	5868	no
GNQ	Wele_Nzas	PMC co-delivery with EPI only vs No PMC	482519	1826044	6796	no
GNQ	Centro_Sur	PMC co-delivery with EPI only vs No PMC	354789	2180833	7884	no

GNQ: Ranked prioritisation of options (page 4)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Cost-effective? (higher country-specific threshold)	Cost-effective? (\$250 / DALY averted threshold)	Population (all ages)	Expected PMC doses delivered (age 0-1yr)
GNQ	Bioko_Norte	PMC co-delivery with EPI only vs No PMC	yes	no	449067	NA
GNQ	Litoral	PMC co-delivery with EPI only vs No PMC	no	no	525983	52059
GNQ	Bioko_Sur	PMC co-delivery with EPI only vs No PMC	no	no	48612	4457
GNQ	Kie_Ntem	PMC co-delivery with EPI only vs No PMC	no	no	256187	25634
GNQ	Wele_Nzas	PMC co-delivery with EPI only vs No PMC	no	no	261156	25060
GNQ	Centro_Sur	PMC co-delivery with EPI only vs No PMC	no	no	190377	17182

GNQ: Ranked prioritisation of options (page 5)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Expected PMC doses delivered (age 1-2yr)	Expected PMC doses delivered (age 2-2.5yr)	Data source for cost modelling	ICER based on regional costs only (no national costs)
GNQ	Bioko_Norte	PMC co-delivery with EPI only vs No PMC	NA	0	Plus Project countries	683
GNQ	Litoral	PMC co-delivery with EPI only vs No PMC	10588	0	Plus Project countries	3775
GNQ	Bioko_Sur	PMC co-delivery with EPI only vs No PMC	892	0	Plus Project countries	5340
GNQ	Kie_Ntem	PMC co-delivery with EPI only vs No PMC	5227	0	Plus Project countries	5868
GNQ	Wele_Nzas	PMC co-delivery with EPI only vs No PMC	5062	0	Plus Project countries	6796
GNQ	Centro_Sur	PMC co-delivery with EPI only vs No PMC	3422	0	Plus Project countries	7884

GNQ: Ranked prioritisation of options (page 6)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	rank
GNQ	Bioko_Norte	PMC co-delivery with EPI only vs No PMC	1
GNQ	Litoral	PMC co-delivery with EPI only vs No PMC	2
GNQ	Bioko_Sur	PMC co-delivery with EPI only vs No PMC	3
GNQ	Kie_Ntem	PMC co-delivery with EPI only vs No PMC	4
GNQ	Wele_Nzas	PMC co-delivery with EPI only vs No PMC	5
GNQ	Centro_Sur	PMC co-delivery with EPI only vs No PMC	6

GNQ: Cost assumptions (page 1)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N doses in PMC schedule	Data source for cost modelling	Total cost of PMC implementation (excl national costs)
GNQ	Annobon	3317	No PMC	0	Plus Project countries	0
GNQ	Annobon	3317	PMC co-delivery with EPI only	6	Plus Project countries	983411
GNQ	Bioko_Norte	449067	No PMC	0	Plus Project countries	0
GNQ	Bioko_Norte	449067	PMC co-delivery with EPI only	6	Plus Project countries	209596
GNQ	Bioko_Sur	48612	No PMC	0	Plus Project countries	0
GNQ	Bioko_Sur	48612	PMC co-delivery with EPI only	6	Plus Project countries	144310
GNQ	Centro_Sur	190377	No PMC	0	Plus Project countries	0
GNQ	Centro_Sur	190377	PMC co-delivery with EPI only	6	Plus Project countries	364623
GNQ	Kie_Ntem	256187	No PMC	0	Plus Project countries	0
GNQ	Kie_Ntem	256187	PMC co-delivery with EPI only	6	Plus Project countries	431922
GNQ	Litoral	525983	No PMC	0	Plus Project countries	0
GNQ	Litoral	525983	PMC co-delivery with EPI only	6	Plus Project countries	487380
GNQ	Wele_Nzas	261156	No PMC	0	Plus Project countries	0
GNQ	Wele_Nzas	261156	PMC co-delivery with EPI only	6	Plus Project countries	497794

GNQ: Cost assumptions (page 2)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Sub–total: Cost of treatment	Total cost of PMC implementation + treatment (excluding national costs)	Total cost of PMC implementation + treatment (including full national costs for every region)
GNQ	Annobon	3317	No PMC	0	0	0
GNQ	Annobon	3317	PMC co–delivery with EPI only	0	983411	1150401
GNQ	Bioko_Norte	449067	No PMC	421285	421285	421285
GNQ	Bioko_Norte	449067	PMC co–delivery with EPI only	372270	581866	748856
GNQ	Bioko_Sur	48612	No PMC	50227	50227	50227
GNQ	Bioko_Sur	48612	PMC co–delivery with EPI only	44751	189061	356051
GNQ	Centro_Sur	190377	No PMC	119282	119282	119282
GNQ	Centro_Sur	190377	PMC co–delivery with EPI only	109448	474071	641061
GNQ	Kie_Ntem	256187	No PMC	152782	152782	152782
GNQ	Kie_Ntem	256187	PMC co–delivery with EPI only	137469	569391	736381
GNQ	Litoral	525983	No PMC	275991	275991	275991
GNQ	Litoral	525983	PMC co–delivery with EPI only	249122	736502	903492
GNQ	Wele_Nzas	261156	No PMC	170044	170044	170044
GNQ	Wele_Nzas	261156	PMC co–delivery with EPI only	154769	652563	819553

GNQ: Cost assumptions (page 3)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Clinical cases (N, 0–30mo)	Clinical cases for whom care sought	Hospitalisations (N, 0–30mo)
GNQ	Annobon	3317	No PMC	0	0	0
GNQ	Annobon	3317	PMC co–delivery with EPI only	0	0	0
GNQ	Bioko_Norte	449067	No PMC	33117	16558	1210
GNQ	Bioko_Norte	449067	PMC co–delivery with EPI only	29574	14787	1054
GNQ	Bioko_Sur	48612	No PMC	4075	2038	138
GNQ	Bioko_Sur	48612	PMC co–delivery with EPI only	3691	1846	120
GNQ	Centro_Sur	190377	No PMC	9164	4582	353
GNQ	Centro_Sur	190377	PMC co–delivery with EPI only	8488	4244	320
GNQ	Kie_Ntem	256187	No PMC	11333	5666	472
GNQ	Kie_Ntem	256187	PMC co–delivery with EPI only	10293	5146	420
GNQ	Litoral	525983	No PMC	20116	10058	870
GNQ	Litoral	525983	PMC co–delivery with EPI only	18368	9184	775
GNQ	Wele_Nzas	261156	No PMC	13047	6524	504
GNQ	Wele_Nzas	261156	PMC co–delivery with EPI only	11953	5976	455

GNQ: Cost assumptions (page 4)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Deaths (N, 0–30mo)	Total DALYs	DALYs from clinical cases
GNQ	Annobon	3317	No PMC	0	0	0
GNQ	Annobon	3317	PMC co–delivery with EPI only	0	0	0
GNQ	Bioko_Norte	449067	No PMC	260	2110	1689
GNQ	Bioko_Norte	449067	PMC co–delivery with EPI only	227	1875	1508
GNQ	Bioko_Sur	48612	No PMC	30	256	208
GNQ	Bioko_Sur	48612	PMC co–delivery with EPI only	26	230	188
GNQ	Centro_Sur	190377	No PMC	76	590	467
GNQ	Centro_Sur	190377	PMC co–delivery with EPI only	69	545	433
GNQ	Kie_Ntem	256187	No PMC	101	742	578
GNQ	Kie_Ntem	256187	PMC co–delivery with EPI only	90	671	525
GNQ	Litoral	525983	No PMC	187	1329	1026
GNQ	Litoral	525983	PMC co–delivery with EPI only	167	1207	937
GNQ	Wele_Nzas	261156	No PMC	108	840	665
GNQ	Wele_Nzas	261156	PMC co–delivery with EPI only	98	769	610

GNQ: Cost assumptions (page 5)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	DALYs from hospitalisations	DALYs from deaths	PMC cost input: Implementation cost at national level
GNQ	Annobon	3317	No PMC	0	0	0
GNQ	Annobon	3317	PMC co-delivery with EPI only	0	0	166990
GNQ	Bioko_Norte	449067	No PMC	161	260	0
GNQ	Bioko_Norte	449067	PMC co-delivery with EPI only	140	227	166990
GNQ	Bioko_Sur	48612	No PMC	18	30	0
GNQ	Bioko_Sur	48612	PMC co-delivery with EPI only	16	26	166990
GNQ	Centro_Sur	190377	No PMC	47	76	0
GNQ	Centro_Sur	190377	PMC co-delivery with EPI only	43	69	166990
GNQ	Kie_Ntem	256187	No PMC	63	101	0
GNQ	Kie_Ntem	256187	PMC co-delivery with EPI only	56	90	166990
GNQ	Litoral	525983	No PMC	116	187	0
GNQ	Litoral	525983	PMC co-delivery with EPI only	103	167	166990
GNQ	Wele_Nzas	261156	No PMC	67	108	0
GNQ	Wele_Nzas	261156	PMC co-delivery with EPI only	61	98	166990

GNQ: Cost assumptions (page 6)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC cost input: PMC implementation cost per district	PMC cost input: PMC implementation cost per health facility	PMC cost input: Cost of PMC administration consumables per dose
GNQ	Annobon	3317	No PMC	0	0	0.00
GNQ	Annobon	3317	PMC co-delivery with EPI only	65972	2920	0.05
GNQ	Bioko_Norte	449067	No PMC	0	0	0.00
GNQ	Bioko_Norte	449067	PMC co-delivery with EPI only	65972	2920	0.05
GNQ	Bioko_Sur	48612	No PMC	0	0	0.00
GNQ	Bioko_Sur	48612	PMC co-delivery with EPI only	65972	2920	0.05
GNQ	Centro_Sur	190377	No PMC	0	0	0.00
GNQ	Centro_Sur	190377	PMC co-delivery with EPI only	65972	2920	0.05
GNQ	Kie_Ntem	256187	No PMC	0	0	0.00
GNQ	Kie_Ntem	256187	PMC co-delivery with EPI only	65972	2920	0.05
GNQ	Litoral	525983	No PMC	0	0	0.00
GNQ	Litoral	525983	PMC co-delivery with EPI only	65972	2920	0.05
GNQ	Wele_Nzas	261156	No PMC	0	0	0.00
GNQ	Wele_Nzas	261156	PMC co-delivery with EPI only	65972	2920	0.05

GNQ: Cost assumptions (page 7)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC Cost input: Cost per SP tablet (includes wastage)	N districts in region	N health facilities in region
GNQ	Annobon	3317	No PMC	0.00	7.2079	173.9356
GNQ	Annobon	3317	PMC co-delivery with EPI only	0.11	7.2079	173.9356
GNQ	Bioko_Norte	449067	No PMC	0.00	3.0000	4.0000
GNQ	Bioko_Norte	449067	PMC co-delivery with EPI only	0.11	3.0000	4.0000
GNQ	Bioko_Sur	48612	No PMC	0.00	2.0000	4.0000
GNQ	Bioko_Sur	48612	PMC co-delivery with EPI only	0.11	2.0000	4.0000
GNQ	Centro_Sur	190377	No PMC	0.00	5.0000	11.0000
GNQ	Centro_Sur	190377	PMC co-delivery with EPI only	0.11	5.0000	11.0000
GNQ	Kie_Ntem	256187	No PMC	0.00	6.0000	11.0000
GNQ	Kie_Ntem	256187	PMC co-delivery with EPI only	0.11	6.0000	11.0000
GNQ	Litoral	525983	No PMC	0.00	7.0000	6.0000
GNQ	Litoral	525983	PMC co-delivery with EPI only	0.11	7.0000	6.0000
GNQ	Wele_Nzas	261156	No PMC	0.00	7.0000	11.0000
GNQ	Wele_Nzas	261156	PMC co-delivery with EPI only	0.11	7.0000	11.0000

GNQ: Cost assumptions (page 8)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N expected PMC doses delivered (age 0–1yr)	N expected PMC doses delivered (age 1–2yr)	N expected PMC doses delivered (age 2–2.5yr)
GNQ	Annobon	3317	No PMC	0	0	0
GNQ	Annobon	3317	PMC co–delivery with EPI only	NA	NA	0
GNQ	Bioko_Norte	449067	No PMC	0	0	0
GNQ	Bioko_Norte	449067	PMC co–delivery with EPI only	NA	NA	0
GNQ	Bioko_Sur	48612	No PMC	0	0	0
GNQ	Bioko_Sur	48612	PMC co–delivery with EPI only	4457	892	0
GNQ	Centro_Sur	190377	No PMC	0	0	0
GNQ	Centro_Sur	190377	PMC co–delivery with EPI only	17182	3422	0
GNQ	Kie_Ntem	256187	No PMC	0	0	0
GNQ	Kie_Ntem	256187	PMC co–delivery with EPI only	25634	5227	0
GNQ	Litoral	525983	No PMC	0	0	0
GNQ	Litoral	525983	PMC co–delivery with EPI only	52059	10588	0
GNQ	Wele_Nzas	261156	No PMC	0	0	0
GNQ	Wele_Nzas	261156	PMC co–delivery with EPI only	25060	5062	0

GNQ: Cost assumptions (page 9)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N total expected PMC doses delivered (age 0-2.5yr)	N SP tablets delivered	Sub-total: Cost of PMC implementation at district and HFs
GNQ	Annobon	3317	No PMC	0	0	0
GNQ	Annobon	3317	PMC co-delivery with EPI only	0	0	983411
GNQ	Bioko_Norte	449067	No PMC	0	0	0
GNQ	Bioko_Norte	449067	PMC co-delivery with EPI only	0	0	209596
GNQ	Bioko_Sur	48612	No PMC	0	0	0
GNQ	Bioko_Sur	48612	PMC co-delivery with EPI only	5348	6240	143624
GNQ	Centro_Sur	190377	No PMC	0	0	0
GNQ	Centro_Sur	190377	PMC co-delivery with EPI only	20604	24026	361980
GNQ	Kie_Ntem	256187	No PMC	0	0	0
GNQ	Kie_Ntem	256187	PMC co-delivery with EPI only	30861	36088	427952
GNQ	Litoral	525983	No PMC	0	0	0
GNQ	Litoral	525983	PMC co-delivery with EPI only	62647	73235	479324
GNQ	Wele_Nzas	261156	No PMC	0	0	0
GNQ	Wele_Nzas	261156	PMC co-delivery with EPI only	30122	35185	493924

GNQ: Cost assumptions (page 10)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Sub-total: Cost of PMC administration (SP+consumables)	Treatment cost per clinical case	Treatment cost per hospitalisation
GNQ	Annobon	3317	No PMC	0	14.57	122.46
GNQ	Annobon	3317	PMC co-delivery with EPI only	0	14.57	122.46
GNQ	Bioko_Norte	449067	No PMC	0	14.57	122.46
GNQ	Bioko_Norte	449067	PMC co-delivery with EPI only	0	14.57	122.46
GNQ	Bioko_Sur	48612	No PMC	0	14.57	122.46
GNQ	Bioko_Sur	48612	PMC co-delivery with EPI only	954	14.57	122.46
GNQ	Centro_Sur	190377	No PMC	0	14.57	122.46
GNQ	Centro_Sur	190377	PMC co-delivery with EPI only	3673	14.57	122.46
GNQ	Kie_Ntem	256187	No PMC	0	14.57	122.46
GNQ	Kie_Ntem	256187	PMC co-delivery with EPI only	5513	14.57	122.46
GNQ	Litoral	525983	No PMC	0	14.57	122.46
GNQ	Litoral	525983	PMC co-delivery with EPI only	11188	14.57	122.46
GNQ	Wele_Nzas	261156	No PMC	0	14.57	122.46
GNQ	Wele_Nzas	261156	PMC co-delivery with EPI only	5376	14.57	122.46

GNQ: Cost assumptions (page 11)


Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Treatment cost per death
GNQ	Annobon	3317	No PMC	122.46
GNQ	Annobon	3317	PMC co–delivery with EPI only	122.46
GNQ	Bioko_Norte	449067	No PMC	122.46
GNQ	Bioko_Norte	449067	PMC co–delivery with EPI only	122.46
GNQ	Bioko_Sur	48612	No PMC	122.46
GNQ	Bioko_Sur	48612	PMC co–delivery with EPI only	122.46
GNQ	Centro_Sur	190377	No PMC	122.46
GNQ	Centro_Sur	190377	PMC co–delivery with EPI only	122.46
GNQ	Kie_Ntem	256187	No PMC	122.46
GNQ	Kie_Ntem	256187	PMC co–delivery with EPI only	122.46
GNQ	Litoral	525983	No PMC	122.46
GNQ	Litoral	525983	PMC co–delivery with EPI only	122.46
GNQ	Wele_Nzas	261156	No PMC	122.46
GNQ	Wele_Nzas	261156	PMC co–delivery with EPI only	122.46

GNQ: Clinical malaria incidence


Age-specific clinical malaria cases per 1,000 children (0–30 months, with and without PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.




GNQ: Clinical malaria incidence (rural and urban)

Age-specific clinical malaria cases per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.




GNQ: Malaria hospitalisations

Age-specific new malaria hospitalisations per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.
Raw model outputs have been smoothed to reduce stochastic variation.



GNQ: Spatial distribution of clinical malaria without PMC


Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, no PMC).



GNQ: Spatial distribution of clinical malaria with PMC

Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, with PMC).


PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



GNQ: Spatial distribution of averted clinical malaria with PMC

Admin-1 averted clinical malaria incidence per 1,000 children aged (0–30 months, averted with PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



GNQ: Clinical malaria burden (page 1)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Abia	362.1	325.8	36.3
Adamawa	379.8	355.7	24.1
Akwa_Ibom	445.1	413.0	32.1
Anambra	247.1	225.2	21.9
Bauchi	474.3	457.9	16.4
Bayelsa	578.6	539.8	38.8
Benue	369.2	343.5	25.8
Borno	1287.6	1233.4	54.3
Cross_River	527.1	486.7	40.4
Delta	333.0	308.1	24.8
Ebonyi	752.8	694.8	58.1
Edo	705.8	650.6	55.2
Ekiti	1165.1	1065.5	99.7
Enugu	380.5	348.1	32.4
Federal_Capital_Territory	323.3	297.5	25.7
Gombe	448.2	431.8	16.4
Imo	260.2	239.5	20.7
Jigawa	1614.4	1517.4	96.9
Kaduna	594.6	570.2	24.4
Kano	826.2	788.8	37.3
Katsina	2178.7	2115.4	63.2
Kebbi	3879.9	3744.2	135.7
Kogi	606.9	568.5	38.5
Kwara	372.3	348.6	23.7
Lagos	123.6	111.7	11.9
Nasarawa	1022.6	952.2	70.4
Niger	1011.6	970.3	41.3
Ogun	412.8	389.4	23.4
Ondo	1074.9	992.2	82.7
Osun	718.5	679.2	39.3

GNQ: Clinical malaria burden (page 2)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Oyo	582.4	552.3	30.1
Plateau	786.5	733.0	53.5
Rivers	384.2	352.8	31.4
Sokoto	3696.7	3601.7	95.0
Taraba	563.2	540.4	22.8
Yobe	780.6	737.7	42.9
Zamfara	3789.7	3718.0	71.7

GNQ: Severe malaria burden (page 1)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.

Admin-1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Abia	24.1	21.3	2.8
Adamawa	24.7	23.0	1.8
Akwa_Ibom	26.5	24.3	2.2
Anambra	16.9	15.3	1.7
Bauchi	30.9	29.7	1.2
Bayelsa	32.2	29.7	2.5
Benue	23.2	21.5	1.7
Borno	59.7	56.8	2.9
Cross_River	29.5	26.8	2.7
Delta	21.8	19.9	1.8
Ebonyi	38.3	34.9	3.4
Edo	36.8	33.1	3.7
Ekiti	48.1	42.8	5.4
Enugu	24.7	22.4	2.3
Federal_Capital_Territory	20.4	18.8	1.7
Gombe	27.8	26.6	1.2
Imo	18.4	16.8	1.6
Jigawa	72.6	67.3	5.3
Kaduna	33.2	31.6	1.6
Kano	46.5	44.1	2.3
Katsina	84.0	81.1	2.9
Kebbi	100.5	95.2	5.4
Kogi	33.3	30.6	2.7
Kwara	22.0	20.4	1.6
Lagos	10.4	9.3	1.1
Nasarawa	43.4	39.6	3.8
Niger	43.1	40.7	2.4
Ogun	25.7	23.8	1.9
Ondo	45.6	41.0	4.6
Osun	35.3	32.8	2.5

GNQ: Severe malaria burden (page 2)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Oyo	30.9	28.7	2.2
Plateau	39.2	35.9	3.2
Rivers	25.4	22.7	2.6
Sokoto	103.4	99.6	3.8
Taraba	32.3	30.7	1.6
Yobe	46.1	43.2	2.9
Zamfara	102.3	99.4	2.9