

PMC Compass: Modelling Outputs for COG


Modelling outputs from PMC Compass. Please note, results are preliminary and subject to change following further validation.

Corresponding authors: Ishana Atkinson, Catherine Pitt, Andria Mousa

10 February 2026


COG: Ranked prioritised order to implement PMC

Order at which to implement PMC in the country based on cost-effectiveness of the PMC delivery strategy.



COG: Incremental cost–effectiveness ratios of implementing PMC co–delivery with EPI only vs No PMC in each admin–1 unit.

Incremental cost–effectiveness ratios of implementing PMC co–delivery with EPI only vs No PMC in each admin–1 unit. All costs used to calculate these exclude national–level start up costs.



COG: Ranked prioritisation of options (page 1)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional clinical malaria cases averted	Additional hospitalisations averted	Additional deaths averted	Additional DALYs averted
COG	Likouala	PMC co-delivery with EPI only vs No PMC	789	57	12	60
COG	Brazzaville	PMC co-delivery with EPI only vs No PMC	142	9	2	11
COG	Sangha	PMC co-delivery with EPI only vs No PMC	153	10	2	12
COG	Cuvette_Ouest	PMC co-delivery with EPI only vs No PMC	139	10	2	11
COG	Kouilou	PMC co-delivery with EPI only vs No PMC	189	15	3	15
COG	Pool	PMC co-delivery with EPI only vs No PMC	264	14	3	18
COG	Lekoumou	PMC co-delivery with EPI only vs No PMC	122	9	2	9
COG	Pointe_Noire	PMC co-delivery with EPI only vs No PMC	32	3	1	3
COG	Bouenza	PMC co-delivery with EPI only vs No PMC	120	9	2	9
COG	Cuvette	PMC co-delivery with EPI only vs No PMC	121	7	1	8
COG	Plateaux	PMC co-delivery with EPI only vs No PMC	46	3	1	4
COG	Niari	PMC co-delivery with EPI only vs No PMC	66	5	1	5

COG: Ranked prioritisation of options (page 2)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Financial cost of SP and administration consumables	Cumulative cost of SP and administration consumables	Additional economic cost savings to public providers from reduced treatment	Cumulative economic cost savings to public providers from reduced treatment
COG	Likouala	PMC co-delivery with EPI only vs No PMC	20107	20107	-9608	-9608
COG	Brazzaville	PMC co-delivery with EPI only vs No PMC	0	20107	-1610	-11218
COG	Sangha	PMC co-delivery with EPI only vs No PMC	2169	22276	-1758	-12976
COG	Cuvette_Ouest	PMC co-delivery with EPI only vs No PMC	3218	25494	-1682	-14658
COG	Kouilou	PMC co-delivery with EPI only vs No PMC	9514	35008	-2433	-17091
COG	Pool	PMC co-delivery with EPI only vs No PMC	16086	51094	-2736	-19827
COG	Lekoumou	PMC co-delivery with EPI only vs No PMC	3358	54452	-1503	-21330
COG	Pointe_Noire	PMC co-delivery with EPI only vs No PMC	0	54452	-455	-21785
COG	Bouenza	PMC co-delivery with EPI only vs No PMC	6059	60511	-1491	-23276
COG	Cuvette	PMC co-delivery with EPI only vs No PMC	3312	63823	-1304	-24580
COG	Plateaux	PMC co-delivery with EPI only vs No PMC	1724	65547	-529	-25109
COG	Niari	PMC co-delivery with EPI only vs No PMC	3492	69039	-825	-25934

COG: Ranked prioritisation of options (page 3)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional net economic costs of PMC implementation and treatment	Cumulative net costs of PMC implementation and treatment	Incremental economic cost per DALY averted vs. next higher option in ranking	Cost-effective? (lower country-specific threshold)
COG	Likouala	PMC co-delivery with EPI only vs No PMC	336166	336166	5603	no
COG	Brazzaville	PMC co-delivery with EPI only vs No PMC	113449	449615	10314	no
COG	Sangha	PMC co-delivery with EPI only vs No PMC	173574	623189	14464	no
COG	Cuvette_Ouest	PMC co-delivery with EPI only vs No PMC	174372	797561	15852	no
COG	Kouilou	PMC co-delivery with EPI only vs No PMC	248227	1045788	16548	no
COG	Pool	PMC co-delivery with EPI only vs No PMC	474958	1520746	26387	no
COG	Lekoumou	PMC co-delivery with EPI only vs No PMC	242978	1763724	26998	no
COG	Pointe_Noire	PMC co-delivery with EPI only vs No PMC	104869	1868593	34956	no
COG	Bouenza	PMC co-delivery with EPI only vs No PMC	340622	2209215	37847	no
COG	Cuvette	PMC co-delivery with EPI only vs No PMC	321397	2530612	40175	no
COG	Plateaux	PMC co-delivery with EPI only vs No PMC	264245	2794857	66061	no
COG	Niari	PMC co-delivery with EPI only vs No PMC	360940	3155797	72188	no

COG: Ranked prioritisation of options (page 4)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Cost-effective? (higher country-specific threshold)	Cost-effective? (\$250 / DALY averted threshold)	Population (all ages)	Expected PMC doses delivered (age 0-1yr)
COG	Likouala	PMC co-delivery with EPI only vs No PMC	no	no	1731046	125670
COG	Brazzaville	PMC co-delivery with EPI only vs No PMC	no	no	926312	NA
COG	Sangha	PMC co-delivery with EPI only vs No PMC	no	no	164979	13559
COG	Cuvette_Ouest	PMC co-delivery with EPI only vs No PMC	no	no	250476	20114
COG	Kouilou	PMC co-delivery with EPI only vs No PMC	no	no	645877	59462
COG	Pool	PMC co-delivery with EPI only vs No PMC	no	no	1022332	100537
COG	Lekoumou	PMC co-delivery with EPI only vs No PMC	no	no	238657	20990
COG	Pointe_Noire	PMC co-delivery with EPI only vs No PMC	no	no	148861	NA
COG	Bouenza	PMC co-delivery with EPI only vs No PMC	no	no	406122	37871
COG	Cuvette	PMC co-delivery with EPI only vs No PMC	no	no	252758	20698
COG	Plateaux	PMC co-delivery with EPI only vs No PMC	no	no	165340	10776
COG	Niari	PMC co-delivery with EPI only vs No PMC	no	no	222580	21827

COG: Ranked prioritisation of options (page 5)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Expected PMC doses delivered (age 1-2yr)	Expected PMC doses delivered (age 2-2.5yr)	Data source for cost modelling	ICER based on regional costs only (no national costs)
COG	Likouala	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	3097
COG	Brazzaville	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	10314
COG	Sangha	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	14464
COG	Cuvette_Ouest	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	15852
COG	Kouilou	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	16548
COG	Pool	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	26387
COG	Lekoumou	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	26998
COG	Pointe_Noire	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	34956
COG	Bouenza	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	37847
COG	Cuvette	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	40175
COG	Plateaux	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	66061
COG	Niari	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	72188

COG: Ranked prioritisation of options (page 6)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	rank
COG	Likouala	PMC co-delivery with EPI only vs No PMC	1
COG	Brazzaville	PMC co-delivery with EPI only vs No PMC	2
COG	Sangha	PMC co-delivery with EPI only vs No PMC	3
COG	Cuvette_Ouest	PMC co-delivery with EPI only vs No PMC	4
COG	Kouilou	PMC co-delivery with EPI only vs No PMC	5
COG	Pool	PMC co-delivery with EPI only vs No PMC	6
COG	Lekoumou	PMC co-delivery with EPI only vs No PMC	7
COG	Pointe_Noire	PMC co-delivery with EPI only vs No PMC	8
COG	Bouenza	PMC co-delivery with EPI only vs No PMC	9
COG	Cuvette	PMC co-delivery with EPI only vs No PMC	10
COG	Plateaux	PMC co-delivery with EPI only vs No PMC	11
COG	Niari	PMC co-delivery with EPI only vs No PMC	12

COG: Cost assumptions (page 1)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N doses in PMC schedule	Data source for cost modelling	Total cost of PMC implementation (excl national costs)
COG	Bouenza	406122	No PMC	0	Plus Project countries	0
COG	Bouenza	406122	PMC co–delivery with EPI only	4	Plus Project countries	342113
COG	Brazzaville	926312	No PMC	0	Plus Project countries	0
COG	Brazzaville	926312	PMC co–delivery with EPI only	4	Plus Project countries	115059
COG	Cuvette	252758	No PMC	0	Plus Project countries	0
COG	Cuvette	252758	PMC co–delivery with EPI only	4	Plus Project countries	322701
COG	Cuvette_Ouest	250476	No PMC	0	Plus Project countries	0
COG	Cuvette_Ouest	250476	PMC co–delivery with EPI only	4	Plus Project countries	176054
COG	Kouilou	645877	No PMC	0	Plus Project countries	0
COG	Kouilou	645877	PMC co–delivery with EPI only	4	Plus Project countries	250660
COG	Lekoumou	238657	No PMC	0	Plus Project countries	0
COG	Lekoumou	238657	PMC co–delivery with EPI only	4	Plus Project countries	244481
COG	Likouala	1731046	No PMC	0	Plus Project countries	0
COG	Likouala	1731046	PMC co–delivery with EPI only	4	Plus Project countries	195453
COG	Niari	222580	No PMC	0	Plus Project countries	0
COG	Niari	222580	PMC co–delivery with EPI only	4	Plus Project countries	361765
COG	Plateaux	165340	No PMC	0	Plus Project countries	0
COG	Plateaux	165340	PMC co–delivery with EPI only	4	Plus Project countries	264774
COG	Pointe_Noire	148861	No PMC	0	Plus Project countries	0
COG	Pointe_Noire	148861	PMC co–delivery with EPI only	4	Plus Project countries	105324
COG	Pool	1022332	No PMC	0	Plus Project countries	0
COG	Pool	1022332	PMC co–delivery with EPI only	4	Plus Project countries	477694
COG	Sangha	164979	No PMC	0	Plus Project countries	0
COG	Sangha	164979	PMC co–delivery with EPI only	4	Plus Project countries	175332

COG: Cost assumptions (page 2)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Sub–total: Cost of treatment	Total cost of PMC implementation + treatment (excluding national costs)	Total cost of PMC implementation + treatment (including full national costs for every region)
COG	Bouenza	406122	No PMC	26995	26995	26995
COG	Bouenza	406122	PMC co–delivery with EPI only	25504	367617	517938
COG	Brazzaville	926312	No PMC	31146	31146	31146
COG	Brazzaville	926312	PMC co–delivery with EPI only	29536	144595	294916
COG	Cuvette	252758	No PMC	28963	28963	28963
COG	Cuvette	252758	PMC co–delivery with EPI only	27659	350360	500681
COG	Cuvette_Ouest	250476	No PMC	34844	34844	34844
COG	Cuvette_Ouest	250476	PMC co–delivery with EPI only	33162	209216	359537
COG	Kouilou	645877	No PMC	46723	46723	46723
COG	Kouilou	645877	PMC co–delivery with EPI only	44290	294950	445271
COG	Lekoumou	238657	No PMC	26753	26753	26753
COG	Lekoumou	238657	PMC co–delivery with EPI only	25250	269731	420052
COG	Likouala	1731046	No PMC	220072	220072	220072
COG	Likouala	1731046	PMC co–delivery with EPI only	210464	405917	556238
COG	Niari	222580	No PMC	13656	13656	13656
COG	Niari	222580	PMC co–delivery with EPI only	12831	374596	524917
COG	Plateaux	165340	No PMC	14954	14954	14954
COG	Plateaux	165340	PMC co–delivery with EPI only	14425	279199	429520
COG	Pointe_Noire	148861	No PMC	6963	6963	6963
COG	Pointe_Noire	148861	PMC co–delivery with EPI only	6508	111832	262153
COG	Pool	1022332	No PMC	55825	55825	55825
COG	Pool	1022332	PMC co–delivery with EPI only	53089	530783	681104
COG	Sangha	164979	No PMC	36553	36553	36553
COG	Sangha	164979	PMC co–delivery with EPI only	34795	210127	360448

COG: Cost assumptions (page 3)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Clinical cases (N, 0–30mo)	Clinical cases for whom care sought	Hospitalisations (N, 0–30mo)
COG	Bouenza	406122	No PMC	2101	1050	167
COG	Bouenza	406122	PMC co–delivery with EPI only	1981	990	158
COG	Brazzaville	926312	No PMC	2522	1261	187
COG	Brazzaville	926312	PMC co–delivery with EPI only	2380	1190	178
COG	Cuvette	252758	No PMC	2448	1224	168
COG	Cuvette	252758	PMC co–delivery with EPI only	2327	1164	161
COG	Cuvette_Ouest	250476	No PMC	2982	1491	200
COG	Cuvette_Ouest	250476	PMC co–delivery with EPI only	2843	1422	190
COG	Kouilou	645877	No PMC	3739	1870	283
COG	Kouilou	645877	PMC co–delivery with EPI only	3550	1775	268
COG	Lekoumou	238657	No PMC	2212	1106	158
COG	Lekoumou	238657	PMC co–delivery with EPI only	2090	1045	149
COG	Likouala	1731046	No PMC	19115	9558	1247
COG	Likouala	1731046	PMC co–delivery with EPI only	18326	9163	1190
COG	Niari	222580	No PMC	1158	579	79
COG	Niari	222580	PMC co–delivery with EPI only	1092	546	74
COG	Plateaux	165340	No PMC	1242	621	88
COG	Plateaux	165340	PMC co–delivery with EPI only	1196	598	85
COG	Pointe_Noire	148861	No PMC	509	254	45
COG	Pointe_Noire	148861	PMC co–delivery with EPI only	477	238	42
COG	Pool	1022332	No PMC	4627	2314	329
COG	Pool	1022332	PMC co–delivery with EPI only	4363	2182	315
COG	Sangha	164979	No PMC	3405	1702	194
COG	Sangha	164979	PMC co–delivery with EPI only	3252	1626	184

COG: Cost assumptions (page 4)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Deaths (N, 0–30mo)	Total DALYs	DALYs from clinical cases
COG	Bouenza	406122	No PMC	36	165	107
COG	Bouenza	406122	PMC co–delivery with EPI only	34	156	101
COG	Brazzaville	926312	No PMC	40	194	129
COG	Brazzaville	926312	PMC co–delivery with EPI only	38	183	121
COG	Cuvette	252758	No PMC	36	183	125
COG	Cuvette	252758	PMC co–delivery with EPI only	35	175	119
COG	Cuvette_Ouest	250476	No PMC	43	222	152
COG	Cuvette_Ouest	250476	PMC co–delivery with EPI only	41	211	145
COG	Kouilou	645877	No PMC	61	290	191
COG	Kouilou	645877	PMC co–delivery with EPI only	58	275	181
COG	Lekoumou	238657	No PMC	34	168	113
COG	Lekoumou	238657	PMC co–delivery with EPI only	32	159	107
COG	Likouala	1731046	No PMC	268	1409	975
COG	Likouala	1731046	PMC co–delivery with EPI only	256	1349	935
COG	Niari	222580	No PMC	17	87	59
COG	Niari	222580	PMC co–delivery with EPI only	16	82	56
COG	Plateaux	165340	No PMC	19	94	63
COG	Plateaux	165340	PMC co–delivery with EPI only	18	90	61
COG	Pointe_Noire	148861	No PMC	10	42	26
COG	Pointe_Noire	148861	PMC co–delivery with EPI only	9	39	24
COG	Pool	1022332	No PMC	71	351	236
COG	Pool	1022332	PMC co–delivery with EPI only	68	333	223
COG	Sangha	164979	No PMC	42	242	174
COG	Sangha	164979	PMC co–delivery with EPI only	40	230	166

COG: Cost assumptions (page 5)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	DALYs from hospitalisations	DALYs from deaths	PMC cost input: Implementation cost at national level
COG	Bouenza	406122	No PMC	22	36	0
COG	Bouenza	406122	PMC co–delivery with EPI only	21	34	150321
COG	Brazzaville	926312	No PMC	25	40	0
COG	Brazzaville	926312	PMC co–delivery with EPI only	24	38	150321
COG	Cuvette	252758	No PMC	22	36	0
COG	Cuvette	252758	PMC co–delivery with EPI only	21	35	150321
COG	Cuvette_Ouest	250476	No PMC	27	43	0
COG	Cuvette_Ouest	250476	PMC co–delivery with EPI only	25	41	150321
COG	Kouilou	645877	No PMC	38	61	0
COG	Kouilou	645877	PMC co–delivery with EPI only	36	58	150321
COG	Lekoumou	238657	No PMC	21	34	0
COG	Lekoumou	238657	PMC co–delivery with EPI only	20	32	150321
COG	Likouala	1731046	No PMC	166	268	0
COG	Likouala	1731046	PMC co–delivery with EPI only	158	256	150321
COG	Niari	222580	No PMC	11	17	0
COG	Niari	222580	PMC co–delivery with EPI only	10	16	150321
COG	Plateaux	165340	No PMC	12	19	0
COG	Plateaux	165340	PMC co–delivery with EPI only	11	18	150321
COG	Pointe_Noire	148861	No PMC	6	10	0
COG	Pointe_Noire	148861	PMC co–delivery with EPI only	6	9	150321
COG	Pool	1022332	No PMC	44	71	0
COG	Pool	1022332	PMC co–delivery with EPI only	42	68	150321
COG	Sangha	164979	No PMC	26	42	0
COG	Sangha	164979	PMC co–delivery with EPI only	24	40	150321

COG: Cost assumptions (page 6)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	PMC cost input: PMC implementation cost per district	PMC cost input: PMC implementation cost per health facility	PMC cost input: Cost of PMC administration consumables per dose
COG	Bouenza	406122	No PMC	0	0	0.00
COG	Bouenza	406122	PMC co–delivery with EPI only	48861	1947	0.05
COG	Brazzaville	926312	No PMC	0	0	0.00
COG	Brazzaville	926312	PMC co–delivery with EPI only	48861	1947	0.05
COG	Cuvette	252758	No PMC	0	0	0.00
COG	Cuvette	252758	PMC co–delivery with EPI only	48861	1947	0.05
COG	Cuvette_Ouest	250476	No PMC	0	0	0.00
COG	Cuvette_Ouest	250476	PMC co–delivery with EPI only	48861	1947	0.05
COG	Kouilou	645877	No PMC	0	0	0.00
COG	Kouilou	645877	PMC co–delivery with EPI only	48861	1947	0.05
COG	Lekoumou	238657	No PMC	0	0	0.00
COG	Lekoumou	238657	PMC co–delivery with EPI only	48861	1947	0.05
COG	Likouala	1731046	No PMC	0	0	0.00
COG	Likouala	1731046	PMC co–delivery with EPI only	48861	1947	0.05
COG	Niari	222580	No PMC	0	0	0.00
COG	Niari	222580	PMC co–delivery with EPI only	48861	1947	0.05
COG	Plateaux	165340	No PMC	0	0	0.00
COG	Plateaux	165340	PMC co–delivery with EPI only	48861	1947	0.05
COG	Pointe_Noire	148861	No PMC	0	0	0.00
COG	Pointe_Noire	148861	PMC co–delivery with EPI only	48861	1947	0.05
COG	Pool	1022332	No PMC	0	0	0.00
COG	Pool	1022332	PMC co–delivery with EPI only	48861	1947	0.05
COG	Sangha	164979	No PMC	0	0	0.00
COG	Sangha	164979	PMC co–delivery with EPI only	48861	1947	0.05

COG: Cost assumptions (page 7)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	PMC Cost input: Cost per SP tablet (includes wastage)	N districts in region	N health facilities in region
COG	Bouenza	406122	No PMC	0.00	6	23
COG	Bouenza	406122	PMC co–delivery with EPI only	0.11	6	23
COG	Brazzaville	926312	No PMC	0.00	1	34
COG	Brazzaville	926312	PMC co–delivery with EPI only	0.11	1	34
COG	Cuvette	252758	No PMC	0.00	6	14
COG	Cuvette	252758	PMC co–delivery with EPI only	0.11	6	14
COG	Cuvette_Ouest	250476	No PMC	0.00	3	14
COG	Cuvette_Ouest	250476	PMC co–delivery with EPI only	0.11	3	14
COG	Kouilou	645877	No PMC	0.00	4	25
COG	Kouilou	645877	PMC co–delivery with EPI only	0.11	4	25
COG	Lekoumou	238657	No PMC	0.00	4	24
COG	Lekoumou	238657	PMC co–delivery with EPI only	0.11	4	24
COG	Likouala	1731046	No PMC	0.00	3	18
COG	Likouala	1731046	PMC co–delivery with EPI only	0.11	3	18
COG	Niari	222580	No PMC	0.00	6	34
COG	Niari	222580	PMC co–delivery with EPI only	0.11	6	34
COG	Plateaux	165340	No PMC	0.00	4	35
COG	Plateaux	165340	PMC co–delivery with EPI only	0.11	4	35
COG	Pointe_Noire	148861	No PMC	0.00	1	29
COG	Pointe_Noire	148861	PMC co–delivery with EPI only	0.11	1	29
COG	Pool	1022332	No PMC	0.00	7	64
COG	Pool	1022332	PMC co–delivery with EPI only	0.11	7	64
COG	Sangha	164979	No PMC	0.00	3	14
COG	Sangha	164979	PMC co–delivery with EPI only	0.11	3	14

COG: Cost assumptions (page 8)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N expected PMC doses delivered (age 0–1yr)	N expected PMC doses delivered (age 1–2yr)	N expected PMC doses delivered (age 2–2.5yr)
COG	Bouenza	406122	No PMC	0	0	0
COG	Bouenza	406122	PMC co–delivery with EPI only	37871	0	0
COG	Brazzaville	926312	No PMC	0	0	0
COG	Brazzaville	926312	PMC co–delivery with EPI only	NA	0	0
COG	Cuvette	252758	No PMC	0	0	0
COG	Cuvette	252758	PMC co–delivery with EPI only	20698	0	0
COG	Cuvette_Ouest	250476	No PMC	0	0	0
COG	Cuvette_Ouest	250476	PMC co–delivery with EPI only	20114	0	0
COG	Kouilou	645877	No PMC	0	0	0
COG	Kouilou	645877	PMC co–delivery with EPI only	59462	0	0
COG	Lekoumou	238657	No PMC	0	0	0
COG	Lekoumou	238657	PMC co–delivery with EPI only	20990	0	0
COG	Likouala	1731046	No PMC	0	0	0
COG	Likouala	1731046	PMC co–delivery with EPI only	125670	0	0
COG	Niari	222580	No PMC	0	0	0
COG	Niari	222580	PMC co–delivery with EPI only	21827	0	0
COG	Plateaux	165340	No PMC	0	0	0
COG	Plateaux	165340	PMC co–delivery with EPI only	10776	0	0
COG	Pointe_Noire	148861	No PMC	0	0	0
COG	Pointe_Noire	148861	PMC co–delivery with EPI only	NA	0	0
COG	Pool	1022332	No PMC	0	0	0
COG	Pool	1022332	PMC co–delivery with EPI only	100537	0	0
COG	Sangha	164979	No PMC	0	0	0
COG	Sangha	164979	PMC co–delivery with EPI only	13559	0	0

COG: Cost assumptions (page 9)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	N total expected PMC doses delivered (age 0–2.5yr)	N SP tablets delivered	Sub–total: Cost of PMC implementation at district and HFs
COG	Bouenza	406122	No PMC	0	0	0
COG	Bouenza	406122	PMC co–delivery with EPI only	37871	37871	337947
COG	Brazzaville	926312	No PMC	0	0	0
COG	Brazzaville	926312	PMC co–delivery with EPI only	0	0	115059
COG	Cuvette	252758	No PMC	0	0	0
COG	Cuvette	252758	PMC co–delivery with EPI only	20698	20698	320424
COG	Cuvette_Ouest	250476	No PMC	0	0	0
COG	Cuvette_Ouest	250476	PMC co–delivery with EPI only	20114	20114	173841
COG	Kouilou	645877	No PMC	0	0	0
COG	Kouilou	645877	PMC co–delivery with EPI only	59462	59462	244119
COG	Lekoumou	238657	No PMC	0	0	0
COG	Lekoumou	238657	PMC co–delivery with EPI only	20990	20990	242172
COG	Likouala	1731046	No PMC	0	0	0
COG	Likouala	1731046	PMC co–delivery with EPI only	125670	125670	181629
COG	Niari	222580	No PMC	0	0	0
COG	Niari	222580	PMC co–delivery with EPI only	21827	21827	359364
COG	Plateaux	165340	No PMC	0	0	0
COG	Plateaux	165340	PMC co–delivery with EPI only	10776	10776	263589
COG	Pointe_Noire	148861	No PMC	0	0	0
COG	Pointe_Noire	148861	PMC co–delivery with EPI only	0	0	105324
COG	Pool	1022332	No PMC	0	0	0
COG	Pool	1022332	PMC co–delivery with EPI only	100537	100537	466635
COG	Sangha	164979	No PMC	0	0	0
COG	Sangha	164979	PMC co–delivery with EPI only	13559	13559	173841

COG: Cost assumptions (page 10)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Sub–total: Cost of PMC administration (SP+consumables)	Treatment cost per clinical case	Treatment cost per hospitalisation
COG	Bouenza	406122	No PMC	0	10.77	77.31
COG	Bouenza	406122	PMC co–delivery with EPI only	6059	10.77	77.31
COG	Brazzaville	926312	No PMC	0	10.77	77.31
COG	Brazzaville	926312	PMC co–delivery with EPI only	0	10.77	77.31
COG	Cuvette	252758	No PMC	0	10.77	77.31
COG	Cuvette	252758	PMC co–delivery with EPI only	3312	10.77	77.31
COG	Cuvette_Ouest	250476	No PMC	0	10.77	77.31
COG	Cuvette_Ouest	250476	PMC co–delivery with EPI only	3218	10.77	77.31
COG	Kouilou	645877	No PMC	0	10.77	77.31
COG	Kouilou	645877	PMC co–delivery with EPI only	9514	10.77	77.31
COG	Lekoumou	238657	No PMC	0	10.77	77.31
COG	Lekoumou	238657	PMC co–delivery with EPI only	3358	10.77	77.31
COG	Likouala	1731046	No PMC	0	10.77	77.31
COG	Likouala	1731046	PMC co–delivery with EPI only	20107	10.77	77.31
COG	Niari	222580	No PMC	0	10.77	77.31
COG	Niari	222580	PMC co–delivery with EPI only	3492	10.77	77.31
COG	Plateaux	165340	No PMC	0	10.77	77.31
COG	Plateaux	165340	PMC co–delivery with EPI only	1724	10.77	77.31
COG	Pointe_Noire	148861	No PMC	0	10.77	77.31
COG	Pointe_Noire	148861	PMC co–delivery with EPI only	0	10.77	77.31
COG	Pool	1022332	No PMC	0	10.77	77.31
COG	Pool	1022332	PMC co–delivery with EPI only	16086	10.77	77.31
COG	Sangha	164979	No PMC	0	10.77	77.31
COG	Sangha	164979	PMC co–delivery with EPI only	2169	10.77	77.31

COG: Cost assumptions (page 11)


Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Treatment cost per death
COG	Bouenza	406122	No PMC	77.31
COG	Bouenza	406122	PMC co–delivery with EPI only	77.31
COG	Brazzaville	926312	No PMC	77.31
COG	Brazzaville	926312	PMC co–delivery with EPI only	77.31
COG	Cuvette	252758	No PMC	77.31
COG	Cuvette	252758	PMC co–delivery with EPI only	77.31
COG	Cuvette_Ouest	250476	No PMC	77.31
COG	Cuvette_Ouest	250476	PMC co–delivery with EPI only	77.31
COG	Kouilou	645877	No PMC	77.31
COG	Kouilou	645877	PMC co–delivery with EPI only	77.31
COG	Lekoumou	238657	No PMC	77.31
COG	Lekoumou	238657	PMC co–delivery with EPI only	77.31
COG	Likouala	1731046	No PMC	77.31
COG	Likouala	1731046	PMC co–delivery with EPI only	77.31
COG	Niari	222580	No PMC	77.31
COG	Niari	222580	PMC co–delivery with EPI only	77.31
COG	Plateaux	165340	No PMC	77.31
COG	Plateaux	165340	PMC co–delivery with EPI only	77.31
COG	Pointe_Noire	148861	No PMC	77.31
COG	Pointe_Noire	148861	PMC co–delivery with EPI only	77.31
COG	Pool	1022332	No PMC	77.31
COG	Pool	1022332	PMC co–delivery with EPI only	77.31
COG	Sangha	164979	No PMC	77.31
COG	Sangha	164979	PMC co–delivery with EPI only	77.31

COG: Clinical malaria incidence


Age-specific clinical malaria cases per 1,000 children (0–30 months, with and without PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.




COG: Clinical malaria incidence (rural and urban)

Age-specific clinical malaria cases per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.




COG: Malaria hospitalisations

Age-specific new malaria hospitalisations per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.
Raw model outputs have been smoothed to reduce stochastic variation.



COG: Spatial distribution of clinical malaria without PMC


Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, no PMC).



COG: Spatial distribution of clinical malaria with PMC

Admin–1 clinical malaria incidence per 1,000 children aged (0–30 months, with PMC).


PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.



COG: Spatial distribution of averted clinical malaria with PMC

Admin-1 averted clinical malaria incidence per 1,000 children aged (0–30 months, averted with PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



COG: Clinical malaria burden (page 1)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Abia	362.1	325.8	36.3
Adamawa	379.8	355.7	24.1
Akwa_Ibom	445.1	413.0	32.1
Anambra	247.1	225.2	21.9
Bauchi	474.3	457.9	16.4
Bayelsa	578.6	539.8	38.8
Benue	369.2	343.5	25.8
Borno	1287.6	1233.4	54.3
Cross_River	527.1	486.7	40.4
Delta	333.0	308.1	24.8
Ebonyi	752.8	694.8	58.1
Edo	705.8	650.6	55.2
Ekiti	1165.1	1065.5	99.7
Enugu	380.5	348.1	32.4
Federal_Capital_Territory	323.3	297.5	25.7
Gombe	448.2	431.8	16.4
Imo	260.2	239.5	20.7
Jigawa	1614.4	1517.4	96.9
Kaduna	594.6	570.2	24.4
Kano	826.2	788.8	37.3
Katsina	2178.7	2115.4	63.2
Kebbi	3879.9	3744.2	135.7
Kogi	606.9	568.5	38.5
Kwara	372.3	348.6	23.7
Lagos	123.6	111.7	11.9
Nasarawa	1022.6	952.2	70.4
Niger	1011.6	970.3	41.3
Ogun	412.8	389.4	23.4
Ondo	1074.9	992.2	82.7
Osun	718.5	679.2	39.3

COG: Clinical malaria burden (page 2)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Oyo	582.4	552.3	30.1
Plateau	786.5	733.0	53.5
Rivers	384.2	352.8	31.4
Sokoto	3696.7	3601.7	95.0
Taraba	563.2	540.4	22.8
Yobe	780.6	737.7	42.9
Zamfara	3789.7	3718.0	71.7

COG: Severe malaria burden (page 1)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Abia	24.1	21.3	2.8
Adamawa	24.7	23.0	1.8
Akwa_Ibom	26.5	24.3	2.2
Anambra	16.9	15.3	1.7
Bauchi	30.9	29.7	1.2
Bayelsa	32.2	29.7	2.5
Benue	23.2	21.5	1.7
Borno	59.7	56.8	2.9
Cross_River	29.5	26.8	2.7
Delta	21.8	19.9	1.8
Ebonyi	38.3	34.9	3.4
Edo	36.8	33.1	3.7
Ekiti	48.1	42.8	5.4
Enugu	24.7	22.4	2.3
Federal_Capital_Territory	20.4	18.8	1.7
Gombe	27.8	26.6	1.2
Imo	18.4	16.8	1.6
Jigawa	72.6	67.3	5.3
Kaduna	33.2	31.6	1.6
Kano	46.5	44.1	2.3
Katsina	84.0	81.1	2.9
Kebbi	100.5	95.2	5.4
Kogi	33.3	30.6	2.7
Kwara	22.0	20.4	1.6
Lagos	10.4	9.3	1.1
Nasarawa	43.4	39.6	3.8
Niger	43.1	40.7	2.4
Ogun	25.7	23.8	1.9
Ondo	45.6	41.0	4.6
Osun	35.3	32.8	2.5

COG: Severe malaria burden (page 2)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Oyo	30.9	28.7	2.2
Plateau	39.2	35.9	3.2
Rivers	25.4	22.7	2.6
Sokoto	103.4	99.6	3.8
Taraba	32.3	30.7	1.6
Yobe	46.1	43.2	2.9
Zamfara	102.3	99.4	2.9