

PMC Compass: Modelling Outputs for GAB


Modelling outputs from PMC Compass. Please note, results are preliminary and subject to change following further validation.

Corresponding authors: Ishana Atkinson, Catherine Pitt, Andria Mousa

10 February 2026


GAB: Ranked prioritised order to implement PMC

Order at which to implement PMC in the country based on cost-effectiveness of the PMC delivery strategy.



GAB: Incremental cost-effectiveness ratios of implementing PMC co-delivery with EPI only vs No PMC in each admin-1 unit.

Incremental cost-effectiveness ratios of implementing PMC co-delivery with EPI only vs No PMC in each admin-1 unit. All costs used to calculate these exclude national-level start up costs.



GAB: Ranked prioritisation of options (page 1)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional clinical malaria cases averted	Additional hospitalisations averted	Additional deaths averted	Additional DALYs averted
GAB	Estuaire	PMC co-delivery with EPI only vs No PMC	928	68	14	71
GAB	Haut_Ogooue	PMC co-delivery with EPI only vs No PMC	620	47	10	47
GAB	Wouleu_Ntem	PMC co-delivery with EPI only vs No PMC	341	23	5	26
GAB	Moyen_Ogooue	PMC co-delivery with EPI only vs No PMC	111	7	2	8
GAB	Ogooue_Maritime	PMC co-delivery with EPI only vs No PMC	89	8	1	6
GAB	Ogooue_Lolo	PMC co-delivery with EPI only vs No PMC	93	8	1	6
GAB	Ngounie	PMC co-delivery with EPI only vs No PMC	125	9	2	10
GAB	Ogooue_Ivindo	PMC co-delivery with EPI only vs No PMC	57	4	1	4
GAB	Nyanga	PMC co-delivery with EPI only vs No PMC	32	2	0	3

GAB: Ranked prioritisation of options (page 2)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Financial cost of SP and administration consumables	Cumulative cost of SP and administration consumables	Additional economic cost savings to public providers from reduced treatment	Cumulative economic cost savings to public providers from reduced treatment
GAB	Estuaire	PMC co-delivery with EPI only vs No PMC	11118	11118	-16878	-16878
GAB	Haut_Ogooue	PMC co-delivery with EPI only vs No PMC	7973	19091	-11509	-28387
GAB	Wouleu_Ntem	PMC co-delivery with EPI only vs No PMC	3361	22452	-5914	-34301
GAB	Moyen_Ogooue	PMC co-delivery with EPI only vs No PMC	1157	23609	-1843	-36144
GAB	Ogooue_Maritime	PMC co-delivery with EPI only vs No PMC	2023	25632	-1846	-37990
GAB	Ogooue_Lolo	PMC co-delivery with EPI only vs No PMC	1184	26816	-1861	-39851
GAB	Ngounie	PMC co-delivery with EPI only vs No PMC	1491	28307	-2242	-42093
GAB	Ogooue_Ivindo	PMC co-delivery with EPI only vs No PMC	579	28886	-1018	-43111
GAB	Nyanga	PMC co-delivery with EPI only vs No PMC	633	29519	-531	-43642

GAB: Ranked prioritisation of options (page 3)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Additional net economic costs of PMC implementation and treatment	Cumulative net costs of PMC implementation and treatment	Incremental economic cost per DALY averted vs. next higher option in ranking	Cost-effective? (lower country-specific threshold)
GAB	Estuaire	PMC co-delivery with EPI only vs No PMC	481232	481232	6778	no
GAB	Haut_Ogooue	PMC co-delivery with EPI only vs No PMC	638004	1119236	13575	no
GAB	Wouleu_Ntem	PMC co-delivery with EPI only vs No PMC	518977	1638213	19961	no
GAB	Moyen_Ogooue	PMC co-delivery with EPI only vs No PMC	306096	1944309	38262	no
GAB	Ogooue_Maritime	PMC co-delivery with EPI only vs No PMC	320101	2264410	53350	no
GAB	Ogooue_Lolo	PMC co-delivery with EPI only vs No PMC	372069	2636479	62012	no
GAB	Ngounie	PMC co-delivery with EPI only vs No PMC	635787	3272266	63579	no
GAB	Ogooue_Ivindo	PMC co-delivery with EPI only vs No PMC	438468	3710734	109617	no
GAB	Nyanga	PMC co-delivery with EPI only vs No PMC	444832	4155566	148277	no

GAB: Ranked prioritisation of options (page 4)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Cost-effective? (higher country-specific threshold)	Cost-effective? (\$250 / DALY averted threshold)	Population (all ages)	Expected PMC doses delivered (age 0-1yr)
GAB	Estuaire	PMC co-delivery with EPI only vs No PMC	no	no	955036	69487
GAB	Haut_Ogooue	PMC co-delivery with EPI only vs No PMC	no	no	658127	49829
GAB	Wouleu_Ntem	PMC co-delivery with EPI only vs No PMC	no	no	267202	21009
GAB	Moyen_Ogooue	PMC co-delivery with EPI only vs No PMC	no	no	87030	7231
GAB	Ogooue_Maritime	PMC co-delivery with EPI only vs No PMC	no	no	148300	12644
GAB	Ogooue_Lolo	PMC co-delivery with EPI only vs No PMC	no	no	97371	7401
GAB	Ngounie	PMC co-delivery with EPI only vs No PMC	no	no	118567	9317
GAB	Ogooue_Ivindo	PMC co-delivery with EPI only vs No PMC	no	no	73283	3621
GAB	Nyanga	PMC co-delivery with EPI only vs No PMC	no	no	55377	3958

GAB: Ranked prioritisation of options (page 5)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	Expected PMC doses delivered (age 1-2yr)	Expected PMC doses delivered (age 2-2.5yr)	Data source for cost modelling	ICER based on regional costs only (no national costs)
GAB	Estuaire	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	4426
GAB	Haut_Ogooue	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	13575
GAB	Wouleu_Ntem	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	19961
GAB	Moyen_Ogooue	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	38262
GAB	Ogooue_Maritime	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	53350
GAB	Ogooue_Lolo	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	62012
GAB	Ngounie	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	63579
GAB	Ogooue_Ivindo	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	109617
GAB	Nyanga	PMC co-delivery with EPI only vs No PMC	0	0	Plus Project countries	148277

GAB: Ranked prioritisation of options (page 6)

The first row indicates the single region and delivery model where PMC would be most cost-effective, meaning it would gain the most health (in disability-adjusted life-years) for the resources invested (public health service + donor costs of PMC and malaria treatment). The second row indicates the next-most cost-effective option to consider implementing alongside the first option, if additional implementation resources remain.

Country	Region (admin-1)	PMC delivery strategy (vs. comparator)	rank
GAB	Estuaire	PMC co-delivery with EPI only vs No PMC	1
GAB	Haut_Ogooue	PMC co-delivery with EPI only vs No PMC	2
GAB	Woulev_Ntem	PMC co-delivery with EPI only vs No PMC	3
GAB	Moyen_Ogooue	PMC co-delivery with EPI only vs No PMC	4
GAB	Ogooue_Maritime	PMC co-delivery with EPI only vs No PMC	5
GAB	Ogooue_Lolo	PMC co-delivery with EPI only vs No PMC	6
GAB	Ngounie	PMC co-delivery with EPI only vs No PMC	7
GAB	Ogooue_Ivindo	PMC co-delivery with EPI only vs No PMC	8
GAB	Nyanga	PMC co-delivery with EPI only vs No PMC	9

GAB: Cost assumptions (page 1)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N doses in PMC schedule	Data source for cost modelling	Total cost of PMC implementation (excl national costs)
GAB	Estuaire	955036	No PMC	0	Plus Project countries	0
GAB	Estuaire	955036	PMC co-delivery with EPI only	4	Plus Project countries	331120
GAB	Haut_Ogooue	658127	No PMC	0	Plus Project countries	0
GAB	Haut_Ogooue	658127	PMC co-delivery with EPI only	4	Plus Project countries	649513
GAB	Moyen_Ogooue	87030	No PMC	0	Plus Project countries	0
GAB	Moyen_Ogooue	87030	PMC co-delivery with EPI only	4	Plus Project countries	307939
GAB	Ngounie	118567	No PMC	0	Plus Project countries	0
GAB	Ngounie	118567	PMC co-delivery with EPI only	4	Plus Project countries	638029
GAB	Nyanga	55377	No PMC	0	Plus Project countries	0
GAB	Nyanga	55377	PMC co-delivery with EPI only	4	Plus Project countries	445363
GAB	Ogooue_Ivindo	73283	No PMC	0	Plus Project countries	0
GAB	Ogooue_Ivindo	73283	PMC co-delivery with EPI only	4	Plus Project countries	439486
GAB	Ogooue_Lolo	97371	No PMC	0	Plus Project countries	0
GAB	Ogooue_Lolo	97371	PMC co-delivery with EPI only	4	Plus Project countries	373930
GAB	Ogooue_Maritime	148300	No PMC	0	Plus Project countries	0
GAB	Ogooue_Maritime	148300	PMC co-delivery with EPI only	4	Plus Project countries	321947
GAB	Wouleu_Ntem	267202	No PMC	0	Plus Project countries	0
GAB	Wouleu_Ntem	267202	PMC co-delivery with EPI only	4	Plus Project countries	524891

GAB: Cost assumptions (page 2)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Sub–total: Cost of treatment	Total cost of PMC implementation + treatment (excluding national costs)	Total cost of PMC implementation + treatment (including full national costs for every region)
GAB	Estuaire	955036	No PMC	305156	305156	305156
GAB	Estuaire	955036	PMC co–delivery with EPI only	288278	619398	786388
GAB	Haut_Ogooue	658127	No PMC	183602	183602	183602
GAB	Haut_Ogooue	658127	PMC co–delivery with EPI only	172093	821606	988596
GAB	Moyen_Ogooue	87030	No PMC	31115	31115	31115
GAB	Moyen_Ogooue	87030	PMC co–delivery with EPI only	29272	337211	504201
GAB	Ngounie	118567	No PMC	36687	36687	36687
GAB	Ngounie	118567	PMC co–delivery with EPI only	34445	672474	839464
GAB	Nyanga	55377	No PMC	11206	11206	11206
GAB	Nyanga	55377	PMC co–delivery with EPI only	10675	456038	623028
GAB	Ogooue_Ivindo	73283	No PMC	26117	26117	26117
GAB	Ogooue_Ivindo	73283	PMC co–delivery with EPI only	25099	464585	631575
GAB	Ogooue_Lolo	97371	No PMC	28529	28529	28529
GAB	Ogooue_Lolo	97371	PMC co–delivery with EPI only	26668	400598	567588
GAB	Ogooue_Maritime	148300	No PMC	27142	27142	27142
GAB	Ogooue_Maritime	148300	PMC co–delivery with EPI only	25296	347243	514233
GAB	Wouleu_Ntem	267202	No PMC	99142	99142	99142
GAB	Wouleu_Ntem	267202	PMC co–delivery with EPI only	93228	618119	785109

GAB: Cost assumptions (page 3)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Clinical cases (N, 0–30mo)	Clinical cases for whom care sought	Hospitalisations (N, 0–30mo)
GAB	Estuaire	955036	No PMC	19523	9762	1095
GAB	Estuaire	955036	PMC co–delivery with EPI only	18595	9298	1027
GAB	Haut_Ogooue	658127	No PMC	10906	5453	700
GAB	Haut_Ogooue	658127	PMC co–delivery with EPI only	10286	5143	653
GAB	Moyen_Ogooue	87030	No PMC	2005	1002	111
GAB	Moyen_Ogooue	87030	PMC co–delivery with EPI only	1894	947	104
GAB	Ngounie	118567	No PMC	2341	1170	132
GAB	Ngounie	118567	PMC co–delivery with EPI only	2216	1108	123
GAB	Nyanga	55377	No PMC	660	330	43
GAB	Nyanga	55377	PMC co–delivery with EPI only	628	314	41
GAB	Ogooue_Ivindo	73283	No PMC	1706	853	92
GAB	Ogooue_Ivindo	73283	PMC co–delivery with EPI only	1649	824	88
GAB	Ogooue_Lolo	97371	No PMC	1793	896	104
GAB	Ogooue_Lolo	97371	PMC co–delivery with EPI only	1700	850	96
GAB	Ogooue_Maritime	148300	No PMC	1519	760	108
GAB	Ogooue_Maritime	148300	PMC co–delivery with EPI only	1430	715	100
GAB	Wouleu_Ntem	267202	No PMC	6623	3312	342
GAB	Wouleu_Ntem	267202	PMC co–delivery with EPI only	6282	3141	319

GAB: Cost assumptions (page 4)

Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Deaths (N, 0–30mo)	Total DALYs	DALYs from clinical cases
GAB	Estuaire	955036	No PMC	235	1377	996
GAB	Estuaire	955036	PMC co–delivery with EPI only	221	1306	948
GAB	Haut_Ogooue	658127	No PMC	150	799	556
GAB	Haut_Ogooue	658127	PMC co–delivery with EPI only	140	752	525
GAB	Moyen_Ogooue	87030	No PMC	24	141	102
GAB	Moyen_Ogooue	87030	PMC co–delivery with EPI only	22	133	97
GAB	Ngounie	118567	No PMC	28	165	119
GAB	Ngounie	118567	PMC co–delivery with EPI only	26	155	113
GAB	Nyanga	55377	No PMC	9	49	34
GAB	Nyanga	55377	PMC co–delivery with EPI only	9	46	32
GAB	Ogooue_Ivindo	73283	No PMC	20	119	87
GAB	Ogooue_Ivindo	73283	PMC co–delivery with EPI only	19	115	84
GAB	Ogooue_Lolo	97371	No PMC	22	127	91
GAB	Ogooue_Lolo	97371	PMC co–delivery with EPI only	21	121	87
GAB	Ogooue_Maritime	148300	No PMC	23	114	77
GAB	Ogooue_Maritime	148300	PMC co–delivery with EPI only	22	108	73
GAB	Wouleu_Ntem	267202	No PMC	74	457	338
GAB	Wouleu_Ntem	267202	PMC co–delivery with EPI only	69	431	320

GAB: Cost assumptions (page 5)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	DALYs from hospitalisations	DALYs from deaths	PMC cost input: Implementation cost at national level
GAB	Estuaire	955036	No PMC	146	235	0
GAB	Estuaire	955036	PMC co-delivery with EPI only	137	221	166990
GAB	Haut_Ogooue	658127	No PMC	93	150	0
GAB	Haut_Ogooue	658127	PMC co-delivery with EPI only	87	140	166990
GAB	Moyen_Ogooue	87030	No PMC	15	24	0
GAB	Moyen_Ogooue	87030	PMC co-delivery with EPI only	14	22	166990
GAB	Ngounie	118567	No PMC	18	28	0
GAB	Ngounie	118567	PMC co-delivery with EPI only	16	26	166990
GAB	Nyanga	55377	No PMC	6	9	0
GAB	Nyanga	55377	PMC co-delivery with EPI only	5	9	166990
GAB	Ogooue_Ivindo	73283	No PMC	12	20	0
GAB	Ogooue_Ivindo	73283	PMC co-delivery with EPI only	12	19	166990
GAB	Ogooue_Lolo	97371	No PMC	14	22	0
GAB	Ogooue_Lolo	97371	PMC co-delivery with EPI only	13	21	166990
GAB	Ogooue_Maritime	148300	No PMC	14	23	0
GAB	Ogooue_Maritime	148300	PMC co-delivery with EPI only	13	22	166990
GAB	Wouleu_Ntem	267202	No PMC	45	74	0
GAB	Wouleu_Ntem	267202	PMC co-delivery with EPI only	42	69	166990

GAB: Cost assumptions (page 6)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC cost input: PMC implementation cost per district	PMC cost input: PMC implementation cost per health facility	PMC cost input: Cost of PMC administration consumables per dose
GAB	Estuaire	955036	No PMC	0	0	0.00
GAB	Estuaire	955036	PMC co-delivery with EPI only	65972	2920	0.05
GAB	Haut_Ogooue	658127	No PMC	0	0	0.00
GAB	Haut_Ogooue	658127	PMC co-delivery with EPI only	65972	2920	0.05
GAB	Moyen_Ogooue	87030	No PMC	0	0	0.00
GAB	Moyen_Ogooue	87030	PMC co-delivery with EPI only	65972	2920	0.05
GAB	Ngounie	118567	No PMC	0	0	0.00
GAB	Ngounie	118567	PMC co-delivery with EPI only	65972	2920	0.05
GAB	Nyanga	55377	No PMC	0	0	0.00
GAB	Nyanga	55377	PMC co-delivery with EPI only	65972	2920	0.05
GAB	Ogooue_Ivindo	73283	No PMC	0	0	0.00
GAB	Ogooue_Ivindo	73283	PMC co-delivery with EPI only	65972	2920	0.05
GAB	Ogooue_Lolo	97371	No PMC	0	0	0.00
GAB	Ogooue_Lolo	97371	PMC co-delivery with EPI only	65972	2920	0.05
GAB	Ogooue_Maritime	148300	No PMC	0	0	0.00
GAB	Ogooue_Maritime	148300	PMC co-delivery with EPI only	65972	2920	0.05
GAB	Wouleu_Ntem	267202	No PMC	0	0	0.00
GAB	Wouleu_Ntem	267202	PMC co-delivery with EPI only	65972	2920	0.05

GAB: Cost assumptions (page 7)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	PMC Cost input: Cost per SP tablet (includes wastage)	N districts in region	N health facilities in region
GAB	Estuaire	955036	No PMC	0.00	3	43
GAB	Estuaire	955036	PMC co-delivery with EPI only	0.11	3	43
GAB	Haut_Ogooue	658127	No PMC	0.00	6	85
GAB	Haut_Ogooue	658127	PMC co-delivery with EPI only	0.11	6	85
GAB	Moyen_Ogooue	87030	No PMC	0.00	2	60
GAB	Moyen_Ogooue	87030	PMC co-delivery with EPI only	0.11	2	60
GAB	Ngounie	118567	No PMC	0.00	7	60
GAB	Ngounie	118567	PMC co-delivery with EPI only	0.11	7	60
GAB	Nyanga	55377	No PMC	0.00	4	62
GAB	Nyanga	55377	PMC co-delivery with EPI only	0.11	4	62
GAB	Ogooue_Ivindo	73283	No PMC	0.00	4	60
GAB	Ogooue_Ivindo	73283	PMC co-delivery with EPI only	0.11	4	60
GAB	Ogooue_Lolo	97371	No PMC	0.00	3	60
GAB	Ogooue_Lolo	97371	PMC co-delivery with EPI only	0.11	3	60
GAB	Ogooue_Maritime	148300	No PMC	0.00	3	42
GAB	Ogooue_Maritime	148300	PMC co-delivery with EPI only	0.11	3	42
GAB	Wouleu_Ntem	267202	No PMC	0.00	5	66
GAB	Wouleu_Ntem	267202	PMC co-delivery with EPI only	0.11	5	66

GAB: Cost assumptions (page 8)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N expected PMC doses delivered (age 0-1yr)	N expected PMC doses delivered (age 1-2yr)	N expected PMC doses delivered (age 2-2.5yr)
GAB	Estuaire	955036	No PMC	0	0	0
GAB	Estuaire	955036	PMC co-delivery with EPI only	69487	0	0
GAB	Haut_Ogooue	658127	No PMC	0	0	0
GAB	Haut_Ogooue	658127	PMC co-delivery with EPI only	49829	0	0
GAB	Moyen_Ogooue	87030	No PMC	0	0	0
GAB	Moyen_Ogooue	87030	PMC co-delivery with EPI only	7231	0	0
GAB	Ngounie	118567	No PMC	0	0	0
GAB	Ngounie	118567	PMC co-delivery with EPI only	9317	0	0
GAB	Nyanga	55377	No PMC	0	0	0
GAB	Nyanga	55377	PMC co-delivery with EPI only	3958	0	0
GAB	Ogooue_Ivindo	73283	No PMC	0	0	0
GAB	Ogooue_Ivindo	73283	PMC co-delivery with EPI only	3621	0	0
GAB	Ogooue_Lolo	97371	No PMC	0	0	0
GAB	Ogooue_Lolo	97371	PMC co-delivery with EPI only	7401	0	0
GAB	Ogooue_Maritime	148300	No PMC	0	0	0
GAB	Ogooue_Maritime	148300	PMC co-delivery with EPI only	12644	0	0
GAB	Wouleu_Ntem	267202	No PMC	0	0	0
GAB	Wouleu_Ntem	267202	PMC co-delivery with EPI only	21009	0	0

GAB: Cost assumptions (page 9)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	N total expected PMC doses delivered (age 0-2.5yr)	N SP tablets delivered	Sub-total: Cost of PMC implementation at district and HFs
GAB	Estuaire	955036	No PMC	0	0	0
GAB	Estuaire	955036	PMC co-delivery with EPI only	69487	69487	323476
GAB	Haut_Ogooue	658127	No PMC	0	0	0
GAB	Haut_Ogooue	658127	PMC co-delivery with EPI only	49829	49829	644032
GAB	Moyen_Ogooue	87030	No PMC	0	0	0
GAB	Moyen_Ogooue	87030	PMC co-delivery with EPI only	7231	7231	307144
GAB	Ngounie	118567	No PMC	0	0	0
GAB	Ngounie	118567	PMC co-delivery with EPI only	9317	9317	637004
GAB	Nyanga	55377	No PMC	0	0	0
GAB	Nyanga	55377	PMC co-delivery with EPI only	3958	3958	444928
GAB	Ogooue_Ivindo	73283	No PMC	0	0	0
GAB	Ogooue_Ivindo	73283	PMC co-delivery with EPI only	3621	3621	439088
GAB	Ogooue_Lolo	97371	No PMC	0	0	0
GAB	Ogooue_Lolo	97371	PMC co-delivery with EPI only	7401	7401	373116
GAB	Ogooue_Maritime	148300	No PMC	0	0	0
GAB	Ogooue_Maritime	148300	PMC co-delivery with EPI only	12644	12644	320556
GAB	Wouleu_Ntem	267202	No PMC	0	0	0
GAB	Wouleu_Ntem	267202	PMC co-delivery with EPI only	21009	21009	522580

GAB: Cost assumptions (page 10)

Detailed information on the assumptions used in estimating costs, DALYs, and cost-effectiveness used in the main ranking of options.

Iso code	Region (admin-1 unit)	Population (all ages)	Scenario	Sub-total: Cost of PMC administration (SP+consumables)	Treatment cost per clinical case	Treatment cost per hospitalisation
GAB	Estuaire	955036	No PMC	0	14.57	122.46
GAB	Estuaire	955036	PMC co-delivery with EPI only	11118	14.57	122.46
GAB	Haut_Ogooue	658127	No PMC	0	14.57	122.46
GAB	Haut_Ogooue	658127	PMC co-delivery with EPI only	7973	14.57	122.46
GAB	Moyen_Ogooue	87030	No PMC	0	14.57	122.46
GAB	Moyen_Ogooue	87030	PMC co-delivery with EPI only	1157	14.57	122.46
GAB	Ngounie	118567	No PMC	0	14.57	122.46
GAB	Ngounie	118567	PMC co-delivery with EPI only	1491	14.57	122.46
GAB	Nyanga	55377	No PMC	0	14.57	122.46
GAB	Nyanga	55377	PMC co-delivery with EPI only	633	14.57	122.46
GAB	Ogooue_Ivindo	73283	No PMC	0	14.57	122.46
GAB	Ogooue_Ivindo	73283	PMC co-delivery with EPI only	579	14.57	122.46
GAB	Ogooue_Lolo	97371	No PMC	0	14.57	122.46
GAB	Ogooue_Lolo	97371	PMC co-delivery with EPI only	1184	14.57	122.46
GAB	Ogooue_Maritime	148300	No PMC	0	14.57	122.46
GAB	Ogooue_Maritime	148300	PMC co-delivery with EPI only	2023	14.57	122.46
GAB	Wouleu_Ntem	267202	No PMC	0	14.57	122.46
GAB	Wouleu_Ntem	267202	PMC co-delivery with EPI only	3361	14.57	122.46

GAB: Cost assumptions (page 11)


Detailed information on the assumptions used in estimating costs, DALYs, and cost–effectiveness used in the main ranking of options.

Iso code	Region (admin–1 unit)	Population (all ages)	Scenario	Treatment cost per death
GAB	Estuaire	955036	No PMC	122.46
GAB	Estuaire	955036	PMC co–delivery with EPI only	122.46
GAB	Haut_Ogooue	658127	No PMC	122.46
GAB	Haut_Ogooue	658127	PMC co–delivery with EPI only	122.46
GAB	Moyen_Ogooue	87030	No PMC	122.46
GAB	Moyen_Ogooue	87030	PMC co–delivery with EPI only	122.46
GAB	Ngounie	118567	No PMC	122.46
GAB	Ngounie	118567	PMC co–delivery with EPI only	122.46
GAB	Nyanga	55377	No PMC	122.46
GAB	Nyanga	55377	PMC co–delivery with EPI only	122.46
GAB	Ogooue_Ivindo	73283	No PMC	122.46
GAB	Ogooue_Ivindo	73283	PMC co–delivery with EPI only	122.46
GAB	Ogooue_Lolo	97371	No PMC	122.46
GAB	Ogooue_Lolo	97371	PMC co–delivery with EPI only	122.46
GAB	Ogooue_Maritime	148300	No PMC	122.46
GAB	Ogooue_Maritime	148300	PMC co–delivery with EPI only	122.46
GAB	Wouleu_Ntem	267202	No PMC	122.46
GAB	Wouleu_Ntem	267202	PMC co–delivery with EPI only	122.46

GAB: Clinical malaria incidence


Age-specific clinical malaria cases per 1,000 children (0–30 months, with and without PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.




GAB: Clinical malaria incidence (rural and urban)

Age-specific clinical malaria cases per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.




GAB: Malaria hospitalisations

Age-specific new malaria hospitalisations per 1,000 children (0–30 months, no PMC), stratified by rural and urban residence.
Raw model outputs have been smoothed to reduce stochastic variation.



GAB: Spatial distribution of clinical malaria without PMC


Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, no PMC).



GAB: Spatial distribution of clinical malaria with PMC

Admin-1 clinical malaria incidence per 1,000 children aged (0–30 months, with PMC).


PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



GAB: Spatial distribution of averted clinical malaria with PMC

Admin-1 averted clinical malaria incidence per 1,000 children aged (0–30 months, averted with PMC).

PMC is assumed to be co-delivered with EPI and have a 90% uptake relative to the coverage of the co-delivered intervention.



GAB: Clinical malaria burden (page 1)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Abia	362.1	325.8	36.3
Adamawa	379.8	355.7	24.1
Akwa_Ibom	445.1	413.0	32.1
Anambra	247.1	225.2	21.9
Bauchi	474.3	457.9	16.4
Bayelsa	578.6	539.8	38.8
Benue	369.2	343.5	25.8
Borno	1287.6	1233.4	54.3
Cross_River	527.1	486.7	40.4
Delta	333.0	308.1	24.8
Ebonyi	752.8	694.8	58.1
Edo	705.8	650.6	55.2
Ekiti	1165.1	1065.5	99.7
Enugu	380.5	348.1	32.4
Federal_Capital_Territory	323.3	297.5	25.7
Gombe	448.2	431.8	16.4
Imo	260.2	239.5	20.7
Jigawa	1614.4	1517.4	96.9
Kaduna	594.6	570.2	24.4
Kano	826.2	788.8	37.3
Katsina	2178.7	2115.4	63.2
Kebbi	3879.9	3744.2	135.7
Kogi	606.9	568.5	38.5
Kwara	372.3	348.6	23.7
Lagos	123.6	111.7	11.9
Nasarawa	1022.6	952.2	70.4
Niger	1011.6	970.3	41.3
Ogun	412.8	389.4	23.4
Ondo	1074.9	992.2	82.7
Osun	718.5	679.2	39.3

GAB: Clinical malaria burden (page 2)

Annual clinical malaria burden per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Clinical cases per 1,000, no PMC (0–2.5y)	Clinical cases per 1,000, with PMC (0–2.5y)	Clinical cases averted per 1,000 (0–2.5y)
Oyo	582.4	552.3	30.1
Plateau	786.5	733.0	53.5
Rivers	384.2	352.8	31.4
Sokoto	3696.7	3601.7	95.0
Taraba	563.2	540.4	22.8
Yobe	780.6	737.7	42.9
Zamfara	3789.7	3718.0	71.7

GAB: Severe malaria burden (page 1)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Abia	24.1	21.3	2.8
Adamawa	24.7	23.0	1.8
Akwa_Ibom	26.5	24.3	2.2
Anambra	16.9	15.3	1.7
Bauchi	30.9	29.7	1.2
Bayelsa	32.2	29.7	2.5
Benue	23.2	21.5	1.7
Borno	59.7	56.8	2.9
Cross_River	29.5	26.8	2.7
Delta	21.8	19.9	1.8
Ebonyi	38.3	34.9	3.4
Edo	36.8	33.1	3.7
Ekiti	48.1	42.8	5.4
Enugu	24.7	22.4	2.3
Federal_Capital_Territory	20.4	18.8	1.7
Gombe	27.8	26.6	1.2
Imo	18.4	16.8	1.6
Jigawa	72.6	67.3	5.3
Kaduna	33.2	31.6	1.6
Kano	46.5	44.1	2.3
Katsina	84.0	81.1	2.9
Kebbi	100.5	95.2	5.4
Kogi	33.3	30.6	2.7
Kwara	22.0	20.4	1.6
Lagos	10.4	9.3	1.1
Nasarawa	43.4	39.6	3.8
Niger	43.1	40.7	2.4
Ogun	25.7	23.8	1.9
Ondo	45.6	41.0	4.6
Osun	35.3	32.8	2.5

GAB: Severe malaria burden (page 2)

Annual severe malaria hospitalisations per 1,000 children aged 0–2.5 years, with and without PMC.

PMC is assumed to be co–delivered with EPI and have a 90% uptake relative to the coverage of the co–delivered intervention.

Admin–1	Hospitalisations per 1,000, no PMC (0–2.5y)	Hospitalisations per 1,000, with PMC (0–2.5y)	Hospitalisations averted per 1,000 (0–2.5y)
Oyo	30.9	28.7	2.2
Plateau	39.2	35.9	3.2
Rivers	25.4	22.7	2.6
Sokoto	103.4	99.6	3.8
Taraba	32.3	30.7	1.6
Yobe	46.1	43.2	2.9
Zamfara	102.3	99.4	2.9