QF605 Additional Examples Session 4: LIBOR and Swap Market Models

1 Questions

1. Let \mathbb{P} denote the real-world probability measure, and W_t denote a \mathbb{P} -Brownian motion. A stock price process follows the stochastic differential equation

$$dS_t = \mu S_t dt + \sigma S_t dW_t.$$

In the market, there is also a risk-free bond whose price process follows the differential equation

$$dB_t = rB_t dt$$
.

Let $\mathbb Q$ denote the risk-neutral probability measure associated with the risk-free bond as numeraire.

- (a) Evaluate $\mathbb{E}^{\mathbb{P}}[S_T]$.
- (b) Evaluate $\mathbb{E}^{\mathbb{Q}}[S_T]$
- 2. Suppose the LIBOR rate follows the stochastic differential equation

$$dL_i(t) = \sigma_i L_i(t) dW^{i+1},$$

where W^{i+1} is a standard Brownian motion under the risk-neutral measure \mathbb{Q}^{i+1} associated with the numeraire $D_{i+1}(t)$. Derive the valuation formula for a floorlet

$$F_i(0) = D_{i+1}(0)\Delta_i \mathbb{E}^{i+1}[(K - L_i(T_i))^+].$$

3. Suppose the swap rate follows the stochastic differential equation

$$dS_{n,N}(t) = \sigma_{n,N} S_{n,N}(t) dW^{n+1,N},$$

where $W^{n+1,N}$ is a standard Brownian motion under the risk-neutral measure $\mathbb{Q}^{n+1,N}$ associated with the numeraire $P_{n+1,N}(t)$. Derive the valuation formula for a receiver swaption

$$V_{n,N}^{rec}(0) = P_{n+1,N} \mathbb{E}^{n+1,N} [(K - S_{n,N}(T))^{+}].$$

2 Suggested Solutions

(a) Solving the stochastic differential equation of the stock price process directly under the real-world probability measure by applying Itô's formula to the function $f: \mathbb{R} \to$ \mathbb{R} , $f(x) = \log(x)$, with $X_t = \log S_t = f(S_t)$, we have

$$S_T = S_0 \exp\left[\left(\mu - \frac{\sigma^2}{2}\right)T + \sigma W_T\right].$$

Taking expectation under the $\mathbb P$ measure, we obtain

$$\mathbb{E}^{\mathbb{P}}[S_T] = S_0 e^{\mu T} \quad \triangleleft$$

(b) Under the risk-neutral measure \mathbb{Q} , the price process $\frac{S_t}{B_t}$ is a martingale. We are able to identify the Radon-Nikodym derivative that allows us to attain this measure change

$$\frac{d\mathbb{Q}}{d\mathbb{P}} = \exp\left(-\kappa W_T - \frac{1}{2}\kappa^2 T\right) \qquad \text{where} \qquad \kappa = \frac{\mu - r}{\sigma},$$

and a \mathbb{Q} -Brownian motion W_t^B , where

$$dW_t^B = dW_t + \frac{\mu - r}{\sigma} dt.$$

Substituting, we obtain

$$dS_t = \mu S_t dt + \sigma S_t dW_t$$

$$= \mu S_t dt + \sigma S_t \left(dW_t^B - \frac{\mu - r}{\sigma} dt \right)$$

$$= r S_t dt + \sigma S_t dW_t^B.$$

Solving this stochastic differential equation (again by applying Itô's Formula to X_t $\log S_t$), we obtain formula Sheel 61 cando harry

$$S_T = S_0 \exp\left[\left(r - \frac{\sigma^2}{2}\right)T + \sigma W_T^B\right].$$

Taking expectation under the \mathbb{Q} measure, we obtain

$$\mathbb{E}^{\mathbb{Q}}[S_T] = S_0 e^{rT} \quad \triangleleft$$

2. The LIBOR rate follows the stochastic differential equation

$$dL_i(t) = \sigma_i L_i(t) dW^{i+1},$$

where W^{i+1} is a standard Brownian motion under the risk-neutral measure \mathbb{Q}^{i+1} associated with the numeraire $D_{i+1}(t)$. The solution is given by

$$L_i(t) = L_i(0)e^{-\frac{1}{2}\sigma_i^2t + \sigma_i W^{i+1}}.$$

Evaluating the expectation, we obtain

$$F_{i}(0) = D_{i+1}(0) \cdot \Delta_{i} \cdot \mathbb{E}^{i+1}[(K - L_{i}(T_{i}))^{+}]$$

$$= D_{i+1}(0) \cdot \Delta_{i} \cdot \frac{1}{\sqrt{2\pi}} \int_{-\infty}^{\infty} \left(K - L_{i}(0)e^{-\frac{1}{2}\sigma_{i}^{2}t + \sigma_{i}\sqrt{T}x}\right)^{+} e^{-\frac{x^{2}}{2}} dx$$

$$= D_{i+1}(0) \cdot \Delta_{i} \cdot [K\Phi(-d_{2}) - L_{i}(0)\Phi(-d_{1})],$$

where

$$d_1 = \frac{\log\left(\frac{L_i(0)}{K}\right) + \frac{1}{2}\sigma_i^2 T}{\sigma_i \sqrt{T}}, \quad d_2 = d_1 - \sigma_i \sqrt{T}. \quad \triangleleft$$

formula Sheet (is no space remove deriv

formula

3. The swap rate follows the stochastic differential equation

$$dS_{n,N}(t) = \sigma_{n,N}S_{n,N}(t)dW^{n+1,N},$$

where $W^{n+1,N}$ is a Brownian motion under $\mathbb{Q}^{n+1,N}$. The solution is given by

$$S_{n,N}(T) = S_{n,N}(0)e^{-\frac{1}{2}\sigma_{n,N}^2t + \sigma_{n,N}W_t^{n+1,N}}.$$

Evaluating the expectation, we obtain

$$\begin{split} V_{n,N}^{rec}(0) &= P_{n+1,N}(0) \cdot \mathbb{E}^{n+1,N}[(K - S_{n,N}(T))^+] \\ &= P_{n+1,N}(0) \cdot \frac{1}{\sqrt{2\pi}} \int_{-\infty}^{\infty} \left(K - S_{n,N}(0)e^{-\frac{1}{2}\sigma_{n,N}^2 t + \sigma_{n,N}\sqrt{T}x}\right)^+ \ e^{-\frac{x^2}{2}} \ dx \\ &= P_{n+1,N}(0) \cdot [K\Phi(-d_2) - S_{n,N}(0)\Phi(-d_1)], \end{split}$$

where

$$d_{1} = \frac{\log\left(\frac{S_{n,N}(0)}{K}\right) + \frac{1}{2}\sigma_{n,N}^{2}T}{\sigma_{n,N}\sqrt{T}}, \quad d_{2} = d_{1} - \sigma_{n,N}\sqrt{T}. \quad \triangleleft$$

Jormula Dudinust Jormand