

Experiment - 4

Student Name: Ishan UID: 23BCS12656

Branch: BE-CSE Section/Group: KRG-2B

Semester: 5th Date of Performance: 23/9/25

Subject Name: Project Based Learning in Java

Subject Code: 23CSH-304

Aim: To develop a ticket booking system with synchronized threads to ensure no double booking of seats. Use thread priorities to simulate VIP bookings being processed first.

Objective: To understand multithreading, thread synchronization, and thread priorities in Java.

Input Used: Thread, synchronized method, setPriority(), ticket counter simulation.

Procedure:

- 1. Create a TicketBooking class with synchronized bookTicket() method.
- 2. Use a Thread class to simulate customers (normal and VIP).
- 3. Create threads with different priorities.
- 4. Start threads and observe how VIPs are handled first due to higher priority.
- 5. Ensure no 2 threads can book the same seat using synchronization.

Sample Input -

Thread 1: Normal User - Booking Seat 1 Thread 2: VIP User - Booking Seat 1

Sample Output -

VIP Thread booked Seat 1

Normal Thread could not book. Seat already booked.

Code -

```
package intro_day1;
class TicketBooking {
private boolean isBooked = false;

public synchronized void bookTicket(String userType, String threadName) {
  if (!isBooked) {
    System.out.println(userType + " " + threadName + " booked the seat.");
    isBooked = true;
```

```
Discover. Learn. Empower.
```

```
} else {
System.out.println(userType + " " + threadName + " could not book. Seat already
booked.");
}
}
}
class Customer extends Thread {
private TicketBooking bookingSystem;
private String userType;
public Customer(TicketBooking bookingSystem, String userType) {
this.bookingSystem = bookingSystem;
this.userType = userType;
public void run() {
bookingSystem.bookTicket(userType, Thread.currentThread().getName());
}
}
public class practice {
public static void main(String[] args) {
TicketBooking booking = new TicketBooking();
Customer normalUser = new Customer(booking, "Normal User");
normalUser.setName("Thread 1");
Customer vipUser = new Customer(booking, "VIP User");
vipUser.setName("Thread 2");
normalUser.setPriority(Thread.MIN_PRIORITY);
vipUser.setPriority(Thread.MAX PRIORITY);
normalUser.start();
vipUser.start();
}
}
```

Output -

<terminated> practice [Java Application] C:\Users\hp\.p2\pool\plugins\org.eclipse Normal User Thread 1 booked the seat. VIP User Thread 2 could not book. Seat already booked.