

Experiment - 5

Student Name: Ishan UID: 23BCS12656

Branch: BE-CSE Section/Group: KRG-2B

Semester: 5th Date of Performance: 24/9/25

Subject Name: Project Based Learning in Java

Subject Code: 23CSH-304

Aim: Create a menu-based Java application with the following options. 1.Add an Employee 2. Display All 3. Exit If option 1 is selected, the application should gather details of the employee like employee name, employee id, designation and salary and store it in a file. If option 2 is selected, the application should display all the employee details. If option 3 is selected the application should exit.

Objective: To combine object-oriented programming, file handling, and menu-driven console interaction.

Procedure:

- 1. Present a menu:
- a) Add Employee
- b) Display All
- c) Exit
- 2. On choosing Add, take input for:
- a) Employee Name
- b) Employee ID
- c) Designation
- d) Salary
- 3. Write this data to a file.
- 4. On choosing Display, read and display all employee data from the file.
- 5. Exit on selection of option 3.

Sample Output -

Menu:

- 1. Add Employee
- 2. Display All
- 3. Exit

Enter choice: 1
Name: John
ID: 1001
Designation: Manager
Salary: 75000
Employee added successfully!
Enter choice: 2
Employee List:
John | 1001 | Manager | 75000

Code -

```
package intro_day1;
import java.io.*;
import java.util.*;
class Employee {
private String name;
private String id;
private String designation;
private double salary;
public Employee(String name, String id, String designation, double salary) {
this.name = name;
this.id = id;
this.designation = designation;
this.salary = salary;
public String toFileString() {
return name + "|" + id + "|" + designation + "|" + salary;
}
public static Employee fromFileString(String line) {
String[] parts = line.split("\\\");
return new Employee(parts[0], parts[1], parts[2], Double.parseDouble(parts[3]));
}
public String toString() {
return name + " | " + id + " | " + designation + " | " + salary;
}
}
```

Discover. Learn. Empower.

```
public class practice {
private static final String FILE NAME = "employees.txt";
private static Scanner sc = new Scanner(System.in);
public static void main(String[] args) {
while (true) {
System.out.println("\nMenu:");
System.out.println("1. Add Employee");
System.out.println("2. Display All");
System.out.println("3. Exit");
System.out.print("\nEnter choice: ");
int choice = sc.nextInt();
sc.nextLine();
switch (choice) {
case 1:
addEmployee();
break;
case 2:
displayAll();
break;
case 3:
System.out.println("Exiting...");
System.exit(0);
default:
System.out.println("Invalid choice! Try again.");
}
}
private static void addEmployee() {
System.out.print("Name: ");
String name = sc.nextLine();
System.out.print("ID: ");
String id = sc.nextLine();
System.out.print("Designation: ");
String designation = sc.nextLine();
System.out.print("Salary: ");
double salary = sc.nextDouble();
sc.nextLine();
Employee emp = new Employee(name, id, designation, salary);
try (BufferedWriter bw = new BufferedWriter(new FileWriter(FILE_NAME, true))) {
bw.write(emp.toFileString());
bw.newLine();
System.out.println("Employee added successfully!");
} catch (IOException e) {
System.out.println("Error writing to file.");
```

} catch (FileNotFoundException e) {

} catch (IOException e) {

System.out.println("No employees found.");

System.out.println("Error reading file.");

Discover. Learn. Empower.

private static void displayAll() {
 System.out.println("\nEmployee List:");
 try (BufferedReader br = new BufferedReader(new FileReader(FILE_NAME))) {
 String line;
 while ((line = br.readLine()) != null) {
 Employee emp = Employee.fromFileString(line);
 System.out.println(emp);
 }
}

}

}

```
Output -
     Menu:

    Add Employee

2. Display All
3. Exit
Enter choice: 1
Name: Mandeep
ID: 10854
Designation: Engineer
Salary: 1000000
Employee added successfully!
Menu:

    Add Employee

2. Display All
3. Exit
Enter choice: 2
Employee List:
Mandeep | 10854 | Engineer | 1000000.0
```