

Scaling motion beyond
individual expertise

Motion Design *guidelines*



START





Purpose of Motion Design?

Guiding Focus

Using motion and interaction patterns judiciously will guide focus to the right spot at the right time.

Retention

Motion can help in retaining user's attention without altering the visual design by creating contextual distractions.

Delight

Motion gratifies users by signaling task completion/progress, ensuring they feel their actions are effective.

Intuitiveness

Smooth, natural motions that reflect element hierarchy
avoid confusing users and make interactions intuitive.

introducing
Motion Cards



DOCUMENT



CREATE



Motion Cards

A reusable artifact for creating, documenting, and communicating motion specifications directly on the Figma canvas.




Using **Motion Cards?**

A graphic of a motion card, which is a rectangular box with a blue border and four small square handles at the corners. The text "Motion Cards?" is written inside the box in a bold, teal font. A white arrow with a black outline points towards the bottom right corner of the box.

Just drag and drop!

Simply drag and drop your brand new motion card from assets.



Understanding the **parameters**





13 easing presets

There are 13 easing presets to choose from. Named for convenience of understanding at a glance, they can be used as seen fit.

Faster or **slower**

Select the duration based on the scale or nature of the animations from this list.

quick1 | 100 ms

quick2 | 250 ms

short1 | 300 ms

short2 | 350 ms

medium1 | 400 ms

medium2 | 450 ms

long1 | 550 ms

long2 | 600 ms



Tokens

moving_superSlow
short2



E A S I N G



D U R A T I O N



introducing
Interactions







APPLIED MOTION CARDS



Interactions

Motion cards with preset values that represent an interaction for a component in the app.




Using **Interactions?**




Just drag and drop!

Simply drag and drop your Interaction card from assets and utilize the preset values for reference and prototyping.



Embedded Explanations

Interactions are explained along with an example prototype embedded within the Interaction Cards as a variant.



I also

Printed Them



I also **Printed Them**



introducing
Motion Card Plugin





QUICK MOTION MAGIC



Just fire it up *anywhere*

Access all the easing curves anywhere. The plugin is also integrated with the Motion Card component that is available in your asset library.





Why a plugin?

To make motion cards more interactive, accessible and useful.


creating Lottiemon

⚡ Quick

🔒 Client-Sided

🔑 No Login

📄 Supports .lottie



Change Colors

Replace Assets

Add/Edit Segments

Crop Animation


GIF/Video Export

Making Animation Properties Addressable

Edit fills and strokes directly in the asset, or target the same named properties in code to adapt colors across themes at runtime.

```
Dart Snippet


1 ValueDelegate.color(
2   const ['**', 'loaderRing'],
3   value: isDarkMode
4     ? Colors.white
5     : Colors.black,
6 )
```



Create And Call Named Animation Segments

Define frame ranges once, give them meaningful names, and let developers trigger them by name instead of managing start and end frames.

```
1 void playMarker(String name) {  
2     final marker = composition.markers  
3       .firstWhere((m) => m.name == name);  
4  
5     final start = marker.startFrame;  
6     final end = marker.startFrame + marker.durationFrames;  
7  
8     controller.animateTo(  
9         end / composition.endFrame,  
10        from: start / composition.endFrame,  
11    );  
12 }  
13  
14 playMarker('processing');
```




Create And Call Named Animation Segments

Define frame ranges once, give them meaningful names, and let developers trigger them by name instead of managing start and end frames.

```
Playing a Segment via Code

1 void playMarker(String name) {
2   final marker = composition.markers
3     .firstWhere((m) => m.name == name);
4
5   final start = marker.startFrame;
6   final end = marker.startFrame + marker.durationFrames;
7
8   controller.animateTo(
9     end / composition.endFrame,
10    from: start / composition.endFrame,
11  );
12 }
13
14 playMarker('processing');
```



Early Handoff, Final Assets Later

Use placeholders to integrate motion early, then swap in final assets without rebuilding the animation.



Early Handover



Final Handover



Search for your **father..**

Select Sequence



image_0

42 KB • 846×846 px



image_1

36 KB • 846×846 px



image_2

54 KB • 846×846 px



image_3

40 KB • 846×846 px




image_4

47 KB • 846×846 px




Flutter Preview, Crop Tool, Dot Lottie Export

Added lightweight utilities to validate animations in Flutter, refine asset bounds, and export to DotLottie



Experimenting With State Machines

State machines could make animations respond directly to interaction and app state, but cross-platform inconsistencies made them too early to adopt.



Lottiemon's Impact

Faster Asset Handoff

The asset handoff loop between designer and developer decreased significantly

Better Code & Reuse

Standardized implementation patterns improved maintenance and reusability of code and assets

that's all
Thank you

