Patient Medical Record — PAT-0002

Patient Information

Patient ID: PAT-0002
Patient Name: Kasuni Silva
Age: 29 years
Gender: Female
Blood Group: A+
Record Status: Active
Last Updated: 28 July 2026

Disease: Bronchial Asthma

Diagnosis Date: 12 May 2016
Disease Status: Active
Severity: Moderate Persistent Asthma

Clinical Description

The patient has a history of recurrent episodes of wheezing, coughing, chest tightness, and shortness of breath. Symptoms become more noticeable following exposure to known environmental triggers.

Reported Symptoms

- Shortness of breath
- Wheezing
- Dry cough
- Chest tightness
- Night-time coughing
- Breathing difficulty during strenuous physical activity

Known Triggers

The patient reports worsening symptoms following exposure to:

- House dust
- Cigarette smoke
- Strong perfumes

- Cold air
- Seasonal environmental changes

Previous Asthma Episodes

The patient experienced an asthma exacerbation in December 2025 after significant dust exposure. She was evaluated at a hospital and treated without requiring prolonged admission.

No intensive-care admission has been recorded.

Clinical Tests

Oxygen Saturation: 97% at rest

Peak Expiratory Flow: 380 L/min

Respiratory examination during the latest visit showed mild expiratory wheezing.

Current Medication

Budesonide Inhaler

Dose: As prescribed
Frequency: Twice daily
Purpose: Long-term asthma control

Salbutamol Inhaler

Frequency: As required according to the prescribed asthma action plan
Purpose: Relief of acute bronchospasm symptoms

Treatment Plan

The patient has been instructed to continue controller medication as prescribed and follow her asthma action plan.

Avoidance of known environmental triggers has also been recommended.

Doctor Notes

Asthma is currently clinically stable. The patient reports occasional symptoms during periods of heavy dust exposure but no recent severe exacerbations.

Correct inhaler technique was reviewed during the latest appointment.

Follow-Up

Last Review: 28 July 2026
Next Review: 28 October 2026

Earlier medical evaluation is recommended if symptoms become significantly worse or are not relieved according to the patient's asthma action plan.