
## Total = 14950 + (10000 for acrylic) = 24950

1. 300W 20A step down - tronic - (1200) - <a href="https://tronic.lk/product/20a-300w-dc-to-dc-step-down-buck-adjustable-constant-vo">https://tronic.lk/product/20a-300w-dc-to-dc-step-down-buck-adjustable-constant-vo</a>



- 2. Wires type -1- (2000)
  - a. Current limit 20A 30A
  - b. Silicon wires prefer
  - c. Color Black and Red
  - d. 3m each
- 3. Wires type -2 (500)
  - a. Larger than jimpers
  - b. Color multiple
  - c. 1m each
- 4. Jumpers (300)
  - a. Male to female
  - b. Male to male
  - c. Female to female
- 5. Breadboard (500)
  - a. Mini <a href="https://tronic.lk/product/170tp-black-mini-project-board-breadboard-solderless-45">https://tronic.lk/product/170tp-black-mini-project-board-breadboard-solderless-45</a>
  - b. Medium <a href="https://tronic.lk/product/mb-102-830tp-project-board-breadboard-solderless">https://tronic.lk/product/mb-102-830tp-project-board-breadboard-solderless</a>
- 6. Terminal wire connecter 1:2 (200)
  - a. 15



- 7. Connecters (200)
  - a. 10




8. Cooling fan –(800)- <a href="https://www.duino.lk/product/40x40x10mm-dc-24v-brushless-9-blade-cooling-fan-4010/">https://www.duino.lk/product/40x40x10mm-dc-24v-brushless-9-blade-cooling-fan-4010/</a>



9. Jst connecters – from nisala –(NA)





- 10. Heat shrink (150)
  - a. 1.5 m each
  - b. For jumper size, 30 A wire, medium size wire



11. 3 relay modules (30A,5V logic,normally off) - (500)



- 12. Nuts and bolts 10 (500)
- 13. Wire clips (50) for all wires. (need to direct jumper and jst cables as well)- (300)



- 14. Dock station connecter (1000)
- 15. Leds for dock station
- 16. Couper plates as connecters of dock station
- 17. Capacitor holders without usage of a PCB (300)
- 18. Filament 1kg peach (5000)



- 19. Spray paint (1500) black (depend)
- 20. Aluminum
  - a. 20 cm width
  - b. 200 cm length
  - c. Lower than 1 mm
- 21. 6000-2RS 6000RS 6000 deep groove ball bearing 10x26x8 mm 10\*26\*8