

Frequencies

Notes

Output Created		07-SEP-2026 16:37:03
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Q2 Q4 /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00

Statistics

		What is your age?	Which country do you currently reside in?
N	Valid	34	34
	Missing	0	0

Frequency Table

What is your age?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18-21	1	2.9	2.9	2.9
	22-25	15	44.1	44.1	47.1
	26-30	18	52.9	52.9	100.0
	Total	34	100.0	100.0	

Which country do you currently reside in?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	United Kingdom	13	38.2	38.2	38.2
	India	13	38.2	38.2	76.5
	Other (please specify)	8	23.5	23.5	100.0
	Total	34	100.0	100.0	

Explore

Notes

Output Created		07-SEP-2026 16:49:01
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax		EXAMINE VARIABLES=Q13_5 Q20_8 Q20_9 Q20_10 /PLOT BOXPLOT HISTOGRAM NPLOT /COMPARE GROUPS /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL.
Resources	Processor Time	00:00:04.24
	Elapsed Time	00:00:03.00

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
I find it difficult to ask for help	34	100.0%	0	0.0%	34	100.0%
Gamification (Goals, challenges, and rewards)	34	100.0%	0	0.0%	34	100.0%
Activity-based wellbeing (walking, running, hobbies, etc.)	34	100.0%	0	0.0%	34	100.0%
Community/social connection	34	100.0%	0	0.0%	34	100.0%

Descriptives

			Statistic	Std. Error
I find it difficult to ask for help	Mean		2.41	.127
	95% Confidence Interval for Mean	Lower Bound	2.15	
		Upper Bound	2.67	
	5% Trimmed Mean		2.46	
	Median		3.00	
	Variance		.553	
	Std. Deviation		.743	
	Minimum		1	
	Maximum		3	
	Range		2	
	Interquartile Range		1	
	Skewness		-.854	.403
	Kurtosis		-.624	.788
Gamification (Goals, challenges, and rewards)	Mean		3.44	.247
	95% Confidence Interval for Mean	Lower Bound	2.94	
		Upper Bound	3.94	
	5% Trimmed Mean		3.49	
	Median		4.00	
	Variance		2.072	
	Std. Deviation		1.440	
	Minimum		1	
	Maximum		5	
	Range		4	
	Interquartile Range		3	
	Skewness		-.523	.403
	Kurtosis		-1.098	.788
Activity-based wellbeing (walking, running, hobbies, etc.)	Mean		3.56	.216
	95% Confidence Interval for Mean	Lower Bound	3.12	
		Upper Bound	4.00	
	5% Trimmed Mean		3.62	
	Variance		1.587	

Descriptives



			Statistic	Std. Error
	Std. Deviation		1.260	
	Minimum		1	
	Maximum		5	
	Range		4	
	Interquartile Range		2	
	Skewness		-.624	.403
	Kurtosis		-.521	.788
Community/social connection	Mean		2.97	.272
	95% Confidence Interval for Mean	Lower Bound	2.42	
		Upper Bound	3.52	
	5% Trimmed Mean		2.97	
	Median		3.00	
	Variance		2.514	
	Std. Deviation		1.586	
	Minimum		1	
	Maximum		5	
	Range		4	
	Interquartile Range		4	
	Skewness		.100	.403
	Kurtosis		-1.499	.788



Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
I find it difficult to ask for help	.344	34	<.001	.730	34	<.001
Gamification (Goals, challenges, and rewards)	.239	34	<.001	.853	34	<.001
Activity-based wellbeing (walking, running, hobbies, etc.)	.225	34	<.001	.879	34	.001
Community/social connection	.194	34	.002	.843	34	<.001



a. Lilliefors Significance Correction



I find it difficult to ask for help









Gamification (Goals, challenges, and rewards)









Activity-based wellbeing (walking, running, hobbies, etc.)





Community/social connection





Frequencies

Notes

Output Created		07-SEP-2026 16:50:32
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Q6 /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00

Statistics

How often do you feel under noticeable pressure or stress?

N	Valid	34
	Missing	0

How often do you feel under noticeable pressure or stress?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Rarely (once a month or less)	3	8.8	8.8	8.8
	Occasionally (a few times a month)	16	47.1	47.1	55.9
	Often (several times a week)	11	32.4	32.4	88.2
	Almost every day	4	11.8	11.8	100.0
	Total	34	100.0	100.0	

Frequencies

Notes

Output Created		07-SEP-2026 16:59:40
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Q7 Q8_1 Q8_2 Q8_3 Q8_4 Q8_5 Q9 /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.00

Statistics

		In a typical week, how much time do you intentionally spend on activities that support your mental wellbeing?	Work or University	Money or Finances	Romantic or Family relationships	Health or Physical wellbeing
N	Valid	34	34	34	34	34
	Missing	0	0	0	0	0

Statistics

		Uncertainty about the future	Are you usually aware when your stress is gradually building up?
N	Valid	34	34
	Missing	0	0

Frequency Table

In a typical week, how much time do you intentionally spend on activities that support your mental wellbeing?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Less than 30 minutes	6	17.6	17.6	17.6
	30 minutes–1 hour	5	14.7	14.7	32.4
	1–3 hours	6	17.6	17.6	50.0
	3–5 hours	6	17.6	17.6	67.6
	More than 5 hours	4	11.8	11.8	79.4
	I'm not sure	7	20.6	20.6	100.0
	Total	34	100.0	100.0	

Work or University

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2	5.9	5.9	5.9
	Rarely	5	14.7	14.7	20.6
	Sometimes	8	23.5	23.5	44.1
	Often	11	32.4	32.4	76.5
	Very often	8	23.5	23.5	100.0
	Total	34	100.0	100.0	

Money or Finances

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1	2.9	2.9	2.9
	Rarely	5	14.7	14.7	17.6
	Sometimes	15	44.1	44.1	61.8
	Often	11	32.4	32.4	94.1
	Very often	2	5.9	5.9	100.0
	Total	34	100.0	100.0	

Romantic or Family relationships

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1	2.9	2.9	2.9
	Rarely	5	14.7	14.7	17.6
	Sometimes	14	41.2	41.2	58.8
	Often	11	32.4	32.4	91.2
	Very often	3	8.8	8.8	100.0
	Total	34	100.0	100.0	

Health or Physical wellbeing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2	5.9	5.9	5.9
	Rarely	9	26.5	26.5	32.4
	Sometimes	18	52.9	52.9	85.3
	Often	3	8.8	8.8	94.1
	Very often	2	5.9	5.9	100.0
	Total	34	100.0	100.0	

Uncertainty about the future

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	1	2.9	2.9	2.9
	Rarely	5	14.7	14.7	17.6
	Sometimes	6	17.6	17.6	35.3
	Often	14	41.2	41.2	76.5
	Very often	8	23.5	23.5	100.0
	Total	34	100.0	100.0	

Are you usually aware when your stress is gradually building up?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, usually	15	44.1	44.1	44.1
	Sometimes	11	32.4	32.4	76.5
	Rarely	5	14.7	14.7	91.2
	No	3	8.8	8.8	100.0
	Total	34	100.0	100.0	

Multiple Response

Notes

Output Created		07-SEP-2026 17:04:27
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		MULT RESPONSE GROUPS=\$InitialCoping 'Responses when first noticing stress' (q11_1 q11_2 q11_3 q11_4 q11_5 q11_6 q11_7 q11_8 q11_9 q11_10 q11_11 (1)) \$PersistentCoping 'Responses when stress '+ 'continues' (q12_1 q12_2 q12_3 q12_4 q12_5 q12_6 q12_7 q12_8 q12_9 (1)) /FREQUENCIES=\$InitialCoping \$PersistentCoping.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00

Case Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
\$InitialCoping ^a	34	100.0%	0	0.0%	34	100.0%
\$PersistentCoping ^a	34	100.0%	0	0.0%	34	100.0%

a. Dichotomy group tabulated at value 1.

\$InitialCoping Frequencies

		Responses		Percent of Cases
		N	Percent	
Responses when first noticing stress ^a	Exercise or go to the gym	12	9.1%	35.3%
	Play video games	13	9.8%	38.2%
	Listen to music or podcast	13	9.8%	38.2%
	Scroll through social media	16	12.1%	47.1%
	Go for a walk or spend time outdoors	14	10.6%	41.2%
	Watch TV or films	10	7.6%	29.4%
	Meet up with friends	11	8.3%	32.4%
	Work on a hobby or personal projects	7	5.3%	20.6%
	Try to sleep	15	11.4%	44.1%
	Keep busy and push through	17	12.9%	50.0%
	Other	4	3.0%	11.8%
Total		132	100.0%	388.2%

a. Dichotomy group tabulated at value 1.

\$PersistentCoping Frequencies

		Responses		Percent of Cases
		N	Percent	
Responses when stress continues ^a	Keep going and hope it passes	16	18.8%	47.1%
	Exercise or do something physical	13	15.3%	38.2%
	Distract myself with something enjoyable	19	22.4%	55.9%
	Talk to a friend or family member	12	14.1%	35.3%
	Search online for information or advice	5	5.9%	14.7%
	Use a wellbeing or self-help app	1	1.2%	2.9%
	Usually do not realise stress is building until overwhelming	4	4.7%	11.8%
	Address the problem causing stress	12	14.1%	35.3%
	Other	3	3.5%	8.8%
Total		85	100.0%	250.0%

a. Dichotomy group tabulated at value 1.

Frequencies

Notes

Output Created		07-SEP-2026 17:09:53
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Q13_1 Q13_2 Q13_3 Q13_4 Q13_5 Q14_1 Q14_2 Q14_3 Q14_4 Q14_5 Q14_6 Q14_7 /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.00

Statistics

		I prefer solving problems on my own	I avoid talking about my stress	I usually look for practical solutions	I continue working despite feeling stressed	I find it difficult to ask for help
N	Valid	34	34	34	34	34
	Missing	0	0	0	0	0

Statistics

		Talk to a friend	Talk to a family member	Search online for information or advice	Use an AI chatbot (e.g., ChatGPT) for advice or support	Use a wellbeing or mental health app
N	Valid	34	34	33	34	34
	Missing	0	0	1	0	0

Statistics

		Speak to a counsellor	Do nothing and wait for it to pass
N	Valid	33	34
	Missing	1	0

Frequency Table

I prefer solving problems on my own

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Neutral	8	23.5	23.5	23.5
	Agree	26	76.5	76.5	100.0
	Total	34	100.0	100.0	

I avoid talking about my stress

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Disagree	2	5.9	5.9	5.9
	Neutral	14	41.2	41.2	47.1
	Agree	18	52.9	52.9	100.0
	Total	34	100.0	100.0	

I usually look for practical solutions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Disagree	1	2.9	2.9	2.9
	Neutral	9	26.5	26.5	29.4
	Agree	24	70.6	70.6	100.0
	Total	34	100.0	100.0	

I continue working despite feeling stressed

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Disagree	3	8.8	8.8	8.8
	Neutral	7	20.6	20.6	29.4
	Agree	24	70.6	70.6	100.0
	Total	34	100.0	100.0	

I find it difficult to ask for help

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Disagree	5	14.7	14.7	14.7
	Neutral	10	29.4	29.4	44.1
	Agree	19	55.9	55.9	100.0
	Total	34	100.0	100.0	

Talk to a friend

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Unlikely	15	44.1	44.1	44.1
	Neutral	6	17.6	17.6	61.8
	Likely	13	38.2	38.2	100.0
	Total	34	100.0	100.0	

Talk to a family member

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Unlikely	12	35.3	35.3	35.3
	Neutral	12	35.3	35.3	70.6
	Likely	10	29.4	29.4	100.0
	Total	34	100.0	100.0	

Search online for information or advice

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Unlikely	19	55.9	57.6	57.6
	Neutral	5	14.7	15.2	72.7
	Likely	9	26.5	27.3	100.0
	Total	33	97.1	100.0	
Missing	System	1	2.9		
Total		34	100.0		

Use an AI chatbot (e.g., ChatGPT) for advice or support

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Unlikely	20	58.8	58.8	58.8
	Neutral	5	14.7	14.7	73.5
	Likely	9	26.5	26.5	100.0
	Total	34	100.0	100.0	

Use a wellbeing or mental health app

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Unlikely	29	85.3	85.3	85.3
	Neutral	4	11.8	11.8	97.1
	Likely	1	2.9	2.9	100.0
	Total	34	100.0	100.0	

Speak to a counsellor

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Unlikely	23	67.6	69.7	69.7
	Neutral	5	14.7	15.2	84.8
	Likely	5	14.7	15.2	100.0
	Total	33	97.1	100.0	
Missing	System	1	2.9		
Total		34	100.0		

Do nothing and wait for it to pass

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Unlikely	11	32.4	32.4	32.4
	Neutral	10	29.4	29.4	61.8
	Likely	13	38.2	38.2	100.0
	Total	34	100.0	100.0	

Frequencies

Notes

Output Created		07-SEP-2026 17:12:31
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Q15 /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00

Statistics

Have you ever used a wellbeing or mental health app?

N	Valid	34
	Missing	0

Have you ever used a wellbeing or mental health app?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, I currently use one	1	2.9	2.9	2.9
	Yes, but I stopped using it	9	26.5	26.5	29.4
	No, but I have considered it	3	8.8	8.8	38.2
	No, and I have never considered using one	21	61.8	61.8	100.0
	Total	34	100.0	100.0	

Multiple Response

Notes

Output Created		07-SEP-2026 17:14:03
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		MULT RESPONSE GROUPS=\$AppBarriers 'Reasons for app non-use or discontinuati' (q18_1 q18_2 q18_3 q18_4 q18_5 q18_6 q18_7 q18_8 q18_9 q18_10 q18_11 (1)) /FREQUENCIES=\$AppBarriers.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00

Case Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
\$AppBarriers ^a	33	97.1%	1	2.9%	34	100.0%

a. Dichotomy group tabulated at value 1.

\$AppBarriers Frequencies

		Responses		Percent of Cases
		N	Percent	
Reasons for app non-use or discontinuati ^a	It did not feel relevant to me	19	22.4%	57.6%
	The design did not appeal to me	4	4.7%	12.1%
	It focused too much on talking about feelings	9	10.6%	27.3%
	I was concerned about privacy	7	8.2%	21.2%
	It felt too much like therapy	2	2.4%	6.1%
	It became repetitive	7	8.2%	21.2%
	I forgot to use it	12	14.1%	36.4%
	It was too expensive	6	7.1%	18.2%
	I did not think it would help	15	17.6%	45.5%
	I did not want others to see it on my phone	3	3.5%	9.1%
	Other	1	1.2%	3.0%
Total		85	100.0%	257.6%

a. Dichotomy group tabulated at value 1.

Frequencies

Notes

Output Created		07-SEP-2026 17:19:14
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Q20_1 Q20_2 Q20_3 Q20_4 Q20_5 Q20_6 Q20_7 Q20_8 Q20_9 Q20_10 Q20_11 Q20_12 Q20_13 /NTILES=4 /STATISTICS=MEDIAN /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.04
	Elapsed Time	00:00:00.00

Statistics

		Quick activities (<2 min)	Anonymous use	Practical stress-management advice/solutions	Personalised recommendations
N	Valid	34	34	34	34
	Missing	0	0	0	0
Median		4.00	5.00	4.00	4.00
Percentiles	25	3.00	3.00	3.00	2.00
	50	4.00	5.00	4.00	4.00
	75	4.00	5.00	4.25	5.00

		Statistics			
		Mood and stress tracking	Progress tracking	Interactive exercises/scenarios	Gamification (Goals, challenges, and rewards)
N	Valid	34	34	34	34
	Missing	0	0	0	0
Median		4.00	4.00	3.00	4.00
Percentiles	25	2.00	2.75	2.00	2.00
	50	4.00	4.00	3.00	4.00
	75	5.00	5.00	4.00	5.00

		Statistics			
		Activity-based wellbeing (walking, running, hobbies, etc.)	Community/social connection	Health app integration (Apple Health, Strava, etc.)	Educational content about stress, emotions, and wellbeing
N	Valid	34	34	34	34
	Missing	0	0	0	0
Median		4.00	3.00	4.00	4.00
Percentiles	25	3.00	1.00	1.00	2.00
	50	4.00	3.00	4.00	4.00
	75	5.00	5.00	5.00	5.00

		Statistics	
		Simple, non-clinical design	
N	Valid	34	
	Missing	0	
Median		4.00	
Percentiles	25	3.00	
	50	4.00	
	75	5.00	

Frequency Table

Quick activities (<2 min)					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	4	11.8	11.8	11.8
	2	1	2.9	2.9	14.7
	3	11	32.4	32.4	47.1
	4	11	32.4	32.4	79.4
	5	7	20.6	20.6	100.0
	Total	34	100.0	100.0	

Anonymous use

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	5	14.7	14.7	14.7
	2	2	5.9	5.9	20.6
	3	3	8.8	8.8	29.4
	4	6	17.6	17.6	47.1
	5	18	52.9	52.9	100.0
	Total	34	100.0	100.0	

Practical stress-management advice/solutions

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	3	8.8	8.8	8.8
	2	3	8.8	8.8	17.6
	3	9	26.5	26.5	44.1
	4	11	32.4	32.4	76.5
	5	8	23.5	23.5	100.0
	Total	34	100.0	100.0	

Personalised recommendations

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	6	17.6	17.6	17.6
	2	3	8.8	8.8	26.5
	3	3	8.8	8.8	35.3
	4	10	29.4	29.4	64.7
	5	12	35.3	35.3	100.0
	Total	34	100.0	100.0	

Mood and stress tracking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	3	8.8	8.8	8.8
	2	7	20.6	20.6	29.4
	3	5	14.7	14.7	44.1
	4	9	26.5	26.5	70.6
	5	10	29.4	29.4	100.0
	Total	34	100.0	100.0	

Progress tracking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	3	8.8	8.8	8.8
	2	5	14.7	14.7	23.5
	3	6	17.6	17.6	41.2
	4	7	20.6	20.6	61.8
	5	13	38.2	38.2	100.0
	Total	34	100.0	100.0	

Interactive exercises/scenarios

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	4	11.8	11.8	11.8
	2	6	17.6	17.6	29.4
	3	9	26.5	26.5	55.9
	4	8	23.5	23.5	79.4
	5	7	20.6	20.6	100.0
	Total	34	100.0	100.0	

Gamification (Goals, challenges, and rewards)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	5	14.7	14.7	14.7
	2	5	14.7	14.7	29.4
	3	4	11.8	11.8	41.2
	4	10	29.4	29.4	70.6
	5	10	29.4	29.4	100.0
	Total	34	100.0	100.0	

Activity-based wellbeing (walking, running, hobbies, etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	3	8.8	8.8	8.8
	2	4	11.8	11.8	20.6
	3	7	20.6	20.6	41.2
	4	11	32.4	32.4	73.5
	5	9	26.5	26.5	100.0
	Total	34	100.0	100.0	

Community/social connection

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	9	26.5	26.5	26.5
	2	5	14.7	14.7	41.2
	3	8	23.5	23.5	64.7
	4	2	5.9	5.9	70.6
	5	10	29.4	29.4	100.0
	Total	34	100.0	100.0	

Health app integration (Apple Health, Strava, etc.)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	9	26.5	26.5	26.5
	2	2	5.9	5.9	32.4
	3	5	14.7	14.7	47.1
	4	7	20.6	20.6	67.6
	5	11	32.4	32.4	100.0
	Total	34	100.0	100.0	

Educational content about stress, emotions, and wellbeing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	3	8.8	8.8	8.8
	2	7	20.6	20.6	29.4
	3	6	17.6	17.6	47.1
	4	9	26.5	26.5	73.5
	5	9	26.5	26.5	100.0
	Total	34	100.0	100.0	

Simple, non-clinical design

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	6	17.6	17.6	17.6
	2	1	2.9	2.9	20.6
	3	9	26.5	26.5	47.1
	4	9	26.5	26.5	73.5
	5	9	26.5	26.5	100.0
	Total	34	100.0	100.0	

Frequencies

Notes

Output Created		07-SEP-2026 17:20:14
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Q21_1 Q21_2 Q21_3 Q21_4 Q21_5 /NTILES=4 /STATISTICS=MEDIAN /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00

Statistics

		I would avoid an app that obviously looks like a mental health app.	I prefer practical advice over emotional support	Privacy is very important to me	I would use an app more if it felt like a productivity or fitness app
N	Valid	34	34	34	34
	Missing	0	0	0	0
Median		2.00	2.00	3.00	2.00
Percentiles	25	1.00	2.00	3.00	2.00
	50	2.00	2.00	3.00	2.00
	75	3.00	3.00	3.00	3.00

Statistics

		I would trust an app that explains how my data is used
N	Valid	34
	Missing	0
Median		3.00
Percentiles	25	2.00
	50	3.00
	75	3.00

Frequency Table

I would avoid an app that obviously looks like a mental health app.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Disagree	10	29.4	29.4	29.4
	Neutral	11	32.4	32.4	61.8
	Agree	13	38.2	38.2	100.0
	Total	34	100.0	100.0	

I prefer practical advice over emotional support

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Disagree	4	11.8	11.8	11.8
	Neutral	15	44.1	44.1	55.9
	Agree	15	44.1	44.1	100.0
	Total	34	100.0	100.0	

Privacy is very important to me

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Disagree	1	2.9	2.9	2.9
	Neutral	3	8.8	8.8	11.8
	Agree	30	88.2	88.2	100.0
	Total	34	100.0	100.0	

I would use an app more if it felt like a productivity or fitness app

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Disagree	6	17.6	17.6	17.6
	Neutral	17	50.0	50.0	67.6
	Agree	11	32.4	32.4	100.0
	Total	34	100.0	100.0	

I would trust an app that explains how my data is used

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Disagree	4	11.8	11.8	11.8
	Neutral	10	29.4	29.4	41.2
	Agree	20	58.8	58.8	100.0
	Total	34	100.0	100.0	

Frequencies

Notes

Output Created		07-SEP-2026 17:22:00
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Q19 /NTILES=4 /STATISTICS=MEDIAN /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00

Statistics

If you could not easily talk to someone about a stressful situation, what would you most likely do instead?

N	Valid	34
	Missing	0
Median		3.50
Percentiles	25	3.00
	50	3.50
	75	4.25

If you could not easily talk to someone about a stressful situation, what would you most likely do instead?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Search online for advice	3	8.8	8.8	8.8
	Use a practical digital tool or app	3	8.8	8.8	17.6
	Distract myself until it passes	11	32.4	32.4	50.0
	Keep working and push through	9	26.5	26.5	76.5
	Nothing in particular	7	20.6	20.6	97.1
	Other (please specify)	1	2.9	2.9	100.0
	Total	34	100.0	100.0	

Frequencies

Notes

Output Created		07-SEP-2026 17:25:50
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Q10 /NTILES=4 /STATISTICS=MINIMUM MAXIMUM MEDIAN /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00

Statistics

How confident are you in managing stress on your own?

N	Valid	34
	Missing	0
Median		3.00
Minimum		0
Maximum		4
Percentiles	25	2.00
	50	3.00
	75	3.25

How confident are you in managing stress on your own?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	1	2.9	2.9	2.9
	1	1	2.9	2.9	5.9
	2	11	32.4	32.4	38.2
	3	13	38.2	38.2	76.5
	4	8	23.5	23.5	100.0
	Total	34	100.0	100.0	

Crosstabs

Notes

Output Created		07-SEP-2026 17:36:23
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Q13_5 BY Q14_6 /FORMAT=AVALUE TABLES /CELLS=COUNT ROW /COUNT ROUND CELL.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.00
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
I find it difficult to ask for help * Speak to a counsellor	33	97.1%	1	2.9%	34	100.0%

I find it difficult to ask for help * Speak to a counsellor Crosstabulation

			Speak to a counsellor		
			Unlikely	Neutral	Likely
I find it difficult to ask for help	Disagree	Count	1	1	3
		% within I find it difficult to ask for help	20.0%	20.0%	60.0%
	Neutral	Count	8	0	1
		% within I find it difficult to ask for help	88.9%	0.0%	11.1%
	Agree	Count	14	4	1
		% within I find it difficult to ask for help	73.7%	21.1%	5.3%
Total		Count	23	5	5
		% within I find it difficult to ask for help	69.7%	15.2%	15.2%

I find it difficult to ask for help * Speak to a counsellor Crosstabulation

			Total
I find it difficult to ask for help	Disagree	Count	5
		% within I find it difficult to ask for help	100.0%
	Neutral	Count	9
		% within I find it difficult to ask for help	100.0%
	Agree	Count	19
		% within I find it difficult to ask for help	100.0%
Total	Count	33	
	% within I find it difficult to ask for help	100.0%	

Nonparametric Correlations

Notes

Output Created		07-SEP-2026 17:37:09
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		NONPAR CORR /VARIABLES=Q13_5 Q14_6 /PRINT=SPEARMAN TWO TAIL NOSIG FULL /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00
	Number of Cases Allowed	629145 cases ^a

a. Based on availability of workspace memory

Correlations

		I find it difficult to ask for help	
Spearman's rho	I find it difficult to ask for help	Correlation Coefficient	1.000
		Sig. (2-tailed)	.
		N	34
	Speak to a counsellor	Correlation Coefficient	-.280
		Sig. (2-tailed)	.114
		N	33

Correlations

			Speak to a counsellor
Spearman's rho	I find it difficult to ask for help	Correlation Coefficient	-.280
		Sig. (2-tailed)	.114
		N	33
	Speak to a counsellor	Correlation Coefficient	1.000
		Sig. (2-tailed)	.
		N	33

Spearman's rho Correlations

Highly Positive: *(None)*

Positive: *(None)*

No Linear Correlation: *(None)*

Negative: *(I find it difficult to ask for help <---> Speak to a counsellor)*

Highly Negative: *(None)*

Note: Curated Help is calculated based on actual cell values, not the formatted values.

Crosstabs

Notes

Output Created		07-SEP-2026 17:40:07
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Q13_2 BY Q14_1 Q14_2 /FORMAT=AVALUE TABLES /CELLS=COUNT /COUNT ROUND CELL.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.00
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
I avoid talking about my stress * Talk to a friend	34	100.0%	0	0.0%	34	100.0%
I avoid talking about my stress * Talk to a family member	34	100.0%	0	0.0%	34	100.0%

I avoid talking about my stress * Talk to a friend Crosstabulation

Count

		Talk to a friend			Total
		Unlikely	Neutral	Likely	
I avoid talking about my stress	Disagree	0	1	1	2
	Neutral	3	4	7	14
	Agree	12	1	5	18
Total		15	6	13	34

I avoid talking about my stress * Talk to a family member Crosstabulation

Count

		Talk to a family member			Total
		Unlikely	Neutral	Likely	
I avoid talking about my stress	Disagree	0	0	2	2
	Neutral	4	6	4	14
	Agree	8	6	4	18
Total		12	12	10	34

Nonparametric Correlations

Notes

Output Created		07-SEP-2026 17:40:51
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		NONPAR CORR /VARIABLES=Q13_2 Q14_1 /PRINT=SPEARMAN TWOTAIL NOSIG FULL /MISSING=PAIRWISE.

Notes

Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00
	Number of Cases Allowed	629145 cases ^a

a. Based on availability of workspace memory

Correlations

		I avoid talking about my stress	
Spearman's rho	I avoid talking about my stress	Correlation Coefficient	1.000
		Sig. (2-tailed)	.
		N	34
	Talk to a friend	Correlation Coefficient	-.396*
		Sig. (2-tailed)	.020
		N	34

Correlations

		Talk to a friend	
Spearman's rho	I avoid talking about my stress	Correlation Coefficient	-.396*
		Sig. (2-tailed)	.020
		N	34
	Talk to a friend	Correlation Coefficient	1.000
		Sig. (2-tailed)	.
		N	34

*. Correlation is significant at the 0.05 level (2-tailed).

Spearman's rho Correlations

Highly Positive: (None)

Positive: (None)

No Linear Correlation: (None)

Negative: (I avoid talking about my stress <---> Talk to a friend)

Highly Negative: (None)

Note: Curated Help is calculated based on actual cell values, not the formatted values.

Nonparametric Correlations

Notes

Output Created		07-SEP-2026 17:41:12
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		NONPAR CORR /VARIABLES=Q13_2 Q14_2 /PRINT=SPEARMAN TWO-TAIL NOSIG FULL /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00
	Number of Cases Allowed	629145 cases ^a

a. Based on availability of workspace memory

Correlations

		I avoid talking about my stress	
Spearman's rho	I avoid talking about my stress	Correlation Coefficient	1.000
		Sig. (2-tailed)	.
		N	34
	Talk to a family member	Correlation Coefficient	-.270
		Sig. (2-tailed)	.123
		N	34

Correlations

			Talk to a family member
Spearman's rho	I avoid talking about my stress	Correlation Coefficient	-.270
		Sig. (2-tailed)	.123
		N	34
	Talk to a family member	Correlation Coefficient	1.000
		Sig. (2-tailed)	.
		N	34

Spearman's rho Correlations

Highly Positive: *(None)*

Positive: *(None)*

No Linear Correlation: *(None)*

Negative: *(I avoid talking about my stress <---> Talk to a family member)*

Highly Negative: *(None)*

Note: Curated Help is calculated based on actual cell values, not the formatted values.

Crosstabs

Notes

Output Created		07-SEP-2026 17:41:36
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Q13_2 BY Q20_2 /FORMAT=AVALUE TABLES /CELLS=COUNT /COUNT ROUND CELL.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
I avoid talking about my stress * Anonymous use	34	100.0%	0	0.0%	34	100.0%

I avoid talking about my stress * Anonymous use Crosstabulation

Count

		Anonymous use				
		1	2	3	4	5
I avoid talking about my stress	Disagree	0	0	1	0	1
	Neutral	1	1	1	4	7
	Agree	4	1	1	2	10
Total		5	2	3	6	18

I avoid talking about my stress * Anonymous use Crosstabulation

Count

		Total
I avoid talking about my stress	Disagree	2
	Neutral	14
	Agree	18
Total		34

Nonparametric Correlations

Notes

Output Created		07-SEP-2026 17:42:00
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		NONPAR CORR /VARIABLES=Q13_2 Q20_2 /PRINT=SPEARMAN TWOTAIL NOSIG FULL /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00
	Number of Cases Allowed	629145 cases ^a

a. Based on availability of workspace memory

Correlations

		I avoid talking about my stress	
Spearman's rho	I avoid talking about my stress	Correlation Coefficient	1.000
		Sig. (2-tailed)	.
		N	34
	Anonymous use	Correlation Coefficient	-.032
		Sig. (2-tailed)	.859
		N	34

Correlations

		Anonymous use	
Spearman's rho	I avoid talking about my stress	Correlation Coefficient	-.032
		Sig. (2-tailed)	.859
		N	34
	Anonymous use	Correlation Coefficient	1.000
		Sig. (2-tailed)	.
		N	34

Spearman's rho Correlations

Highly Positive: *(None)*

Positive: *(None)*

No Linear Correlation: *(None)*

Negative: *(I avoid talking about my stress <---> Anonymous use)*

Highly Negative: *(None)*

Note: Curated Help is calculated based on actual cell values, not the formatted values.

Nonparametric Correlations

Notes

Output Created		07-SEP-2026 17:44:28
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		NONPAR CORR /VARIABLES=Q13_3 Q20_9 /PRINT=SPEARMAN TWOTAIL NOSIG FULL /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00
	Number of Cases Allowed	629145 cases ^a

a. Based on availability of workspace memory

Correlations

		I usually look for practical solutions	
Spearman's rho	I usually look for practical solutions	Correlation Coefficient	1.000
		Sig. (2-tailed)	.
		N	34
	Activity-based wellbeing (walking, running, hobbies, etc.)	Correlation Coefficient	-.082
		Sig. (2-tailed)	.644
		N	34

Correlations

			Activity-based wellbeing (walking, running, hobbies, etc.)
Spearman's rho	I usually look for practical solutions	Correlation Coefficient	-.082
		Sig. (2-tailed)	.644
		N	34
	Activity-based wellbeing (walking, running, hobbies, etc.)	Correlation Coefficient	1.000
		Sig. (2-tailed)	.
		N	34

Spearman's rho Correlations

Highly Positive: *(None)*

Positive: *(None)*

No Linear Correlation: *(None)*

Negative: *(I usually look for practical solutions <---> Activity-based wellbeing (walking, running, hobbies, etc.))*

Highly Negative: *(None)*

Note: Curated Help is calculated based on actual cell values, not the formatted values.

Nonparametric Correlations

Notes

Output Created		07-SEP-2026 17:44:44
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		NONPAR CORR /VARIABLES=Q13_3 Q20_1 /PRINT=SPEARMAN TWOTAIL NOSIG FULL /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00
	Number of Cases Allowed	629145 cases ^a

a. Based on availability of workspace memory

Correlations

		I usually look for practical solutions	
Spearman's rho	I usually look for practical solutions	Correlation Coefficient	1.000
		Sig. (2-tailed)	.
		N	34
	Quick activities (<2 min)	Correlation Coefficient	-.197
		Sig. (2-tailed)	.263
		N	34

Correlations

			Quick activities (<2 min)
Spearman's rho	I usually look for practical solutions	Correlation Coefficient	-.197
		Sig. (2-tailed)	.263
		N	34
	Quick activities (<2 min)	Correlation Coefficient	1.000
		Sig. (2-tailed)	.
		N	34

Spearman's rho Correlations

Highly Positive: *(None)*

Positive: *(None)*

No Linear Correlation: *(None)*

Negative: *(I usually look for practical solutions <---> Quick activities (<2 min))*

Highly Negative: *(None)*

Note: Curated Help is calculated based on actual cell values, not the formatted values.

Nonparametric Correlations

Notes

Output Created		07-SEP-2026 17:45:09
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		NONPAR CORR /VARIABLES=Q13_3 Q20_7 /PRINT=SPEARMAN TWOTAIL NOSIG FULL /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00
	Number of Cases Allowed	629145 cases ^a

a. Based on availability of workspace memory

Correlations

		I usually look for practical solutions	
Spearman's rho	I usually look for practical solutions	Correlation Coefficient	1.000
		Sig. (2-tailed)	.
		N	34
	Interactive exercises/scenarios	Correlation Coefficient	.251
		Sig. (2-tailed)	.153
		N	34

Correlations

			Interactive exercises/scenarios
Spearman's rho	I usually look for practical solutions	Correlation Coefficient	.251
		Sig. (2-tailed)	.153
		N	34
	Interactive exercises/scenarios	Correlation Coefficient	1.000
		Sig. (2-tailed)	.
		N	34

Spearman's rho Correlations

Highly Positive: *(None)*

Positive: *(I usually look for practical solutions <---> Interactive exercises/scenarios)*

No Linear Correlation: *(None)*

Negative: *(None)*

Highly Negative: *(None)*

Note: Curated Help is calculated based on actual cell values, not the formatted values.

Nonparametric Correlations

Notes

Output Created		07-SEP-2026 17:45:41
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		NONPAR CORR /VARIABLES=Q13_3 Q20_3 /PRINT=SPEARMAN TWO TAIL NOSIG FULL /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00
	Number of Cases Allowed	629145 cases ^a

a. Based on availability of workspace memory

Correlations

		I usually look for practical solutions	
Spearman's rho	I usually look for practical solutions	Correlation Coefficient	1.000
		Sig. (2-tailed)	.
		N	34
	Practical stress-management advice/solutions	Correlation Coefficient	-.308
		Sig. (2-tailed)	.076
		N	34

Correlations

			Practical stress-management advice/solutions
Spearman's rho	I usually look for practical solutions	Correlation Coefficient	-.308
		Sig. (2-tailed)	.076
		N	34
	Practical stress-management advice/solutions	Correlation Coefficient	1.000
		Sig. (2-tailed)	.
		N	34

Spearman's rho Correlations

Highly Positive: *(None)*

Positive: *(None)*

No Linear Correlation: *(None)*

Negative: *(I usually look for practical solutions <---> Practical stress-management advice/solutions)*

Highly Negative: *(None)*

Note: Curated Help is calculated based on actual cell values, not the formatted values.

Nonparametric Correlations

Notes

Output Created		07-SEP-2026 17:46:34
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		NONPAR CORR /VARIABLES=Q18_1 Q20_4 /PRINT=SPEARMAN TWOTAIL NOSIG FULL /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00
	Number of Cases Allowed	629145 cases ^a

a. Based on availability of workspace memory

Correlations

		It did not feel relevant to me	
Spearman's rho	It did not feel relevant to me	Correlation Coefficient	.
		Sig. (2-tailed)	.
		N	19
	Personalised recommendations	Correlation Coefficient	.
		Sig. (2-tailed)	.
		N	19

Correlations

			Personalised recommendations
Spearman's rho	It did not feel relevant to me	Correlation Coefficient	.
		Sig. (2-tailed)	.
		N	19
	Personalised recommendations	Correlation Coefficient	1.000
		Sig. (2-tailed)	.
		N	34

Spearman's rho Correlations

Highly Positive: *(None)*

Positive: *(None)*

No Linear Correlation: *(None)*

Negative: *(None)*

Highly Negative: *(None)*

Note: Curated Help is calculated based on actual cell values, not the formatted values.

Crosstabs

Notes

Output Created		07-SEP-2026 17:47:23
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=Q18_1 BY Q20_4 /FORMAT=AVALUE TABLES /CELLS=COUNT ROW /COUNT ROUND CELL.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
It did not feel relevant to me * Personalised recommendations	19	55.9%	15	44.1%	34	100.0%

It did not feel relevant to me * Personalised recommendations Crosstabulation

		Personalis. 1	
It did not feel relevant to me	It did not feel relevant to me	Count	5
		% within It did not feel relevant to me	26.3%
Total		Count	5
		% within It did not feel relevant to me	26.3%

It did not feel relevant to me * Personalised recommendations Crosstabulation

		Personalise. 3	
It did not feel relevant to me	It did not feel relevant to me	Count	1
		% within It did not feel relevant to me	5.3%
Total		Count	1
		% within It did not feel relevant to me	5.3%

It did not feel relevant to me * Personalised recommendations Crosstabulation

		Personalise. 4	
It did not feel relevant to me	It did not feel relevant to me	Count	5
		% within It did not feel relevant to me	26.3%
Total		Count	5
		% within It did not feel relevant to me	26.3%

It did not feel relevant to me * Personalised recommendations Crosstabulation

		Personalise. 5	
It did not feel relevant to me	It did not feel relevant to me	Count	8
		% within It did not feel relevant to me	42.1%
Total		Count	8
		% within It did not feel relevant to me	42.1%

It did not feel relevant to me * Personalised recommendations Crosstabulation

		Total	
It did not feel relevant to me	It did not feel relevant to me	Count	19
		% within It did not feel relevant to me	100.0%
Total		Count	19
		% within It did not feel relevant to me	100.0%

Nonparametric Correlations

Notes

Output Created		07-SEP-2026 17:47:41
Comments		
Input	Data	/Users/ishanisharma/Downloads/young-peoples-wellbeing-spss-export-07-09-2026.sav
	Active Dataset	DataSet1
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	Q1 = 1 AND Q2 >= 1 AND Q2 <= 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	34
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		NONPAR CORR /VARIABLES=Q18_1 Q20_4 /PRINT=SPEARMAN TWOTAIL NOSIG FULL /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00
	Number of Cases Allowed	629145 cases ^a

a. Based on availability of workspace memory

Correlations

		It did not feel relevant to me	
Spearman's rho	It did not feel relevant to me	Correlation Coefficient	.
		Sig. (2-tailed)	.
		N	19
	Personalised recommendations	Correlation Coefficient	.
		Sig. (2-tailed)	.
		N	19

Correlations

			Personalised recommendations
Spearman's rho	It did not feel relevant to me	Correlation Coefficient	.
		Sig. (2-tailed)	.
		N	19
	Personalised recommendations	Correlation Coefficient	1.000
		Sig. (2-tailed)	.
		N	34

Spearman's rho Correlations

Highly Positive: *(None)*

Positive: *(None)*

No Linear Correlation: *(None)*

Negative: *(None)*

Highly Negative: *(None)*

Note: Curated Help is calculated based on actual cell values, not the formatted values.