

Frequencies

Notes

Output Created		09-SEP-2026 01:17:58
Comments		
Input	Data	/Users/ishanisharma/Desktop/User testing/user-testing-spss-export-07-09-2026.sav
	Active Dataset	DataSet3
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	10
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Q1_1 Q1_2 Q1_3 Q1_4 Q1_5 /NTILES=4 /STATISTICS=MINIMUM MAXIMUM MEDIAN /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.00

Statistics

		The activities presented in the Rescue Cards felt practical and achievable.	Starting with a practical activity feels more approachable than starting by discussing my feelings.	The Rescue Card approach could help me take a small first step when I am feeling stressed.	The app could help me understand which activities work best for me when I am stressed.
N	Valid	10	10	10	10
	Missing	0	0	0	0
Median		4.50	4.00	5.00	4.00
Minimum		2	3	2	2
Maximum		5	5	5	5
Percentiles	25	3.75	3.00	3.75	4.00
	50	4.50	4.00	5.00	4.00
	75	5.00	4.00	5.00	5.00

Statistics

		I would be likely to try the app when experiencing daily life stress.
N	Valid	10
	Missing	0
Median		4.50
Minimum		2
Maximum		5
Percentiles	25	3.75
	50	4.50
	75	5.00

Frequency Table

The activities presented in the Rescue Cards felt practical and achievable.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Disagree	1	10.0	10.0	10.0
	Neutral	1	10.0	10.0	20.0
	Agree	3	30.0	30.0	50.0
	Strongly Agree	5	50.0	50.0	100.0
	Total	10	100.0	100.0	

Starting with a practical activity feels more approachable than starting by discussing my feelings.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Neutral	3	30.0	30.0	30.0
	Agree	6	60.0	60.0	90.0
	Strongly Agree	1	10.0	10.0	100.0
	Total	10	100.0	100.0	

The Rescue Card approach could help me take a small first step when I am feeling stressed.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Disagree	1	10.0	10.0	10.0
	Neutral	1	10.0	10.0	20.0
	Agree	2	20.0	20.0	40.0
	Strongly Agree	6	60.0	60.0	100.0
	Total	10	100.0	100.0	

The app could help me understand which activities work best for me when I am stressed.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Disagree	1	10.0	10.0	10.0
	Agree	5	50.0	50.0	60.0
	Strongly Agree	4	40.0	40.0	100.0
	Total	10	100.0	100.0	

I would be likely to try the app when experiencing daily life stress.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Disagree	1	10.0	10.0	10.0
	Neutral	1	10.0	10.0	20.0
	Agree	3	30.0	30.0	50.0
	Strongly Agree	5	50.0	50.0	100.0
	Total	10	100.0	100.0	

Frequencies

Notes

Output Created		09-SEP-2026 01:18:34
Comments		
Input	Data	/Users/ishanisharma/Desktop/User testing/user-testing-spss-export-07-09-2026.sav
	Active Dataset	DataSet3
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	10
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Q2_1 Q2_2 Q2_3 Q2_4 Q2_5 /NTILES=4 /STATISTICS=MINIMUM MAXIMUM MEDIAN /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.00

Statistics					
		Rescue Cards with practical activities	Short reflection after an activity	Personal insights about what helps me	Anonymous community
N	Valid	10	10	10	10
	Missing	0	0	0	0
Median		4.00	4.00	4.00	4.50
Minimum		2	2	3	2
Maximum		5	5	5	5
Percentiles	25	3.00	2.75	4.00	2.75
	50	4.00	4.00	4.00	4.50
	75	5.00	4.25	4.25	5.00

Statistics		
		Private activity history
N	Valid	10
	Missing	0
Median		5.00
Minimum		3
Maximum		5
Percentiles	25	4.75
	50	5.00
	75	5.00

Frequency Table

Rescue Cards with practical activities

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Slightly useful	1	10.0	10.0	10.0
	Moderately useful	2	20.0	20.0	30.0
	Very useful	4	40.0	40.0	70.0
	Extremely useful	3	30.0	30.0	100.0
	Total	10	100.0	100.0	

Short reflection after an activity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Slightly useful	2	20.0	20.0	20.0
	Moderately useful	2	20.0	20.0	40.0
	Very useful	4	40.0	40.0	80.0
	Extremely useful	2	20.0	20.0	100.0
	Total	10	100.0	100.0	

Personal insights about what helps me

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Moderately useful	1	10.0	10.0	10.0
	Very useful	7	70.0	70.0	80.0
	Extremely useful	2	20.0	20.0	100.0
	Total	10	100.0	100.0	

Anonymous community

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Slightly useful	2	20.0	20.0	20.0
	Moderately useful	2	20.0	20.0	40.0
	Very useful	1	10.0	10.0	50.0
	Extremely useful	5	50.0	50.0	100.0
	Total	10	100.0	100.0	

Private activity history

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Moderately useful	1	10.0	10.0	10.0
	Very useful	1	10.0	10.0	20.0
	Extremely useful	8	80.0	80.0	100.0
	Total	10	100.0	100.0	

Multiple Response

Notes

Output Created		09-SEP-2026 01:20:22
Comments		
Input	Data	/Users/ishanisharma/Desktop/User testing/user-testing-spss-export-07-09-2026.sav
	Active Dataset	DataSet3
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	10
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		MULT RESPONSE GROUPS=\$Features 'Most valuable features.' (q3_1 q3_2 q3_3 q3_4 q3_5 q3_6 (1)) /FREQUENCIES=\$Features.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00

Case Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
\$Features ^a	10	100.0%	0	0.0%	10	100.0%

a. Dichotomy group tabulated at value 1.

\$Features Frequencies

		Responses		Percent of Cases
		N	Percent	
Most valuable features. ^a	Which two features would be most valuable to you?	8	36.4%	80.0%
	Which two features would be most valuable to you?	2	9.1%	20.0%
	Which two features would be most valuable to you?	4	18.2%	40.0%
	Which two features would be most valuable to you?	2	9.1%	20.0%
	Which two features would be most valuable to you?	6	27.3%	60.0%
Total		22	100.0%	220.0%

a. Dichotomy group tabulated at value 1.

Frequencies

Notes

Output Created		09-SEP-2026 01:23:13
Comments		
Input	Data	/Users/ishanisharma/Desktop/User testing/user-testing-spss-export-07-09-2026.sav
	Active Dataset	DataSet3
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	10
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Q8 Q9 /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00

Statistics

		What is your age group?	How do you describe your gender?
N	Valid	10	10
	Missing	0	0

Frequency Table

What is your age group?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18–20	1	10.0	10.0	10.0
	21–24	2	20.0	20.0	30.0
	25–29	7	70.0	70.0	100.0
	Total	10	100.0	100.0	

How do you describe your gender?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Male	10	100.0	100.0	100.0

Multiple Response

Notes

Output Created		09-SEP-2026 01:28:49
Comments		
Input	Data	/Users/ishanisharma/Desktop/User testing/user-testing-spss-export-07-09-2026.sav
	Active Dataset	DataSet3
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	10
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		MULT RESPONSE GROUPS=\$Features 'Most valuable features.' (q3_1 q3_2 q3_3 q3_4 q3_5 q3_6 (1)) /FREQUENCIES=\$Features.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00

Case Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
\$Features ^a	10	100.0%	0	0.0%	10	100.0%

a. Dichotomy group tabulated at value 1.

\$Features Frequencies

		Responses		Percent of Cases
		N	Percent	
Most valuable features. ^a	Rescue cards	8	36.4%	80.0%
	Short reflection after an activity	2	9.1%	20.0%
	Personal insights about what helps	4	18.2%	40.0%
	Annoymous community	2	9.1%	20.0%
	Private activity history	6	27.3%	60.0%
Total		22	100.0%	220.0%

a. Dichotomy group tabulated at value 1.

Frequencies

Notes

Output Created		09-SEP-2026 01:30:11
Comments		
Input	Data	/Users/ishanisharma/Desktop/User testing/user-testing-spss-export-07-09-2026.sav
	Active Dataset	DataSet3
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	10
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Q4_1 Q4_2 Q4_3 Q4_4 Q4_5 Q4_6 Q4_7 Q4_8 Q4_9 /NTILES=4 /STATISTICS=MINIMUM MAXIMUM MEDIAN /ORDER=ANALYSIS.

Notes

Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.00

Statistics

		The wellbeing activities and information presented in app appeared credible.	Based on what I saw, the app appeared trustworthy enough for me to explore further.	The prototype made it clear what information would remain private and what could be visible to other users.	I understood how anonymous participation in the community would work.
N	Valid	10	10	10	10
	Missing	0	0	0	0
Median		4.00	4.50	4.00	4.00
Minimum		3	3	3	2
Maximum		5	5	5	5
Percentiles	25	3.00	4.00	3.75	3.00
	50	4.00	4.50	4.00	4.00
	75	4.25	5.00	5.00	5.00

Statistics

		The option to participate anonymously would make me feel more comfortable using the community.	The community examples felt respectful and non-judgemental.	Other users' experiences could provide practical ideas for dealing with stress.	The community could help users feel that they are not dealing with stress alone.
N	Valid	10	10	10	10
	Missing	0	0	0	0
Median		5.00	4.50	4.00	4.00
Minimum		2	3	3	3
Maximum		5	5	5	5
Percentiles	25	3.75	3.00	3.00	4.00
	50	5.00	4.50	4.00	4.00
	75	5.00	5.00	4.00	4.25

Statistics

		The prototype made it clear how harmful or inappropriate content could be reported.
N	Valid	10
	Missing	0
Median		3.50
Minimum		1
Maximum		5
Percentiles	25	2.00
	50	3.50
	75	4.00

Frequency Table

The wellbeing activities and information presented in app appeared credible.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Neutral	3	30.0	30.0	30.0
	Agree	5	50.0	50.0	80.0
	Strongly agree	2	20.0	20.0	100.0
	Total	10	100.0	100.0	

Based on what I saw, the app appeared trustworthy enough for me to explore further.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Neutral	1	10.0	10.0	10.0
	Agree	4	40.0	40.0	50.0
	Strongly agree	5	50.0	50.0	100.0
	Total	10	100.0	100.0	

The prototype made it clear what information would remain private and what could be visible to other users.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Neutral	2	20.0	20.0	20.0
	Agree	5	50.0	50.0	70.0
	Strongly agree	3	30.0	30.0	100.0
	Total	10	100.0	100.0	

I understood how anonymous participation in the community would work.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Disagree	1	10.0	10.0	10.0
	Neutral	2	20.0	20.0	30.0
	Agree	3	30.0	30.0	60.0
	Strongly agree	4	40.0	40.0	100.0
	Total	10	100.0	100.0	

The option to participate anonymously would make me feel more comfortable using the community.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Disagree	1	10.0	10.0	10.0
	Neutral	1	10.0	10.0	20.0
	Agree	2	20.0	20.0	40.0
	Strongly agree	6	60.0	60.0	100.0
	Total	10	100.0	100.0	

The community examples felt respectful and non-judgemental.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Neutral	4	40.0	40.0	40.0
	Agree	1	10.0	10.0	50.0
	Strongly agree	5	50.0	50.0	100.0
	Total	10	100.0	100.0	

Other users' experiences could provide practical ideas for dealing with stress.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Neutral	3	30.0	30.0	30.0
	Agree	6	60.0	60.0	90.0
	Strongly agree	1	10.0	10.0	100.0
	Total	10	100.0	100.0	

The community could help users feel that they are not dealing with stress alone.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Neutral	1	10.0	10.0	10.0
	Agree	7	70.0	70.0	80.0
	Strongly agree	2	20.0	20.0	100.0
	Total	10	100.0	100.0	

The prototype made it clear how harmful or inappropriate content could be reported.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly disagree	1	10.0	10.0	10.0
	Disagree	3	30.0	30.0	40.0
	Neutral	1	10.0	10.0	50.0
	Agree	4	40.0	40.0	90.0
	Strongly agree	1	10.0	10.0	100.0
	Total	10	100.0	100.0	

Frequencies

Notes

Output Created		09-SEP-2026 01:30:53
Comments		
Input	Data	/Users/ishanisharma/Desktop/User testing/user-testing-spss-export-07-09-2026.sav
	Active Dataset	DataSet3
	File Label	File generated by: Jisc SPSS-JS. Authored: HK
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	10
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Q5_1 Q5_2 Q5_3 Q5_4 /NTILES=4 /STATISTICS=MINIMUM MAXIMUM MEDIAN /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.01
	Elapsed Time	00:00:00.00

Statistics

		The purpose of app was clear to me.	I found the prototype easy to navigate.	It was easy to find and begin an activity when I needed one.	Based on this MVP, I would be interested in trying a developed version of the app.
N	Valid	10	10	10	10
	Missing	0	0	0	0
Median		5.00	4.00	4.00	5.00
Minimum		3	2	3	3
Maximum		5	5	5	5
Percentiles	25	4.00	3.75	4.00	3.75
	50	5.00	4.00	4.00	5.00
	75	5.00	4.25	5.00	5.00

Frequency Table

The purpose of app was clear to me.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Neutral	1	10.0	10.0	10.0
	Agree	3	30.0	30.0	40.0
	Strongly agree	6	60.0	60.0	100.0
	Total	10	100.0	100.0	

I found the prototype easy to navigate.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Disagree	1	10.0	10.0	10.0
	Neutral	1	10.0	10.0	20.0
	Agree	6	60.0	60.0	80.0
	Strongly agree	2	20.0	20.0	100.0
	Total	10	100.0	100.0	

It was easy to find and begin an activity when I needed one.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Neutral	1	10.0	10.0	10.0
	Agree	6	60.0	60.0	70.0
	Strongly agree	3	30.0	30.0	100.0
	Total	10	100.0	100.0	

Based on this MVP, I would be interested in trying a developed version of the app.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Neutral	2	20.0	20.0	20.0
	Agree	2	20.0	20.0	40.0
	Strongly agree	6	60.0	60.0	100.0
	Total	10	100.0	100.0	