

Avidia Bank Take-Home Assessment

Evidence Pack

Data Catalog & Metadata Management on Snowflake

Blocks 0-5: implementation screenshots with evidence descriptions

Primary certified product: ANALYTICS.MARTS.MART_DEPOSITS

Evidence images are reproduced from the submitted repository evidence folder.

Evidence index

Block 0

Setup & Data

Environment, synthetic data volume, layer inventory and sealed truth set.

Block 1

Metadata Foundation

Harvest, task, dictionary, glossary, CDEs, ownership/stewardship and tag taxonomy.

Block 2

Classification & Protection

Classifier results, measured quality, steward review, masking, row access and zero policy gaps.

Block 3

Trust / Data Quality

Six persisted DQ dimensions including GL reconciliation.

Block 4

Lineage

Native + external lineage, column trace, snapshot task and impact analysis.

Block 5

Catalog & Certification

Streamlit catalog, adoption evidence, certification run and seven-word scorecard.

Reading note: screenshots are evidence of the implemented state at capture time. ACCOUNT_USAGE-based metadata may lag; the implementation uses INFORMATION_SCHEMA for immediate validation where appropriate and preserves ACCOUNT_USAGE evidence for governance.

Block 0

Setup and synthetic banking data

Environment identity

6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21

```
USE ROLE DATA_OWNER;

-- -----
-- 1. Environment identity
-- Screenshot: account / region / role / warehouse
-- -----

SELECT
  CURRENT_ACCOUNT() AS ACCOUNT,
  CURRENT_REGION() AS REGION,
  CURRENT_USER() AS USER_NAME,
  CURRENT_ROLE() AS ROLE_NAME,
  CURRENT_WAREHOUSE() AS WAREHOUSE_NAME;
```

results (just now)

Table Chart Pivot

1 row 36ms

	ACCOUNT	REGION	USER_NAME	ROLE_NAME	WAREHOUSE_NAME
1	US94895	AZURE_CENTRALINDIA	ISHAVASON	DATA_OWNER	COMPUTE_WH

WHAT THIS PROVES

Shows the Snowflake assessment environment, including account/region/session identity and the active role/warehouse used for validation.

Synthetic customer volume

```
SELECT
  COUNT(*) AS RAW_CUSTOMER_COUNT
FROM RAW.PUBLIC.CUSTOMER;

-----

-- 3. RAW source row counts
-- Shows all main synthetic banking datasets are populated
-----

SELECT 'CUSTOMER' AS OBJECT_NAME, COUNT(*) AS ROW_COUNT
FROM RAW.PUBLIC.CUSTOMER
```

(just now)

ChartPivot

# RAW_CUSTOMER_COUNT	
3500	

WHAT THIS PROVES

Confirms the generated RAW customer dataset satisfies the assessment requirement of at least 3,000 customers.

RAW source population

37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52

```
SELECT 'CUSTOMER' AS OBJECT_NAME, COUNT(*) AS ROW_COUNT
FROM RAW.PUBLIC.CUSTOMER

UNION ALL

SELECT 'ACCOUNT', COUNT(*)
FROM RAW.PUBLIC.ACCOUNT

UNION ALL

SELECT 'TRANSACTION', COUNT(*)
FROM RAW.PUBLIC.TRANSACTION

UNION ALL
```

Results (just now)

TableChartPivot

7 rows1.5s

	OBJECT_NAME	ROW_COUNT
1	ACCOUNT	7039
2	BRANCH	15
3	CUSTOMER	3500
4	GL_CONTROL	2
5	LOAN	1500
6	PRODUCT	9
7	TRANSACTION	50000

WHAT THIS PROVES

Shows populated synthetic banking source objects used by the solution, including customer, account, transaction, loan, GL and reference data.

Layer object counts

```
-- -----  
-- 5. Object count by layer  
-- Easier screenshot for proving total object count  
-- -----  
  
WITH objects AS (  
  
    SELECT 'RAW' AS LAYER, TABLE_NAME  
    FROM RAW.INFORMATION_SCHEMA.TABLES  
    WHERE TABLE_SCHEMA = 'PUBLIC'  
  
    UNION ALL  
  
    SELECT 'STAGING', TABLE_NAME  
    FROM STAGING.INFORMATION_SCHEMA.TABLES
```

is (just now) ▼

le

Chart

Pivot

🔍

📄

4 rows ⓘ

2.4s

↶ ↷

⬇

🕒

<u>A</u> LAYER	# OBJECT_COUNT
MARTS	2
RAW	7
STAGING	4
TOTAL	13

WHAT THIS PROVES

Summarizes object counts across RAW, STAGING and MARTS to demonstrate the multi-layer implementation and overall object coverage.

RAW -> STAGING -> MARTS inventory

3

'4

'5

'6

'7

'8

'9

'10

'11

'12

'13

'14

'15

'16

'17

'18

-- -----

-- 4. RAW -> STAGING -> MARTS object inventory

-- Assessment requires >=20 objects across the solution

-- -----

WITH objects AS (

SELECT

'RAW' AS LAYER,

TABLE_CATALOG AS DATABASE_NAME,

TABLE_SCHEMA AS SCHEMA_NAME,

TABLE_NAME,

TABLE_TYPE

FROM RAW.INFORMATION_SCHEMA.TABLES

WHERE TABLE_SCHEMA = 'PUBLIC'

ults (just now)

able

Chart

Pivot

Q

13 rows

2.7s

↶

⬇

🕒

	A LAYER	A DATABASE_NAME	A SCHEMA_NAME	A TABLE_NAME	A TABLE_TYPE
	RAW 53.8%		PUBLIC 53.8%	ACCOUNT 7.7%	
	STAGING 30.8%	RAW 53.8%	STAGING 30.8%	BRANCH 7.7%	
	+1 more	ANALYTICS 46.2%	+1 more	+11 more	BASE TABLE 100.0%
	MARTS	ANALYTICS	MARTS	MART_CUSTOMER_360	BASE TABLE
	MARTS	ANALYTICS	MARTS	MART_DEPOSITS	BASE TABLE
	RAW	RAW	PUBLIC	ACCOUNT	BASE TABLE
	RAW	RAW	PUBLIC	BRANCH	BASE TABLE
	RAW	RAW	PUBLIC	CUSTOMER	BASE TABLE
	RAW	RAW	PUBLIC	GL_CONTROL	BASE TABLE
	RAW	RAW	PUBLIC	LOAN	BASE TABLE

WHAT THIS PROVES

Lists the physical objects across the three data layers and demonstrates that the transformation architecture is implemented rather than described only conceptually.

Sealed sensitive-column truth set

```
-----
-- 6. Sealed sensitive list loaded
-- Shows sensitive truth set existed before classifier evaluation
-----

SELECT
  TABLE_NAME,
  COLUMN_NAME,
  EXPECTED_CLASSIFICATION,
  SOURCE_SECTION,
  REASON
FROM GOVERNANCE.CATALOG.SEALED_SENSITIVE_COLUMNS
ORDER BY TABLE_NAME, COLUMN_NAME;
```

(just now)

ChartPivot

12 rows373ms

TABLE_NAME	COLUMN_NAME	EXPECTED_CLASSIFICATION	SOURCE_SECTION	REASON
CUSTOMER 58.3%	ACCOUNT_NUMBER 8.3%	PII 58.3%		Contact identifier 16.7%
ACCOUNT 16.7%	ADDRESS 8.3%	POTENTIALLY_SENSITIVE 16.7%	CONFIRMED 66.7%	Direct personal identifier 16.7%
+2 more	+10 more	+3 more	MISLABELED 33.3%	+8 more
ACCOUNT	ACCOUNT_NUMBER	ACCOUNT_DETAILS	CONFIRMED	Core banking account identifier
ACCOUNT	BRANCH_CODE	QUASI_IDENTIFIER	MISLABELED	Can contribute to re-identification
CUSTOMER	ADDRESS	PII	CONFIRMED	Customer physical address
CUSTOMER	DATE_OF_BIRTH	PII	CONFIRMED	Identity and age information
CUSTOMER	EMAIL	PII	CONFIRMED	Contact identifier
CUSTOMER	FIRST_NAME	PII	CONFIRMED	Direct personal identifier
CUSTOMER	LAST_NAME	PII	CONFIRMED	Direct personal identifier

WHAT THIS PROVES

Shows the pre-classification sensitive-column baseline used later to evaluate classifier precision and recall, including deliberately misleading column names.

Block 1

Metadata foundation and governance taxonomy

Metadata harvest freshness

16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31

```
-- =====  
-- 1. METADATA HARVEST - TABLE INVENTORY / FRESHNESS  
-- Screenshot: block1/01_metadata_harvest.png  
-- =====  
  
SELECT  
    DATABASE_NAME,  
    COUNT(*) AS TABLE_OBJECTS,  
    MAX(HARVESTED_AT) AS LAST_TABLE_HARVEST  
FROM GOVERNANCE.CATALOG.TABLE_METADATA  
GROUP BY DATABASE_NAME  
ORDER BY DATABASE_NAME;
```

Results (just now)

Table	Chart	Pivot	3 rows	2.2s	↕	⬇	🕒
1	⌵ DATABASE_NAME	# TABLE_OBJECTS	🕒 LAST_TABLE_HARVEST				
	ANALYTICS	6	2026-09-20 02:24:23.610				
	GOVERNANCE	110	2026-09-21 19:00:03.140				
	RAW	7	2026-09-20 02:24:20.849				

WHAT THIS PROVES

Shows harvested table/column metadata and timestamps from the governance metadata store, proving metadata is captured programmatically.

Scheduled metadata harvest task

-- =====
-- 2. METADATA HARVEST TASK
-- Screenshot: block1/02_metadata_task.png
-- =====

SHOW TASKS LIKE 'HARVEST_METADATA_TASK'
IN SCHEMA GOVERNANCE.CATALOG;

-- =====
-- 3. DICTIONARY / DOCUMENTATION COVERAGE
-- Screenshot: block1/03_dictionary_coverage.png

s (just now)

e

Chart

Pivot

🔍

🔗

1 row ⓘ

371ms

↕ ↴ ⌚

🕒 created_on	🔗 name	🔗 id	🔗 database_name	🔗 schema_name	🔗 owner	🔗 col
2026-09-18 00:22:19	HARVEST_METADATA_	01c725fa-9ce9-9195	GOVERNANCE	CATALOG	DATA_OWNER	Harve

WHAT THIS PROVES

Shows the Snowflake Task used to automate the metadata-harvest procedure rather than relying on hand-applied metadata.

Avidia Bank - Snowflake Data Catalog & Metadata Management - Evidence Pack

Page 12

Dictionary and description coverage

```
SELECT *
FROM GOVERNANCE.CATALOG.DOCUMENTATION_COVERAGE_VIEW
ORDER BY DOCUMENTATION_PERCENTAGE ASC, TABLE_NAME;

-- Detailed proof for certified mart used later in CERTIFY()
SELECT
  COUNT(*) AS TOTAL_COLUMNS,
  COUNT_IF(
    DESCRIPTION IS NOT NULL
    AND TRIM(DESCRIPTION) <> ''
  ) AS DOCUMENTED_COLUMNS,
  ROUND(
    100.0 * COUNT_IF(
      DESCRIPTION IS NOT NULL
      AND TRIM(DESCRIPTION) <> ''
    ) / COUNT(*)
  ) AS DOCUMENTATION_PERCENTAGE
FROM GOVERNANCE.CATALOG.DOCUMENTATION_COVERAGE_VIEW
```

ov

Chart

Pivot

8 rows

404ms

TABLE_NAME	DOCUMENTED_COLUMNS	DOCUMENTATION_PERCENTAGE
ACCOUNT	8	100.00
BRANCH	1	100.00
CUSTOMER	10	100.00
GL_CONTROL	3	100.00
LOAN	9	100.00
MART_DEPOSITS	20	100.00
PRODUCT	1	100.00
TRANSACTION	6	100.00

WHAT THIS PROVES

Shows documentation coverage used to prove that governed assets, especially the certified mart, are defined with usable descriptions.

Banking glossary

```
-- =====  
-- 4. BANKING GLOSSARY - 10 TERMS  
-- Screenshot: block1/04_glossary_terms.png  
-- =====
```

```
SELECT  
  TERM_ID,  
  TERM_NAME,  
  BUSINESS_DOMAIN,  
  DEFINITION,  
  SYNONYMS  
FROM GOVERNANCE.CATALOG.BANKING_GLOSSARY  
ORDER BY TERM_ID;
```

```
SELECT COUNT(*) AS GLOSSARY_TERM_COUNT
```

at now)

Chart Pivot

Next steps

10 rows

85ms

TERM_ID	TERM_NAME	BUSINESS_DOMAIN	DEFINITION	SYNONYMS
	Account... 10.0%	DEPOSIT 30.0%	Any debit, credit, or transfer of funds 10.0%	ACCT_NUM, ACCOUNT...
	Balance 10.0%	LOAN 30.0%	Asset pledged as security for a loan 10.0%	AVAILABLE_BALANCE,...
	+8 more	+3 more	+8 more	+8 more
1	Customer ID	CUSTOMER	Unique identifier for a customer in the banking system	CUST_ID, CUSTOMER_REF
2	Tax ID	CUSTOMER	Government-issued tax identifier (SSN for individuals, EIN	SSN, EIN, TIN
3	Account Number	DEPOSIT	Unique identifier for a deposit account	ACCT_NUM, ACCOUNT_RE
4	Balance	DEPOSIT	Current available balance in a deposit account	AVAILABLE_BALANCE, ACC
5	Transaction	DEPOSIT	Any debit, credit, or transfer of funds	TXN, POSTING
6	Branch Code	REFERENCE	Unique identifier for a physical bank branch location	BRANCH_ID, LOCATION_CC
7	GL Code	GL	General Ledger account code for financial reconciliation	GL_ACCOUNT_CONTROL

WHAT THIS PROVES

Shows the governed 10-term banking glossary required by the assessment.

Glossary-to-column mappings

-- 5. GLOSSARY -> PHYSICAL COLUMN MAPPINGS
-- Screenshot: block1/05_glossary_mappings.png

[Go to Docs](#)

SELECT
 TERM_NAME,
 DEFINITION,
 COLUMN_COUNT,
 MAPPED_COLUMNS
FROM GOVERNANCE.CATALOG.GLOSSARY_COVERAGE_VIEW
ORDER BY TERM_NAME;

-- =====
-- 6. CDE REGISTRY - 25 CRITICAL DATA ELEMENTS
-- Screenshot: block1/06_cde_registry.png

(just now)

ChartPivot

Next steps

10 rows204ms

TERM_NAME	DEFINITION	COLUMN_COUNT	MAPPED_COLUMNS
Account N... 10.0%	Any debit, credit, or transfer of... 10.0%		ACCOUNT.ACCOUNT_ID, ACCOUNT.ACCOUNT... 10.0%
Balance 10.0%	Asset pledged as security for ... 10.0%		ACCOUNT.BALANCE 10.0%
+8 more	+8 more	12	+8 more
Account Number	Unique identifier for a deposit account	2	ACCOUNT.ACCOUNT_ID, ACCOUNT.ACCOUNT_NUMBER
Balance	Current available balance in a deposit acco	1	ACCOUNT.BALANCE
Branch Code	Unique identifier for a physical bank branch	1	BRANCH.BRANCH_CODE
Collateral	Asset pledged as security for a loan	1	LOAN.COLLATERAL_VALUE
Credit Grade	Risk assessment rating of a borrower (A, B	1	LOAN.CREDIT_GRADE
Customer ID	Unique identifier for a customer in the bank	1	CUSTOMER.CUSTOMER_ID
GL Code	General Ledger account code for financial	1	GL_CONTROL_GL_CODE

WHAT THIS PROVES

Shows business glossary terms linked to physical columns so business concepts are connected to implemented data assets.

25 Critical Data Elements

```
-- 6. CDE REGISTRY - 25 CRITICAL DATA ELEMENTS
-- Screenshot: block1/06_cde_registry.png
-- =====
```

```
SELECT
  CDE_ID,
  CDE_NAME,
  DATABASE_NAME,
  SCHEMA_NAME,
  TABLE_NAME,
  COLUMN_NAME,
  CRITICALITY_LEVEL,
  BUSINESS_OWNER,
  DESCRIPTION
FROM GOVERNANCE.CATALOG.CDE_REGISTRY
```

now)

chart

Pivot

Next steps

25 rows

75ms

↶ ↷ ⌂

CDE_ID	CDE_NAME	DATABASE_NAME	SCHEMA_NAME	TABLE_NAME	COLUMN_NAME	CRITICALITY_LEVEL
 25	Account Bal... 4.0%			LOAN 28.0%	ACCOUNT_... 8.0%	CRITICAL
	Account Ide... 4.0%			ACCOUNT 20.0%	BRANCH_C... 8.0%	HIGH
	+23 more	RAW 100.0%	PUBLIC 100.0%	+4 more	+19 more	+1 more
1	Customer Identifier	RAW	PUBLIC	CUSTOMER	CUSTOMER_ID	CRITICAL
2	Tax Identifier	RAW	PUBLIC	CUSTOMER	TAX_ID	CRITICAL
3	Customer Age	RAW	PUBLIC	CUSTOMER	DATE_OF_BIRTH	HIGH
4	Account Identifier	RAW	PUBLIC	ACCOUNT	ACCOUNT_ID	CRITICAL
5	Account Number	RAW	PUBLIC	ACCOUNT	ACCOUNT_NUMBER	CRITICAL
6	Account Balance	RAW	PUBLIC	ACCOUNT	BALANCE	CRITICAL
7	Branch Location	RAW	PUBLIC	ACCOUNT	BRANCH_CODE	HIGH

WHAT THIS PROVES

Shows the governed CDE registry containing the 25 critical data elements used for ownership, tiering and certification evidence.

Live CDE tag references

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

-- ACCOUNT_USAGE can tag. If this is temporarily denied, wait for propagation

-- and keep the screenshot once the current assignments are visible.

-- =====

SELECT

OBJECT_DATABASE,

OBJECT_SCHEMA,

OBJECT_NAME,

COLUMN_NAME,

TAG_NAME,

TAG_VALUE,

APPLY_METHOD

FROM SNOWFLAKE.ACCOUNT_USAGE.TAG_REFERENCES

WHERE TAG_DATABASE = 'GOVERNANCE'

AND TAG_SCHEMA = 'CATALOG'

AND TAG_NAME IN ('CDE', 'CDE_TIER')

AND TAG_VALUE IS NOT NULL

ORDER BY

Results (just now)

Table

Chart

Pivot

12 rows

244ms

↶ ↷

⌵ ⌶ ⌷

	OBJECT_DATABASE	OBJECT_SCHEMA	OBJECT_NAME	COLUMN_NAME	TAG_NAME	TAG_VALUE	APPLY_METHOD
			ACCOUNT 50.0% CUSTOMER 33.3% +1 more	ACCOUNT_ID 16.7% ACCOUNT_NUMBER 16.7% +4 more	CDE 50.0% CDE_TIER 50.0%	1 50.0% YES 50.0%	MANUAL
1	RAW	PUBLIC	ACCOUNT	ACCOUNT_ID	CDE	YES	MANUAL
2	RAW	PUBLIC	ACCOUNT	ACCOUNT_ID	CDE_TIER	1	MANUAL
3	RAW	PUBLIC	ACCOUNT	ACCOUNT_NUMBER	CDE	YES	MANUAL
4	RAW	PUBLIC	ACCOUNT	ACCOUNT_NUMBER	CDE_TIER	1	MANUAL
5	RAW	PUBLIC	ACCOUNT	BALANCE	CDE	YES	MANUAL

WHAT THIS PROVES

Shows actual Snowflake CDE/CDE_TIER tag assignments, proving the registry is synchronized to physical columns and visible through tag metadata.

Owner and steward metadata

-- =====
-- 8. OWNER / STEWARD TAG REFERENCES
-- Screenshot: block1/08_owner_steward_tags.png
-- =====

SELECT

OBJECT_DATABASE,
OBJECT_SCHEMA,
OBJECT_NAME,
MAX(CASE
 WHEN TAG_NAME = 'DATA_OWNER'
 THEN TAG_VALUE
END) AS DATA_OWNER,
MAX(CASE
 WHEN TAG_NAME = 'DATA_STEWARD'
 THEN TAG_VALUE
END) AS DATA_STEWARD

s (just now)

le

Chart

Pivot

24 rows

514ms

↶ ↷ ⌚

OBJECT_DATABASE	OBJECT_SCHEMA	OBJECT_NAME	DATA_OWNER	DATA_STEWARD
CI 70.8%	KEYPAIR_TEST 20.8%	ACCOUNT 16.7%	Banking Operations 33.3%	
RAW 20.8%	PUBLIC 20.8%	CUSTOMER 16.7%	Deposits Team 33.3%	
+1 more	+6 more	+5 more	+2 more	Data Governance 16.7%
ANALYTICS	MARTS	MART_DEPOSITS	Banking Operations	Data Governance
ANALYTICS	STAGING	STG_ACCOUNT	Banking Operations	Data Governance
CI	ANALYTICS_MARTS_CI	MART_DEPOSITS	Banking Operations	Data Governance
CI	ANALYTICS_STAGING_CI	STG_ACCOUNT	Banking Operations	Data Governance
CI	KEYPAIR_TEST	ACCOUNT	Deposits Team	null

WHAT THIS PROVES

Shows governance ownership and stewardship tag values that support accountability and later certification controls.

Governance tag taxonomy

3

4

5

6

7

8

9

0

1

2

3

4

5

6

7

8

9

0

-- =====

-- 9. TAG TAXONOMY EXISTS

-- Screenshot: block1/09_tag_taxonomy.png

-- =====

SHOW TAGS IN SCHEMA GOVERNANCE.CATALOG;

-- =====

-- 10. MART_DEPOSITS GOVERNANCE SUMMARY

-- Optional compact screenshot tying Block 1 together.

-- Screenshot: block1/10_mart_deposits_metadata.png

-- =====

SELECT

DATABASE_NAME,

SCHEMA_NAME,

TABLE_NAME,

lts (just now)

tableChartPivot

11 rows59ms

created_on	name	database_name	schema_name	owner	comment
18/09/2026	9.1%	GOVERNA... 100.0%	CATALOG 100.0%	DATA_O... 100.0%	Business domain: CUSTOMER, DI Certification level: CERTIFIED, IN. +9 more
2026-09-18 00:42:51.935 -0700	CDE	GOVERNANCE	CATALOG	DATA_OWNER	Is this a Critical Data Element? (Y
2026-09-18 00:42:52.065 -0700	CDE_TIER	GOVERNANCE	CATALOG	DATA_OWNER	Tier level for CDE: 1 (highest), 2,
2026-09-18 00:42:51.483 -0700	CERTIFICAT	GOVERNANCE	CATALOG	DATA_OWNER	Certification level: CERTIFIED, IN.
2026-09-18 00:42:52.212 -0700	CLASSIFICA	GOVERNANCE	CATALOG	DATA_OWNER	Data sensitivity: PUBLIC, INTERN
2026-09-18 00:42:51.700 -0700	DATA_OWNE	GOVERNANCE	CATALOG	DATA_OWNER	Owner of the data asset

WHAT THIS PROVES

Shows the implemented governance tag set used across domain, layer, certification, ownership, CDE, classification and source-system metadata.

Certified mart metadata view

222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237

```
-- 10. MART_DEPOSITS GOVERNANCE SUMMARY
-- Optional compact screenshot tying Block 1 together.
-- Screenshot: block1/10_mart_deposits_metadata.png
-- =====

SELECT
  DATABASE_NAME,
  SCHEMA_NAME,
  TABLE_NAME,
  COLUMN_NAME,
  DESCRIPTION,
  CDE_FLAG,
  CRITICALITY_LEVEL,
  DATA_OWNER,
  DATA_STEWARD,
  CERTIFICATION,
```

Results (just now)

TableChartPivot

20 rows1.2s

	DATABASE_NAME	SCHEMA_NAME	TABLE_NAME	COLUMN_NAME	DESCRIPTION	CERTIFICATION
	ANALYTICS	MARTS	MART_DEPOSITS	ACCOUNT_ID	Business account number associated with the customer.	NO
	ANALYTICS	MARTS	MART_DEPOSITS	CUSTOMER_ID	Unique identifier for the customer associated with the account.	NO
	ANALYTICS	MARTS	MART_DEPOSITS	ACCOUNT_NUMBER	Business account number associated with the customer.	NO
	ANALYTICS	MARTS	MART_DEPOSITS	ACCOUNT_TYPE	Type of deposit account, such as checking or savings.	NO
	ANALYTICS	MARTS	MART_DEPOSITS	STATUS	Current status of the deposit account.	NO

WHAT THIS PROVES

Shows consolidated catalog metadata for MART_DEPOSITS, bringing together descriptions, CDE indicators, ownership, certification and refresh metadata.

Block 2

Classification and protection

Classification results

24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39

-- =====
-- 1. CAPTURED CLASSIFICATION RESULTS
-- Screenshot: 01_classification_results.png
-- =====

SELECT
 DATABASE_NAME,
 SCHEMA_NAME,
 TABLE_NAME,
 COLUMN_NAME,
 SEMANTIC_CATEGORY,
 PRIVACY_CATEGORY,
 CLASSIFIER_SOURCE,
 APPLY_METHOD,
 CAPTURED_AT
FROM GOVERNANCE.CATALOG.CLASSIFICATION_RESULTS

results (just now)

TableChartPivot

8 rows1.7s

	DATABASE_NAME	SCHEMA_NAME	TABLE_NAME	COLUMN_NAME	SEMANTIC_CATEGORY	PRIVACY_CATEGORY
1	ANALYTICS	STAGING	STG_CUSTOMER	DATE_OF_BIRTH	DATE_OF_BIRTH	QUASI_IDENTIFIER
2	ANALYTICS	STAGING	STG_CUSTOMER	EMAIL	EMAIL	IDENTIFIER
3	ANALYTICS	STAGING	STG_CUSTOMER	FIRST_NAME	NAME	IDENTIFIER
4	ANALYTICS	STAGING	STG_CUSTOMER	LAST_NAME	NAME	IDENTIFIER
5	ANALYTICS	STAGING	STG_CUSTOMER	PHONE	PHONE_NUMBER	IDENTIFIER
6	ANALYTICS	STAGING	STG_CUSTOMER	TAX_ID	NATIONAL_IDENTIFIER	IDENTIFIER
7	ANALYTICS	STAGING	STG_LOAN	LOAN_MEMO	CARD_PAN	IDENTIFIER
8	ANALYTICS	STAGING	STG_LOAN	SOURCE_TABLE	URL	IDENTIFIER

WHAT THIS PROVES

Shows captured native/custom classification output on STAGING before steward confirmation.

Classifier precision and recall

```

43  -- =====
44  -- 2. PRECISION / RECALL AGAINST SEALED TRUTH SET
45  -- Screenshot: 02_precision_recall.png
46  -- =====
47
48  WITH metrics AS (
49      SELECT
50          COUNT_IF(OUTCOME = 'TP') AS TP,
51          COUNT_IF(OUTCOME = 'FP') AS FP,
52          COUNT_IF(OUTCOME = 'FN') AS FN,
53          COUNT_IF(OUTCOME = 'TN') AS TN
54      FROM GOVERNANCE.CATALOG.CLASSIFICATION_EVALUATION
55  )
56  SELECT
57      TP,

```

sults (just now)

Table

Chart

Pivot



1 row ⓘ

652ms



	# TP	# FP	# FN	# TN	# PRECISION	# RECALL
1	7	1	5	36	0.875	0.5833

WHAT THIS PROVES

Shows measured classifier quality against the sealed truth set. The submission retains false positives and misses as real evidence rather than hiding them.

Steward review queue

-- 3. STEWARD REVIEW QUEUE
-- Screenshot: 03_steward_review_queue.png
-- Only approved classifications should drive governance CLASSIFICATION tags.
-- =====

SELECT
REVIEW_ID,
TABLE_NAME,
COLUMN_NAME,
DETECTED_SEMANTIC_CATEGORY,
DETECTED_PRIVACY_CATEGORY,
CLASSIFIER_SOURCE,
SUGGESTED_CLASSIFICATION,
CONFIRMED_CLASSIFICATION,
REVIEW_STATUS,
REVIEWED_BY

:s (just now)

le | Chart | Pivot

8 rows 220ms

REVIEW_ID	TABLE_NAME	COLUMN_NAME	DETECTED_SEMANTIC_CATEGORY	DETECTED_PRIVACY_CATEGORY
854c437e-48f2-4236-8ff0-77eb2b854a00	STG_CUSTOMER	DATE_OF_BIRTH	DATE_OF_BIRTH	QUASI_IDENTIFIER
1fc4bbc3-ddb0-498c-ae41-670c713bcb10	STG_CUSTOMER	EMAIL	EMAIL	IDENTIFIER
926e14c1-5d45-4533-9e41-08eb93afdfcb	STG_CUSTOMER	FIRST_NAME	NAME	IDENTIFIER
eb451994-48ce-419e-ac9b-c4c39f5d0679	STG_CUSTOMER	LAST_NAME	NAME	IDENTIFIER
d8863eec-ebde-4732-86ee-1566b0eda18e	STG_CUSTOMER	PHONE	PHONE_NUMBER	IDENTIFIER
f1f3cc8e-b87f-4021-94d3-97c13c13227b	STG_CUSTOMER	TAX_ID	NATIONAL_IDENTIFIER	IDENTIFIER
11b0e560-3046-4390-a509-5067ede6d5e8	STG_LOAN	LOAN_MEMO	CARD_PAN	IDENTIFIER
100faa2f-d603-4c55-a655-310f6cdc4c1b	STG_LOAN	SOURCE_TABLE	URL	IDENTIFIER

WHAT THIS PROVES

Shows detected classifications entering a governed review workflow where the steward can approve or reject before protection tags are applied.

Confirmed classification tags

114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129

-- 4. CONFIRMED GOVERNANCE CLASSIFICATION TAGS
-- Screenshot: 04_confirmed_classification_tags.png
-- =====

SELECT
 OBJECT_DATABASE,
 OBJECT_SCHEMA,
 OBJECT_NAME,
 COLUMN_NAME,
 TAG_NAME,
 TAG_VALUE,
 APPLY_METHOD
FROM SNOWFLAKE.ACCOUNT_USAGE.TAG_REFERENCES
WHERE TAG_DATABASE = 'GOVERNANCE'
 AND TAG_SCHEMA = 'CATALOG'
 AND TAG_NAME = 'CLASSIFICATION'

results (just now)

TableChartPivot

12 rows491ms

	OBJECT_DATABASE	OBJECT_SCHEMA	OBJECT_NAME	COLUMN_NAME	TAG_NAME	TAG_VALUE	APPLY_METHOD
	ANALYTICS	STAGING	STG_CUSTO...	DATE_OF_BI...		PII	
	RAW	PUBLIC	CUSTOMER	EMAIL		ACCO...	
			+2 more	+6 more	CLASSIFICA...		
1	ANALYTICS	STAGING	STG_CUSTOMER	DATE_OF_BIRTH	CLASSIFICATION	PII	MAN
2	ANALYTICS	STAGING	STG_CUSTOMER	EMAIL	CLASSIFICATION	PII	MAN
3	ANALYTICS	STAGING	STG_CUSTOMER	FIRST_NAME	CLASSIFICATION	PII	MAN
4	ANALYTICS	STAGING	STG_CUSTOMER	LAST_NAME	CLASSIFICATION	PII	MAN
5	ANALYTICS	STAGING	STG_CUSTOMER	PHONE	CLASSIFICATION	PII	MAN
6	ANALYTICS	STAGING	STG_CUSTOMER	TAX_ID	CLASSIFICATION	PII	MAN
7	ANALYTICS	STAGING	STG_LOAN	LOAN_MEMO	CLASSIFICATION	ACCOUNT_DETAIL	MAN

WHAT THIS PROVES

Shows live governance CLASSIFICATION tags synchronized only from approved steward decisions.

Tag-based masking policies

5. ACTIVE TAG-BASED MASKING POLICIES

Screenshot: 05_tag_based_masking_policies.png

=====

SELECT

POLICY_DB,
POLICY_SCHEMA,
POLICY_NAME,
POLICY_KIND,
POLICY_STATUS,
REF_ENTITY_NAME,
REF_ENTITY_DOMAIN,
REF_COLUMN_NAME,
TAG_DATABASE,
TAG_SCHEMA,

its (just now)

Table

Chart

Pivot

🔍

📄

3 rows ⓘ

314ms

↶ ↷ ⌚

<u>POLICY_DB</u>	<u>POLICY_SCHEMA</u>	<u>POLICY_NAME</u>	<u>POLICY_KIND</u>	<u>POLICY_STATUS</u>	<u>REF_ENTITY_N</u>
GOVERNANCE	CATALOG	CLASSIFICATION_MASK_DATE	MASKING_POLICY	ACTIVE	CLASSIFICATION
GOVERNANCE	CATALOG	CLASSIFICATION_MASK_NUMBER	MASKING_POLICY	ACTIVE	CLASSIFICATION
GOVERNANCE	CATALOG	CLASSIFICATION_MASK_VARCHAR	MASKING_POLICY	ACTIVE	CLASSIFICATION

WHAT THIS PROVES

Shows active masking policies bound to the governance classification tag for multiple data types.

DATA_OWNER - clear values

```
162 -- 6. MASKING OUTPUT BY ROLE
163 -- Take one screenshot per role.
164 -- =====
165
166 -- Screenshot: 06a_owner_clear.png
167 USE ROLE DATA_OWNER;
168
169 SELECT
170     TAX_ID,
171     DATE_OF_BIRTH,
172     EMAIL,
173     PHONE
174 FROM ANALYTICS.STAGING.STG_CUSTOMER
175 WHERE TAX_ID IS NOT NULL
176 LIMIT 5;
```

Results (just now)

Table	Chart	Pivot	5 rows	416ms			
TAX_ID	DATE_OF_BIRTH	EMAIL	PHONE				
1	282-32-3658	1950-03-17	rhodespatricia@example.org	001-260-501-3389			
2	41-4744854	null	dudleynicholas@example.net	695-993-1034x1316			
3	324-52-4387	1945-03-21	jason76@example.net	724.523.8849x696			
4	611-60-8670	1957-10-25	frazierdanny@example.net	001-645-514-6270x48281			
5	14-1499914	null	dennislisa@example.net	001-822-778-2489x63834			

WHAT THIS PROVES

Demonstrates privileged owner access to sensitive values where the policy intentionally returns clear data.

DATA_STEWARD - partial masking

```
185 -- Screenshot: 06b_steward_partial.png
186 USE ROLE DATA_STEWARD;
187
188 SELECT
189     TAX_ID,
190     DATE_OF_BIRTH,
191     EMAIL,
192     PHONE
193 FROM ANALYTICS.STAGING.STG_CUSTOMER
194 WHERE TAX_ID IS NOT NULL
195 LIMIT 5;
196
197 SELECT
```

Results (1 minute ago)

Table Chart Pivot

5 rows 979ms

	TAX_ID	DATE_OF_BIRTH	EMAIL	PHONE
1	28*****58	19*****17	rh*****rg	00*****89
2	41*****54	null	du*****et	69*****16
3	32*****87	19*****21	ja*****et	72*****96
4	61*****70	19*****25	fr*****et	00*****81
5	14*****14	null	de*****et	00*****34

WHAT THIS PROVES

Demonstrates partial masking for the steward role after disabling secondary-role privilege inheritance for the evidence session.

DEPOSITS_ANALYST - masked values

```
-- Screenshot: 06c_analyst_masked.png
USE ROLE DEPOSITS_ANALYST;

SELECT
    TAX_ID,
    DATE_OF_BIRTH,
    EMAIL,
    PHONE
FROM ANALYTICS.STAGING.STG_CUSTOMER
WHERE TAX_ID IS NOT NULL
LIMIT 5;
```

sults (just now)

Table Chart Pivot 5 rows 165ms

	TAX_ID	DATE_OF_BIRTH	EMAIL	PHONE
1	***MASKED***	***MASKED***	***MASKED***	***MASKED***
2	***MASKED***	***MASKED***	***MASKED***	***MASKED***
3	***MASKED***	***MASKED***	***MASKED***	***MASKED***
4	***MASKED***	***MASKED***	***MASKED***	***MASKED***
5	***MASKED***	***MASKED***	***MASKED***	***MASKED***

WHAT THIS PROVES

Demonstrates full masking / nulling for the analyst role on governed sensitive fields.

Branch-scoped row access

75

-- 9. BRANCH_HUDSON ROW-LEVEL ACCESS

76

-- Screenshot: 08_branch_hudson_access.png

77

-- Expected: only the branch assigned in BRANCH_ENTITLEMENTS (BR_01 in the

78

-- current assessment setup).

79

-- =====

30

31

USE ROLE BRANCH_HUDSON;

32

33

SELECT

34

'RAW.PUBLIC.ACCOUNT' AS OBJECT_NAME,

35

BRANCH_CODE,

36

COUNT(*) AS ROW_COUNT

37

FROM RAW.PUBLIC.ACCOUNT

38

GROUP BY BRANCH_CODE

39

ORDER BY BRANCH_CODE;

Results (just now)

Table

Chart

Pivot

1 row

421ms

OBJECT_NAME	BRANCH_CODE	ROW_COUNT
RAW.PUBLIC.ACCOUNT	BR_01	496

WHAT THIS PROVES

Shows BRANCH_HUDSON limited to its entitled branch across protected data, proving row-level access enforcement.

Sensitive-policy gap report

00
01
02
03
04
05
06
07
08
09
10
11
12
13
14

```
-- =====  
-- 10. SENSITIVE POLICY GAP REPORT  
-- Screenshot: 09_sensitive_policy_gap_zero.png  
-- Assessment requirement: zero rows.  
-- =====  
  
USE ROLE DATA_OWNER;  
  
SELECT *  
FROM GOVERNANCE.CATALOG.SENSITIVE_POLICY_GAPS;  
  
SELECT  
    COUNT(*) AS SENSITIVE_POLICY_GAP_COUNT  
FROM GOVERNANCE.CATALOG.SENSITIVE_POLICY_GAPS;
```

sults (just now)

TableChartPivot

0 rows9.7s

	DATABASE_NAME	SCHEMA_NAME	TABLE_NAME	COLUMN_NAME	CLASSIFICATION_TAG_VALUE	APPLY_METHOD
--	---------------	-------------	------------	-------------	--------------------------	--------------

WHAT THIS PROVES

Shows zero unresolved sensitive-policy gaps, which is the security condition consumed by certification.

Block 3

Trust - six data quality checks

Six-dimension DQ summary

```
4  -- =====
5  -- 2. SIX-DIMENSION SUMMARY
6  -- Screenshot: 01_dq_summary.png
7  --
8  -- Expected:
9  --   CHECKS_RECORDED      = 6
10  --   DIMENSIONS_RECORDED = 6
11  --   PASSED               = 6
12  --   FAILED              = 0
13  --   ASSESSMENT_RESULT   = PASS
14  -- =====
15
16  SELECT *
17  FROM GOVERNANCE.CATALOG.DQ_RESULT
18  WHERE INVOCATION_ID = $DQ_INVOCATION_ID;
```

lts (just now)

ble

Chart

Pivot

6 rows

736ms

DQ_RESULT_ID	MART_NAME	CHECK_DIMENSION	CHECK_TYPE	TARGET_TABLE
1f67607acc60337b36ef00044e15e724	MART_DEPOSITS	ACCURACY	test_mart_deposits_accuracy	MART_DEPOSITS
23cc043c02a86a02063448a17fa3f2d0	MART_DEPOSITS	UNIQUENESS	test_mart_deposits_uniqueness	MART_DEPOSITS
087d8f390ac60266e226164fa897fec4	MART_DEPOSITS	CONSISTENCY	test_mart_deposits_consistency	MART_DEPOSITS
4755f15b47c0792d41ecae02f3a1437f	MART_DEPOSITS	VALIDITY	test_mart_deposits_validity	MART_DEPOSITS
2b2492a38a40d70088aaf59e280a4dc0	MART_DEPOSITS	COMPLETENESS	test_mart_deposits_completeness	MART_DEPOSITS
c4d54c146272509952c60e67a7665c16	MART_DEPOSITS	TIMELINESS	test_mart_deposits_timeliness	MART_DEPOSITS

WHAT THIS PROVES

Shows the latest MART_DEPOSITS invocation contains all six required quality dimensions and the overall assessment result.

Detailed DQ results

1

2

3

4

5

6

7

8

9

0

1

2

3

4

5

6

-- 3. DETAILED RESULTS FOR ALL SIX DIMENSIONS

-- Screenshot: 02_six_dq_results.png

--

-- Required dimensions:

-- COMPLETENESS

-- UNIQUENESS

-- VALIDITY

-- CONSISTENCY

-- TIMELINESS

-- ACCURACY

-- =====

SELECT

INVOCATION_ID,

MART_NAME,

ilts (just now)

ble

Chart

Pivot

6 rows

163ms

6 rows ⓘ

163ms

↕ ↴ ⌚

INVOCATION_ID	MART_NAME	CHECK_DIMENSION	CHECK_TYPE	TARGET_TABLE
91d7244e-22cd-4ade-a9b8-f95afac10fd1	MART_DEPOSITS	COMPLETENESS	test_mart_deposits_completeness	MART_DEPOSITS
91d7244e-22cd-4ade-a9b8-f95afac10fd1	MART_DEPOSITS	UNIQUENESS	test_mart_deposits_uniqueness	MART_DEPOSITS
91d7244e-22cd-4ade-a9b8-f95afac10fd1	MART_DEPOSITS	VALIDITY	test_mart_deposits_validity	MART_DEPOSITS
91d7244e-22cd-4ade-a9b8-f95afac10fd1	MART_DEPOSITS	CONSISTENCY	test_mart_deposits_consistency	MART_DEPOSITS
91d7244e-22cd-4ade-a9b8-f95afac10fd1	MART_DEPOSITS	TIMELINESS	test_mart_deposits_timeliness	MART_DEPOSITS
91d7244e-22cd-4ade-a9b8-f95afac10fd1	MART_DEPOSITS	ACCURACY	test_mart_deposits_accuracy	MART_DEPOSITS

WHAT THIS PROVES

Shows persisted outcomes for completeness, uniqueness, validity, consistency, timeliness and accuracy rather than a hard-coded trust flag.

GL reconciliation accuracy check

138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153

```
-- 6. ACCURACY / GL RECONCILIATION EVIDENCE
-- Screenshot: 03_accuracy_gl_reconciliation.png
--
-- This is the DQ row that proves MART_DEPOSITS reconciles to GL within
-- the implemented tolerance.
-- =====

SELECT
    INVOCATION_ID,
    CHECK_DIMENSION,
    CHECK_TYPE,
    TARGET_TABLE,
    TARGET_COLUMN,
    CHECK_RESULT,
    FAILED_ROWS,
    SNAPSHOT_DATE
```

Results (just now)

TableChartPivot

178ms

1 row

	INVOCATION_ID	CHECK_DIMENSION	CHECK_TYPE	TARGET_TABLE	TARGET_COLUMN	CHECK_RESULT	#
1	91d7244e-22cd-4ade	ACCURACY	test_mart_deposits_acc	MART_DEPOSITS	CURRENT_BALANCE,ACC	PASS	

WHAT THIS PROVES

Shows the accuracy control that reconciles MART_DEPOSITS to GL control totals within the implemented tolerance.

Block 4

Native and external lineage

Lineage evidence summary

```

25  -- =====
26  -- 1. LINEAGE VALIDATION SUMMARY
27  -- Screenshot: 01_lineage_summary.png
28  -- =====
29
30  SELECT 'native_get_lineage_edges' AS CHECK_NAME, COUNT(*) AS OBSERVED_COUNT
31  FROM GOVERNANCE.CATALOG.LINEAGE_EDGE
32  WHERE LINEAGE_SOURCE = 'SNOWFLAKE_GET_LINEAGE'
33
34  UNION ALL
35
36  SELECT 'mart_upstream_edges', COUNT(*)
37  FROM GOVERNANCE.CATALOG.LINEAGE_EDGE
38  WHERE LINEAGE_SOURCE = 'SNOWFLAKE_GET_LINEAGE'
39         AND DIRECTION = 'UPSTREAM'
40

```

Results (just now) ▼

Table Chart Pivot 🔍 🔗 8 rows ⓘ 4.4s ↶ ↷ 🕒

	<u>C</u> HECK_NAME	# OBSERVED_COUNT
1	native_get_lineage_edges	23
2	mart_upstream_edges	17
3	mart_downstream_edges	6
4	native_column_edges	8
5	external_talend_edges	1
6	external_power_bi_edges	1
7	total_credits_trace_raw_inputs	4
8	branch_code_downstream_impacts	2

WHAT THIS PROVES

Summarizes native, external and column-level lineage evidence, plus worked trace and impact-analysis coverage.

Native upstream/downstream lineage

84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99

```
-- =====
-- 2. NATIVE UPSTREAM / DOWNSTREAM LINEAGE FOR MART_DEPOSITS
-- Screenshot: 02_native_lineage_edges.png
-- =====

SELECT
  DIRECTION,
  SOURCE_DATABASE,
  SOURCE_SCHEMA,
  SOURCE_OBJECT,
  SOURCE_OBJECT_DOMAIN,
  SOURCE_COLUMN,
  TARGET_DATABASE,
  TARGET_SCHEMA,
  TARGET_OBJECT,
  TARGET_OBJECT_DOMAIN,
```

Results (just now)

TableChartPivot

Next steps

13 rows800ms

	DIRECTION	SOURCE_DATABASE	SOURCE_SCHEMA	SOURCE_OBJECT	SOURCE_OBJECT_DOMAIN	SOURCE_COLUMN
	UPSTREAM 53.8% DOWNSTREAM 46.2%	ANALYTICS 100.0%	STAGING 53.8% MARTS 46.2%	MART_DEPOSITS 46.2% STG_ACCOUNT 23.1% +2 more	TABLE 100.0%	AMOUNT BALANCE +1 more
1	DOWNSTREAM	ANALYTICS	MARTS	MART_DEPOSITS	TABLE	null
2	DOWNSTREAM	ANALYTICS	MARTS	MART_DEPOSITS	TABLE	null
3	DOWNSTREAM	ANALYTICS	MARTS	MART_DEPOSITS	TABLE	null
4	DOWNSTREAM	ANALYTICS	MARTS	MART_DEPOSITS	TABLE	null
5	DOWNSTREAM	ANALYTICS	MARTS	MART_DEPOSITS	TABLE	null
6	DOWNSTREAM	ANALYTICS	MARTS	MART_DEPOSITS	TABLE	null
7	UPSTREAM	ANALYTICS	STAGING	STG_ACCOUNT	TABLE	null

WHAT THIS PROVES

Shows Snowflake native lineage edges captured around MART_DEPOSITS.

Column-level lineage

119
120
121
122
123
124
125
126
127
128
129
130
131
132
133

-- =====
-- 3. COLUMN-LEVEL LINEAGE INTO MART_DEPOSITS
-- Screenshot: 03_column_lineage.png
-- =====

SELECT
SOURCE_DATABASE,
SOURCE_SCHEMA,
SOURCE_OBJECT,
SOURCE_COLUMN,
TARGET_DATABASE,
TARGET_SCHEMA,
TARGET_OBJECT,
TARGET_COLUMN,
DISTANCE,

Results (just now)

TableChartPivot

4 rows123ms

	SOURCE_DATABASE	SOURCE_SCHEMA	SOURCE_OBJECT	SOURCE_COLUMN	TARGET_DATABASE	TARGET_SCHE
1	ANALYTICS	STAGING	STG_ACCOUNT	BRANCH_CODE	ANALYTICS	MARTS
2	ANALYTICS	STAGING	STG_ACCOUNT	BALANCE	ANALYTICS	MARTS
3	ANALYTICS	STAGING	STG_TRANSACTION	AMOUNT	ANALYTICS	MARTS
4	ANALYTICS	STAGING	STG_TRANSACTION	AMOUNT	ANALYTICS	MARTS

WHAT THIS PROVES

Shows source-to-target column relationships feeding the certified mart.

External lineage boundaries

```

151      -- =====
152      -- 4. EXTERNAL LINEAGE
153      -- Talend is represented upstream of RAW.
154      -- Power BI is represented downstream of MART_DEPOSITS.
155      -- Screenshot: 04_external_lineage.png
156      -- =====
157
158  ✓ SELECT *
159     FROM GOVERNANCE.CATALOG.LINEAGE_EDGE_EXTERNAL
160  WHERE SOURCE_SYSTEM = 'TALEND_LEGACY'
161        OR TARGET_SYSTEM = 'POWER_BI'
162  ORDER BY
163         SOURCE_SYSTEM,
164         TARGET_SYSTEM,

```

Results (just now)

Table Chart Pivot

🔍 📄 2 rows ⓘ 270ms 🔼 🔽 ⌚

	<u>A</u> SOURCE_SYSTEM	<u>A</u> SOURCE_OBJECT	<u>A</u> SOURCE_COLUMN	<u>A</u> TARGET_SYSTEM	<u>A</u> TARGET_OBJECT
1	SNOWFLAKE	ANALYTICS.MARTS.MART_DEPOSITS	null	POWER_BI	powerbi://avidia/deposits-sema
2	TALEND_LEGACY	talend://avidia/legacy_transaction_load	null	SNOWFLAKE	RAW.PUBLIC.TRANSACTION

WHAT THIS PROVES

Shows the modeled Talend upstream and Power BI downstream lineage boundaries used when external-lineage integration is unavailable in the trial.

Worked total-deposits trace

69

70

71

72

73

74

75

76

77

78

79

80

81

-- -----

-- 5. WORKED TRACE - TOTAL DEPOSITS / TOTAL_CREDITS

-- Screenshot: 05_total_deposits_trace.png

--

-- The implementation traces TOTAL_CREDITS back through STG_TRANSACTION

-- to RAW.PUBLIC.TRANSACTION.AMOUNT and TRANSACTION_TYPE.

-- =====

SELECT

EVIDENCE_TYPE,

SOURCE_DATABASE,

SOURCE_SCHEMA,

SOURCE_OBJECT,

sults (just now)

Table

Chart

Pivot

7 rows

237ms

	<u>A</u> EVIDENCE_TYPE	<u>A</u> SOURCE_DATABASE	<u>A</u> SOURCE_SCHEMA	<u>A</u> SOURCE_OBJECT	<u>A</u> SOURCE_COLUMN
1	DBT_TRANSFORMATION_EXPRESSION	ANALYTICS	STAGING	STG_TRANSACTION	AMOUNT
2	DBT_TRANSFORMATION_EXPRESSION	ANALYTICS	STAGING	STG_TRANSACTION	TRANSACTION_TYPE
3	DBT_TRANSFORMATION_EXPRESSION	RAW	PUBLIC	TRANSACTION	AMOUNT
4	DBT_TRANSFORMATION_EXPRESSION	RAW	PUBLIC	TRANSACTION	TRANSACTION_TYPE
5	SNOWFLAKE_GET_LINEAGE	ANALYTICS	STAGING	STG_TRANSACTION	AMOUNT
6	SNOWFLAKE_GET_LINEAGE	RAW	PUBLIC	TRANSACTION	AMOUNT
7	SNOWFLAKE_GET_LINEAGE	RAW	PUBLIC	TRANSACTION	AMOUNT

WHAT THIS PROVES

Traces TOTAL_CREDITS from MART_DEPOSITS back through STG_TRANSACTION to RAW.TRANSACTION inputs and documents the dbt transformation expression.

Source-column impact analysis

```
99      -- =====
00      -- 6. IMPACT ANALYSIS - RAW.PUBLIC.ACCOUNT.BRANCH_CODE
01      -- Screenshot: 06_impact_analysis.png
02      --
03      -- Shows affected downstream objects/columns and owner/steward where resolved.
04      -- =====
05
06      SELECT
07          SOURCE_COLUMN,
08          TARGET_DATABASE,
09          TARGET_SCHEMA,
10          TARGET_OBJECT,
11          TARGET_OBJECT_DOMAIN,
12          AFFECTED_COLUMN,
13          HOP,
```

sults (just now) ▼

TableChartPivot

🔍🔗2 rows ⓘ1.2s

↶↷⬇⬆⌚

	<u>A</u> SOURCE_COLUMN	<u>A</u> TARGET_DATABASE	<u>A</u> TARGET_SCHEMA	<u>A</u> TARGET_OBJECT	<u>A</u> TARGET_OBJECT_DOMAIN
1	RAW.PUBLIC.ACCOUNT.BRANCH_CODE	ANALYTICS	STAGING	STG_ACCOUNT	TABLE
2	RAW.PUBLIC.ACCOUNT.BRANCH_CODE	ANALYTICS	MARTS	MART_DEPOSITS	TABLE

WHAT THIS PROVES

Shows downstream objects/columns affected by a change to RAW.PUBLIC.ACCOUNT.BRANCH_CODE, including ownership context where available.

Lineage snapshot task

227
228
229
230
231
232
233
234
235
236
237
238
239
240
241

-- =====
-- 7. LINEAGE SNAPSHOT TASK
-- Screenshot: 07_lineage_task.png
-- =====

SHOW TASKS LIKE 'REFRESH_LINEAGE_SNAPSHOT_TASK'
IN SCHEMA GOVERNANCE.CATALOG;

-- =====
-- 8. LINEAGE SNAPSHOT TABLE FRESHNESS
-- Optional supporting screenshot.
-- =====

SELECT

Results (just now)

TableChartPivot

1 row62ms

	created_on	name	id	database_name	schema_name	owner	comment
1	2026-09-20 06:20:25	REFRESH_LINEAGE_SN	01c732a0-6e72-c0a8	GOVERNANCE	CATALOG	DATA_OWNER	Daily native

WHAT THIS PROVES

Shows the scheduled task responsible for refreshing the LINEAGE_EDGE snapshot used by the catalog and certification evidence.

Avidia Bank - Snowflake Data Catalog & Metadata Management - Evidence Pack

Page 43

Block 5

Catalog experience and certification

Streamlit catalog object

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

USE SCHEMA CATALOG;

-- 1. STREAMLIT OBJECT EXISTS

-- Screenshot: 01_streamlit_object.png

SHOW STREAMLITS IN SCHEMA GOVERNANCE.CATALOG;

-- 2. CATALOG ENTRY FOR MART_DEPOSITS

-- Screenshot: 02_catalog_master_mart_deposits.png

SELECT

DATABASE_NAME,

SCHEMA_NAME,

TABLE_NAME,

COLUMN_NAME,

DESCRIPTION,

CDE_FLAG

Results (just now)

TableChartPivot

1 row

125ms

	created_on	name	database_name	schema_name	title	comment	owner
1	2026-09-20 02:48:45	AVIDIA_DATA_CATALOG	GOVERNANCE	CATALOG	Avidia Bank Data Catalog	null	DATA_OWNER

WHAT THIS PROVES

Shows the Streamlit-in-Snowflake application deployed in the governance schema.

Catalog view for MART_DEPOSITS

-- 2. CATALOG ENTRY FOR MART_DEPOSITS
-- Screenshot: 02_catalog_master_mart_deposits.png
SELECT
DATABASE_NAME,
SCHEMA_NAME,
TABLE_NAME,
COLUMN_NAME,
DESCRIPTION,
CDE_FLAG,
CRITICALITY_LEVEL,
DATA_OWNER,
DATA_STEWARD,
CERTIFICATION,
LATEST_DQ_STATUS,
LATEST_DQ_RUN,
LAST_METADATA_REFRESH

(just now)

ChartPivot

Q 20 rows 2.6s

A DATABASE_NAME	A SCHEMA_NAME	A TABLE_NAME	A COLUMN_NAME	A DESCRIPTION	A CDE_FLAG
			ACCOUNT_... 5.0%	Business account number associ... 5.0%	
			ACCOUNT_... 5.0%	Business classification of the cu... 5.0%	
ANALYTICS 100.0%	MARTS 100.0%	MART_DEPO... 100.0%	+18 more	+18 more	NO 10
ANALYTICS	MARTS	MART_DEPOSITS	ACCOUNT_ID	Unique identifier for the deposit account.	NO
ANALYTICS	MARTS	MART_DEPOSITS	CUSTOMER_ID	Unique identifier for the customer associat	NO
ANALYTICS	MARTS	MART_DEPOSITS	ACCOUNT_NUMBER	Business account number associated with th	NO
ANALYTICS	MARTS	MART_DEPOSITS	ACCOUNT_TYPE	Type of deposit account, such as checking o	NO
ANALYTICS	MARTS	MART_DEPOSITS	STATUS	Current status of the deposit account.	NO
ANALYTICS	MARTS	MART_DEPOSITS	BRANCH_CODE	Code identifying the branch associated with	NO
ANALYTICS	MARTS	MART DEPOSITS	OPENED DATE	Date on which the deposit account was open	NO

WHAT THIS PROVES

Shows the catalog record used by the application and certification logic, including descriptions, CDE status, ownership, DQ and certification metadata.

Certification ownership evidence

```
-- 3. OWNERSHIP / STEWARDSHIP EVIDENCE USED BY CERTIFICATION
-- Screenshot: 03_certification_ownership_evidence.png
SELECT
    DATABASE_NAME,
    SCHEMA_NAME,
    OBJECT_NAME,
    EVIDENCE_TYPE,
    EVIDENCE_KEY,
    EVIDENCE_VALUE,
    CAPTURED_AT
FROM GOVERNANCE.CATALOG.CERTIFICATION_EVIDENCE
```

ts (just now)

File Chart Pivot



 2 rows ⓘ 268ms    

<u>A</u> DATABASE_NAME	<u>A</u> SCHEMA_NAME	<u>A</u> OBJECT_NAME	<u>A</u> EVIDENCE_TYPE	<u>A</u> EVIDENCE_KEY	<u>A</u> EVIDENCE_VALUE	
ANALYTICS	MARTS	MART_DEPOSITS	OWNERSHIP_TAG	DATA_OWNER	Banking Operations	20
ANALYTICS	MARTS	MART_DEPOSITS	OWNERSHIP_TAG	DATA_STEWARD	Data Governance	20

WHAT THIS PROVES

Shows captured owner/steward evidence consumed by the certification procedure.

Usage / adoption evidence

```
56  -- 4. ADOPTION / USAGE EVIDENCE
57  -- Screenshot: 04_adoption_evidence.png
58  SELECT
59      ROLE_NAME,
60      COUNT(*) AS QUERY_COUNT,
61      MAX(QUERY_START_TIME) AS LAST_QUERY_TIME
62  FROM GOVERNANCE.CATALOG.ADOPTION_EVIDENCE
63  WHERE DATABASE_NAME = 'ANALYTICS'
64         AND SCHEMA_NAME = 'MARTS'
65         AND OBJECT_NAME = 'MART_DEPOSITS'
66  GROUP BY ROLE_NAME
67  ORDER BY ROLE_NAME;
68
69  SELECT
70      QUERY_ID,
71      ROLE_NAME,
```

sults (just now)

TableChartPivot

2 rows453ms

	ROLE_NAME	QUERY_COUNT	LAST_QUERY_TIME
1	BRANCH_HUDSON	3	2026-09-20 04:50:09.256 -0700
2	DEPOSITS_ANALYST	1	2026-09-20 10:17:11.894 -0700

WHAT THIS PROVES

Shows recent consumer usage captured for MART_DEPOSITS, supporting the ADOPTED scorecard control.

Latest certification run

```
--
2      -- 5. LATEST CERTIFICATION RUN
3      -- Screenshot: 05_latest_certification_run.png
4      SELECT
5          CERTIFICATION_RUN_ID,
6          DATABASE_NAME,
7          SCHEMA_NAME,
8          OBJECT_NAME,
9          FINAL_STATUS,
0          PASSED_CONTROLS,
1          TOTAL_CONTROLS,
2          CERTIFIED_BY,
3          STARTED_AT,
4          COMPLETED_AT
5      FROM GOVERNANCE.CATALOG.CERTIFICATION_RUN
6      WHERE DATABASE_NAME = 'ANALYTICS'
7      AND SCHEMA_NAME = 'MARTS'
```

ilts (just now)

ble

Chart

Pivot

1 row

227ms

CERTIFICATION_RUN_ID	DATABASE_NAME	SCHEMA_NAME	OBJECT_NAME	FINAL_STATUS	PASSED_CONTROLS
5bad4853-22f7-4696-b72f-17	ANALYTICS	MARTS	MART_DEPOSITS	CERTIFIED	

WHAT THIS PROVES

Shows the computed certification result, number of controls passed and execution timestamps.

Seven-word scorecard

```
11 -- 6. SEVEN-WORD SCORECARD
12 -- Screenshot: 06_seven_word_scorecard.png
13 SELECT
14     CONTROL_NAME,
15     CONTROL_STATUS,
16     EVIDENCE_VALUE,
17     EVIDENCE_DETAILS,
18     EVALUATED_AT
19 FROM GOVERNANCE.CATALOG.CERTIFICATION_SCORECARD_CURRENT;

-- Compact 7/7 proof
SELECT
    COUNT(*) AS TOTAL_CONTROLS,
    COUNT_IF(CONTROL_STATUS = 'PASS') AS PASSED_CONTROLS,
    IFF(
```

ults (just now)

able	Chart	Pivot	7 rows	865ms			
CONTROL_NAME	CONTROL_STATUS	EVIDENCE_VALUE	EVIDENCE_DETAILS	EVALUATED_AT			
OWNED	PASS	1 owner tag(s), 1 steward tag(s)	Requires refreshed DATA_OWNER and DATA_STEWARD evidence	2026-			
DEFINED	PASS	20/20	All current MART_DEPOSITS columns must have description	2026-			
TRACEABLE	PASS	7 native upstream edge(s)	Requires native Snowflake GET_LINEAGE evidence into MAF	2026-			
TRUSTED	PASS	6/6 DQ dimensions; 0 failure(s)	Latest DQ invocation must contain six passing dimensions.	2026-			
SECURE	PASS	0 protection gap(s)	Sensitive-policy gap report must return zero rows.	2026-			
ADOPTED	PASS	4 consumer query/queries in recent	Recent successful consumer usage must exist in ADOPTION	2026-			
RECONCILED	PASS	1 passing accuracy reconciliation row	Latest DQ invocation must contain one passing ACCURACY	2026-			

WHAT THIS PROVES

Shows evidence-backed status for OWNED, DEFINED, TRACEABLE, TRUSTED, SECURE, ADOPTED and RECONCILED.

Live certification tags

```
23 -- 7. LIVE CERTIFICATION TAGS ON MART_DEPOSITS
24 -- Screenshot: 07_certification_tags.png
25 SELECT
26     TAG_NAME,
27     TAG_VALUE,
28     APPLY_METHOD
29 FROM TABLE(
30     ANALYTICS.INFORMATION_SCHEMA.TAG_REFERENCES(
31         'ANALYTICS.MARTS.MART_DEPOSITS',
32         'TABLE'
33     )
34 )
35 WHERE UPPER(TAG_DATABASE) = 'GOVERNANCE'
36 AND UPPER(TAG_SCHEMA) = 'CATALOG'
37 AND UPPER(TAG_NAME) IN (
```

sults (just now)

Table Chart Pivot 4 rows 674ms

	TAG_NAME	TAG_VALUE	APPLY_METHOD
1	CERTIFICATION	CERTIFIED	MANUAL
2	DATA_OWNER	Banking Operations	MANUAL
3	DATA_STEWARD	Data Governance	MANUAL
4	LAST_CERTIFIED	2026-09-20 10:49:26 -07:00	MANUAL

WHAT THIS PROVES

Shows certification and related governance tags applied to MART_DEPOSITS from the computed certification outcome.

Certification history

```
45 -- 8. CERTIFICATION RUN HISTORY
46 -- Screenshot: 08_certification_history.png
47 -- Assessment expects one successful certification and one refusal.
48 SELECT
49     FINAL_STATUS,
50     COUNT(*) AS RUN_COUNT,
51     MAX(COMPLETED_AT) AS LATEST_RUN
52 FROM GOVERNANCE.CATALOG.CERTIFICATION_RUN
53 WHERE DATABASE_NAME = 'ANALYTICS'
54     AND SCHEMA_NAME = 'MARTS'
55     AND OBJECT_NAME = 'MART_DEPOSITS'
56 GROUP BY FINAL_STATUS
57 ORDER BY FINAL_STATUS;
58
59 -- 9. PROCEDURE EXISTS
60 SHOW PROCEDURES LIKE 'CERTIFY_MART_DEPOSITS'
```

sults (just now)

TableChartPivot


1 row113ms

FINAL_STATUS	# RUN_COUNT	LATEST_RUN
CERTIFIED	1	2026-09-20 10:49:26.419 -0700

WHAT THIS PROVES

Shows persisted certification-run history for auditability and repeatability.

Streamlit catalog experience



WHAT THIS PROVES

Shows the implemented one-page catalog experience surfacing searchable governance, quality, lineage and certification evidence.

Evidence conclusion

The screenshots collectively demonstrate a code-first Snowflake governance implementation across metadata, classification, protection, data quality, lineage, catalog experience and certification.

The certified MART_DEPOSITS product is evaluated from actual evidence for the seven controls:
OWNED - DEFINED - TRACEABLE - TRUSTED - SECURE - ADOPTED - RECONCILED.

The evidence pack should be read together with README.md, HOURS.md, AI_DISCLOSURE.md, the Block 6 roadmap deliverable, repository source code and the recorded walkthrough.