

File Edit Selection View Go Run Terminal Help isha.c - Visual Studio Code

RUN AND DEBUG: RUN

Run and Debug

To customize Run and Debug, open a folder and create a launch.json file.

Show all automatic debug configurations.

To learn more about launch.json, see Configuring C/C++ debugging.

C isha.c x Extension: C/C++ Runner

C:\Users\Asus\Downloads\isha.c searchrecords()

```
174     exit(0);
175     fflush(stdin);
176     system("cls");
177     printf("Enter Phone Number to search ");
178     scanf("%s", phonenumber);
179     while(fread(&s,sizeof(s),1,f)==1)
180     {
181         if(strcmp(s.phonenumber,phonenumber)==0)
182         {
183             system("cls");
184             printf("Record Found ");
185             printf("\n\nPhonenumber: %s\nName: %s\nAmount: Rs.%0.2f\n",s.phonenumber,s.name,s.amount);
186             flag=0;
187             break;
188         }
189         else if(flag==1)
190         {
191             system("cls");
192             printf("Requested Phone Number Not found!")
193         }
194     }
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL JUPYTER

Code + -

PS C:\Users\Asus\Downloads> gcc -g isha.c  
isha.c: In function 'searchrecords':  
isha.c:191:3: error: expected ';' before ')' token  
 }  
 ^

PS C:\Users\Asus\Downloads> gdb a.out  
GNU gdb (GDB) 7.6.1  
Copyright (C) 2013 Free Software Foundation, Inc.  
License GPLv3+: GNU GPL version 3 or later <<http://gnu.org/licenses/gpl.html>>  
This is free software: you are free to change and redistribute it.  
There is NO WARRANTY, to the extent permitted by law. Type "show copying"  
and "show warranty" for details.  
This GDB was configured as "mingw32".  
For bug reporting instructions, please see:  
<<http://www.gnu.org/software/gdb/bugs/>>...  
a.out: No such file or directory.  
(gdb) break  
No default breakpoint address now.  
(gdb)

Ln 188, Col 25 Tab Size: 4 UTF-8 CRLF C Win32

13:48 23-11-2022