

Partner API · v1 · Developer guide

Partner API integration guide

Read-only JSON feeds of DigiBizz Balochistan's own jobs, internships, programs & courses and training programs, with apply links back to the DigiBizz application page.

Jobs (IT only)

Internships

Programs & Courses

Training Programs

00 Contents

01	Quick start	07	Programs / Courses & Training APIs
02	Base URL & authentication	08	Status, deadlines & apply links
03	Endpoints	09	Keeping your copy in sync
04	Query parameters & pagination	10	Errors & rate limits
05	Jobs API	11	Code examples
06	Internships API	12	Field reference: common fields

01 Quick start

1. Get your **API key** from DigiBizz. It is delivered separately and looks like `dbz_live_...`.
2. Send it in the `X-API-Key` header on every request.
3. Call one of the four collections and follow `links.next` until it is `null`.
4. Show each item on your portal and link the **Apply** button to its `apply_link`.

```
bash
```

```
curl -s "https://jobs.digibizz.gob.pk/api/partner/v1/jobs?status=open&limit=50" \
-H "X-API-Key: YOUR_API_KEY"
```

What you receive

Jobs are **IT / IT-related only**, as agreed. Internships, programs/courses and trainings return everything, with an `it_only=true` filter available. Every item is published by **DigiBizz Balochistan**.

02 Base URL & authentication

BASE URL

```
https://jobs.digibizz.gob.pk/api/partner/v1
```

AUTH HEADER

```
X-API-Key: <your key>
or
Authorization: Bearer <your key>
```

All requests are **HTTPS GET** and return `application/json`. The API is read-only.

Keep the key secret

Call the API from your **server**, never from browser JavaScript or a mobile app, where the key could be copied. DigiBizz can revoke a key at any time and issue a new one.

Keep the base URL in configuration

This is the permanent address of the DigiBizz Jobs portal. Store it as a setting rather than hard-coding it in several places, so a future change needs one edit. Paths, field names and your key would stay the same in any case.

03 Endpoints

GET	/jobs	IT / IT-related jobs (list)
GET	/jobs/{id}	One job by id or slug
GET	/internships	Internships (list)
GET	/internships/{id}	One internship
GET	/programs	Programs & courses (list)
GET	/programs/{id}	One program / course
GET	/trainings	Training programs (list)
GET	/trainings/{id}	One training program
GET	/	Lists the endpoints your key can use
GET	/openapi.json	Machine-readable OpenAPI 3.1 spec (no key needed)

List endpoints return `{ "data": [...], "meta": {...}, "links": {...} }`. Single-item endpoints return `{ "data": {...} }`.

04 Query parameters & pagination

PARAMETER	VALUES	DESCRIPTION
page	integer ≥ 1	Page number. Default <code>1</code> .
limit	1 – 100	Items per page. Default <code>50</code> .
status	open · closed · expired · all	Default <code>open</code> (accepting applications). <code>all</code> returns every published item. Drafts are never returned.
updated_since	ISO date or date-time	Only items changed at or after this time, e.g. <code>2026-09-25</code> or <code>2026-09-25T06:00:00Z</code> .

PARAMETER	VALUES	DESCRIPTION
<code>city</code>	text	Exact city name, case-insensitive, e.g. <code>Quetta</code> .
<code>q</code>	text	Keyword search on title, skills and field.
<code>it_only</code>	true · false	Internships, programs and trainings only: <code>true</code> returns IT / IT-related items only. Jobs are always IT-only.

Results are ordered by `updated_at`, newest first. `meta` carries `page`, `limit`, `total`, `total_pages` and `generated_at`. `links.next` / `links.prev` are ready-to-use URLs, or `null`.

05 Jobs API

`GET /jobs` returns **IT / IT-related jobs only**. This is how each of your 15 requested fields maps to the response:

#	REQUESTED FIELD	JSON FIELD(S)
1	Job Title	<code>title</code>
2	Country / City / Location	<code>location.country</code> , <code>location.city</code> , <code>location.display</code>
3	Employer Name	<code>employer_name</code>
4	Number of Positions	<code>number_of_positions</code>
5	Salary Range	<code>salary.min</code> , <code>salary.max</code> , <code>salary.currency</code> , <code>salary.display</code>
6	Gender / Age Limit	<code>gender</code> , <code>age_limit.min</code> , <code>age_limit.max</code>
7	Education / Qualification	<code>education</code> , <code>qualification</code>
8	Experience / Skills	<code>experience.min_years</code> , <code>experience.max_years</code> , <code>skills[]</code>
9	Job Description / Requirements	<code>description</code> , <code>requirements[]</code> , <code>responsibilities[]</code>
10	Contract Duration	<code>contract_duration</code>
11	Benefits	<code>benefits[]</code>
12	Application Deadline	<code>application_deadline</code>
13	Apply Link	<code>apply_link</code>
14	Job Status	<code>status</code>
15	Job Category (Government, International, Private)	<code>category</code>

Job-specific fields

In addition to the common fields in section 12:

FIELD	TYPE	DESCRIPTION
<code>employer_name</code>	string	Always “DigiBizz Balochistan”.
<code>number_of_positions</code>	integer	Number of openings.

FIELD	TYPE	DESCRIPTION
<code>salary</code>	object	<code>min</code> , <code>max</code> (integers or null), <code>currency</code> (ISO 4217, e.g. PKR), <code>period</code> (<code>month</code> · <code>year</code> · <code>hour</code> · <code>total</code>), <code>negotiable</code> , <code>display</code> .
<code>gender</code>	string	<code>any</code> · <code>male</code> · <code>female</code> . <code>gender_label</code> gives display text.
<code>age_limit</code>	object	<code>min</code> , <code>max</code> (years, nullable), <code>display</code> .
<code>education</code>	string null	Minimum education, e.g. "Bachelor's (16 years)".
<code>qualification</code>	string null	Required degree / qualification.
<code>experience</code>	object	<code>min_years</code> , <code>max_years</code> (nullable), <code>display</code> .
<code>skills</code>	string[]	Required skills.
<code>requirements</code>	string[]	Requirements, one per item.
<code>responsibilities</code>	string[]	Responsibilities, one per item.
<code>contract_duration</code>	string null	e.g. "Permanent", "1 year (extendable)".
<code>employment_type</code>	string null	<code>full_time</code> · <code>part_time</code> · <code>contract</code> · <code>temporary</code> · <code>freelance</code> . <code>employment_type_label</code> gives display text.
<code>benefits</code>	string[]	Benefits.
<code>start_date</code>	date null	Expected start date.

Example: `GET /jobs`

```

200 OK · application/json

{
  "data": [
    {
      "id": "6abe2a3828472d46cad2ec60",
      "type": "job",
      "type_label": "Job",
      "title": "Full-Stack Developer",
      "slug": "full-stack-developer",
      "category": "Government",
      "organization_name": "DigiBizz Balochistan",
      "organization": {
        "name": "DigiBizz Balochistan",
        "type": "Government",
        "website": "https://jobs.digibizz.gob.pk",
        "logo_url": "https://jobs.digibizz.gob.pk/logo.svg",
        "verified": true
      },
      "location": {
        "country": "Pakistan",
        "city": "Quetta",

```

```

        "address": null,
        "work_mode": "hybrid",
        "display": "Quetta, Pakistan (Hybrid)"
    },
    "is_it_related": true,
    "field": "Web Development",
    "summary": "Build and maintain the DigiBizz LMS and portals.",
    "description": "DigiBizz Balochistan is hiring a Full-Stack Developer to build and maintain our learning platform and public portals.",
    "eligibility": null,
    "application_deadline": "2026-10-31",
    "apply_link": "https://jobs.digibizz.gob.pk/opportunities/full-stack-developer/apply?ref=industechconnect",
    "source_url": "https://jobs.digibizz.gob.pk/opportunities/full-stack-developer?ref=industechconnect",
    "status": "open",
    "posted_at": "2026-10-01T09:00:00.000Z",
    "updated_at": "2026-10-01T09:00:00.000Z",
    "employer_name": "DigiBizz Balochistan",
    "number_of_positions": 2,
    "salary": {
        "min": 180000,
        "max": 260000,
        "currency": "PKR",
        "period": "month",
        "negotiable": false,
        "display": "PKR 180,000 - 260,000 per month"
    },
    "gender": "any",
    "gender_label": "Any gender",
    "age_limit": { "min": 22, "max": 40, "display": "22-40 years" },
    "education": "Bachelor's (16 years)",
    "qualification": "BS Computer Science / Software Engineering",
    "experience": { "min_years": 3, "max_years": 6, "display": "3-6 years" },
    "skills": ["React", "Node.js", "MongoDB"],
    "requirements": ["3+ years JavaScript", "React and Node.js"],
    "responsibilities": ["Build React front-ends", "Maintain Node.js APIs"],
    "contract_duration": "1 year (extendable)",
    "employment_type": "full_time",
    "employment_type_label": "Full-time",
    "benefits": ["Medical", "Laptop"],
    "start_date": "2026-11-15"
    }
],
"meta": {
    "collection": "jobs",
    "page": 1,
    "limit": 50,
    "total": 1,
    "total_pages": 1,
    "generated_at": "2026-09-25T09:00:00.000Z"
},
"links": {
    "self": "https://jobs.digibizz.gob.pk/api/partner/v1/jobs?page=1",
    "next": null,
    "prev": null
}
}

```

06 Internships API

`GET /internships`. Your requested details map as follows:

REQUESTED DETAIL	JSON FIELD(S)
Name	<code>title</code>
Description	<code>description</code>
Eligibility	<code>eligibility</code> (plus <code>requirements[]</code>)
Duration	<code>duration</code>
Deadline	<code>application_deadline</code>
Organization	<code>organization_name</code> (also <code>organization.name</code>)
Location	<code>location.display</code> (plus <code>city</code> , <code>country</code> , <code>work_mode</code>)
Application link	<code>apply_link</code>

Internship-specific fields

FIELD	TYPE	DESCRIPTION
<code>duration</code>	string null	e.g. "3 months".
<code>number_of_positions</code>	integer	Number of internship seats.
<code>stipend</code>	object	Same shape as <code>salary</code> above.
<code>employment_type</code>	string null	As for jobs, with <code>employment_type_label</code> .
<code>gender</code>	string	<code>any</code> · <code>male</code> · <code>female</code> , with <code>gender_label</code> .
<code>age_limit</code>	object	<code>min</code> , <code>max</code> , <code>display</code> .
<code>education</code>	string null	Minimum education.
<code>skills</code>	string[]	Skills.
<code>requirements</code>	string[]	Requirements.
<code>benefits</code>	string[]	Benefits.
<code>start_date</code>	date null	Expected start date.

Example item

GET /internships/{id} · 200 OK

```
{
  "data": {
    "id": "6abe2a3828472d46cad2ec61",
    "type": "internship",
    "type_label": "Internship",
    "title": "Web Development Internship",
    "slug": "web-development-internship",
    "category": "Government",
    "organization_name": "DigiBizz Balochistan",
    "organization": {
      "name": "DigiBizz Balochistan",
      "type": "Government",
      "website": "https://jobs.digibizz.gob.pk",
      "logo_url": "https://jobs.digibizz.gob.pk/logo.svg",
      "verified": true
    },
    "location": {
      "country": "Pakistan",
      "city": "Quetta",
      "address": null,
      "work_mode": "onsite",
      "display": "Quetta, Pakistan"
    },
    "is_it_related": true,
    "field": "Web Development",
    "summary": null,
    "description": "A 3-month paid internship with the DigiBizz tech team.",
    "eligibility": "Final-year students or fresh graduates of BS CS/SE/IT.",
    "application_deadline": "2026-10-31",
    "apply_link": "https://jobs.digibizz.gob.pk/opportunities/web-development-internship/apply?ref=industechconnect",
    "source_url": "https://jobs.digibizz.gob.pk/opportunities/web-development-internship?ref=industechconnect",
    "status": "open",
    "posted_at": "2026-10-01T09:00:00.000Z",
    "updated_at": "2026-10-01T09:00:00.000Z",
    "duration": "3 months",
    "number_of_positions": 10,
    "stipend": {
      "min": 30000,
      "max": 30000,
      "currency": "PKR",
      "period": "month",
      "negotiable": false,
      "display": "PKR 30,000 per month"
    },
    "employment_type": "full_time",
    "employment_type_label": "Full-time",
    "gender": "any",
    "gender_label": "Any",
    "age_limit": { "min": null, "max": null, "display": "No age limit" },
    "education": null,
    "skills": ["HTML", "CSS", "JavaScript"],
    "requirements": []
  }
}
```

```

    "benefits": [],
    "start_date": null
  }
}

```

07 Programs / Courses & Training APIs

`GET /programs` (programs & courses) and `GET /trainings` (training programs) share one shape. The requested name, description, eligibility, duration, deadline, organization and application link map exactly as in the internships table in section 6.

FIELD	TYPE	DESCRIPTION
<code>duration</code>	string null	e.g. "6 months", "4 weeks".
<code>mode</code>	string	<code>onsite</code> · <code>remote</code> · <code>hybrid</code> .
<code>seats</code>	integer	Number of seats.
<code>fee</code>	object	<code>amount</code> (integer or null), <code>currency</code> , <code>is_free</code> , <code>display</code> (e.g. "Free").
<code>stipend</code>	object null	Same shape as <code>salary</code> when a stipend is offered, otherwise <code>null</code> .
<code>gender</code>	string	<code>any</code> · <code>male</code> · <code>female</code> .
<code>age_limit</code>	object	<code>min</code> , <code>max</code> , <code>display</code> .
<code>education</code>	string null	Minimum education.
<code>skills</code>	string[]	Skills covered.
<code>requirements</code>	string[]	Entry requirements.
<code>outcomes</code>	string[]	What participants get (placement support, stipend, ...).
<code>certification</code>	string null	Certificate awarded.
<code>start_date</code>	date null	Start date.

Example: program / course

```

GET /programs/{id} · 200 OK

{
  "data": {
    "id": "6abe2a3828472d46cad2ec62",
    "type": "program",
    "type_label": "Program",
    "title": "Certified Full-Stack Web Development",
    "slug": "certified-full-stack-web-development",
    "category": "Government",
    "organization_name": "DigiBizz Balochistan",
    "organization": {

```

```

    "name": "DigiBizz Balochistan",
    "type": "Government",
    "website": "https://jobs.digibizz.gob.pk",
    "logo_url": "https://jobs.digibizz.gob.pk/logo.svg",
    "verified": true
  },
  "location": {
    "country": "Pakistan",
    "city": "Quetta",
    "address": null,
    "work_mode": "hybrid",
    "display": "Quetta, Pakistan (Hybrid)"
  },
  "is_it_related": true,
  "field": "Web Development",
  "summary": null,
  "description": "A 6-month DigiBizz program covering HTML, CSS, JavaScript, React and Node.js with a capstone project.",
  "eligibility": "Age 18-35, intermediate or above, residents of Balochistan.",
  "application_deadline": "2026-10-31",
  "apply_link": "https://jobs.digibizz.gob.pk/opportunities/certified-full-stack-web-development/apply?ref=industechconnect",
  "source_url": "https://jobs.digibizz.gob.pk/opportunities/certified-full-stack-web-development?ref=industechconnect",
  "status": "open",
  "posted_at": "2026-10-01T09:00:00.000Z",
  "updated_at": "2026-10-01T09:00:00.000Z",
  "duration": "6 months",
  "mode": "hybrid",
  "seats": 120,
  "fee": { "amount": 0, "currency": "PKR", "is_free": true, "display": "Free" },
  "stipend": null,
  "gender": "any",
  "age_limit": { "min": 18, "max": 35, "display": "18-35 years" },
  "education": null,
  "skills": [],
  "requirements": [],
  "outcomes": ["Placement support"],
  "certification": "DigiBizz certificate",
  "start_date": null
}
}

```

Example: training program (item only)

```

GET /trainings/{id} · 200 OK

{
  "data": {
    "id": "6abe2a3828472d46cad2ec63",
    "type": "training",
    "type_label": "Training",
    "title": "Freelancing Bootcamp",
    "slug": "freelancing-bootcamp",
    "category": "Government",
    "organization_name": "DigiBizz Balochistan",
    "organization": {
      "name": "DigiBizz Balochistan",
      "type": "Government",

```

```

    "website": "https://jobs.digibizz.gob.pk",
    "logo_url": "https://jobs.digibizz.gob.pk/logo.svg",
    "verified": true
  },
  "location": {
    "country": "Pakistan",
    "city": "Turbat",
    "address": null,
    "work_mode": "onsite",
    "display": "Turbat, Pakistan"
  },
  "is_it_related": true,
  "field": "Freelancing",
  "summary": null,
  "description": "A hands-on DigiBizz bootcamp to set up freelancing profiles and land a first client.",
  "eligibility": "Anyone with a laptop and basic English.",
  "application_deadline": "2026-10-20",
  "apply_link": "https://jobs.digibizz.gob.pk/opportunities/freelancing-bootcamp/apply?ref=industechconnect",
  "source_url": "https://jobs.digibizz.gob.pk/opportunities/freelancing-bootcamp?ref=industechconnect",
  "status": "open",
  "posted_at": "2026-10-01T09:00:00.000Z",
  "updated_at": "2026-10-01T09:00:00.000Z",
  "duration": "4 weeks",
  "mode": "onsite",
  "seats": 50,
  "fee": { "amount": 0, "currency": "PKR", "is_free": true, "display": "Free" },
  "stipend": null,
  "gender": "any",
  "age_limit": { "min": null, "max": null, "display": "No age limit" },
  "education": null,
  "skills": [],
  "requirements": [],
  "outcomes": [],
  "certification": "Certificate of completion",
  "start_date": null
}
}

```

08 Status, deadlines & apply links

STATUS	MEANING	SHOW ON YOUR PORTAL?
open	Accepting applications.	Yes
expired	The application deadline has passed.	No (or mark as closed)
closed	Closed early by DigiBizz.	No (or mark as closed)

`application_deadline` is the **last day applications are accepted, inclusive**, as a calendar date in UTC. An item moves from `open` to `expired` at 00:00 UTC on the day after its deadline.

Apply links

Send users to `apply_link` unchanged. It opens the DigiBizz application page for that item. If the user isn't signed in, they can sign in or register there and are brought back to the application. The link carries `?ref=industechconnect`, so every application that comes through your portal is credited to IndusTech Connect in DigiBizz's dashboard. Use `source_url` for a "View details" link.

Tip

Don't build these URLs yourself from `slug`. Always use the values in the response, which stay correct if DigiBizz changes its domain.

09 Keeping your copy in sync

1. **First import:** for each collection, request `status=all&limit=100` and follow `links.next` to the end. Store items by `id`.
2. **Every 15–60 minutes:** request `status=all&updated_since=<start time of your last successful sync>` and upsert the results by `id`.
3. **Display rule:** show items whose `status` is `open` and whose `application_deadline` is today or later (or `null`).
4. **Once a day:** run the full import again and remove items that are no longer returned.

Expiry doesn't change `updated_at`

An item becomes `expired` automatically when its deadline passes, but its `updated_at` does not change, so an `updated_since` sync will not report it. Apply the deadline check in step 3 yourself, and rely on the daily full re-sync (step 4) to catch removed items.

10 Errors & rate limits

Errors always use the same shape:

```
json
{
  "error": {
    "code": "invalid_api_key",
    "message": "This API key is invalid or has been revoked"
  }
}
```

HTTP	ERROR.CODE	WHEN
400	<code>bad_request</code>	A query parameter is invalid, e.g. <code>limit=500</code> . <code>error.message</code> names the parameter.
401	<code>missing_api_key</code> <code>invalid_api_key</code>	No key was sent, or the key is wrong or revoked.

HTTP	ERROR.CODE	WHEN
403	<code>scope_denied</code>	Your key isn't enabled for this collection.
404	<code>not_found</code>	Unknown endpoint, or no item with that <code>id</code> / <code>slug</code> .
429	<code>rate_limited</code>	More than 240 requests in a minute with this key.
500	<code>server_error</code>	Unexpected problem on DigiBizz's side. Retry later.

Rate limit: 240 requests per minute per key. Responses include standard `RateLimit` / `RateLimit-Policy` headers. On `429`, wait and retry with backoff. List responses may be cached for 60 seconds (`Cache-Control: private, max-age=60`).

Compatibility: v1 only changes additively. New fields may appear, but existing fields are never renamed or removed. Ignore fields you don't recognise.

11 Code examples

JavaScript (Node.js 18+)

```

javascript

// Node.js 18+ - pulls every page of one collection.
const BASE = "https://jobs.digibizz.gob.pk/api/partner/v1";
const KEY = process.env.DIGIBIZZ_API_KEY; // keep the key server-side

async function fetchAll(collection, params = {}) {
  const items = [];
  let url = `${BASE}/${collection}?` + new URLSearchParams({ limit: "100", ...params });
  while (url) {
    const res = await fetch(url, { headers: { "X-API-Key": KEY } });
    if (!res.ok) throw new Error(`${res.status}: ${(await res.json()).error.message}`);
    const body = await res.json();
    items.push(...body.data);
    url = body.links.next; // null on the last page
  }
  return items;
}

const jobs = await fetchAll("jobs", { status: "all" });
const changed = await fetchAll("internships", { status: "all", updated_since: "2026-09-25T00:00:00Z" });

```

PHP

```
php

<?php
$base = "https://jobs.digibizz.gob.pk/api/partner/v1";
$ch = curl_init("$base/programs?status=open&page=1&limit=100");
curl_setopt_array($ch, [
    CURLOPT_HTTPHEADER    => ["X-API-Key: " . getenv("DIGIBIZZ_API_KEY")],
    CURLOPT_RETURNTRANSFER => true,
    CURLOPT_TIMEOUT        => 30,
]);
$body = json_decode(curl_exec($ch), true);
$status = curl_getinfo($ch, CURLINFO_HTTP_CODE);
curl_close($ch);

if ($status !== 200) { throw new Exception($body["error"]["message"]); }
foreach ($body["data"] as $program) {
    echo $program["title"] . " - apply at " . $program["apply_link"] . PHP_EOL;
}
// Next page: $body["links"]["next"] (null when there are no more pages)
```

Python

```
python

import os, requests

BASE = "https://jobs.digibizz.gob.pk/api/partner/v1"
session = requests.Session()
session.headers["X-API-Key"] = os.environ["DIGIBIZZ_API_KEY"]

def fetch_all(collection, **params):
    url, items = f"{BASE}/{collection}", []
    params.setdefault("limit", 100)
    while url:
        r = session.get(url, params=params, timeout=30)
        r.raise_for_status()
        body = r.json()
        items += body["data"]
        url, params = body["links"]["next"], None # next already carries the query
    return items

trainings = fetch_all("trainings", status="open")
```

12 Field reference: common fields

Present on every item in all four collections.

FIELD	TYPE	DESCRIPTION
<code>id</code>	string	Stable unique identifier. Use it as your primary key.
<code>type</code>	string	<code>job</code> · <code>internship</code> · <code>program</code> · <code>training</code>

FIELD	TYPE	DESCRIPTION
<code>type_label</code>	string	Human-readable type, e.g. "Job".
<code>title</code>	string	Job title / internship name / program or course name / training name.
<code>slug</code>	string	URL-safe identifier. Also accepted in place of <code>id</code> by the single-item endpoints.
<code>category</code>	string	<code>Government</code> · <code>International</code> · <code>Private</code> . Always Government : DigiBizz Balochistan publishes everything on this portal.
<code>organization_name</code>	string	Always "DigiBizz Balochistan".
<code>organization</code>	object	<code>name</code> , <code>type</code> , <code>website</code> , <code>logo_url</code> , <code>verified</code> .
<code>location</code>	object	<code>country</code> , <code>city</code> , <code>address</code> , <code>work_mode</code> (<code>onsite</code> · <code>remote</code> · <code>hybrid</code>), <code>display</code> .
<code>is_it_related</code>	boolean	Whether the item is IT / IT-related.
<code>field</code>	string null	e.g. "Web Development", "Cybersecurity".
<code>summary</code>	string null	One-line summary.
<code>description</code>	string	Full description, plain text with line breaks preserved.
<code>eligibility</code>	string null	Who can apply.
<code>application_deadline</code>	date null	<code>YYYY-MM-DD</code> . The last day applications are accepted (inclusive). <code>null</code> = rolling.
<code>apply_link</code>	url	The DigiBizz application page for this item, carrying <code>?ref=industechconnect</code> .
<code>source_url</code>	url	The public DigiBizz page for this item.
<code>status</code>	string	<code>open</code> · <code>expired</code> · <code>closed</code> (see section 7).
<code>posted_at</code>	date-time	When it was published (ISO 8601, UTC).
<code>updated_at</code>	date-time	Last change (ISO 8601, UTC).

Fields that DigiBizz leaves blank are returned as `null` (text and numbers) or `[]` (lists). They are never omitted. The full machine-readable schema is at

<https://jobs.digibizz.gob.pk/api/partner/v1/openapi.json>.

Questions

Contact the DigiBizz Balochistan technical team for API keys, access to more collections, or help with the integration.