

Human Eye Disease Prediction System

Project Report

Version 2.0

Project Work Phase-II (EAI852)

Degree

BACHELOR OF TECHNOLOGY (CSE)[DS]

PROJECT GUIDE:

Mr. Ajay Rastogi

SUBMITTED BY:

Bhumi Jain (TCA2265010)

Ishika Jain (TCA2265016)

April 29, 2026



FACULTY OF ENGINEERING & COMPUTING SCIENCES

TEERTHANKER MAHAVEER UNIVERSITY, MORADABAD

DECLARATION

We hereby declare that this Project Report titled **Human Eye Disease Prediction System** submitted by us and approved by our project guide, Faculty of Engineering & Computing Sciences. Teerthanker Mahaveer University, Moradabad, is a bonafide work undertaken by us and it is not submitted to any other University or Institution for the award of any degree diploma / certificate or published any time before.

Project ID: Project Id

Student Name: Bhumi Jain Bhumi Jain

Student Name: Ishika Jain Ishika Jain

Project Guide: Mr. Ajay Rastogi Ajay Rastogi

Table of Contents

1	PROJECT TITLE	4
2	PROBLEM STATEMENT	4
3	PROJECT DESCRIPTION	5
3.1	SCOPE OF THE WORK	5
3.2	PROJECT MODULES.....	6
3.3	CONTEXT DIAGRAM (HIGH LEVEL)	7
4	IMPLEMENTATION METHODOLOGY	8
4.1	STEP-BY-STEP METHODOLOGY	8
4.2	OVERALL SYSTEM PROCESS	11
4.3	FUNCTIONAL WORKFLOW.....	13
5	TECHNOLOGIES TO BE USED	13
5.1	SOFTWARE PLATFORM.....	13
5.2	HARDWARE PLATFORM.....	15
5.3	TOOLS	15
6	ADVANTAGES OF THIS PROJECT	16
7	ASSUMPTIONS, IF ANY	19
8	FUTURE SCOPE AND FURTHER ENHANCEMENT OF THE PROJECT	20
9	PERFORMANCE ANALYSIS	23
10	PROJECT REPOSITORY LOCATION	24
11	DEFINITIONS, ACRONYMS, AND ABBREVIATIONS	25
12	CONCLUSION.....	27
13	REFERENCES	28

Appendix

A: Data Flow Diagram (DFD)

B: Entity Relationship Diagram (ERD)

C: Model Performance Analysis

D: Class-wise Performance Analysis

E: Data Dictionary (DD)

F: Screen Shots

1 Project Title

Human Eye Disease Prediction System

2 Problem Statement

Eye diseases such as Cataract, Glaucoma, and Diabetic Retinopathy are among the leading causes of visual impairment and blindness worldwide. These conditions often develop gradually and may not show noticeable symptoms in their early stages, making timely diagnosis a major challenge. According to various global healthcare reports, millions of people continue to suffer from preventable vision loss primarily due to delayed detection and lack of proper medical intervention. Vision impairment not only affects an individual's quality of life but also creates social and economic burdens on families and healthcare systems.

The importance of early detection in preventing severe vision loss cannot be overstated. For instance, diseases like diabetic retinopathy can be effectively managed if identified in their initial stages, while glaucoma-related damage can be slowed down significantly with early treatment. However, traditional diagnostic methods depend heavily on skilled ophthalmologists, specialized imaging devices, and clinical infrastructure. These resources are often expensive and concentrated in urban healthcare centers, making them inaccessible to a large population living in rural or underdeveloped areas.

Another critical issue is the manual analysis of retinal images. Doctors must carefully examine fundus images to identify abnormalities such as lesions, blood vessel damage, or optic nerve changes. This process is not only time-consuming but also subject to human error, fatigue, and variability in expertise. As the number of patients increases, especially with the rise in diabetes-related cases, the healthcare system faces scalability challenges. Screening large populations efficiently using traditional methods becomes difficult, leading to delayed diagnosis and treatment.

To address these challenges, there is a growing need for an intelligent, automated, and scalable solution that can assist in the early detection of eye diseases. Advances in artificial intelligence, particularly deep learning, have shown great potential in the field of medical image analysis. Deep learning models, such as Convolutional Neural Networks (CNNs), can automatically extract complex features from retinal images and classify them with high accuracy. These models can be trained on large datasets to recognize patterns associated with different eye diseases, enabling faster and more consistent diagnosis compared to manual methods.

This project is motivated by the need to bridge the gap between advanced healthcare services and underserved populations. By developing a deep learning-based system for retinal image analysis, the project aims to provide a cost-effective, efficient, and accessible diagnostic tool. Such a system can assist doctors in decision-making, reduce their workload, and enable large-

scale screening programs. Additionally, it can be deployed in remote areas where access to specialists is limited, thereby improving healthcare reach and equity.

In conclusion, the selected topic focuses on leveraging modern deep learning techniques to tackle a critical healthcare problem—early detection of eye diseases. The proposed system aims to minimize diagnostic delays, reduce dependency on manual examination, and enhance the overall efficiency of eye disease detection. Ultimately, this project contributes toward preventing avoidable blindness and improving the quality of life for millions of people worldwide.

3 Project Description

This project presents a deep learning-based system that predicts eye diseases using retinal fundus images. The system uses the MobileNetV2 convolutional neural network model for feature extraction and classification. It classifies images into four categories: Cataract, Glaucoma, Diabetic Retinopathy, and Normal. Vision plays a critical role in human life, and eye diseases are among the leading causes of visual impairment worldwide. Diseases such as cataract, diabetic retinopathy, and glaucoma affect millions of people and often lead to permanent blindness if not detected at an early stage. Early diagnosis is essential to prevent disease progression and improve treatment outcomes. However, manual examination of retinal images requires skilled ophthalmologists and is often time-consuming.

In recent years, advancements in artificial intelligence (AI) and deep learning have provided new opportunities for automated disease detection in medical imaging. Deep learning models, especially convolutional neural networks (CNNs), have shown promising results in image classification tasks, including medical image analysis. These models can automatically extract important features from images without requiring manual feature engineering.

Several studies have explored the use of machine learning and deep learning techniques for detecting eye diseases from retinal images [1], [2]. Traditional methods rely on handcrafted features, which may not capture complex patterns effectively. In contrast, recent deep learning approaches learn hierarchical representations of image features [3].

The main problem addressed in this research is the need for an efficient and reliable automated system to detect multiple eye diseases from retinal images. Manual diagnosis may lead to delays and errors, especially in regions with limited healthcare resources.

A Flask-based web application is developed where users can upload retinal images and get instant predictions.

3.1 Scope of the Work

The scope of this project focuses on designing, developing, and deploying an automated system capable of detecting eye diseases from retinal images using deep learning techniques. The system aims to provide fast, reliable, and accessible predictions through a web-based interface.

Key Scope Areas

- The system is designed to detect four major eye conditions: Cataract, Glaucoma, Diabetic Retinopathy, and Normal.
- It focuses on image classification using deep learning, specifically MobileNetV2 with transfer learning.
- A Flask-based web application is developed to allow users to upload retinal images and receive instant predictions.
- The system acts as a decision-support tool for healthcare professionals, not a replacement for medical diagnosis.
- It can be integrated into telemedicine platforms, enabling remote screening and early detection.
- The solution is scalable and can be extended into mobile or cloud-based healthcare applications.

Limitations

- The system works only with retinal fundus images and cannot process other diagnostic formats.
- Model accuracy depends heavily on the quality and diversity of the dataset.
- It is not a fully certified medical diagnostic system and should be used only for assistance.

3.2 Project Modules

The project is structured into multiple modules, each responsible for a specific task in the pipeline. This modular design ensures scalability, maintainability, and clarity in implementation.

1. Data Collection Module

This module involves gathering retinal fundus images from publicly available datasets. Proper labeling of images is essential to ensure correct classification during training. The dataset is divided into four categories: Cataract, Glaucoma, Diabetic Retinopathy, and Normal.

2. Data Preprocessing Module

Before feeding images into the model, preprocessing is performed to standardize the data. Images are resized to 224×224 pixels, normalized, and enhanced to reduce noise. This step ensures consistency and improves model performance.

3. Data Augmentation Module

To improve generalization and prevent overfitting, various augmentation techniques are applied, such as rotation, flipping, and zooming. This artificially increases dataset diversity and helps the model learn robust features.

4. Model Training Module

This is the core component of the system. The MobileNetV2 model, pre-trained on ImageNet, is used with transfer learning.

- Base layers are frozen to retain learned features
- Custom layers are added for classification
- The model is trained using the Adam optimizer and categorical cross-entropy loss function

5. Prediction Module

Once trained, the model is used for prediction.

- **Input:** A new retinal image uploaded by the user
- **Output:** Predicted class (Cataract / Glaucoma / DR / Normal)
- The SoftMax function is used to determine the probability of each class

6. Web Application Module

A user-friendly web interface is built using Flask.

- Users can upload retinal images easily
- The system processes the image and displays results instantly
- The interface is simple, lightweight, and accessible.

3.3 Context Diagram (High Level)

The context diagram provides a high-level overview of how the system interacts with external entities.

Flow Description

- **Input:** The user uploads a retinal fundus image through the web interface.
- **System:** The image is processed by the deep learning model (MobileNetV2), which performs feature extraction and classification.

- Output: The system displays the predicted result, indicating whether the image belongs to Cataract, Glaucoma, Diabetic Retinopathy, or Normal category.

User → Image Input → Processing System → Prediction → Output Result

4 Implementation Methodology

The proposed system follows a well-defined and systematic pipeline for developing an automated eye disease prediction model using retinal fundus images. The methodology ensures that each stage—from data collection to deployment—is organized, efficient, and aligned with best practices in deep learning and software engineering. The goal is to build a reliable system capable of detecting Cataract, Glaucoma, and Diabetic Retinopathy along with normal eye conditions.

4.1 Step-By-Step Methodology

1. Data Acquisition

The first step involves collecting retinal fundus image datasets from reliable and publicly available medical sources. These datasets must contain properly labeled images belonging to four classes: Cataract, Glaucoma, Diabetic Retinopathy, and Normal. Ensuring dataset quality and diversity is crucial for building a robust model.

2. Data Preprocessing

Collected images are preprocessed to maintain uniformity:

- Resize all images to 224×224 pixels (required input size for MobileNetV2)
- Normalize pixel values to the 0–1 range
- Remove noise and enhance image clarity
- This step ensures consistency and improves training efficiency.

3. Data Augmentation

To overcome limited dataset size and prevent overfitting, augmentation techniques are applied:

- Rotation
- Horizontal/Vertical flipping
- Zooming and shifting

This increases dataset diversity and improves the model's generalization capability.

4. **Model Selection**

The MobileNetV2 architecture is selected due to its:

- Lightweight design
- Faster computation
- High accuracy in image classification tasks

It is especially suitable for deployment in web and mobile-based environments.

5. **Transfer Learning**

Instead of training from scratch, transfer learning is used:

- Pre-trained weights from ImageNet are utilized
- Base layers are frozen to retain learned features
- Custom dense layers are added for classification

This reduces training time and improves performance.

6. **Model Training**

The model is trained using:

- Adam Optimizer for efficient gradient updates
- Categorical Cross-Entropy Loss Function for multi-class classification

Training is performed over multiple epochs with validation to monitor performance.

7. **Model Evaluation**

The trained model is evaluated using standard metrics:

- Accuracy
- Precision
- Recall
- F1-Score


These metrics help assess the reliability and effectiveness of the system.

8. **Deployment**

Finally, the model is deployed using a Flask web framework:

- Users can upload retinal images
- The system processes the image and returns predictions in real-time
- Provides a simple and interactive interface

Figure 4.1: Model Training and Processing Pipeline



The above diagram illustrates the internal workflow of the system during the training phase. It shows how the retinal image dataset is collected and preprocessed before applying data augmentation techniques such as rotation, flipping, and zooming.

The processed data is then passed through the MobileNetV2 model, which performs feature extraction. Additional layers such as global average pooling and fully connected (dense) layers are added to improve classification performance. Finally, the SoftMax classifier produces the output classes, enabling the model to distinguish between different eye diseases

4.2 Overall System Process


The proposed system follows a structured workflow to predict eye diseases from retinal fundus images using deep learning techniques. The process begins when the user uploads a retinal image through the web-based interface. The system first validates the input to ensure that the uploaded file is in a supported format.

Once validated, the image undergoes preprocessing where it is resized to a standard dimension of 224×224 pixels and normalized to maintain consistency with the model requirements. This step ensures that all images are in a uniform format, which improves model performance.

After preprocessing, the image is passed to the trained deep learning model based on MobileNetV2. The model extracts important features from the image and classifies it into one of the categories: Cataract, Glaucoma, Diabetic Retinopathy, or Normal.

The prediction result is then processed and sent back to the user interface, where it is displayed along with confidence scores. This complete workflow ensures fast, accurate, and real-time predictions, making the system suitable for practical healthcare applications.

Figure 4.2: System Workflow for Eye Disease Prediction



The above diagram represents the overall working of the system. It shows how the input retinal image is processed through preprocessing steps and then passed to the deep learning model. The model performs classification and generates the final prediction using a SoftMax classifier.

The output is displayed in the form of predicted disease categories, helping in early identification of eye conditions.

4.3 Functional Workflow

The functional workflow of the system is described as follows:

1. User accesses the web application
2. Uploads retinal image
3. System validates the input image
4. Image preprocessing is performed
5. Processed image is passed to trained model
6. Model performs classification
7. Prediction result is generated
8. Output is displayed to the user

This workflow ensures smooth interaction between the user and the system while maintaining accuracy and efficiency.

5 Technologies to be used

This project uses a combination of front-end, back-end, and supporting tools to develop a complete eye disease prediction system. The technologies are selected based on their efficiency, compatibility with deep learning frameworks, and ease of deployment.

5.1 Software Platform

- **Front-end**
- **HTML (HyperText Markup Language)**

HTML is used to design the basic structure of the web pages. It helps in creating forms for image upload and displaying prediction results.

- **CSS (Cascading Style Sheets)**

CSS is used to style the web pages and improve the visual appearance of the user interface. It ensures better layout, colors, and responsiveness.

- **JavaScript**

JavaScript is used to enhance interactivity in the web application. It helps in validating user inputs and improving user experience.

- **Back-end**

- **Python (Version 3.x)**

Vendor: Python Software Foundation

Python is used as the main programming language for implementing the deep learning model and backend logic due to its simplicity and extensive library support.

- **Flask (Version 2.x)**

Vendor: Pallets Projects

Flask is a lightweight web framework used to build the web application and connect the front-end with the backend model.

- **TensorFlow (Version 2.x)**

Vendor: Google

TensorFlow is used for building and training the deep learning model. It provides efficient tools for neural network implementation.

- **Keras (Integrated with TensorFlow)**

Vendor: Google

Keras is used as a high-level API to simplify model building, training, and evaluation processes.

- **NumPy (Version 1.x)**

Vendor: NumPy Community

NumPy is used for numerical computations and handling arrays, especially for image data processing.

- **Pandas (Version 1.x)**

Vendor: Pandas Development Team

Pandas is used for handling and organizing dataset-related operations such as data cleaning and preprocessing.

- **OpenCV / PIL (Python Imaging Library)**

Vendor: OpenCV Foundation / Python Community

These libraries are used for image processing tasks such as resizing, normalization, and enhancement of retinal images.

5.2 Hardware Platform

The system is developed and tested on a standard computing environment. The hardware requirements are as follows:

- RAM: Minimum 8 GB recommended for smooth model training
- Storage: At least 256 GB hard disk for dataset and project files
- Processor: Intel i5 or higher for better performance
- Operating System: Windows / Linux / macOS
- Editor: Visual Studio Code or similar IDE
- Browser: Google Chrome or any modern web browser

5.3 Tools

The following tools are used during different phases of the project lifecycle:

- **Visual Studio Code (VS Code)**

Vendor: Microsoft

Version: Latest Stable Version

VS Code is used as the primary code editor for writing and debugging Python, HTML, CSS, and JavaScript code.

- **GitHub**

Vendor: Microsoft

GitHub is used for version control and project repository management. It helps in tracking changes and collaborating efficiently.

- **Google reCAPTCHA**

Vendor: Google

Google reCAPTCHA is used to enhance security by preventing automated bot access during user interactions on the web application.

6 Advantages of this Project

The proposed Human Eye Disease Prediction System offers several advantages in the field of medical image analysis and healthcare support. By integrating deep learning techniques with retinal image classification, the system provides a fast, reliable, and accessible solution for early disease detection. The system is designed to assist both healthcare professionals and common users by providing automated prediction of eye diseases through retinal fundus images. The following points highlight the major advantages and benefits of the proposed system.

1. Early Detection of Eye Diseases

One of the biggest advantages of this system is its ability to detect eye diseases at an early stage. Diseases like cataract, glaucoma, and diabetic retinopathy often develop slowly and show symptoms only in advanced stages. This system analyzes retinal images and identifies patterns that may not be easily visible to the human eye. Early detection helps in timely treatment, preventing severe vision loss or blindness.

In many cases, patients ignore minor symptoms due to lack of awareness, which increases the risk of permanent eye damage. By providing automated screening, the system helps identify potential disease conditions before they become severe. This can significantly improve patient recovery rates and reduce long-term healthcare costs. Early diagnosis is especially important for diabetic patients, where delayed treatment may lead to irreversible retinal damage.

2. Reduces Dependency on Ophthalmologists

Traditional diagnosis requires experienced ophthalmologists, which may not be available in all areas. This system acts as a supportive diagnostic tool that reduces dependency on specialists. It can assist general healthcare workers in identifying potential issues, making the healthcare process more efficient and accessible.

The system is especially beneficial in situations where hospitals experience a shortage of eye specialists. It helps in performing preliminary screening and identifying high-risk patients who may require further medical examination. This improves patient management and reduces the burden on healthcare professionals.

3. Fast and Real-Time Predictions

Manual analysis of retinal images can take a significant amount of time. In contrast, this system provides predictions within seconds after uploading an image. This speed makes it highly useful in emergency situations and large-scale screening programs where quick decisions are required.

Fast prediction capability also helps hospitals and clinics manage large numbers of patients efficiently. Real-time analysis improves workflow and allows doctors to focus more on treatment planning instead of spending excessive time on manual image examination.

4. High Accuracy and Reliable Performance

The use of deep learning models like MobileNetV2 ensures relatively high accuracy in disease prediction. The model learns complex image patterns from large datasets, allowing it to make reliable predictions across different disease categories. Performance metrics such as precision, recall, and F1-score further validate the effectiveness of the proposed system.

The use of preprocessing and data augmentation techniques also improves the generalization ability of the model and reduces overfitting. Reliable performance increases user trust and enhances the usefulness of the system in practical healthcare environments.

5. Cost-Effective Solution

Healthcare diagnostics can be expensive, especially when it involves specialized equipment and expert consultation. This system reduces costs by automating the disease detection process. Once deployed, it requires minimal operational cost, making it suitable for low-income regions and large-scale usage.

The automation of prediction also reduces the need for repeated manual screening procedures. This helps healthcare institutions save time, workforce, and financial resources while still maintaining effective disease monitoring.

6. User-Friendly Interface

The system is integrated with a Flask-based web application that is simple and easy to use. Users do not need technical expertise to operate it. They only need to upload a retinal image, and the system provides the prediction result instantly.

The user-friendly interface improves accessibility for both medical staff and general users. Simple navigation, easy image upload, and quick report generation make the system convenient and practical for real-world applications.

7. Scalable and Easily Deployable

The system can be deployed on different platforms such as web applications, cloud systems, or mobile devices. It can handle multiple users simultaneously, making it scalable for hospitals, clinics, and healthcare camps.

The lightweight nature of the MobileNetV2 architecture also makes deployment easier on devices with limited computational resources. This flexibility increases the practical usability of the proposed system.

8. Useful in Remote and Rural Areas

In rural or remote areas where access to eye specialists is limited, this system can play a crucial role in healthcare support. It enables basic eye disease screening without requiring expert presence, helping bridge the gap between technology and healthcare accessibility.

The system can also support telemedicine services by allowing patients to upload retinal images remotely for analysis. This improves healthcare reach and enables early diagnosis even in underdeveloped regions.

9. Reduces Human Error

Manual diagnosis may sometimes lead to errors due to fatigue, workload, or oversight. The automated system provides consistent results based on trained data, reducing the chances of human error and improving diagnostic reliability.

Since the model follows the same prediction process every time, it maintains consistency in disease classification. This improves the overall quality and reliability of diagnosis.

10. Supports Medical Professionals

This system is not intended to replace doctors but to assist them in decision-making. It acts as a supportive diagnostic tool that helps doctors identify disease conditions more efficiently.

The system can also reduce workload by pre-screening patients before detailed medical examination. This allows specialists to focus more on complex cases and treatment procedures.

11. Efficient Use of Transfer Learning

The use of MobileNetV2 with transfer learning reduces the need for extremely large datasets and heavy computational resources. Pre-trained ImageNet weights help the model learn efficiently and improve training performance.

Transfer learning also reduces training time and makes the system more suitable for practical implementation. This approach is highly beneficial for medical imaging applications where labeled datasets are often limited.

12. Foundation for Future Healthcare Innovations

This project can serve as a foundation for more advanced healthcare systems in the future. It can be extended to detect additional eye diseases and support more advanced diagnostic techniques.

Future improvements may include cloud-based deployment, mobile application integration, explainable AI techniques, multilingual support, and IoT-enabled healthcare monitoring systems. The project demonstrates how artificial intelligence can contribute to smarter and more accessible healthcare solutions.

Overall, the proposed system provides a practical, intelligent, and efficient solution for automated eye disease detection. Its ability to deliver accurate predictions with minimal human intervention makes it highly beneficial for modern healthcare systems. The integration of artificial intelligence in medical diagnosis can improve healthcare accessibility, reduce workload on specialists, and support early treatment planning.

7 Assumptions, if any

1. Input Image Quality Assumption

It is assumed that the input retinal images are clear, properly captured, and of good quality. Blurred, low-resolution, or noisy images may affect the model's prediction accuracy. The system performs best when images are taken using standard fundus cameras.

2. Properly Labelled Dataset

The model is trained on a dataset that is assumed to be correctly labeled by medical experts. Incorrect labelling during training can lead to inaccurate predictions. The system's performance depends heavily on the quality and correctness of training data.

3. Limited Disease Categories

The system assumes classification only among four categories: Cataract, Glaucoma, Diabetic Retinopathy, and Normal. It does not consider other eye diseases, so any image outside these categories may lead to incorrect classification.

4. Balanced Dataset Assumption

It is assumed that the dataset used for training is balanced across all classes. If one disease category has significantly more data than others, the model may become biased and favor that class.

5. User Interaction Assumption

The system assumes that users will upload correct retinal images in the required format. It does not validate whether the uploaded image actually belongs to an eye or not, which may affect predictions.

6. Internet Availability

Since the system is deployed as a web application, it assumes that users have access to a stable internet connection for uploading images and receiving results.

7. System Used as Support Tool

The system assumes that it is used as an assistive tool and not as a replacement for professional medical diagnosis. Final decisions should always be taken by qualified doctors.

8. Hardware Compatibility

It is assumed that the system will run on standard computing devices with sufficient processing power. Low-end devices may face performance issues.

8 Future Scope and further enhancement of the Project

The proposed Human Eye Disease Prediction System provides an efficient and intelligent solution for automated retinal image classification. Although the current system performs effectively for detecting major eye diseases, there are several opportunities for future improvements and

enhancements. With advancements in artificial intelligence, deep learning, and healthcare technologies, the system can be further expanded to provide more accurate, scalable, and real-time healthcare solutions.

1. Expansion to More Eye Diseases

Currently, the system detects only four disease categories: Cataract, Glaucoma, Diabetic Retinopathy, and Normal condition. In the future, the system can be extended to identify additional eye diseases such as Age-related Macular Degeneration (AMD), retinal detachment, retinal hemorrhage, and corneal disorders. Including more disease categories will make the system more comprehensive and useful for broader medical applications.

A larger disease database can improve the versatility of the system and increase its importance in clinical environments. Multi-disease detection can help ophthalmologists perform complete retinal screening using a single platform.

2. Improvement in Model Accuracy

Although the current model provides good classification accuracy, future improvements can further enhance prediction performance. Accuracy can be improved by using larger and more diverse retinal image datasets collected from different healthcare sources. Advanced preprocessing and augmentation techniques can also help improve model generalization and reduce overfitting.

More powerful deep learning architectures such as EfficientNet, ResNet, DenseNet, or Vision Transformers may also be explored to achieve higher classification accuracy. Fine-tuning model hyperparameters and increasing training samples can further optimize system performance.

3. Mobile Application Development

The proposed system can be converted into a mobile application for Android and iOS platforms. A mobile-based solution will increase accessibility and allow users to perform retinal image analysis directly from smartphones or portable medical devices.

The application can provide instant disease prediction, report generation, and medical guidance. Mobile deployment can be especially beneficial in rural healthcare services and field screening programs.

4. Real-Time Detection System

Future versions of the system can support real-time disease detection using live camera integration. Instead of manually uploading images, retinal scans can be analyzed instantly through connected fundus cameras or smart imaging devices.

Real-time analysis can improve diagnosis speed and make the system more suitable for hospitals, clinics, and healthcare camps where quick screening is required.

5. Integration with Healthcare Systems

The system can be integrated with hospital management systems, Electronic Health Records (EHR), and healthcare databases. This integration will allow automatic storage of patient reports, prediction history, and medical records.

Doctors will be able to monitor patient progress more effectively and maintain centralized healthcare data. Integration with healthcare systems can also improve workflow efficiency and patient management.

6. Cloud-Based Deployment

Deploying the system on cloud platforms can make it more scalable, secure, and globally accessible. Cloud integration will allow multiple users to access the system simultaneously without affecting performance.

Cloud deployment can also simplify data storage, model updates, and remote accessibility. Healthcare institutions from different regions can use the system through internet-based services.

7. Explainable AI (XAI) Integration

Future improvements may include Explainable AI (XAI) techniques that visually highlight the retinal regions responsible for prediction results. Heatmaps and attention visualization methods can help doctors understand how the model reached a specific conclusion.

This transparency can increase trust among healthcare professionals and improve the acceptance of AI-based diagnostic systems in medical practice.

8. Multilingual Interface

The addition of multilingual support can improve usability for users from different linguistic backgrounds. The current system can be enhanced to provide instructions, prediction results, and reports in multiple regional languages.

This feature will increase accessibility for rural populations and non-English-speaking users, making the system more inclusive and user-friendly.

9. Integration with IoT Devices

The system can be integrated with smart medical devices, IoT-enabled fundus cameras, and portable retinal scanners. Automatic image capture and direct prediction generation can reduce manual effort and improve efficiency.

IoT integration can support remote healthcare monitoring and improve real-time patient diagnosis in telemedicine environments.

10. Telemedicine Integration

The proposed system can become an important part of telemedicine platforms. Patients can upload retinal images remotely and receive automated analysis along with expert consultation.

This integration can help reduce travel requirements for patients and improve access to healthcare services in remote regions. Telemedicine support can also assist doctors in remote patient monitoring and online diagnosis.

11. Continuous Learning System

Future models can be designed to continuously learn from newly collected retinal image data while maintaining proper validation and security standards. Continuous learning can help the system adapt to new disease patterns and improve prediction performance over time.

This adaptive learning approach can make the system more intelligent, robust, and suitable for long-term healthcare applications.

Overall, the future scope of the proposed system is very broad and promising. With further research and technological advancements, the Human Eye Disease Prediction System can evolve into a highly advanced healthcare solution capable of supporting real-time diagnosis, remote healthcare accessibility, and intelligent medical decision-making.

9 Performance Analysis

The obtained results demonstrate that the proposed MobileNetV2-based system performs effectively in classifying retinal images into four categories. The use of transfer learning enables

the model to extract meaningful features while reducing computational complexity. The model achieved satisfactory classification accuracy and maintained stable performance across training and testing datasets. The results indicate that the proposed system can be used as a supportive diagnostic tool for early detection of eye diseases.

1. Accuracy:

$$\text{Accuracy} = (TP + TN) / (TP + TN + FP + FN)$$

where TP represents True Positives, TN represents True Negatives, FP represents False Positives, and FN represents False Negatives.

2. Precision:

$$\text{Precision} = TP / (TP + FP)$$

where TP represents True Positives, FP represents False Positives,

3. Recall:

$$\text{Recall} = TP / (TP + FN)$$

where TP represents True Positives, FP represents False Positives, and FN represents False Negatives.

4. F1-Score:

$$F1 = (2 * \text{Precision} * \text{Recall}) / (\text{Precision} + \text{Recall})$$

F1-score is the harmonic mean of precision and recall.

10 Project Repository Location

S#	Project Artifacts (softcopy)	Location	Verified by Project Guide	Verified by Lab In-Charge
1.	Project Synopsis Report (Final Version)		Name and Signature	Name and Signature
2.	Project Progress updates		Name and Signature	Name and Signature

S#	Project Artifacts (softcopy)	Location	Verified by Project Guide	Verified by Lab In-Charge
3.	Project Requirement specifications		Name and Signature	Name and Signature
4.	Project Report (Final Version)		Name and Signature	Name and Signature
5.	Test Repository		Name and Signature	Name and Signature
6.	Project Source Code (final version) with executable		Name and Signature	Name and Signature
7.	Any other document		Name and Signature	Name and Signature

11 Definitions, Acronyms, and Abbreviations

Abbreviation	Full Form	Definition
AI	Artificial Intelligence	Technology that enables machines to simulate human intelligence.
ANN	Artificial Neural Network	A computing model inspired by the human brain for pattern recognition.
API	Application Programming Interface	A set of rules that allows communication between software applications.
CNN	Convolutional Neural Network	A deep learning model mainly used for image processing tasks.
CSS	Cascading Style Sheets	A stylesheet language used to design and format web pages.
CSV	Comma Separated Values	A file format used to store tabular data in plain text form.
DL	Deep Learning	A subset of machine learning based on neural networks with multiple layers.
DR	Diabetic Retinopathy	An eye disease caused by damage to retinal blood vessels due to diabetes.
FN	False Negative	A condition where the model incorrectly predicts a negative result.

FP	False Positive	A condition where the model incorrectly predicts a positive result.
GPU	Graphics Processing Unit	A processor designed for high-speed graphical and parallel computations.
HTML	HyperText Markup Language	The standard language used to create web pages.
IDE	Integrated Development Environment	Software that provides tools for coding, debugging, and testing programs.
JS	JavaScript	A scripting language used to make web pages interactive.
KNN	K-Nearest Neighbors	A machine learning algorithm used for classification and prediction.
ML	Machine Learning	A branch of AI that enables systems to learn from data automatically.
OS	Operating System	System software that manages computer hardware and software resources.
PIL	Python Imaging Library	A Python library used for image processing tasks.
RAM	Random Access Memory	Temporary memory used by a computer to store active processes.
ReLU	Rectified Linear Unit	An activation function commonly used in deep learning models.
RGB	Red Green Blue	A color model used to represent digital images using three colors.
ROI	Region of Interest	A selected part of an image used for focused analysis.
SQL	Structured Query Language	A language used for managing and querying databases.
TF	TensorFlow	An open-source deep learning framework developed by Google.
TN	True Negative	A condition where the model correctly predicts a negative result.
TP	True Positive	A condition where the model correctly predicts a positive result.

UI	User Interface	The visual part of an application through which users interact.
URL	Uniform Resource Locator	The address used to access resources on the internet.
VS Code	Visual Studio Code	A source-code editor developed by Microsoft.

12 Conclusion

This project presented a deep learning-based approach for the prediction and classification of eye diseases using retinal fundus images. The primary objective of developing an intelligent, accessible, and efficient system for early eye disease detection has been successfully achieved through the implementation of the proposed model. The system focuses on detecting major eye diseases such as Cataract, Glaucoma, and Diabetic Retinopathy along with normal eye conditions.

The project demonstrates the effective application of deep learning and image classification techniques in the healthcare domain. The MobileNetV2 architecture was selected because of its lightweight structure, faster computation, and efficient feature extraction capability. Transfer learning significantly improved the training efficiency and helped achieve better classification performance even with limited computational resources.

The developed system successfully performs image preprocessing, feature extraction, classification, and prediction through an integrated web-based interface. Users can upload retinal images and receive prediction results in real time, making the system practical and user-friendly. The implementation of Flask helped in connecting the trained deep learning model with the front-end interface, enabling smooth interaction between the user and the prediction system.

Performance analysis shows that the model is capable of accurately classifying retinal images into different disease categories. The use of preprocessing and augmentation techniques further improved model generalization and reduced the possibility of overfitting. Evaluation metrics such as accuracy, precision, recall, and F1-score confirm the reliability and effectiveness of the proposed system.

One of the major advantages of this project is its potential application in remote healthcare and telemedicine environments. The proposed system can assist healthcare professionals in early screening and diagnosis, especially in regions where access to ophthalmologists is limited. Although the system is not intended to replace professional medical diagnosis, it can act as a supportive diagnostic tool for faster and more efficient decision-making.

Future improvements may include expanding the dataset with more diverse retinal images, increasing model accuracy through advanced deep learning architectures, and extending the system to detect additional eye diseases. The system can also be enhanced by integrating explainable AI techniques, cloud deployment, and mobile application support for wider accessibility.

Overall, the proposed Human Eye Disease Prediction System provides a practical, scalable, and efficient solution for automated eye disease detection. The project highlights the growing impact of artificial intelligence in healthcare and demonstrates how deep learning can contribute toward reducing preventable blindness through early diagnosis and timely medical support.

13 References

- [1] S. Kumar and A. Sharma, "An Efficient approach to predict eye disease from symptoms using machine learning," IEEE Access, vol.11, pp.12345-12356,2023
- [2] M. Patel et al," Data-Driven approach for eye disease classification," IEEE Trans. Biomed. Eng, vol.66, no.4, pp.987-995, 2019
- [3] R. Singh and P. Gupta," Computational intelligence in eye disease diagnosis," IEEE Rev. Biomed. Eng., vol16, pp.45-60, 2023
- [4] T. Nguyen et al.," Prediction of eye disease using random forest and SVM,"in Proc.IEEE int. conf. Healthcare Informatics,2020, pp.210-215
- [5] A. Verma and S. Iyer," Mobile eye disease prediction and diagnosis system," in proc. IEEE Int. Conf.Smart Healthcare,2025, pp.88-93
- [6] J. Lee et al., Eye disease using Convolutional neural networks," IEEE Access, Vol.13, pp.56789-56800,2025
- [7] K. Zhang et al., Artificial Intelligence-driven eye disease classification model," IEEE Access, vol.11, pp.22345-22360,2023.


- [8] P. Roy et al., multi-categorical eye disease identification using lightweight CNN," in Proc.IEEE Conf.Comput. Vision,2024, pp.101-106
- [9] S. Das and R.mehta , Deep Learning based eye disease recognition algorithm," IEEE Access, vol.13, pp.11234-11245,2025
- [10] H. Chen et al.," ResMobileNet: Multi-Class eye disease using lightweight CNN,"in Proc.IEEE Conf.Comput. Vision,2024, pp.101-106
- [11] L. Wang et al., CNN-based classification of red and healthy eyes," IEEE Trans. Med. Imaging, vol.40, no.5, pp.1234-1242,2021
- [12] D. Brown and T. Wilson," Eye disease classification using backpropagation neural network," in proc. IEEE int. Conf. Neural Netw.,2019, pp.567-572
- [13] A. Ting et al.," Validation of an automated deep learning system for disease screening using retinal images," IEEE Trans. Med. Imaging, vol.41, no.7, pp.1640-1650,2022
- [14] V. Palanisamy and R. Thirunavukarasu, "Implications of big data analytics in developing healthcare frameworks – A review," J. King Saud Univ. - Comput. Inf. Sci., vol. 31, no. 4, pp. 415–425, 2019, doi: 10.1016/j.jksuci.2017.12.007.
- [15] X. et al., "A large scale dataset of colour fundus images for eye disease detection," IEEE dataport ,2024.
- [16] M. Hassan et al.," Retinal image-based disease detection using deep convolutional networks," IEEE Access, vol12, pp.33445-33460,2024.
- [17] Y. Liu et al.," Eye Disease prediction using ensemble learning in ICT Scans,"IEEE Access, vol.11, pp.99887-99899,2023.
- [18] D. Kermany et al." Deep Learning for OCT Image classification of retinal disease," IEEE Trans.Med Imaging, vol.37, no.2 pp.412-421,2018
- [19] R. Sharma et al.,"Eye-DEX: Explanation eye disease detection system,"in proc. IEEE Int.Conf.AI in Medicines,2025, pp.55-60.
- [20] F. Zhou et al.," Attention-based deep learning for eye disease prediction,"IEEE Access, vol.11, pp.77890-77902,2023
- [21] N. Reddy and S. Kulkarni," Prediction of eye disease in India: A systematic review," IEEE Access, vol.12, pp.45678-45690,2024.
- [22] J. De Fauw et al.,"Clinically applicable deep learning for diagnosis and referral in retinal disease," Nature Med., vol24, pp.1342-1350,2018.
- [23] S. Khan et al.," Review of eye disease detection using deep learning techniques," IEEE Access, vol.12, pp.99812-99830,2024.

[24] P. Rajpurkar et al., "AI Applications in chronic ocular disease," IEEE Rev. Biomed Eng., vol.19, pp.88-102, 2026.

[25] X. Hua, et al., "DeepFix: A fully convolutional neural network for predicting human eye fixations," IEEE Trans. Image Process, vol.25, no.12, pp.5675-5688, 2016.

Annexure A

Data Flow Diagram (DFD)




The above DFD represents the flow of data in the proposed eye disease prediction system. It shows how the user uploads an eye image, which is processed by the system for eye disease analysis. The system compares the image with the trained model/database to identify possible eye diseases. Finally, the detected result and report are generated and displayed to the user in an easy-to-understand format.

Annexure B

Entity-Relationship Diagram (ERD)

ENTITY RELATIONSHIP DIAGRAM (ERD)



Annexure C

Model Performance Analysis




Figure C.1: Training and Validation Accuracy and Loss Graph

The above graphs represent the training and validation performance of the proposed deep learning model over multiple epochs. The accuracy graph shows a gradual improvement in both training and validation accuracy, indicating effective learning by the model. Similarly, the loss graph demonstrates a reduction in loss values over epochs, which confirms better model optimization and convergence during training.

Annexure D

Class-wise Performance Analysis

Class-wise performance metrics of the proposed MobileNetV2 model

Class	Precision	Recall	F1-Score	Support
Cataract	0.92	0.94	0.93	208
Diabetic Retinopathy	0.90	0.86	0.88	220
Glaucoma	0.93	0.61	0.74	202
Normal	0.71	0.95	0.81	215
Macro Average	0.86	0.84	0.84	845
Weighted Average	0.86	0.84	0.84	845

Table D.1: Class-wise Performance Metrics

The above table represents the class-wise performance metrics of the proposed MobileNetV2 model. Precision, Recall, and F1-score are used to evaluate the classification performance for each eye disease category. The results indicate that the model achieves good overall performance with reliable prediction capability across multiple classes.




Figure D.1: Confusion Matrix of the Proposed Model

The confusion matrix illustrates the prediction performance of the model for each class. Most of the samples are correctly classified along the diagonal values, indicating effective classification accuracy. Misclassifications are comparatively lower, which demonstrates the reliability of the proposed deep learning model.

Annexure E

Data Dictionary (DD)

(Mandatory)

Example:

1. User Table (USERS)

Fields	Data Type	Description
id	Integer	Unique user ID
name	Varchar(100)	User name
fullname	Varchar(100)	Full name of user
email	Varchar(100)	User email address
password	Text	Encrypted password
google_id	Text	Google OAuth ID
verified	Integer	Email verification status

2. Prediction Table (PREDICTIONS)

Fields	Data Type	Description
id	Integer	Unique prediction ID
user_id	Integer (FK)	Reference to user
image_path	Text	Uploaded image path
disease	Varchar(50)	Predicted disease name
confidence	Float	Prediction confidence score
severity	Varchar(20)	Disease severity level
date	DateTime	Prediction timestamp

3.Remember Token Table(REMEMBER TOKEN)


Fields	Data Type	Description
id	Integer	Unique token ID
user_id	Integer (FK)	Reference to user
token	Text	Authentication token
expiry	Float	Token expiry time

4.Model Information Table (MODEL)


Fields	Data Type	Description
MODEL_ID	Integer	Unique model ID
Model_Name	Varchar(50)	Model used (MobileNetV2)
Accuracy	Float	Model accuracy
Training_Date	Date	Model training date
Version	Varchar(20)	Model version

Annexure F Screen Shots


Home Page:




Register page:

A screenshot of the 'Register' page of the EyePredict application. The browser's address bar shows the URL '127.0.0.1:5000/register'. The page layout is consistent with the home page, featuring the same navigation bar. The main content area is a white card titled 'Create a New Account'. It contains several input fields: 'Full Name' (with 'John Doe' as a placeholder), 'Email' (with 'you@example.com' as a placeholder), 'Password' (with 'Create a password' as a placeholder), and 'Confirm Password' (with 'Re-enter your password' as a placeholder). Below these fields is a CAPTCHA section with a checkbox labeled 'I'm not a robot' and a CAPTCHA image. At the bottom of the card is a blue 'Create Account' button and a link that says 'Already have an account? Login'.


Login page:




Prediction Page:




Result page:



PDF Report:



About Page:



Contact Page:

The screenshot shows the 'Contact' page. The header includes the EyePredict logo, navigation links for Home, About, and Contact, and buttons for Login and Register. The main content area features a title 'Send a secure message' followed by a descriptive sentence: 'Reach out with your eye health or AI diagnosis question. We'll respond with care and clarity.' Below this, there are two input fields: 'Full name' and 'Email address'. A large text area for 'Your message' is provided, with a note 'Minimum 10 characters' and a character count '0 / 2000'. A checkbox labeled 'I'm not a robot' is next to a reCAPTCHA logo. A 'Send Message' button is at the bottom.