

```
D 6 □ ···
                                    Father.java
 EXPLORER
                                                    ThreadsExtra1.java
                                                                          ● ThreadsExtra2.java >  RandomThreadMain
> OPEN EDITORS
                                         import java.util.Random;
V PROGRAMS JAVA
                                          class ThreadsRandom implements Runnable
 ∨ CIE
 Internals.java
                                               String name;
 main.java
                                               int type;
 Student.java
                                               int result;
 > SEE
                                               Thread t;
                                               Random ran=new Random();
 Father.java
                                               static int num;
 main.java
                                               ThreadsRandom(String thname,int typeth)
 studentMain.java
 ThreadsExtra1.java
                                                   name=thname;
 ThreadsExtra2.java
                                                   type=typeth;
t=new Thread(this,name);

    TotalMarks.java

                                                   t.start();
                                               public void run()
                                                   try{
                                                       if(type==1)
                                                           for(int i=0;i<10;i++)
                                                               num=ran.nextInt(100);
System.out.println("The Random number is: "+num);
> OUTLINE
                                                                Thread.sleep(1000);
> NPM SCRIPTS
> JAVA PROJECTS
                                     29
                                                       else if(type==2)
> MAVEN
```

```
⊳ e> □ ···
 EXPLORER
                                  Father.java
                                                 ThreadsExtra1.java
                                                                       > OPEN EDITORS
                                  ThreadsExtra2.java >  RandomThreadMain
                                                     else if(type==2)
V PROGRAMS JAVA
∨ CIE
                                                         for(int i=0;i<10;i++)
 Internals.java
 main.java
                                                             if(num%2==0)
 Student.java
 > SEE
                                                                 int sq;
Father.java
                                                                 sq=num*num;
                                   38
                                                                 System.out.println("The Square of the number is: "+sq);
main.java
g studentMain.java
                                                             Thread.sleep(1100);
ThreadsExtra1.java
 ThreadsExtra2.java
                                                    )
else
TotalMarks.java
                                                         for(int i=0;i<10;i++)
                                                             if(num%2==1)
                                   49
                                                                 int cube;
                                   50
                                                                 cube=num*num*num;
                                                                 System.out.println("The Cube of the number is: "+cube);
                                                             Thread.sleep(1100);
> OUTLINE
> NPM SCRIPTS
                                                 catch(InterruptedException ie)
> JAVA PROJECTS
                                                     System.out.println("The Thread "+type+" experienced an Interrupt.");
> MAVEN
```

```
EXPLORER
                                        Father.java
                                                           ThreadsExtra1.java
                                                                                    ThreadsExtra2.java X
                                                                                                              main.java
                                         ThreadsExtra2.java >  RandomThreadMain
> OPEN EDITORS
V PROGRAMS JAVA
                                                                        Thread.sleep(1100);
 ∨ CIE
  Internals.java
  main.java
                                                          catch(InterruptedException ie)
  Student.java
                                                               System.out.println("The Thread "+type+" experienced an Interrupt.");
 Father.java
 main.java
 studentMain.java
 ThreadsExtra1.java
                                                class RandomThreadMain
 ThreadsExtra2.java
 TotalMarks.java
                                                     Run | Debug
public static void main(String args[])
                                                         new ThreadsRandom("one",1);
new ThreadsRandom("two",2);
new ThreadsRandom("three",3);
                                                3
> OUTLINE
> JAVA PROJECTS
> MAVEN
```