9	WEEK 9 LAB PROGRAM 6
9	
9	DANA CAS
3	La bartis are dia 200 ands:
2	package CIE; import java ntil scarres; public class Internals extends Student
	public class internals encour
	The first of the second of the
1	public int CHE cienarks []= new int [5];
The second second	public void getnacks ()
	S Conternation of white
	gelalata ();
. (:*	System ent pointly ("Enter CIE marks");
	pox(i=0;i(5;iH)
	IN 2 STAND AND TAKED
	ciemarke (i] = ss. nentInt();
(". 141)	The state of the s
	Caraldy Da Al areas
	5
	void display()
	System out pointln ("Name": "+ mis.namo); System out pointln (" Semester: "+this-sem); }
	System out-pointly ("Namp", "
	system ent Donth (" 11ch 1"
the state of	System out Drinter (10. + this usa).
	? semester: "+this-sem)
_	7 illustration of the second o
	July and the state of the state
N 19	TO A DIE LANGE AL MAN AND A COMMENT OF THE PARTY OF THE P
	THE STATE OF THE S

na process		
x		
	//	0
		0
	Packs -	-
	Package CIE; iniport java util. Scanner; public class Student	-
	suport java ntil Scarner,	
	public class Student	
	Loubly riags delegant extents alding	-
777	Public String 128N1 1011	
8	process int sem. I am allered	
	public scannel SS = NOW SCANNES / Butemin	
	public vois getalatal)	5
7.1	39 (1 M a) 19 8	SI
(&) (O)	Explenient. Dointln ("Nana ")	5
	explenient point(n("Name:"), name = es. next();	2
	system. Wit bonto ("122" ")	DI
	usn=ss.nent Int ().	9
	Syptement. Drin+10/10	
	Sen= ss. nextont():	
	2 million and the second	
	2 Chrondrib him	
		0
- 0 ILNV -	package SEE; & insport ; ava. ntil. Sannes; public class Externals extends CIE. Student	2
1 - 21 - 34 5	Q INDONE : ava util: com	-
(NSN ex	ma. Loir class Gatos Mall or La . A.	
Alle MANE	plus CIE. Student	3
	E public int seemarks [] = newint [5]. Scarrer searce (lysten:is).	3
	COMMON IL - NOW INT [5].	2
	summer school (lysten ::)	1

```
ter(int i=0; i(n; itt)
       studie [i] = new Internals ();
       studole CiJ= new Enternals
       studice [i]. getmarks ();
Studene [i]-get marks ();
for (int j=0; j<5; j++)
             final marks [i] [j] = studie [i] +
cie marks [j] + (studite[i] cee marks[j]
       studice [i] display();
                System out-pointln (* finalmarks
```

-	_/_/
-2	WEEK 10 LAB PROGRAM 7.
*	: mont javaintil. Scarret;
2	class Demo (T, S)
2	Sma;
4	alerio (T n.1, S M2)
	this.M1= M1; this.M2= M2;
	2
	public roid display ()
	<u> </u>
	Syptem. out-pointhn (" The value of" + this. m1 + "is" + this. m2):
	7
	}
	class democlain
	\{\begin{align*} \characters{c} \cha
	L public static roid main (stoing augs (1)

T. S. L. IVINGRESS	The Administration of the American	
a serio (st)	ing, String> std1=new ring > 1"Nave", Ishika	
denis & string, 81	ring > ("Nave" Iskika	
Stal. display ().	Trongon zenta.	7
3		
}	T M	
	S1 n 2	
(6hx 2 1hx	The accusa of the	
	Ş	
- LLA BILA.	2 Mic	
· NAW = SAM = SAM -	Frus	
	9	
	1	_
() walders is	DIABLIC YOU	
		_
CERTIFICATION IN THE VIEWS	in the Sans	_
· (Sen . 2 + 1 2 + 1 m2).	2: 137	_
	S. Same	_
	2	_
	6	_
	sax demoldai	
		_
4i tail win (Story or 3) 1)	inda sindua 3	

```
... □ <a <
                                      ● Father.java ● ● main.java ×
> OPEN EDITORS 1 UNSAVED
                                       main.java > \( \frac{1}{12} \) FamousMain > \( \frac{1}{12} \) main(String[])
                                             import java.util.Scanner;
                                             class Famous(T,S)
  Internals.java
  main.java
                                                  T mem1;
  Student java
                                                  S mem2;
 Father.java
                                                  Famous(T ob1, S ob2)
 main.javastudentMain.java
                                                      this.mem1=ob1;
                                                      this.mem2=ob2;
                                                  public void displayitems()
                                                      System.out.println("The Value of "+this.mem1+" is: "+this.mem2);
                                             class FamousMain
                                                  public static void main(String args[])
                                                      Famous <String, String> std1=new Famous<String, String>("Name","Elon Musk");
                                                      std1.displayitems();
> OUTLINE
> NPM SCRIPTS
> JAVA PROJECTS
> MAVEN
                                                                                       Screen Reader Optimized Ln 24, Col 29 Spaces: 4 UTF-8 CRLF Java
```

