



Experiment – 5

AIM: Practice Queries.

Step-1: Write a Query to show the table employee_lavina.

```
mysql> select * from employee_lavina;
```

employee_id	first_name	last_name	salary	department_id	hire
1	John	Smith	60000	1	2022-01-15
2	Jane	Doe	15000	1	2021-03-20
3	Peter	Jones	90000	2	2020-05-10
4	Mary	Williams	80000	2	2021-08-01
5	David	Brown	65000	3	2023-10-05
6	null	Davis	55000	3	2023-02-12

```
6 rows in set (0.00 sec)
```

Step-2: Write a Query to show the table departments.

```
mysql> select * from departments;
```

department_id	department_name
1	Engineering
2	Sales
3	Marketing
4	HR

```
4 rows in set (0.00 sec)
```

Step-3: Write a SQL query to create a new column Salary_bracket characterised each employee based on their salary.

```
mysql> select first_name, salary,
-> CASE
-> WHEN salary>85000 THEN 'higher earner'
-> WHEN salary>70000 THEN 'mid earner'
-> else 'standard earner'
-> end as salary_bracket
-> from employee_lavina;
```

first_name	salary	salary_bracket
John	60000	standard earner
Jane	75000	mid earner
Peter	90000	higher earner
Mary	80000	mid earner
David	65000	standard earner
NULL	55000	standard earner

```
6 rows in set (0.01 sec)
```



INSTITUTE OF ENGINEERING & TECHNOLOGY

MOHANLAL SUKHADIA UNIVERSITY, UDAIPUR

Name : Lavina Tamboli | Class: Btech-CSE IV sem) | Subject: DBMS Lab

Step-4: Write a Query to find the name of all the employee who works in "Sales" department.

Method-1:

```
mysql> select first_name,last_name
-> from employee_lavina as E, departments as D
-> where E.department_id = D.department_id and D.department_name = "Sales";
+-----+-----+
| first_name | last_name |
+-----+-----+
| Peter      | Jones     |
| Mary       | Williams  |
+-----+-----+
2 rows in set (0.00 sec)
```

Method-2:

```
mysql> select first_name, last_name
-> from employee_lavina
-> where department_id IN (select department_id
-> from departments
-> where department_name = "sales");
+-----+-----+
| first_name | last_name |
+-----+-----+
| Peter      | Jones     |
| Mary       | Williams  |
+-----+-----+
2 rows in set (0.01 sec)
```

Step-5: Write a SQL statement to display employee_name, Salary of the employee who earn less than 30000.

```
mysql> select first_name,last_name, salary
-> from employee_lavina
-> where salary < 30000;
Empty set (0.00 sec)
```

Step-6: Write a SQL statements to display name and salary of each employee who Earn between 55000 and 75000.

```
mysql> select first_name,last_name, salary
-> from employee_lavina
-> where salary between 55000 and 75000;
+-----+-----+-----+
| first_name | last_name | salary |
+-----+-----+-----+
| John       | Smith    | 60000  |
| Jane       | Doe      | 75000  |
| David      | Brown    | 65000  |
| NULL       | David    | 55000  |
+-----+-----+-----+
4 rows in set (0.00 sec)
```



INSTITUTE OF ENGINEERING & TECHNOLOGY

MOHANLAL SUKHADIA UNIVERSITY, UDAIPUR

Name : Lavina Tamboli | Class: Btech-CSE IV sem) | Subject: DBMS Lab

Step-7: Write a SQL query to display the annual salary of each employee display the annual salary column as annual salary.

```
mysql> select employee_id,first_name , last_name, 12*salary as "Annual salary"
-> from employee_lavina;
+-----+-----+-----+-----+
| employee_id | first_name | last_name | Annual salary |
+-----+-----+-----+-----+
| 1 | John | Smith | 720000 |
| 2 | Jane | Doe | 900000 |
| 3 | Peter | Jones | 1080000 |
| 4 | Mary | Williams | 960000 |
| 5 | David | Brown | 780000 |
| 6 | NULL | David | 660000 |
+-----+-----+-----+-----+
6 rows in set (0.03 sec)
```

Step-8: Write a SQL query for finding the employees who were hired in the year 2023 and month January (01).

```
mysql> select *
-> from employee_lavina
-> where year(hire) = 2023 and month(hire) = 01;
+-----+-----+-----+-----+-----+-----+
| employee_id | first_name | last_name | salary | department_id | hire |
+-----+-----+-----+-----+-----+-----+
| 5 | David | Brown | 65000 | 3 | 2023-01-05 |
+-----+-----+-----+-----+-----+-----+
1 row in set (0.01 sec)
```

Step-9: Write a SQL query to display the name and the salary of an employee whose second letter of the first name is 'a'.

```
mysql> select first_name, salary
-> from employee_lavina
-> where first_name like '_a%';
+-----+-----+
| first_name | salary |
+-----+-----+
| Jane | 75000 |
| Mary | 80000 |
| David | 65000 |
+-----+-----+
3 rows in set (0.01 sec)
```