



Experiment-8

Aim: Perform the queries for triggers.

Steps:

1. Write a query to create table emp.

```
1 • create table emp(e_id int, f_name varchar(15), l_name varchar(15), hr_pay decimal(5,2), job varchar(15), hire_date date, supervisor_id int);
2 • desc emp;
```

Field	Type	Null	Key	Default	Extra
e_id	int	YES		NULL	
f_name	varchar(15)	YES		NULL	
l_name	varchar(15)	YES		NULL	
hr_pay	decimal(5,2)	YES		NULL	
job	varchar(15)	YES		NULL	
hire_date	date	YES		NULL	
supervisor_id	int	YES		NULL	

2. Write a query to insert values in the table emp

```
3 • insert into emp values
4 (1, "Eugene", "Krabs", 25.50, "Manager", "2023-01-02", NULL),
5 (2, "Squidward", "Tentacles", 15.00, "Cashier", "2023-01-03", 5),
6 (3, "Spongebob", "Squarepants", 12.50, "Cook", "2023-01-04", 5);
```

3. Write a query to show the data of the table emp.

```
7 • select * from emp;
```

e_id	f_name	l_name	hr_pay	job	hire_date	supervisor_id
1	Eugene	Krabs	25.50	Manager	2023-01-02	NULL
2	Squidward	Tentacles	15.00	Cashier	2023-01-03	5
3	Spongebob	Squarepants	12.50	Cook	2023-01-04	5

4. Write a query to add a new column 'salary' after 'hr_pay'.

```
8 • alter table emp add column salary decimal(10,2) after hr_pay;
9 • select * from emp;
```

e_id	f_name	l_name	hr_pay	salary	job	hire_date	supervisor_id
1	Eugene	Krabs	25.50	NULL	Manager	2023-01-02	NULL
2	Squidward	Tentacles	15.00	NULL	Cashier	2023-01-03	5
3	Spongebob	Squarepants	12.50	NULL	Cook	2023-01-04	5



INSTITUTE OF ENGINEERING & TECHNOLOGY

MOHANLAL SUKHADIA UNIVERSITY, UDAIPUR

Name : Lavina Tamboli | Class: Btech-CSE IV sem) | Subject: DBMS Lab

5. Write a query to create a trigger named 'before_hr_pay_update'.

```
10 • create trigger before_hr_pay_update before update on emp for each row set new.salary = (new.hr_pay * 2080);
11 • show triggers;
```

Trigger	Event	Table	Statement	Timing	Created	sql_mode	Definer
before_hr_pay_update	UPDATE	emp	set new.salary = (new.hr_pay * 2080)	BEFORE	2026-08-10 17:45:09.81	ONLY_FULL_GROUP_BY,STRICT_TRANS_TABLE...	root@localhost

6. Write a query to update the values of the column salary based on hr_pay using trigger.

```
12 • update emp set salary = (hr_pay * 2080);
13 • select * from emp;
```

e_id	f_name	l_name	hr_pay	salary	job	hire_date	supervisor_id
1	Eugene	Krabs	25.50	53040.00	Manager	2023-01-02	NULL
2	Squidward	Tentacles	15.00	31200.00	Cashier	2023-01-03	5
3	Spongebob	Squarepants	12.50	26000.00	Cook	2023-01-04	5

7. Write a query to update the hr_pay to 50 of the employee whose e_id is 1.

```
14 • update emp set hr_pay = 50 where e_id = 1;
15 • select * from emp;
```

e_id	f_name	l_name	hr_pay	salary	job	hire_date	supervisor_id
1	Eugene	Krabs	50.00	104000.00	Manager	2023-01-02	NULL
2	Squidward	Tentacles	15.00	31200.00	Cashier	2023-01-03	5
3	Spongebob	Squarepants	12.50	26000.00	Cook	2023-01-04	5



INSTITUTE OF ENGINEERING & TECHNOLOGY

MOHANLAL SUKHADIA UNIVERSITY, UDAIPUR

Name : Lavina Tamboli | Class: Btech-CSE IV sem) | Subject: DBMS Lab
