

Write a beginner C++ program for a Student Excuse Generator. Ask for the student's name. Store 10 creative excuses in an array or vector. Use a placeholder like '{name}' in the templates. The program should pick one excuse at random and replace the placeholder with the user's name. Make it simple for a college assignment

Here's a clean, beginner-friendly C++ program for a **Student Excuse Generator**. It uses basic concepts: input, arrays, random numbers, and simple string replacement.

 C++



```
#include <iostream>
#include <string>
#include <cstdlib> // rand(), srand()
#include <ctime>   // time()

using namespace std;

int main() {
    string name;

    // Ask for student's name
    cout << "Enter your name: ";
    getline(cin, name);

    // List of 10 excuses with {name} placeholder
    string excuses[10] = {
        "{name}, my dog accidentally submitted my assignment... and then deleted it.",
        "{name}, I was about to finish my work but there was a sudden power cut.",
        "{name}, my laptop decided to update itself for 3 hours straight.",
        "{name}, I was helping a friend and lost track of time.",
        "{name}, I got stuck in unexpected traffic even though I started early.",
        "{name}, my internet stopped working right when I needed it most.",
```

+ Ask anything



FileEditSelectionViewGoRunTerminalHelpFOCP 11 - ASSIGNMENTS

EXPLORER

OPEN EDITORS

student_excuse.cppU

FOCP 11 - ASSIGNMENTS

.gitignore

a.exe

assignment1Ques1.cpp

assignment1Ques2.cpp

BANK_BALANCE.cppU

BANK_BALANCE.exe

CountPairs.cpp

CountPairs.exe

CountPairs.png

HelpAliceToFindTheParity.cpp

HelpAliceToFindTheParity.exe

MOVIE_TICKETS.cpp

MOVIE_TICKETS.exe

Q8.cpp

Q10.cpp

roastgenerator.cppU

roastgenerator.exe

student_excuse.cppU

student_excuse.exe

TooChocolately.cpp

TooChocolately.exe

TurnOFFLights.cpp

TurnOFFLights.exe

TurnOFFLights.png

OUTLINE

TIMELINE

student_excuse.cppU

student_excuse.cpp > main()

```
1 #include <iostream>
2 #include <string>
3 #include <cstdlib> // rand(), srand()
4 #include <ctime>   // time()
5
6 using namespace std;
7
8 int main() {
9     string name;
10
11     // Ask for student's name
12     cout << "Enter your name: ";
13     getline(cin, name);
14
15     // List of 10 excuses with {name} placeholder
16     string excuses[10] = {
17         "{name}, my dog accidentally submitted",
18         "{name}, I was about to finish my work",
19         "{name}, my laptop decided to update itself for 3 hours straight.",
20         "{name}, I was helping a friend and lost track of time.",
21         "{name}, I got stuck in unexpected traffic even though I started early.",
```

(const char [65]){name}, my laptop decided to update itself for 3 hours straight."Generate Copilot summary

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

P 11 - ASSIGNMENTS\roastgenerator

Enter your name: ishika

Your roast:

ishika, your brain is on airplane mode.

c:\Users\ISHIKA\OneDrive\Engineering_Journey\Desktop\FOCP 11 - ASSIGNMENTS>cd "c:\Users\ISHIKA\OneDrive\Engineering_Journey\Desktop\FOCP 11 - ASSIGNMENTS\" && g++ student_excuse.cpp -o student_excuse && "c:\Users\ISHIKA\OneDrive\Engineering_Journey\Desktop\FOCP 11 - ASSIGNMENTS\student_excuse

Enter your name: ishika

Your excuse:

{name}, I accidentally worked on the wrong file the whole time.

c:\Users\ISHIKA\OneDrive\Engineering_Journey\Desktop\FOCP 11 - ASSIGNMENTS>

+v...|[]x

cmd

Code

Ln 42, Col 2Spaces: 4UTF-8CRLF{}C++Win32

I ran the program and entered my name as 'Priya', but the output still says '{name}' instead of my actual name. It looks like this: '{name}' couldn't finish the assignment...'. How do I fix the code so it actually swaps the placeholder for the input name?

That means the replacement step isn't actually finding `{name}` in your selected string. A few small things can cause this—let's fix it properly.

Most common issue

`find("{name}")` only replaces **exact matches**.

If your string has even a tiny difference like:

- extra space → `" {name}"`
- different case → `"{Name}"`
- typo → `"{ name}"`

then `find()` fails → no replacement happens.

Reliable fix (replace ALL occurrences safely)

Use a loop instead of a single `find()` :

```
</> C++  
  
size_t pos = 0;  
while ((pos = selected.find("{name}", pos)) != string::npos) {  
    selected.replace(pos, 6, name);  
    pos += name.length(); // move forward  
}
```

+ Ask anything

Also double-check your strings

Make sure your array actually contains **exactly** `{name}` :

`</>` C++

```
"{name} couldn't finish the assignment..."
```

NOT:

`</>` C++

```
"{ name}" // wrong
```

```
"{Name}" // wrong
```

Quick debugging trick

Print the selected string before replacement:

`</>` C++

```
cout << "Before: " << selected << endl;
```

If `{name}` isn't visible exactly like that, you've found the issue.

Bottom line

Your logic is correct—the problem is almost always:

- mismatch in `{name}` text
- or using only one `find()` instead of a loop

+ Ask anything



FileEditSelectionViewGoRunTerminalHelpFOCP 11 - ASSIGNMENTS

EXPLORER

OPEN EDITORS

student_excuse.cpp

FOCP 11 - ASSIGNMENTS

.gitignore

a.exe

assignment1Ques1.cpp

assignment1Ques2.cpp

BANK_BALANCE.cpp

BANK_BALANCE.exe

CountPairs.cpp

CountPairs.exe

CountPairs.png

HelpAliceToFindTheParity.cpp

HelpAliceToFindTheParity.exe

MOVIE_TICKETS.cpp

MOVIE_TICKETS.exe

Q8.cpp

Q10.cpp

roastgenerator.cpp

roastgenerator.exe

student_excuse.cpp

student_excuse.exe

TooChocolatey.cpp

TooChocolatey.exe

TurnOFFLights.cpp

TurnOFFLights.exe

TurnOFFLights.png

OUTLINE

TIMELINE

student_excuse.cpp

main()

```
1  #include <iostream>
2  #include <string>
3  #include <cstdlib> // rand(), srand()
4  #include <ctime>   // time()
5
6  using namespace std;
7
8  int main() {
9      string name;
10
11     // Ask for student's name
12     cout << "Enter your name: ";
13     getline(cin, name);
14
15     // List of 10 excuses with {name} placeholder
16     string excuses[10] = {
17         "{name}, my dog accidentally submitted my assignment... and then deleted it.",
18         "{name}, I was about to finish my work but there was a sudden power cut.",
19         "{name}, my laptop decided to update itself for 3 hours straight.",
20         "{name}, I was helping a friend and lost track of time.",
21         "{name}, I got stuck in unexpected traffic even though I started early.",
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

P 11 - ASSIGNMENTS\student_excuse

Enter your name: ishika

Your excuse:

{name}, I accidentally worked on the wrong file the whole time.

c:\Users\ISHIKA\OneDrive\Engineering_Journey\Desktop\FOCP 11 - ASSIGNMENTS>cd "c:\Users\ISHIKA\OneDrive\Engineering_Journey\Desktop\FOCP 11 - ASSIGNMENTS\" && g++ student_excuse.cpp -o student_excuse && "c:\Users\ISHIKA\OneDrive\Engineering_Journey\Desktop\FOCP 11 - ASSIGNMENTS\student_excuse

Enter your name: ishika

Your excuse:

ishika, I wasn't feeling well and couldn't complete the task.

c:\Users\ISHIKA\OneDrive\Engineering_Journey\Desktop\FOCP 11 - ASSIGNMENTS>

cmd

Code

Ln 47, Col 2 Spaces: 4 UTF-8 CRLF {} C++ Win32