

Module–2(Manual Testing)

- What is Exploratory Testing?
 - Exploratory Testing is testing done without predefined test cases to find bugs by exploring the application freely.
- What is traceability matrix?
 - Test condition should be able to be linked back to their sources in the test basis is known as traceability matrix.
- What is Boundary value testing?
 - Testing at edges like minimum/maximum value.
- What is Equivalence partitioning testing?
 - Dividing inputs into valid/invalid groups.
- What is Integration testing?
 - Integration testing is a level of software testing process where individual units are combined and tested as a group.
- What determines the level of risk?
 - Risk level is determined by how likely a problem is to happen and how serious its impact will be.
- What is Alpha testing?
 - Testing done by internal team.
- What is beta testing?
 - Testing done by real user.
- What is component testing?
 - The testing of individual software component is known as component testing.
- What is functional system testing?
 - Functional System Testing is a type of testing where the complete system is tested to check whether all functions and features work correctly according to the requirements.
- What is Non-Functional Testing?
 - Non-Functional Testing is a type of testing used to check the performance, speed, security, usability, reliability, and overall behavior of a system instead of its functions.

- What is GUI Testing?
 - Testing a UI elements.
- What is Adhoc testing?
 - Adhoc testing is a randomly testing without documentation.
- What is load testing?
- What is stress Testing?
 - What is white box testing and list the types of white box testing?
 - The white box testing is the tester needs to possess knowledge of the internal working of the code.
 - Statement coverage, decision coverage, condition coverage.
 - What is black box testing? What are the different black box testing techniques?
 - Black Box Testing is a software testing method where the tester checks the functionality of the application without knowing the internal code or structure.

Different Black Box Testing Techniques:

- Equivalence Partitioning
- Boundary Value Analysis
- Decision Table Testing
- State Transition Testing

- Mention what are the categories of defects?
 - Data quality/database defect, functionality defect, critical functionality defect ,Security defect, UI defect.
- Mention what big bang testing is?
 - In Big bang integration testing all component and modules is integrated simultaneously, after which everything is tested as whole.
- What is the purpose of exit criteria?
 - You will not enter the next stage until the exit criteria of previous stage is not .But practically it is not always possible.
- When should "Regression Testing" be performed?
 - To check if old feature still work after changes.
- What is 7 key principles? Explain in detail?

- 1. Testing shows a presence of defects.
- You never say that software is 100% defect free its impossible.
- 2. Exhausting testing is impossible.
- Everything tested is impossible .
- 3. Early testing.
- You should start testing as early.
- 4. Defect clustering
- When you find more bug in one place there is a chance that more bugs were find in that place.
- 5. Pesticide Paradox.
- If you find out the bug then you don't have tested repetedley to that component
- 6. Testing is context dependent.
- Many area were testing is more important like 70% they have to test the software.
- 7. Absence of error fallacy.
- When your software is bug free but requirement is not as per client than its useless.

• Difference between QA v/s QC v/s Tester

Testing	QC	QA
Subset of QC	Quality Control	Quality Asurance
Focus on test execution	Focus on product	Focus on process.
Done during development or after development	Done after development.	Done before development.
Actual Testing	Find Defects	Prevent defects

• Difference between Smoke and Sanity?

Smoke	Sanity
To check the critical of new build.	To test the after defect fix and new functionality.
It checks the stability of software.	It checks the rationality of software.
General health checkup.	Specialized health checkup.

- Difference between verification and Validation

Verification	Validation
Static testing (Review of document)	Dynamic testing (live testing of actual software)
Are you building the product right	Are you building the right product
Inspection, walk through , reviews	testing

- Explain types of Performance testing.

- What is Error, Defect, Bug and failure?

- A mistake in coding is error, error is found by tester is called defect , defect is found by developer is called bug, build is not meet as per requirement it is failure.

- Difference between Priority and Severity

- Severity is impact on the defect and Priority is urgency to fix the defect.

- What is Bug Life Cycle?

- The **Bug Life Cycle** (also called the **Defect Life Cycle**) is the process a software bug goes through from the time it is identified until it is fixed and closed.

- Explain the difference between Functional testing and NonFunctional testing

Functional Testing	Non-Functional Testing
Checks what the system does	Checks how the system performs
Tests features and functions	Tests performance, security, usability, etc.
Based on functional requirements	Based on non-functional requirements

- What is the difference between test scenarios, test cases, and test script?

Term

Meaning

Test Scenario

A high-level idea of what to test

Term	Meaning
Test Case	Detailed steps, input, and expected result for testing
Test Script	A set of automated commands/code used to execute test cases

Example:

- **Scenario:** Test Login Functionality
 - **Test Case:** Enter valid username and password and click login
 - **Test Script:** Automation code written in Selenium or another tool
-
- Explain what Test Plan is? What is the information that should be covered.
 - A Test Plan is a document that describes the testing process, objectives, strategy, schedule, and resources for a project.

Information Covered in a Test Plan:

- Test Objectives
 - Scope of Testing
 - Test Strategy
 - Test Environment
 - Testing Types
 - Roles and Responsibilities
 - Test Schedule
 - Entry and Exit Criteria
 - Risks and Assumptions
 - Deliverables and Reports
-
- What is priority?
 - Impact on the defect
 - What is severity?
 - Urgency to fix the defect.
 - Bug categories are...
 - Data quality/database defect, functionality defect, critical functionality defect, Security defect, UI defect.

- Advantage of Bugzilla .

- Bugzilla is a free, open-source bug tracking tool used to manage and track defects efficiently.

It provides features like bug lifecycle tracking, email notifications, reporting, and user access control.

- What are the different Methodologies in Agile Development Model?

- Scrum
- Kanban
- Extreme Programming (XP)
- Lean Software Development
- Crystal

- Explain the difference between Authorization and Authentication in Web testing. What are the common problems faced in Web testing?

- **Authentication** checks the user's identity, while **Authorization** checks the user's permissions. Common web testing issues include browser compatibility, performance, security, UI defects, broken links, and validation errors.

- When to use Usability Testing?

- Usability Testing is used to check whether an application is easy, user-friendly, and comfortable for users to understand and use.

- What is the procedure for GUI Testing?

- Check all GUI elements (buttons, text boxes, menus, etc.)
- Verify alignment, colors, fonts, and layout