

```
import java.util.Scanner;
```

```
public class Addition{
```

```
    public static int sumOfTwoNumbers(int a,int b){  
        int sum = a + b;  
        System.out.println(sum);  
        return sum;  
    }
```

```
    public static void main(String[] args){  
        Scanner sc = new Scanner(System.in);  
        System.out.println("Enter first number: ");  
        int num1= sc.nextInt();  
        System.out.println("Enter second number:");  
        int num2 = sc.nextInt();  
  
        int result=sumOfTwoNumbers(num1,num2);  
        System.out.println("Result= "+result);  
    }
```

```
}
```

```
import java.util.Scanner;
```

```
public class CheckAge{
```

```
    public static int checkAgecategory(int age){
```

```
        if(age<18){
```

```
            System.out.println("Person is minor");
```

```
        }else if(age>=18&& age<60){
```

```
            System.out.println("Person is adult");
```

```
        }else if(age>=60){
```

```
            System.out.println("Person is Senior citizen");
```

```
        }
```

```
        return age;
```

```
    }
```

```
    public static void main(String[] args){
```

```
        Scanner sc = new Scanner(System.in);
```

```
        System.out.println("Enter the age : ");
```

```
        int age=sc.nextInt();
```

```
        checkAgecategory(age);
```

```
    }
```

```
}
```

```
public class EvenNum{  
  
    public static void printEvenNumbers() {  
        int i = 1;  
        while(i<=50){  
            if (i%2==0){  
                System.out.println(i);  
            }  
            i++;  
        }  
    }  
  
    public static void main(String[] args) {  
  
        printEvenNumbers();  
  
    }  
}
```

```
import java.util.Scanner;
```

```
public class Positivenum{
```

```
    public static void askForPositiveNumber() {
```

```
        Scanner sc = new Scanner(System.in);
```

```
        int num;
```

```
        do{
```

```
            System.out.println("Enter a number:");
```

```
            num =sc.nextInt();
```

```
        }while(num<=0);
```

```
        System.out.println("You entered a positive number:"+ num);
```

```
    }
```

```
    public static void main(String[] args){
```

```
        askForPositiveNumber();
```

```
    }
```

```
}
```

```
import java.util.Scanner;
```

```
public class MulTable{
```

```
    public static void printMultiplicationTable(int num){
```

```
        for(int i=1;i<=10;i++){
```

```
            int result=num*i;
```

```
            System.out.println(num + "x" + i + "=" +result);
```

```
        }
```

```
    }
```

```
    public static void main(String[] args){
```

```
        Scanner sc=new Scanner(System.in);
```

```
        System.out.println("Enter a number to print it's table :");
```

```
        int number=sc.nextInt();
```

```
        printMultiplicationTable(number);
```

```
    }
```

```
}
```

```
import java.util.Scanner;

public class SumOfIntegers{
    public static int CalculateSum(int N){
        int sum=0;
        for(int i=1;i<=N;i++){
            sum = sum+i;
        }
        return sum;
    }
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        System.out.println("Enter a number:");
        int num =sc.nextInt();

        int result=CalculateSum(num);
        System.out.println("Result:"+result);
    }
}
```

```
import java.util.Scanner;
```

```
public class Switchcase{
```

```
    public static void AverageMarks() {
```

```
        int maths = 80;
```

```
        int sci = 85;
```

```
        int history = 90;
```

```
        int average = (maths + sci + history)/3;
```

```
        if (average >= 90) {
```

```
            System.out.println("Grade A");
```

```
        } else if (average > 70 && average < 89) {
```

```
            System.out.println("Grade B");
```

```
        } else if (average > 50 && average < 69) {
```

```
            System.out.println("Grade C");
```

```
        } else if (average > 30 && average < 49) {
```

```
            System.out.println("Grade D");
```

```
        }
```

```
        else if (average < 30) {
```

```
            System.out.println("Fail");
```

```
        }
```

```
    }
```

```
    public static void LeapYear() {
```

```
        int year = 2004;
```

```
        if (year % 4 == 0 && year % 100 != 0) {
```

```
            System.out.println("It is Leap Year");
```

```
        } else {
```

```
            System.out.println("It is not a leap Year");
```

```
        }
```

```
    }
```

```
    public static void Days() {
```

```
        int day = 3;
```

```
        switch(day) {
```

```
            case 1:
```

```
                System.out.println("Monday");
```

```
                break;
```

```
            case 2:
```

```
                System.out.println("Tuesday");
```

```
                break;
```



```

switch(day) {
    case 1:
        System.out.println("Monday");
        break;

    case 2:
        System.out.println("Tuesday");
        break;

    case 3:
        System.out.println("Wednesday");
        break;

    case 4:
        System.out.println("Thursday");
        break;

    case 5:
        System.out.println("Friday");
        break;

    case 6:
        System.out.println("Saturday");
        break;

    case 7:
        System.out.println("Sunday");
        break;

    default:
        System.out.println("Invalid Day Number");
        break;
}
}

```

```

public static void Values() {
    byte a = 10;
    short b = 1000;
    int c = 50000;
    long d = 1000000L;
    float e = 10.5f;
    double f = 20.75;
    char g = 'A';
    boolean h = true;

    System.out.println(a);
    System.out.println(b);
    System.out.println(c);
}

```



```
long d = 1000000L;
float e = 10.5f;
double f = 20.75;
char g = 'A';
boolean h = true;

System.out.println(a);
System.out.println(b);
System.out.println(c);
System.out.println(d);
System.out.println(e);
System.out.println(f);
System.out.println(g);
System.out.println(h);
}
```

```
public static void main(String[] args){

    Scanner sc=new Scanner(System.in);
    System.out.println("Enter any method:");
    int method=sc.nextInt();

    switch(method){
        case 1:
            AverageMarks();
            break;
        case 2:
            LeapYear();
            break;
        case 3:
            Days();
            break;
        case 4:
            Values();
            break;
        case 5:
            System.out.println("Exit");
            break;
    }
}
```