॥वसुधैव कुटुम्बकम्॥

SYMBIOSIS INSTITUTE OF TECHNOLOGY, PUNE

Symbiosis International (Deemed University)

(Established under section 3 of the UGC Act, 1956)


Re-accredited by NAAC with 'A' grade (3.58/4) | Awarded Category – I by UGC

Founder: Prof. Dr. S. B. Mujumdar, M. Sc., Ph. D. (Awarded Padma Bhushan and Padma Shri by President of India)

Assignment No. 01

Subject:	DevOps Lab
TCODE:	TE7950
Name of Student	**Yashmit Kotekar**
PRN No.	**23070122236**
Branch	CSE, Batch (2023-27), L4
Academic Year & Semester	25 – 26, Sem VII
Date of Performance	16th July, 2026
Title of Assignment:	Git Setup & Basic Workflow
Theory:	Git is a distributed version control system that helps developers track changes in source code, collaborate efficiently, and maintain different versions of a project. GitHub is a cloud-based platform that hosts Git repositories and enables collaboration. In this assignment, a GitHub repository was created and cloned to the local system. A README.md file was created, staged using git add, committed with git commit, and uploaded to GitHub using git push. This demonstrates the basic Git workflow for managing and synchronizing project files between a local machine and a remote repository. **Commands Used** 1. cd D:\CCodes – Navigated to the directory where the repository would be stored. 2. git clone https://github.com/riavinod10/devops-lab.git – Cloned the remote GitHub repository to the local machine. 3. cd devops-lab – Entered the cloned repository folder. 4. echo "# DevOps Lab" > README.md – Created the README.md file with initial content. 5. git status – Checked the repository status to verify that README.md was

	listed as an untracked file. 6. git add README.md – Added the README.md file to the staging area. 7. git status – Verified that the file was staged and ready to be committed. 8. git commit -m "Add initial README.md file" – Created the first commit with a descriptive commit message. 9. git status – Confirmed that the working tree was clean after the commit. 10. git push origin main – Pushed the committed changes from the local repository to the remote GitHub repository.
Implementation:	**Step 1: Create a New Repository on GitHub** Empty Repository on GitHub — Created an empty repository on GitHub without initializing it with a README, .gitignore, or license file to practice the Git local-to-remote workflow. **Step 2: Clone the Repository** Repository Cloned- Cloned the remote GitHub repository to the local machine using git clone and navigated into the project directory. **Step 3: Create README.md** Created README.md- Created the README.md file with initial content and verified using git status that Git recognizes it as an untracked file. **Step 4: Stage the File** Staged README.md- Added the README.md file to the staging area using git add and confirmed it is ready to be committed. **Step 5: Commit the Changes** Committed Changes- Created the first commit with a descriptive commit message and verified that the working tree is clean. **Step 6: Push to GitHub** Pushed to Remote Repository: Uploaded the local commit to the remote GitHub repository using git push. **Step 7: Verify on GitHub** Repository Verified: Verified on GitHub that the README.md file and the latest commit are visible, confirming the push was successful.





```
yashmitkotekar@Yashmits-MacBook-Air devop % pwd
/Users/yashmitkotekar/Coding/devop
yashmitkotekar@Yashmits-MacBook-Air devop % echo "# Devops-Coursework" >> README.md
yashmitkotekar@Yashmits-MacBook-Air devop % git init
git add README.md
hint: Using 'master' as the name for the initial branch. This default branch name
hint: will change to "main" in Git 3.0. To configure the initial branch name
hint: to use in all of your new repositories, which will suppress this warning,
hint: call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
hint:
hint: Disable this message with "git config set advice.defaultBranchName false"
Initialized empty Git repository in /Users/yashmitkotekar/Coding/devop/.git/
yashmitkotekar@Yashmits-MacBook-Air devop % git commit -m "first commit"
[master (root-commit) e9483a8] first commit
 Committer: Yashmit Kotekar <yashmitkotekar@Yashmits-MacBook-Air.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

 1 file changed, 1 insertion(+)
 create mode 100644 README.md
yashmitkotekar@Yashmits-MacBook-Air devop % git branch -M main
yashmitkotekar@Yashmits-MacBook-Air devop % git remote add origin git@github.com:Yashmit-k/Devops-Coursework.git
yashmitkotekar@Yashmits-MacBook-Air devop % git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 250 bytes | 250.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:Yashmit-k/Devops-Coursework.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
```



Subject Faculty Name: Prof. Arijit Dutta